



BOOK 060.IN8 v.5 c.1  
INTERNATIONAL CONGRESS OF ARTS  
AND SCIENCES # INTERNATIONAL CONG



3 9153 00057785 0

~~060~~

~~In8~~

~~115731, v.5~~









INTERNATIONAL  
CONGRESS  
OF  
ARTS & SCIENCE


EDITED BY  
HOWARD J. ROGERS, A.M..LL.D.

Privately Printed for Members  
by the  
UNIVERSITY  
ALLIANCE  
LONDON  
NEW YORK




*THIS FIRST EDITION DE LUXE,  
printed from type, is limited to five hundred  
sets, of which this is copy*

No. 2.....










Digitized by the Internet Archive  
in 2010 with funding from  
Boston Library Consortium Member Libraries



INTERNATIONAL CONGRESS  
OF  
ARTS AND SCIENCE

Q  
101  
IS  
190  
v. 5

*EDITED BY*  
HOWARD J. ROGERS, A.M., LL.D.  
DIRECTOR OF CONGRESSES

VOLUME V

BIOLOGY  
ANTHROPOLOGY  
PSYCHOLOGY  
SOCIOLOGY



UNIVERSITY ALLIANCE  
LONDON      NEW YORK

~~060~~

~~118~~

~~115~~

COPYRIGHT 1906 BY HOUGHTON, MIFFLIN & Co.

ALL RIGHTS RESERVED

COPYRIGHT 1908 BY UNIVERSITY ALLIANCE

9/29/47

2000  
6

# ILLUSTRATIONS

## VOLUME V

	FACING PAGE
THE UNIVERSITY OF PARIS IN THE THIRTEENTH CENTURY . . . <i>Frontispiece</i> Photogravure from the painting by OTTO KNILLE	
PORTRAIT GROUP OF INTERNATIONAL LECTURERS . . . . . Photogravure from a photograph	1
DR. WILHELM WALDEYER . . . . . Photogravure from a photograph	360
THE BANQUET OF PLATO . . . . . Photogravure from the painting by ANSELM FEUERBACH	574
THE MODERN RIGHTS OF MAN . . . . . Photogravure from the painting by CHARLES LANDELLE	782

7. 1. 1. 1.

1731





# ORGANIZATION OF THE CONGRESS

---

## PRESIDENT OF THE EXPOSITION:

HON. DAVID R. FRANCIS, A.M., LL.D.

## DIRECTOR OF CONGRESSES:

HOWARD J. ROGERS, A.M., LL.D.

*Universal Exposition, 1904.*

---

## ADMINISTRATIVE BOARD

NICHOLAS MURRAY BUTLER, PH.D., LL.D.

*President of Columbia University, Chairman.*

WILLIAM R. HARPER, PH.D., LL.D.

*President of the University of Chicago.*

R. H. JESSE, PH.D., LL.D.

*President of the University of Missouri.*

HENRY S. PRITCHETT, PH.D., LL.D.

*President of the Massachusetts Institute of Technology.*

HERBERT PUTNAM, LITT.D., LL.D.

*Librarian of Congress.*

FREDERICK J. V. SKIFF, A.M.

*Director of the Field Columbian Museum.*

---

## OFFICERS OF THE CONGRESS

### PRESIDENT:

SIMON NEWCOMB, PH.D., LL.D.

*Retired Professor U. S. N.*

### VICE-PRESIDENTS:

HUGO MÜNSTERBERG, PH.D., LL.D.

*Professor of Psychology in Harvard University.*

ALBION W. SMALL, PH.D., LL.D.

*Professor of Sociology in the University of Chicago.*



# TABLE OF CONTENTS

## DIVISION C — PHYSICAL SCIENCE (*continued*)

### DEPARTMENT XIII — BIOLOGY

<i>Development of Morphological Conceptions</i> . . . . .	3
JOHN MERLE COULTER	
<i>The Recent Development of Biology</i> . . . . .	13
JACQUES LOEB	
SECTION A — PHYLOGENY.	
<i>A Comparison between Artificial and Natural Selection</i> . . . . .	28
HUGO DE VRIES	
<i>The Problem of the Origin of Species</i> . . . . .	41
CHARLES OTIS WHITMAN	
SECTION B — PLANT MORPHOLOGY.	
<i>Plant Morphology</i> . . . . .	61
FREDERICK ORPEN BOWER	
<i>The Fundamental Problems of Present-Day Plant Morphology</i> . . . . .	81
KARL F. GOEBEL	
SECTION C — PLANT PHYSIOLOGY.	
<i>The Development of Plant Physiology under the Influence of the Other Sciences</i> . . . . .	103
JULIUS WIESNER	
<i>Plant Physiology — Present Problems</i> . . . . .	125
BENJAMIN MINGE DUGGAR	
SECTION D — PLANT PATHOLOGY.	
<i>The History and Scope of Plant Pathology</i> . . . . .	149
JOSEPH CHARLES ARTHUR	
<i>Vegetable Pathology an Economic Science</i> . . . . .	165
MERTON BENWAY WAITE	
SECTION E — ECOLOGY.	
<i>The Position of Ecology in Modern Science</i> . . . . .	177
OSCAR DRUDE	
<i>The Problems of Ecology</i> . . . . .	191
BENJAMIN LINCOLN ROBINSON	

## SECTION F — BACTERIOLOGY.

- Relations of Bacteriology to Other Sciences* . . . . . 207  
EDWIN OAKES JORDAN

- Some Problems in the Life-History of Pathogenic Micro-Organisms* . . . . . 219  
THEOBALD SMITH

- Short Paper* . . . . . 239

## SECTION G — ANIMAL MORPHOLOGY.

- Animal Morphology in its Relation to Other Sciences* . . . . . 244  
CHARLES BENEDICT DAVENPORT

- The Present Tendencies of Morphology and its Relations to the Other Sciences* 258  
ALFRED MATHIEU GIARD

- Short Papers* . . . . . 283

## SECTION H — EMBRYOLOGY.

- Advances and Problems in the Study of Generation and Inheritance* . . . . . 288  
OSKAR HERTWIG

- Individual Development and Ancestral Development* . . . . . 308  
WILLIAM KEITH BROOKS

## SECTION I — COMPARATIVE ANATOMY.

- The Place of Comparative Anatomy in General Biology* . . . . . 323  
WILLIAM EMERSON RITTER

- Comparative Anatomy and the Foundations of Morphology* . . . . . 336  
YVES DELAGE

- Short Paper* . . . . . 356

## SECTION J — HUMAN ANATOMY.

- The Relations of Anatomy to Other Sciences* . . . . . 361  
WILHELM WALDEYER

- The Problems in Human Anatomy* . . . . . 378  
HENRY HERBERT DONALDSON

## SECTION K — PHYSIOLOGY.

- The Domain of Physiology and its Relation to Medicine* . . . . . 395  
S. J. METZER

- The Relation of Physiology to Other Sciences* . . . . . 403  
MAX VERWORN

- Problems of Physiology of the Present Time* . . . . . 416  
WILLIAM HENRY HOWELL

- Special Works of Reference to accompany Paper on Ecology* . . . . . 435

- Works of Reference on the Sections of Bacteriology, Animal Morphology, Embryology, Comparative Anatomy, Human Anatomy, and Physiology* . . . . . 437

TABLE OF CONTENTS

ix

*Special Works of Reference on the Section of Bacteriology* . . . . 443  
*Special Works of Reference on the Section of Embryology* . . . . 444  
*Special Works of Reference on the Section of Comparative Anatomy* . . . . 445

DEPARTMENT XIV — ANTHROPOLOGY

*Anthropology and its Larger Problems* . . . . . 449  
 W J MCGEE  
*The History of Anthropology* . . . . . 468  
 FRANZ BOAS

SECTION A — SOMATOLOGY.

*The Individuality of Anthropology* . . . . . 485  
 LÉONCE MANOUVRIER  
*The Problems of Somatology* . . . . . 498  
 GEORGE AMOS DORSEY

SECTION B — ARCHEOLOGY.

*Archeology and its Relations to Other Branches of Science* . . . . 513  
 ALFREDO CHAVERO  
*The Problems of Archeology* . . . . . 527  
 GEORGE EDUARD SELER  
*Short Papers* . . . . . 542

SECTION C — ETHNOLOGY.

*Ethnology and its Relations to Other Branches of Anthropology* . . . 545  
 FREDERICK STARR  
*Ethnology: Its Scope and Problems* . . . . . 549  
 ALFRED CORT HADDON  
*Short Papers* . . . . . 571  
*Books for General Reference for Department of Anthropology* . . . . 572

DIVISION D — MENTAL SCIENCE

*The Unity of Mental Science* . . . . . 577  
 GRANVILLE STANLEY HALL

DEPARTMENT XV — PSYCHOLOGY

*The Conceptions and Methods of Psychology* . . . . . 593  
 JAMES MCKEEN CATTELL  
*The History of Psychology* . . . . . 605  
 JAMES MARK BALDWIN

TABLE OF CONTENTS

SECTION A — GENERAL PSYCHOLOGY.

*The Present State of Psychology and its Relations to the Neighboring Sciences* . . . . . 627  
 HARALD HÖFFDING

*The Present Problems of General Psychology* . . . . . 637  
 JAMES WARD

SECTION B — EXPERIMENTAL PSYCHOLOGY.

*The Relations of Experimental Psychology to Other Branches of Science* . 655  
 ROBERT MACDOUGALL

*The Problems of Experimental Psychology* . . . . . 674  
 EDWARD BRADFORD TITCHENER

SECTION C — COMPARATIVE AND GENETIC PSYCHOLOGY.

*The Relations of Comparative and Genetic Psychology to Other Branches of Science* . . . . . 696  
 CONWY LLOYD MORGAN

*The Limits of Genetic and of Comparative Psychology* . . . . . 712  
 MARY WHITON CALKINS

SECTION D — ABNORMAL PSYCHOLOGY.

*The Relations of Abnormal Psychology* . . . . . 737  
 PIERRE JANET

*Some of the Present Problems of Abnormal Psychology* . . . . . 754  
 MORTON PRINCE

*Short Paper* . . . . . 775

*Bibliography: Department of Psychology* . . . . . 776

*Special Works of Reference for Section of Abnormal Psychology* . . . 780

DEPARTMENT XVI — SOCIOLOGY

*The Concepts and Methods of Sociology* . . . . . 787  
 FRANKLIN HENRY GIDDINGS

*The Development of Sociology* . . . . . 800  
 GEORGE EDGAR VINCENT

SECTION A — SOCIAL STRUCTURE.

*The Problems of Sociology* . . . . . 815  
 GUSTAV RATZENHOFER

*The Present Problems of Social Structure* . . . . . 825  
 FERDINAND TÖNNIES

*Evolution of Social Structures* . . . . . 842  
 LESTER FRANK WARD




# TABLE OF CONTENTS

**SECTION B — SOCIAL PSYCHOLOGY.**


<i>The Province of Social Psychology</i> . . . . .	860
WILLIAM I. THOMAS	
<i>The Present Problems of Social Psychology</i> . . . . .	869
EDWARD A. ROSS	
<i>Short Paper</i> . . . . .	883
<i>Bibliography: Department of Sociology</i> . . . . .	884
<i>Books of Reference for the Section of Social Culture</i> . . . . .	886
<i>Special Works of Reference for the Section of Social Psychology</i> . . . . .	887
<i>Special Works of Reference for the Section of Social Science</i> . . . . .	888
CONTENTS OF THE SERIES . . . . .	889







DEPARTMENT XIII — BIOLOGY





## DEPARTMENT XIII — BIOLOGY

---

(Hall 2, September 20, 11.15 a. m.)

CHAIRMAN: PROFESSOR WILLIAM G. FARLOW, Harvard University.  
SPEAKERS: PROFESSOR JOHN M. COULTER, University of Chicago.  
PROFESSOR JACQUES LOEB, University of California.

---

### DEVELOPMENT OF MORPHOLOGICAL CONCEPTIONS

BY JOHN MERLE COULTER

[John Merle Coulter, Head of the Department of Botany, University of Chicago, Chicago, Illinois. b. November 20, 1851, Ningpo, China. A.B. Hanover College, 1870; A.M. *ibid.* 1873; Ph.D. Indiana University, 1890. Botanist, Hayden Survey, 1872-74; Professor of Natural Science, Hanover College (Ind.) 1874-89; Professor at Wabash College (Ind.) 1889-91; President of Indiana University, 1891-93; President, Lake Forest University (Ill.) 1893-96; Head of the Department of Botany, University of Chicago, 1896. Member, Fellow, American Association for the Advancement of Science; Botanical Society of America; Associate Fellow, American Academy of Arts and Science; Académie Internationale de Géographie Botanique. Author of *Synopsis of the Flora of Colorado*; *Manual of the Botany of the Rocky Mountain Region*; *Handbook of Plant Dissection*; *Revision of North American Umbelliferæ*; *Manual of the Botany of the Northern United States*; *Botany of Western Texas*; *A Synopsis of Mexican and Central American Umbelliferæ*; *Morphology of Gymnosperms*; *Morphology of Angiosperms*; *Plant Relations*; *Plant Structures*; *Plant Studies*.]

ANY outline of the progress of biology during the century commemorated by this Exposition that is compressed within a single address must be either inadequate or must restrict itself to some single point of view. The latter alternative must be the one chosen, not only on account of the vastness of the material, but chiefly that personal experience may give some value to the presentation. In the present address, therefore, certain limitations become necessary, and in this case they are very natural.

In the first place, it would be presumptuous in me to include zoology in any review of progress, for botanists, as a rule, are strictly limited by their material, and have never confounded botany with biology. It is true that such subjects as morphology and physiology are not to be limited by any barrier that may be set up between plants and animals, but it is also true that the material and literature with which one is familiar do not often cross this barrier. At the same time, I think it must be recognized that botany and zoology have been mutually stimulating, every real advance in the one having given an impetus to the other, and that, as a consequence, their progress has been largely along parallel lines. Hence a review of any

phase of the progress of the one may serve as an indication of the progress of the other.

In the second place, to outline the progress of biology even from the standpoint of botany is too large a subject to be included in the grasp of any one man in such a way that he can recognize the movements in his own experience. The general botanist no longer exists except in name, and any general survey of botanical activity would have to be a compilation rather than a contribution. With these limitations, it becomes necessary for me to restrict myself largely to such an outlook as is given by plant morphology, and even then to speak only of those conclusions that come naturally to one in contact with the morphology of vascular plants. And yet I believe that a history of the development of the fundamental conceptions of plant morphology may be taken as a fair illustration of what has been going on, not only in botany in general, but also in biology.

In the third place, the period included in this survey of plant morphology need not extend beyond the middle of the last century, for at least three reasons: (1) The earlier progress of the science has been outlined by Sachs in his admirable *History of Botany*; (2) modern morphology finds its beginnings in a very real sense in the work of Hofmeister; and (3) Darwin's theory of natural selection gave the strong evolutionary impulse that it has felt ever since.

My principal theme, therefore, is the development of morphological conceptions as illustrated by plant morphology.

It would be confusing to introduce the mass of details and the names of investigators suggested by this subject. Nor would there be any advantage in recording the changes of conceptions in reference to the great variety of structures developed by the plant body and in reference to their relation to one another. My purpose is to illustrate the general change of attitude, the shifting of the point of view, in reference to plant organs, as knowledge has increased. No definite names or dates can be cited, for the movement has been general and gradual, developed out of common experience and proceeding from the background of accumulated knowledge. Disregarding the numerous possible subdivisions, the attitude of mind towards a plant organ during the last half-century has presented three distinct phases.

### I. *The Phase of the Mature Organ*

At the beginning of the period under consideration, the morphologist concerned himself chiefly with completed organs, and an overshadowing rigid taxonomy compelled the idea of their classification. A few theoretical types of organs had been selected, and all organs were forced by the doctrine of metamorphosis to lie upon this Procrustean bed. All parts of vascular plants, for example, were re-

garded as roots, stems, or leaves under various disguises. It does not seem unreasonable to characterize this conception as the arbitrary selection of an ideal type, the natural offspring of the conception of ideal types that prevailed in taxonomy. In other words, morphology was dominated by taxonomy, and morphologists were first and chiefly taxonomists. It is this phase of morphology that must continue to be exploited chiefly by taxonomists, and which still remains in those conservative schools in which instruction lags far behind research. This doctrine of types resulted in the cataloguing of organs just as species were being catalogued, and, although capable of recording material, it was incapable of advancing knowledge.

An accompaniment of this mental attitude was the explanation of metamorphoses. It is almost impossible for one age to conceive of the mental condition that was satisfied with the explanations of a previous age. In this case it must be remembered that the earlier botanists were either ecclesiastically trained or not trained at all, and to them it was entirely satisfying to explain all metamorphoses upon teleological grounds. It is a matter of great surprise, however, to note how this point of view is still maintained by some investigators who have abandoned the doctrine of types, and in every other respect are inhaling a modern atmosphere.

One serious result of belief in the doctrine of types was the use of the most complex structures to explain the simpler ones; the reading of complexity into simplicity. For example, the type flower selected was one that had become completely differentiated; in short, a highly organized flower. This was read into all simpler flowers, and was even carried over the boundary of angiosperms and applied among gymnosperms, to the utter confusion of terminology and understanding. Fortunately for the students of cryptogams, a great gulf was thought to be fixed between plants with seeds and those without, and this the flower did not cross.

It is safe to say that this phase of morphology, with its types and teleology, and its use of complex structures to interpret simple ones, is now in its decline.

## II. *The Phase of the Structure of the Developing Organ*

This type of morphology has chiefly characterized the period under consideration. Its fundamental conception is evolution; its purpose is to discover phylogeny; and its method is based upon the belief that ontogeny recapitulates phylogeny. As a consequence, there was developed for the first time what may be called a philosophy of the plant kingdom, organizing the details of morphology into one coherent whole about such central facts as alternation of generations and heterospory. Study of the metamorphoses of plant organs was replaced by a study

of their development and of "life-histories," and the earliest stages of gametophyte and sporophyte and reproductive organs were scrutinized and recorded in the greatest detail in the search for relationships. Shifting its centre of gravity from the mature organ to the nascent organ, morphology departed very far from special taxonomy, while at the same time it was laying the solid foundation for general taxonomy. The reversal of old ideas was conspicuous, and much of the old terminology was found to be false in suggestion and almost impossible to shake off. For example, it has been a constant surprise to me to see the persistent use of a sex terminology in connection with flowers by those who must know better, and who must know also that they are helping to perpetuate a radical misconception.

A still more important result of this change of front in the morphological attack was the necessary reversal of the method of interpretation. No longer was the flower of highly organized angiosperms read down into the structures of the lower groups; but from the simplest beginnings structures were traced through increasing complexity and seen to end in the flower, explaining what it is. This meant that evolution had replaced the old idea of types and metamorphosis, and was building facts into a structure rather than cataloguing them. This spirit of modern morphology has not as yet dominated instruction. Its facts are developed in all their detail, abundantly and skillfully, but very seldom do the facts seem to be coördinated. The old spirit of accumulating unrelated material still dominates teaching, and crams the memory without developing permanent tissue.

The detailed developmental study of plants and their organs gave rise to what has been called morphological cytology, but it is an unfortunate differentiation, for cytology merely pushes the search for structure to the limits of technique. It is becoming more and more clear that every morphologist must also be a cytologist; and certainly every cytologist should be a morphologist; and there is no more reason for differentiation on this basis than on the basis of objectives used.

While fully recognizing the magnificent development of morphological knowledge that has resulted from this point of view, it is interesting to note running all through it much of the rigidity of the older morphology, leavened to a certain extent by the demands of evolution. Certain definite morphological conceptions were established, and organs were as rigidly outlined and defined as under the old régime. For example, there were no more definite morphological conceptions than sporangium, antheridium, and archegonium. Unconsciously, perhaps, a type of each was selected, this time from their display in the lower plant groups; and this type was read into the structure of higher groups. The distinctly outlined antheridia and archegonia of bryophytes were compelled to remain just as distinct of definition when they become confused among surrounding tissues in the pterido-

phytes; and the beautifully distinct sporangium of the leptosporangiates compelled the idea of an imbedded sporangium among the eusporangiates. In other words, the concept included non-essential with essential structures, a distinct wall about a sporangium being just as much a part of the definition as the sporogenous tissue, and its presence compelled even in the absence of any occasion for it. It can hardly be doubted that this was a heritage of habit from the older morphology, for it is in a sense a continuation of the conception of types. The recent morphologist who traces a sporangium wall into an anther is the same in spirit as the older morphologist who saw in the stamen a transformed leaf.

Associated with this rigidity of conception as to structure was the idea of predestination, and search was made for the cell or cell-group that was foreordained to produce a given structure. There was no idea that the fate of these cells might be changed or that other cells might share it. The repeated attempts to discover an exact definition of the term archesporium will serve as an illustration; and the repeated failures should have warned sooner than they did. Indifference of primordia was not thought of, and each living cell was conceived of as having only a single possibility.

The idea of unvarying sequence and predestination not only entered into the conception of developing organs, but also directed an immense amount of work in connection with the early embryonic stages of both gametophyte and sporophyte. So far as my own experience is concerned, it was in this connection that the conception of rigidity broke down. The multiplication of observations caused definite sequence and predestination to vanish in a maze of variations. This type of morphology was necessarily its own corrective, for rigidity could not stand before the accumulation of facts. In a sense, rigidity of conception is easier to grasp, and certainly simpler to present, than flexibility of conception, for the human mind seems to demand its knowledge in labeled pigeon-holes. This same spirit permeated the attitude of the morphologist of this period towards his ultimate purpose, for phylogeny to him was rather a simple conception. Similarity of structure meant community of descent. Such a condition as heterospory, such a structure as the seed, or such an organization as the sporophyte, was attained once for all, and the successful plant or group became the fortunate ancestor of all heterosporous plants, or spermatophytes, or sporophytes. This was phylogeny made easy. Multiplied observations showed that similarity of structure often does not indicate community of descent, and we are staggered before the possibilities of phylogeny.

The division of morphology that we have been pleased to call cytology has had the same experience. It was hoped that the more fundamental structures would show some reasonable constancy of phe-

nomena, some rigidity in detail; but we have been confronted here again by endless variation, and hence most diverse interpretation of results.

Clearly, belief in a rigid sequence or in predestination could not be maintained; and in a real sense morphologists have been cataloguing material for study, and their real problems lie behind these endlessly variable details.

The phase of morphology just described has certainly been dominant during the last half-century, with phylogeny as its chief stimulus, and a rigidity of conception that only a multitude of facts could break down. It is a type that must always exist, as taxonomy must always exist, and it must be considered fundamental in familiarizing with material; but, perhaps, it may be said now to be at its culmination as the dominant phase.

### III. *The Phase of the Influence of Changing Conditions upon the Developing Organ*

This means experimental morphology, and so far as organs are concerned its purpose is to discover the conditions that determine their structure and nature. All idea of rigidity has disappeared in the fundamental conception of the capacity of living cells to respond to varying conditions. What may be the possibilities of variations and what may be the exact conditions responsible for variations, are questions to be answered by experiment. If the oldest morphology is in its decline, and the current morphology at its culmination, experimental morphology may be said to be in its inception. It is easier to judge of a movement at its decline or culmination than at its inception, and experimental morphology as yet is fuller of promise than of performance. In any event, it was an inevitable phase when multiplied variation had broken down the conception of rigidity. The fundamental question of the possibilities of living cells is immediately confronting us; and the range of these possibilities may be considered under three heads.

(1) *The Varying Structure of an Organ.* Perhaps leaf variation, which enters so largely into taxonomy, may be used as an illustration. When, under experimentation, leaves can be made to vary from narrow to orbicular, from dissected to entire, and the exact physical condition determined that induces the result, any idea of rigidity in the form or structure of an organ must disappear. An observed narrow range of variation in nature may be regarded as an indication of the narrow range of conditions rather than of the narrow range of possible response on the part of the organ. From this point of view an organ is represented by its essentials, without reference to its non-essentials, and so we are now thinking of sporangia in

terms of sporogenous tissue, without reference to the presence or absence of a morphologically constant wall; of archeogonia as axial rows of potential eggs, without concern for an exact morphological definition of the sterile jacket. The main question is, what determines the formation of sporogenous tissue rather than of sporangia; what determines the formation of eggs or sperms, rather than of archeogonia and of antheridia?

(2) *The Possibilities of Primordia.* This has to do with what I have called the doctrine of predestination. It is more than a question as to the variable form or structure of an organ; it is a question as to the variable nature of an organ that may arise from a given primordium. When primordia that usually develop microsporangiate organs produce megasporangiate ones, or *vice versa*; when the same plant body produces sporangia or gametangia in response to conditions imposed by the experimenter; it becomes evident that primordia may be indifferent not only as to form, but also as to nature.

This meant a general unsettling of morphological conceptions. To find, for example, that a given cell is not set apart from its first appearance to function as an archesporial cell, but that there are as many potential archesporial cells as there are cells in an extensive tissue; and further to find that the archesporial cell when discovered by its functioning does not necessarily produce all the sporogenous tissue, is to abandon the idea of predestination and of defining structures on a rigid morphological basis.

(3) *The Origin of Species.* Probably the greatest triumph of experimental morphology thus far is that it has put the problem of the origin of species upon an experimental basis. The ability to vary and to vary promptly and widely, when considered in connection with structures used by taxonomists, means new species under certain conditions. To analyze these conditions is a problem of enormous complexity, but to have the problem clearly before us is but the prelude to its solution. There is still a tendency to call things inherent that are not apparent, but this is a habit not easily outgrown, and such a problem as the origin of species will long have its convenient category of "inherent tendencies."

Certain conclusions are inevitable as one considers the perspective opened by experimental morphology.

In the first place, it would seem that what we have called "biological laws" are also the laws of physics and chemistry, and the experimenter must be prepared to use all the refinements of method developed by physicists and chemists. Much of the work done in the name of experimental morphology is as yet crude in the extreme, and we are often left with a confusing plexus of conditions rather than with a satisfactory analysis. To grow plants, to observe certain results, and to draw conclusions, too frequently means the arbitrary

or ignorant choice of one factor out of a possible score to be found in the uncontrolled conditions.

In the second place, that phase of ecology which deals with what are called "adaptations to environment" simply catalogues the materials of experimental morphology and must be merged with it. To retain it as a distinct field of work is to doom it to sterility, for it can only bear fruit as it becomes an experimental subject, and then it is experimental morphology.

In the third place, experimental morphology, with its background of physics and chemistry, is more closely related to physiology than it is to the older phases of morphology; which leads to the conclusion that the fundamental problems of morphology are physiological. We may look at the situation from either standpoint, and say that the most recent phase of morphology intrenches upon physiology, or that the boundaries of physiology must be extended enough to include morphology. To-day the two subjects are handicapped; for morphologists are not physiologists enough to know how to handle and interpret their material, and physiologists are not morphologists enough to know the extent and significance of their material. The training of the future must not differentiate these two subjects still further, but must combine them for effective results.

This modern tendency to cross old-established boundaries between subjects is evident everywhere. Physiology and chemistry have long possessed common territory; plant morphology and physiology have now found no barrier between them. This simply means that so long as we deal with the most external phenomena our subjects seem as distinct from one another as do the branches of a tree; but when we approach the fundamentals we find ourselves coming together, as the branches merge into the trunk. The history of botany, beginning with taxonomy, has been a history that began with the tips of the branches and has proceeded in converging lines towards the common trunk. The fundamental unity of the whole science, in fact, of biological science, however numerous the branches may be, is becoming more and more conspicuous. Already the old lines of classification have become confused, and one looking through any recent list of papers finds it impossible to classify them in terms of the old divisions. Investigators are now to be distinguished by particular groups of problems in connection with particular material, and all problems lead back to the same fundamental conceptions. In other words, the point of view is to be common to all investigators, and until it is common their results will not reach their largest significance.

A fourth consideration is the result of all this upon taxonomy. It seems clear to one who was originally trained in taxonomy, and



who has passed through all the phases of morphology described above, that the conception of species has become so radically changed that a reconstructed taxonomy is inevitable. When the doctrine of types disappeared, and when experimental morphology showed the immense possibilities of fluctuation in taxonomic characters, the taxonomy of the past was swept from its moorings. Taxonomy must continue its work as a cataloguer of material, but to catalogue rigid concepts is very different from cataloguing fluctuating variations. To do the latter on the old basis is being attempted in certain quarters, but it soon passes the limit of usefulness and sets strongly towards the mere recording of individuals. Some new basis must be devised, and it must be a natural and useful expression of the relationships of forms as suggested by experimental morphology.

That this history of the progress of morphology, just outlined, is a fair indication of general tendencies may be illustrated from plant anatomy. This subject, not well differentiated from plant morphology among the lower groups, has developed a very distinct field of its own among vascular plants. Its early phase was that of classification, in which types of tissues were rigidly defined. This definite catalogue of tissues continued to be used after evolutionary morphology was well under way, and morphologists gradually abandoned any serious consideration of it, just as they had cut loose from the old taxonomy. In text-books the juxtaposition of morphology upon an evolutionary basis and a little anatomy upon a strictly taxonomic and artificial basis became very familiar.

Recently a second phase of anatomy has begun to appear, and we find it upon an evolutionary basis. Investigation has passed from the study of mature tissues to the study of developing tissues, and the seedling is more important to the anatomist than the adult body. As in the corresponding phase of morphology, the fundamental conception of this new phase is the theory of recapitulation, and its ultimate purpose is phylogeny. It views tissues as morphology views organs, and is attacking the same general problems. In so doing it becomes a special field of morphology, no more to be separated from it than are morphologists who study the sporophyte to be separated from those who study the gametophyte. It is simply the development of another line of attack upon morphological problems. This anatomical morphology, as it may be called, has yet to accumulate its share of results, and there is no region of morphology more in present need of investigators. From the small beginnings it has made it is evident that it must check the conclusions of the older morphology at every point. Even now no statement as to phylogeny can afford to neglect the testimony of anatomy.

This second phase of anatomy promises to be accompanied by a

third, which finds its parallel and probably its suggestion in experimental morphology. In its incipient stage it is known as ecological anatomy, just as another phase of ecology preceded and then became merged in experimental morphology. Ecological anatomy can make no progress until it becomes an experimental subject, and then it is experimental anatomy, which holds the same relation to experimental morphology that evolutionary anatomy holds to evolutionary morphology. In other words, it is the same subject, with the same methods and purpose, and differing only in the structures investigated. And thus anatomy reaches the physiological basis, and as a part of morphology fills out the structures to be investigated from this standpoint.

There remains a region of ecology so vast and vague that it must be considered by itself for a time. It deals with such complex relationships as exist between soil, topography, climate, etc., on the one hand, and masses of vegetation, on the other. Just because it is vast and vague ought it to be attacked. The little incursions that have been made indicate the possibilities. It evidently includes some of the great ultimate problems. As yet it cannot define itself, for it seems to have no boundaries. Its materials were evident but entirely meaningless in the earlier history of botany, for it needed all of our progress before it could begin to ask intelligent questions. By virtue of its late birth it promises to develop more rapidly than any other phase of botany. And yet, beyond the inevitable preliminary classification of material, its real progress is measured by its experimental work conducted upon a definite physiological basis. Tentative generalizations are numerous and necessary, but they are merely suggestions for experiment. When one understands the close analysis necessary in the simplest physiological experiment, the problems suggested by this phase of plant ecology are appalling; but I see in the whole subject nothing but the largest application of physiology to the plant kingdom.

And now that the various phases of botany all seem to rest upon physiology, it must be apparent that the most fundamental problems are physiological. It is only recently that the development of plant physiology has justified this relationship. Its own history has been one of progress from the superficial towards the fundamental, from the behavior of a plant organ to the behavior of protoplasm. And here it becomes identified with physics and chemistry; and in a very real sense botany has become the application of physics and chemistry to plants.

# THE RECENT DEVELOPMENT OF BIOLOGY

BY JACQUES LOEB

[Jacques Loeb, Professor of Physiology, University of California, since 1902. b. Germany, April 7, 1859. Graduate of the Ascanisches Gymnasium, Berlin. Studied medicine, Berlin, Munich; M.D. Strassburg. Assistant in Physiology, University of Würzburg, 1886-88; *ibid.*, University of Strassburg, 1888-90; Biological Station, Naples, 1889-91; Associate in Biology, Bryn Mawr, 1891-92; Assistant Professor of Physiology and Experimental Biology, University of Chicago, 1892-95; Associate Professor, *ibid.*, 1895-1900; Professor, *ibid.*, 1900-02. Author of *The Heliotropism of Animals and its Identity with the Heliotropism of Plants*; *Physiological Morphology*; *Comparative Physiology of the Brain and Comparative Psychology*; *Studies in General Physiology*; *The Dynamics of Living Matter*.]

## I

THE task allotted to me on this occasion is a review of the development of biology during the last century. The limited time at our disposal will necessitate many omissions and will force me to confine myself to the discussion of a few of the departures in biology which have led or promise to lead to fertile discoveries.

The problem of a scientific investigator can always be reduced to two tasks; the first, to determine the independent variables of the phenomena which he has under investigation, and secondly, to find the formula which allows him to calculate the value of the function for every value of the variable. In physics and chemistry the independent variables are in many cases so evident that the investigation may begin directly with the quantitative determination of the relation between the change of the essential variable and the function. In biology, however, the variables, as a rule, cannot be recognized so easily, and a great part of the mental energy of the investigators must be spent in the search for these variables. To give an example, we know that in many eggs the development only begins after the entrance of a spermatozoön into the egg. The spermatozoön must produce some kind of a change in the egg, which is responsible for the development. But we do not know which variable in the egg is changed by the spermatozoön, whether the latter produces a chemical or an osmotic change, or whether it brings about a change of phase or some other effect. It goes without saying that a theory of sexual fertilization is impossible until the independent variable in the process of sexual fertilization is known.

The investigations of the biologist differ from those of the chemist and physicist in that the biologist deals with the analysis of the mechanism of a special class of machines. Living organisms

are chemical machines, made of essentially colloidal material, which possess the peculiarity of developing, preserving, and reproducing themselves automatically. The machines which have thus far been produced artificially lack the peculiarity of developing, growing, preserving, and reproducing themselves, though no one can say with certainty that such machines might not one day be constructed artificially.

The specific and main work of the biologist will, therefore, be directed toward the analysis of the automatic mechanisms of development of self-preservation and reproduction.

## II. *The Dynamics of the Chemical Processes in Living Organisms*

The progress made by chemistry, especially physical chemistry, has definitely put an end to the idea that the chemistry of living matter is different from the chemistry of inanimate matter. The presence of catalyzers in all living tissues makes it intelligible that in spite of the comparatively low temperature at which life phenomena occur the reaction velocities for the essential processes in living organisms are comparatively high. It has been shown, moreover, that the action of the catalyzers found in living organisms can be imitated by certain metals or other inorganic catalyzers. We may, therefore, say that it is now proved beyond all doubt that the variables in the chemical processes in living organisms are identical with those with which the chemist has to deal in the laboratory. As a consequence of this result chemical biology has during the last years entered into the series of those sciences which are capable of predicting their results quantitatively. The application of the theory of chemical equilibrium to life phenomena has led biological chemists to look for reversible chemical processes in living organisms, and the result is the discovery of the reversible enzyme actions, which we owe to A. C. Hill. I think it marks the beginning of a new epoch of the physiology of metabolism that we now know that the same enzymes not only accelerate the hydrolysis, but also in some cases, if not generally, the synthesis of the products of cleavage. It is not impossible that the results thus obtained in the field of biology will ultimately in return benefit chemistry, inasmuch as they may enable chemistry to accomplish syntheses with the help of enzymes found in living organisms which could otherwise not be so easily obtained.

A very beautiful example of the conquest of biological chemistry through chemical dynamics is offered by the work of Arrhenius and Madsen. These authors have successfully applied the laws of chemical equilibrium to toxins and antitoxins so that it is possible to calculate the degree of saturation between toxins and antitoxins for

any concentration with the same ease and certainty as for any other chemical reaction.

We know as yet but little concerning the method by which enzymes produce their accelerating effects. It seems that the facts recently gathered speak in favor of the idea of intermediary reactions. According to this idea the catalyzers participate in the reaction, but form combinations that are again rapidly decomposed. This makes it intelligible that at the end of the reaction the enzymes and catalyzers are generally in the same condition as at the beginning of the reaction, and that a comparatively small quantity of the catalyzer is sufficient for the transformation of large quantities of the reacting substances.

This chapter should not be concluded without mentioning the discovery of zymase by Buchner. It had long been argued that only certain of the fermentative actions of yeast depended on the presence of enzymes which could be separated from the living cells, but that the alcoholic fermentation of sugar by yeast was inseparably linked together with the life of the cell. Buchner showed that the enzyme which accelerates the alcoholic fermentation of sugar can also be separated from the living cell, with this purely technical difference only, that it requires a much higher pressure to extract zymase than any other enzymes from the yeast cell.

### III. *Physical Structure of Living Matter*

We have stated that living organisms are chemical machines whose framework is formed by colloidal material consisting of proteins, fatty compounds, and carbohydrates. These colloids possess physical qualities which are believed to play a great rôle in life phenomena. Among these qualities are the slow rate of diffusion, the existence of a double layer of electricity at the surface of the dissolved or suspended colloidal particles, and the production of definite structures when they are precipitated. We may consider it as probable that the cytological and histological structures of living matter will be reduced to the physical qualities of the colloids. But, inasmuch as the physics of the colloids is still in its beginning, we must not be surprised that the biological application of its results is still in the stage of mere suggestions. The most important result which has thus far been accomplished through the application of the physics of colloids to biology is Traube's invention of the semi-permeable membranes. To Traube we owe the discovery that every living cell behaves as if it were surrounded with a surface film which does not possess equal permeability for water and the substances dissolved in it. Salts which are dissolved in water, as a rule, migrate much more slowly into the living cells than water. This discovery

of the semi-permeability of the surface films of living protoplasm made it possible to recognize the variable which determines the exchange of liquids between protoplasm and the liquid medium by which it is surrounded, namely, the osmotic pressure. Inasmuch as the osmotic pressure is measurable, this field of biology has entered upon a stage where every hypothesis can be tested exactly, and biology is no longer compelled to carry a ballast of shallow phrases. We are now able to analyze quantitatively such functions as lymph formation and the secretion of glands.

Recent investigations have thrown some light on the nature of the conditions which seem to determine the semi-permeability of living matter. Quincke had already mentioned that a film of oil acts like a semi-permeable membrane. From certain considerations of surface tension and surface energy it follows that every particle of protoplasm which is surrounded by a watery liquid must form an extremely thin film of oil at its surface. Overton has recently shown that of all dissolved substances those which possess a high solubility in fat, *e. g.*, alcohol, ether, chloroform, diffuse most easily into living cells. Overton concludes that lipid substances, such as lecithin and cholesterin, which are found in every cell, determine the phenomenon of the semi-permeability of living matter.

#### IV. *Development and Heredity*

We now come to the discussion of those phenomena which constitute the specific difference between living machines and the machines which we have thus far been able to make artificially. Living organisms show the phenomena of development. During the last century it was ascertained that the development of an animal egg, in general, does not occur until a spermatozoön has entered it, but, as already stated, we do not know which variable in the egg is changed by the spermatozoön. An attempt has been made to fill the gap by causing unfertilized eggs to develop with the aid of physicochemical means. The decisive variable by which such an artificial parthenogenesis can be best produced is the osmotic pressure. It has been possible to cause the unfertilized eggs of echinoderms, annelids, and mollusks to develop into swimming larvæ by increasing temporarily the osmotic pressure of the surrounding solution. Even in vertebrates (the frog and petromyzon), Bataillon has succeeded in calling forth the first processes of development in this way. In other forms specific chemical influences cause the development, *e. g.*, in the eggs of starfish diluted acids, and, best of all, as Delege has shown, carbon dioxide. In the eggs of *Chætopterus* potassium salts produce this result, and in the case of *Amphitrite*, calcium salts.

From a sexual cell only a definite organism can arise, whose properties can be predicted if we know from which organism the sexual cell originates. The foundations of the theory of heredity were laid by Gregory Mendel in his treatise on the *Hybrids of Plants*, one of the most prominent papers ever published in biology. Mendel showed in his experiments that certain simple characteristics, as, for example, the round or angular shape of the seeds of peas or the color of their endosperm, is already determined in the germ by definite determinants. He showed, moreover, that in the case of the hybridization of certain forms one half of the sexual cells of each child contains the determinants of the one parent, the other half contains the determinants of the other parent. In thus showing that the results of hybridization can be predicted numerically, not only for one, but for a series of generations, according to the laws of the calculus of probability, he gave not a hypothesis, but an exact theory of heredity. Mendel's experiments remained unnoticed until Hugo de Vries discovered the same facts anew, and at the same time became aware of Mendel's treatise.

The theory of heredity of Mendel and de Vries is in full harmony with the idea of evolution. The modern idea of evolution originated, as is well known, with Lamarck, and it is the great merit of Darwin to have revived this idea. It is, however, remarkable that none of the Darwinian authors seemed to consider it necessary that the transformation of species should be the object of direct observation. It is generally understood in the natural sciences either that direct observation should form the foundation of our conclusions or mathematical laws which are derived from direct observations. This rule was evidently considered superfluous by those writing on the hypothesis of evolution. Their scientific conscience was quieted by the assumption that processes like that of evolution could not be directly observed, as they occurred too slowly, and that for this reason indirect observations must suffice. I believe that this lack of direct observation explains the polemical character of this literature, for wherever we can base our conclusions upon direct observations polemics become superfluous. It was, therefore, a decided progress when de Vries was able to show that the hereditary changes of forms, so-called "mutations," can be directly observed, at least in certain groups of organisms, and secondly, that these changes take place in harmony with the idea that for definite hereditary characteristics definite determinants, possibly in the form of chemical compounds, must be present in the sexual cells. It seems to me that the work of Mendel and de Vries and their successors marks the beginning of a real theory of heredity and evolution. If it is at all possible to produce new species artificially, I think that the discoveries of Mendel and de Vries must be the starting point.

It is at present entirely unknown how it happens that in living organisms, as a rule, larger quantities of sexual cells begin to form at a definite period in their existence. Miescher attempted to solve this problem in his researches on the salmon. But it seems that Miescher laid too much emphasis upon a mere secondary feature of this phenomenon, namely, that the sexual cells in the salmon apparently develop at the expense of the muscular substance of the animal. According to our present knowledge of the chemical dynamics of the animal body it seems rather immaterial whether the proteins and other constituents of the sexual cell come from the body of the animal or from the food taken up. The causes which determine the formation of large masses of sexual cells in an organism at a certain period of its existence are entirely unknown.

A little more progress has been made in regard to another problem which belongs to this group of phenomena, namely, how it happens that in many species one individual forms sperm, the other eggs. It has been known for more than a century that it is possible to produce at desire either females exclusively, or both sexes, in plant lice. In bees and related forms, as a rule at least, only males originate from the unfertilized eggs; from the fertilized eggs only females. It is, moreover, known that in higher vertebrates those twins which originate from one egg have the same sex, while the sex of twins originating from different eggs may be different. All facts which are thus far known in regard to the determination of sex seem to indicate that the sex of the embryo is already determined in the unfertilized egg, or at least immediately after fertilization. I consider it possible that in regard to the determination of sex, just as in the case of artificial parthenogenesis, a general variable will be found by which we can determine whether an egg cell will assume male or female character.

#### V. *Instinct and Consciousness*

The difference between our artificial machines and the living organisms appears, perhaps, most striking when we compare the many automatic devices by which the preservation of individuals and species is guaranteed. Where separate sexes exist we find automatic arrangements by which the sexual cells of the two sexes are brought together. Wherever the development of the eggs and larvæ occurs outside of the body of the mother or the nest we often find automatic mechanisms whereby the eggs are deposited in such places as contain food on which the young larva can exist and grow. We have to raise the question how far has the analysis of these automatic mechanisms been pushed. Metaphysics has supplied us with the terms "instinct" and "will" for these phenomena. We speak of instinct wherever an animal



performs, without foresight of the ends, those acts by which the preservation of the individual or the species is secured. The term "will" is reserved for those cases where these processes form constituents of consciousness. The words "instinct" and "will" do, however, not give us the variables by which we can analyze or control the mechanism of these actions. Scientific analysis has shown that the motions of animals which are directed towards a definite aim depend upon a mechanism which is essentially a function of the symmetrical structure and the symmetrical distribution of irritability. Symmetrical points of the surface of an animal, as a rule, have the same irritability, which means that, when stimulated equally, they produce the same quantity of motion. The points at the oral pole as a rule possess a qualitatively different or greater irritability than those at the aboral pole. If rays of light or current curves, or lines of diffusion or gravitation, start from one point and strike an organism, which is sensitive for the form of energy involved, on one side only, the tension of the symmetrical muscles or contractile elements does not remain the same on both sides of the body, and a tendency for rotation will result. This will continue until the symmetrical points of the animal are struck equally. As soon as this occurs there is no more reason why the animal should deviate to the right or left from the direction of its plane or axis of symmetry. These phenomena of automatic orientation of animals in a field of energy have been designated as tropisms. It has been possible to dissolve a series of mysterious instincts into cases of simple tropisms. The investigation of the various cases of tropism has shown their great variety, and there can be no doubt that further researches will increase the variety of tropisms and tropism-like phenomena. I am inclined to believe that we possess in the tropisms and tropism-like mechanisms the independent variable of such functions as the instinctive selection of food and similar regulatory phenomena.

As far as the mechanism of consciousness is concerned, no scientific fact has thus far been found that promises an unraveling of this mechanism in the near future. It may be said, however, that at least the nature of the biological problem here involved can be stated. From a scientific point of view we may say that what we call consciousness is the function of a definite machine which we will call the machine of associative memory. Whatever the nature of this machine in living beings may be, it has an essential feature in common with the phonograph, namely, that it is capable of reproducing impressions in the same chronological order in which they come to us. Even simultaneous impressions of a different physical character, such as, for instance, optical and acoustical, easily fuse in memory and form an inseparable complex. The mechanism upon which associative memory depends seems to be located, in higher vertebrates at least, in the cerebral

hemispheres, as the experiments of Goltz have shown. The same author has shown, moreover, that one of the two hemispheres suffices for the efficiency of this mechanism and for the full action of consciousness. As far, however, as the physical or chemical character of the mechanism of memory is concerned, we possess only a few starting points. We know that the nerve cells are especially rich in fatty constituents, and Hans Meyer and Overton have shown that substances which are easily soluble in fat also act as very powerful anæsthetics, for instance, chloroform, ether, and alcohol, and so on. It may be possible that the mechanism of associative memory depends in some way upon the constitution or action of the fatty compounds in our nerve cells. Another fact which may prove of importance is the observation made by Speck that if the partial pressure of oxygen in the air falls below one third of its normal value, mental activity very soon becomes impaired and consciousness is lost. Undoubtedly the unraveling of the mechanism of associated memory is one of the greatest discoveries which biology has still in store.

#### VI. *Elementary Physiological Processes*

It is, perhaps, possible that an advance in the analysis of the mechanism of memory will be made when we shall know more about the processes that occur in nerve cells in general. The most elementary mechanisms of self-preservation in higher animals are the respiratory motions and the action of the heart. The impulse for the respiratory action starts from the nerve cells. As far as the impulses for the activity of the heart are concerned, we can say that in one form at least they start from nerve cells, and in all cases from those regions where nerve cells are situated. But as far as the nature of these impulses is concerned we know as little about the cause of the rhythmical phenomena of respiration and heart-beat as we know concerning the mechanism of associative memory. It is rather surprising, but nevertheless a fact, that physiology has not progressed beyond the stage of mere suggestions and hypotheses in the analysis of such elementary phenomena as nerve action, muscular contractility, and cell division. Among the suggestions concerning the nature of contractility those seem most promising which take into consideration the phenomena of surface tension. The same lack of definite knowledge is found in regard to the changes in the sense organs which give rise to sensations. It is obvious that the most striking gaps in biology are found in that field of biology which has been cultivated by the physiologists. The reason for this is, in part, that the analysis of the elementary protoplasmic processes is especially difficult, but I believe that there are other reasons. Medical physiologists have confined themselves to the study of a few organisms, and this has

had the effect that for the last fifty years the same work has been repeated with slight modifications over and over again.

### VII. *Technical Biology*

I think the creation of technical biology must be considered the most significant turn biology has taken during the last century. This turn is connected with a number of names, among which Liebig and Pasteur are the most prominent. Agriculture may be considered as an industry for the transformation of radiating into chemical energy. It was known for a long time that the green plants were able to build up, with the help of the light, the carbohydrates from the carbon dioxide of the air. Liebig showed that for the growth of the plant definite salts are necessary, that these salts are withdrawn from the soil by the plants, and that in order to produce crops these salts must be given back to the soil. One important point had not been cleared up by the work of Liebig, namely, the source of nitrates in the soil which the plants need for the manufacture of their proteins. This gap was filled by Hellriegel, who found that the tubercles of the leguminosæ, or rather the bacteria contained in these tubercles, are capable of transforming the inert nitrogen of the air into a form in which the plant can utilize it for the synthesis of its proteins. Winogradski subsequently discovered that not only the tubercle bacteria of leguminosæ are capable of fixing the nitrogen of the air in the soil in a form in which it can be utilized by the plant, but that the same can be done by certain other bacteria, for instance, *Chlostridium pasteurianum*. These facts have a bearing which goes beyond the interests of agriculture. The question of obtaining nitrates from the nitrogen of the air is of importance also for chemical industry, and it is not impossible that chemists may one day utilize the experience obtained in nitrifying bacteria.

With the discovery of the culture of nitrifying bacteria we have already entered the field of Pasteur's work. Yeast had been used for the purposes of fermentation before Pasteur, but Pasteur freed this field of biology just as much from the influence of chance as Liebig did in the case of agriculture. The chemist Pasteur taught biologists how to discriminate between the useful and harmful forms of yeast and bacteria, and thus rendered it possible to put the industry of fermentation upon a safe basis.

In recent times the fact has often been mentioned that the coal fields will be exhausted sooner or later. If this is true, every source of available energy which is neglected to-day may one day become of importance. Professor Hensen has recognized the importance of the surface of the ocean for the production of crops. The surface of the ocean is inhabited by endless masses of microscopic organisms

which contain chlorophyl, and which are capable of transforming the radiating energy of the sun into chemical energy.

Not only through the industry of fermentation and agriculture has technical biology asserted its place side by side with physical and chemical technology, but also in the conquest of new regions for civilization. As long as tropical countries are continually threatened by epidemics, no steady industrial development is possible. Biology has begun to remove this danger. It is due to Koch if epidemics of cholera can be suppressed to-day, and to Yersin if the spreading of plague can now be prevented. Theobald Smith discovered that the organisms of Texas fever are carried by a certain insect, and this discovery has had the effect of reducing, and possibly in the near future destroying, two dreaded diseases, namely, malaria and yellow fever.

It is natural that the rapid development of technical biology has reacted beneficially upon the development of theoretical biology. Just as physics and chemistry are receiving steadily new impulses from technology, the same is true for biology. The working out of the problems of immunity has created new fields for theoretical biology. Ehrlich has shown that in the case of immunity toxins are rendered harmless by their being bound by certain bodies, the so-called antitoxins. The investigation of the nature and the origin of toxins in the case of acquired immunity is a new problem which technical biology has given to theoretical biology. The same may be said in regard to the experiments of Pfeifer and Bordet on bacteriolysis and hemolysis. Bordet's work has led to the development of methods which have been utilized for the determination of the blood relationship of animals.

### VIII. *Ethical and Economic Effects of Modern Biology*

The representatives of the mental sciences often reproach the natural sciences that the latter only develop the material, but not the mental or moral interests of humanity. It seems to me, however, that this statement is wrong. The struggle against superstition is entirely carried on by the natural sciences, and especially by the applied sciences. The nature of superstition consists in a gross misunderstanding of the causes of natural phenomena. I have not gained the impression that the mental sciences have been able to reduce the amount of superstition. Lourdes and Mecca are in no danger from the side of the representatives of the mental sciences, but only from the side of scientific medicine. Superstition disappears so slowly for the reason that the masses as a rule are not taught any sciences. If the day comes when the chief laws of physics, chemistry, and experimental biology are generally and adequately

taught, we may hope to see superstition and all its consequences disappear, but not before this.

As far as the influence of the applied sciences on ethics is concerned, I think we may hope that through the natural sciences the ethics of our political and economical life will be altered. In our political as well as our economical life we are still under the influence of the ancients, especially the Romans, who knew only one means of acquiring wealth, namely, by dispossessing others of it. The natural sciences have shown that there is another and more effective way of acquiring wealth, namely, by creating it. The way of doing this consists in the invention of means by which the store of energy present in nature can be more fully utilized. The wealth of modern nations, of Germany and France, is not due to their statesmen or to their wars, but to the accomplishments of the scientists. It has been calculated that the inventions of Pasteur alone added a billion francs a year to the wealth of France. In the light of such facts it seems preposterous that statesmen should continue to instigate war simply for the conquest of territories. Through modern science the wealth of a nation can be increased much more quickly than through any territorial conquest. We cannot expect any change in the political and economical ethics of nations until it is recognized that the lawmakers and statesmen must have a scientific training. If our lawmakers possessed such a training, they would certainly not have allowed one general source of energy after another, such as oil-fields, coal-fields, water-power, etc., to be appropriated by individuals. All these stores of energy belong just as well to the community as the oxygen of the air or the radiating energy of the sun. Our present economical and political ethics is still on the whole that of the classical period or the Renaissance, because the knowledge of science among the masses and statesmen is still on that level, but the natural sciences will ultimately bring about as thorough a revolution in ethics as they have brought about in our material life.

### IX. *Experimental Biology as an Independent Science*

If we compare the development of biology with the simultaneous development of physics and chemistry during the last twenty years, we must be impressed by the fact that during that time the great discoveries in physics and chemistry have followed each other surprisingly fast. The discovery of the law of osmotic pressure, the theory of electrical dissociation, the theory of galvanic batteries, the systematic formulation of physical chemistry, the discovery of electrical waves, the discovery of the X-rays, the discovery of the new elements in the air, the discovery of radioactivity, the transformation of ra-

dium into helium, the theory of radiation pressure, — what have we in biology that could be compared with such a series of discoveries? But I believe that biology has important discoveries in store, and that there is no intrinsic reason why it should be less fertile than physics and chemistry. I think the difference in the fertility of biology and the physical sciences is at least partly due to the present organization of the biological sciences.

General or experimental biology should be represented in our universities by special chairs and laboratories. It should be the task of this science to analyze and control those phenomena which are specifically characteristic of living organisms, namely, development, self-preservation, and reproduction. The methods of general biology must be those of chemistry, and especially those of physical chemistry. To-day general or experimental biology is represented in our universities neither by chairs nor by laboratories. We have laboratories for physiology, but to show how little interest physiologists take in general biology I may mention the fact that the editor of a physiological annual review excludes papers on development and fertilization from his report, as, in his opinion, this belongs to anatomy. On the other hand, anatomists and zoölogists must give their full energy to their morphological investigations, and have, as a rule, neither the time for experimental work, nor very often the training necessary for that kind of work. Only the botanists have kept up their interest in general biology, but they of course pay no attention to animal biology. In working out this short review of the development of biology during the last century, I have been impressed with the necessity of our making better provisions for that side of biology where, in my opinion, the chances for the great discoveries seem to lie, namely, *general* or *experimental* biology.

**SECTION A — PHYLOGENY**





## SECTION A — PHYLOGENY

---

(Hall 2, September 21, 3 p. m.)

CHAIRMAN: PROFESSOR THOMAS HUNT MORGAN, Columbia University.  
SPEAKERS: PROFESSOR HUGO DE VRIES, University of Amsterdam.  
PROFESSOR CHARLES O. WHITMAN, University of Chicago.

---

THE Chairman of the Section of Phylogeny was Professor Thomas Hunt Morgan, of Columbia University, who began the proceedings of the Department with the following remarks:

“This Section of the Congress might have been given the title of evolution rather than of phylogeny; for, while phylogeny deals with an historical process, the term evolution has come to-day — largely through the work of De Vries — to include not only a study of the evolution of the past, but of evolution as it is taking place around us at the present time. This is not a formal distinction, but one that stands for a fundamental difference of method that has the most far-reaching consequences. The study of evolution as an historical question must have always been unsatisfactory, for all the doubts that darken the historical method would have left its conclusions dubious and unconvincing. Historical evolution could never have attained to the dignity of an exact science. The disrepute into which phylogenetic speculation has fallen in our own times furnishes an example of what we may expect from the method.

“When, on the other hand, the process of evolution was studied by the method of experiment, a new era opened. Darwin himself used extensively the experimental method, and his finest results have been reached in this way. Much of the general information of the breeders on which he relied, alas too often, are also the outcome of experiment, but of experiments by men incapable, in many cases, of employing the method with scientific precision.

“After Darwin, little was done in this direction, although a few names stand out as oases in a waste of speculation. Now once again, as Bateson has remarked, ‘After a weary halt of forty years we have at last begun to march.’ It is a pleasure as well as a great opportunity that we are to listen to-day to the addresses of two biologists who before all others have undertaken the study of evolution on a large scale by means of the experimental method. Professor De Vries has studied in Europe the evolutionary process in the American plant *Oenothera Lamarckiana*; while Professor Whitman has studied in America the evolution of the European pigeons. Political boundaries disappear before the advances of the sciences.”

## A COMPARISON BETWEEN ARTIFICIAL AND NATURAL SELECTION

BY HUGO DE VRIES

[Hugo de Vries, Professor of Botany, University of Amsterdam since 1878. b. Haarlem, Holland, 1848. Phil. Nat. Doct. University of Leyden, 1870; Sc.D. Columbia University; LL.D. University of Chicago, Jacksonville College; Postgraduate, Heidelberg, 1870-71; Würzburg, 1871-72; Privat-docent, Halle, 1877; Lecturer in Mutation Theory, University of California, 1904; Member of the Academy of Sciences, Amsterdam; National Academy of Sciences, Washington; American Philosophical Society, Philadelphia; Royal Society, London; Honorary Member of the Academies of Sciences of New York and of California, San Francisco; Corresponding Member of the Academies of Copenhagen, Brussels, Rome, Regensburg, Upsala, München, Philadelphia, Christiania; Honorary Member of the Deutsche Botanische Gesellschaft, Berlin, etc. Author of *Intracellulare Pangenesis*; *Die Mutations-Theorie*; *Species and Varieties, Their Origin by Mutation*.]

NATURAL selection, as pointed out by Darwin, is one of the great principles which rule the evolution of organisms. It is the sifting out of all those of minor worth, through the struggle for life. It is only a sieve, and no force of nature, no direct cause of improvement, as has so often been asserted. Its only function is to decide what is to live and what is to die. Evolutionary lines, however, are of long extent, and everywhere many side-paths are occurring. It is the sieve that keeps evolution on the main lines, killing all or nearly all that try to go in other directions. By this means natural selection is the one great cause of the broad lines of evolution.

With the single steps of that evolution, of course, it has nothing to do. Only after the step has been taken, the sieve decides, throwing out the bad, and thereby enabling the good to produce a richer progeny. The problem how the individual steps are brought about, is quite another side of the question.

On this point Darwin has recognized two possibilities. One means of change lies in the sudden and spontaneous production of new forms from the old stock. The other method is the gradual accumulation of the always present and ever-fluctuating variations. The first changes are what we now call mutations, the second are designated individual variations, or, since this term is often used in another sense, as fluctuations. Darwin recognized both lines of evolution, but his followers have propounded the exclusive part of the latter processes.

To my conviction the current scientific belief is wrong on this point. Horticultural experience and systematic inquiry seem to point in exactly the opposite direction. The evidence collected of late by Korshinsky from horticultural practice, may be regarded as inadequate for a full proof, most of the single cases being surrounded by

doubt, and resting on incomplete observations. The main conclusions, however, seem to be quite clear, since they are always the same. Sudden sports cannot be denied to be the chief, and probably the sole, method of the origination of new horticultural forms.

There is, however, another, more weighty objection. The facts collected by Korshinsky pertain to varieties, and not to true species. Most of the varieties, and especially of the horticultural varieties, owe their origin to retrograde changes, to the apparent loss of some previously acquired character. Besides these, no doubt, there are other types, but these may be considered as of a degressive nature. Ancient characters, once lost, may reappear, and produce the impression of something quite new, whilst in reality they are only the reviving of some old latent quality. From a critical point of view the facts collected by Korshinsky may prove the sudden origin of new varieties by the loss of characters or by the revival of apparently lost ones; but they do not afford any cases of really progressive steps.

Systematic evidence has to guide us on this most important point. The subdivisions of the species afford the material for a closer study of progressive evolution. In some cases they comply with the type of horticultural variability, one form constituting a primary type, from which the remaining have obviously been derived. Such derivations are usually of a retrograde nature, consisting in the loss of color, of hairs, of spines, of wax on the surface, or of other distinct marks. Sometimes, however, they are degressive, indicating the reappearance of some latent peculiarity, and thereby seeming to repeat the characters displayed by some allied but distinct species.

In most of the cases, however, the relation between the lesser units, constituting a systematic species, is of another nature. They are all of equal importance. From one another they are distinguished by more than one mark, often by slight differences in nearly all their organs and qualities. Such forms have come to be designated as elementary species. Varieties they are only in the broad and vague significance of the word.

In some cases these different forms of the same systematic species are found in distant localities. The representatives of the same type from different countries or regions do not exactly agree, when compared with one another. Many species of ferns afford instances of this rule, and Lindley and other great systematists have often been puzzled by the wide degree of difference between the members of one single group.

In other instances the subspecies are observed to grow nearer to each other, sometimes in neighboring provinces, sometimes in the same locality, growing and flowering in mixtures of two or three, or even more, elementary species. The violets exhibit some widespread ancient types from which the numerous local species may be

assumed to have arisen. The whitlow-grasses, or *Draba verna*, have no probable common ancestors amongst the now living forms, but they are crowded together in numerous types in the southern part of central Europe and more thinly spread all around, even as far as western Asia. There can be little doubt that their common origin is to be sought in the centre of their dominion and dispersion.

Numerous other instances could be given, proving the occurrence of smaller types within the systematic species. These subspecies are of equal importance, and obviously not derived from one another in a retrograde or a digressive way. They must be considered as having sprung from a common ancestor by progressive steps in diverging directions. Granting this conclusion, they constitute the real prototypes of progressive evolution, the actual steps by which progression is slowly going on.

Manifestly, this experience with wild plants must hold good for cultivated species, too. Once these must have been wild, and in this state they must have complied with the general rule. Hence we may conclude that, when first remarked and appreciated by man, they must already have existed of sundry elementary subspecies. And we may confidently assert that some must have been rich, and others poor, in such types.

This assumption at once explains the high degree of variability of so many cultivated species. This quality is not a result of cultivation, but, quite on the contrary, is to be considered as originally present, and one of the decisive causes, which have brought a species up to a high rank in cultivation. Apples afford an instance; they are notorious for their wide variability, but this term here only means polymorphy, indicating the existence of a large number of varieties. These are found in the wild state all over Europe, differentiated by various flavors and odors, but lacking the fleshiness which must be added to each of the differentiating marks by an appropriate culture and selection.

Alphonse de Candolle, who has made a profound study of the origin of cultivated plants, comes to the conclusion that the apple shrub must have had this wide dispersion already in prehistoric times, and that its cultivation must have commenced in ancient times nearly everywhere. From this most important statement of so high an authority we may conclude that the apples have not been taken into cultivation by man in one single type, but probably in numerous distinct elementary forms, transmitting thereby the wild variability in a most simple and direct way to their cultivated descendants.

It would take me too long to describe other examples. It is easily seen that it is at least as probable that the notorious high variability of so many of the most important cultivated plants is older than their culture, as that it is to be regarded as caused by this culture.

Directing now our attention to the selection of cultivated plants, it is manifest that this process has to start from distinct forms. Obviously the choice of the starting-point is as important as the improvement itself. Or rather, the results depend in a far higher degree on the adequate choice of the first representatives of the new race than on the methodical and careful treatment of its offspring. Unchangeable qualities determine the value of the new strain, if they were present in the chosen individual; if not, no selection can produce them.

This assertion, however, has not always been appreciated as it deserves, nor is it at present universally acknowledged as a first principle. The method of selecting plants was discovered by Louis de Vilmorin, about the middle of the last century. Before him selection was applied to domestic animals, and even on a large scale. Vilmorin applied it to his beets, in order to increase the amount of sugar in their roots. Evidently, he must have made some choice amongst the numerous sorts of beets of his time, or otherwise chance must have thrown into his hands exactly one of the most appropriate forms. But on this point, no historical evidence is at hand.

Since the time of Vilmorin, selection of agricultural plants has enormously gained in importance. Only of late, however, Rimpau and von Ruemker in Germany, and Willet M. Hays in this country, have begun to apply critical methods to the various parts of the process, in order to get a better insight. All of them have insisted upon the necessity of distinguishing between the first choice for a race and the subsequent improvement by continued selection. The choice of the most adequate varieties has to become the principle for the foundation of all experiments in improving races.

Hays clearly states the far-reaching importance of this practical rule by asserting that half the battle is won by choosing the variety which has to serve as a foundation stock, whilst the other half depends upon the selection of mother plants within the chosen variety. The choice of the variety is the first care of the breeder in each single case, whilst the so-called artificial selection takes only the second place. Half a century ago the famous Scotch breeder Patrick Shirreff taught that it is quite useless to search for starting-plants for improved races among varieties of minor value. Only the very best cultivated types yield the material for further successful improvement.

In practice, as in systematic science, it is usual to call all minor units within the acknowledged species by the same name of varieties, without regard to their real systematic relations. Complying with this custom, the principle of the choice of starting-points is called by Hays "variety-testing." This testing and comparing of varieties is one of the prominent lines of the work of the Agricul-

tural Experiment Stations. Each state and each region, in some instances even each larger farm, wants its own variety of corn, or wheat, or other crops. These have to be sought out from amongst the hundreds of forms generally cultivated within each single botanical species. Once found, the type may be ameliorated according to the local conditions and wants, but this is a question of subsequent and subordinate improvement.

Summing up the main points of these arguments, we may state that artificial selection consists of two main principles, called variety-testing and racial improvement. Quite the same distinction has to be made in the case of natural selection, and the same double selection has to be acknowledged, whilst only the names have to be changed. Instead of variety-testing comes the choice between elementary species, instead of racial improvement the adaptation to the local conditions of the environment. Before going into a more detailed discussion of this first principle of comparison, it may be as well to consider that intermediate step between natural and artificial selection, which is called acclimatization.

Here the aim is given by man, but the selection is left to nature. Man, however, does not only point out the object, but has also to give the starting-points. The choice of the variety is directly performed by the climate. This is manifestly shown by the slow and gradual dispersion of corn in this country. The larger types are limited to tropical and subtropical regions, whilst the varieties capable of cultivation in the northern states are so, according to their smaller size and stature. They are short-lived, requiring a lesser number of days to reach their full development from seed to seed. These qualities are not the result of the cultivation or of the influence of the climate, since the smaller sorts are historically known to have grown in tropical America at the time of Columbus along with the taller types. This is especially on record in the case of the forty-days or quarantine maize. Cultivation has worked in this case as a sieve, or rather as a series of sieves with a diminishing width of meshes, the climate allowing only the shorter-lived forms to pass the meshes and to expand towards the north. Similar facts are known for wheat and many other crops, and the famous trials of Schuebeler in Norway have thrown a clear light upon the factors of this complicated process.

Artificial selection is a fact needing scientific and critical analysis, but natural selection is a fact which we may see at work in each field and in each meadow, but concerning which our real knowledge is still very incomplete. In the realm of natural selection, it has, however, become customary to indulge in hypothetical considerations. And since these have largely been applied to the side corresponding with the artificial improvement of races, I may perhaps

be allowed to apply them here to that process, too, which corresponds to the variety-testing of the breeders.

As the easiest and most notorious examples we choose the whitlow-grasses, or *Draba verna*, and the wild pansies, or *Viola tricolor*. Nature has constituted them as groups of highly different constant forms, quite in the same way as wheat and corn. Assuming that this has happened long ago somewhere in central Europe, it is, of course, probable that the same differences in respect to the influence of climatic conditions will have prevailed as with grains. Subsequent to the period which has produced the numerous elementary species of the whitlow-grass, came a period of geographical dispersion. This process must have been wholly comparable with that of acclimatization. Some forms must have been more suited to northern climates, others to the soils of western or eastern regions, and so on. These qualities must have decided the broad lines of the dispersion, and the species must have been segregated according to their respective climatic peculiarities and their claims on soil and weather. A struggle for life and a natural selection must have accompanied and guided the dispersion, but there is no reason to assume that the sundry forms should have been changed by this process, and that we see them now endowed with other qualities than were theirs at the outset.

If this sketch strikes you favorably, natural selection must have played the same part in a large number of other cases, too. Indeed, it may be surmised that this has been its chief and prominent function. Taking up again our image of the sieve, we may assert that in such cases climate and soil are the sifting agents, and in this way the meaning of the image at once becomes a more definite one. Of course, next to climate and soil come the biological conditions, the vegetable and animal enemies of the plants, and other influences of the same nature.

Thus, everywhere in nature there must be a struggle for life in which closely related elementary species are competing with one another, fighting the same enemies. Some succeed, whilst others fail. Nature in this way performs her primary selection, and hence this process can be called selection between elementary species, or *inter-specific selection*.

The alternate principle could then be called the selection within the elementary species, or the intraspecific selection. It has now more closely to be considered. First of all comes the question whether it plays a prominent or only a subordinate part in nature.

This question may be reduced to another form, in which it is more accessible to direct investigation. Species, as we see them in nature, are in the main constant forms, fluctuating within distinct limits, which are not seen to be transgressed. Now the question arises,

whether by artificial intraspecific selection it is possible to transgress those limits. If this were possible, we could pass from one species into another, and, by slow and gradual changes, convert a constant type into another equally constant form.

This question of the constancy is the chief side of the problem. One point is the production of a new character, the other the loss of the old one, which is assumed to have been changed into the new. Such losses, however, are exceedingly difficult to obtain. One of the most instructive examples is that of the lifetime of the sugar-beets. These races consist of biennial plants, and the whole process of their culture relies upon the heaping-up of sugar in the roots of the first year, leaving the production of the stems to the second summer. Now, this quality is far from being complete. Each year some annuals are seen in the fields. And not as rare exceptions, as accidental cases of atavism. Quite on the contrary, one per cent, or even more, is the rule, and often they go up to ten or more per cent. Selection, of course, is on this point always as absolute as may be; it has lasted half a century for the sugar-beets, and many centuries for the forage-crops. It has not been adequate to root the annuals out, and to render the biennial character pure.

So it is also with striped flowers and striped radishes, which yearly produce some unicolored samples, notwithstanding continuous and most severe selection. So it is ever in numerous other cases; everywhere the intraspecific selection is capable of producing ameliorated races, but incapable of making them as constant as wild species use to be.

Steady and regular advance of cultivated races no doubt occurs, although it is not at all so general as is often assumed. But whenever it occurs, the advance is due to a corresponding continuous improvement of the selecting methods, and not simply to repeated selection after the same method.

The truth of this assertion is most clearly seen in the case of the beets. They are usually adduced as the best proofs of what can be obtained by continuous selection. But the methods of judging the beets are steadily being improved, and they have been so, even since the time of Vilmorin.

Vilmorin's own method was a very simple one. Polarization had then not yet been discovered. He determined the specific weight of his beets, either by weighing them as a whole, or by using a piece cut from the base of the roots and deprived of its bark. Solutions of salts were made in which the beets swam, and diluted until they began to sink. In this way the heaviest beets could be selected, and it was assumed that they were the richest in sugar, too. This method has afterwards been improved in two ways. The first was to make large quantities of the salt-solution, choosing a medium



specific weight, and selecting from among thousands of beets those which sank. The second was the determination of the specific weight of the sap expressed from the tissues. It prepared the way for the polarization. This principle was introduced about the year 1874 in Germany. It allowed the amount of sugar to be measured directly and with very slight trouble. Thousands of beets could yearly be tested, and the best chosen for the production of seed. The technical side of these determinations has since been steadily and rapidly improved. In some factories the exact determination of three hundred thousand polarization-values is effected within a few weeks.

It would take me too long to go into further details, or to describe the simultaneous changes that have been applied to the culture of the *élite*. The detailed features suffice to show that the chief care of the breeder in this case is a continuous amelioration of the method of selecting. To these great technical improvements it is manifest that the progress of the race is in the main due, and not solely to the repetition of the selection.

Similar facts may be seen on all the great lines of industrial selection. And whenever the method has reached its height, the race is soon surpassed by another, started from another varietal choice, or selected according to a better principle.

Applying this experience to the processes which are assumed to occur in nature, we may obviously assert that only in cases of a continuous change of the life-conditions in one and the same direction any real improvement of races may be expected. All other cases will only be capable of yielding local races, and such, no doubt, are very numerous. Selection keeps up the qualities some degrees above the standard of the species, and it must do so for one strain in one sense and for others in diverging directions. These local races, however, will always remain dependent upon their specific life-conditions, and never become constant in this sense of the word, that the assumed qualities should become independent specific marks. Even continued environmental changes do not seem to be adequate to produce lasting improvements.

Until now we have simply contrasted the mutations and the fluctuations. I have tried to show that both of them are subjected to selection, as well artificial as natural. In nature, and in the long run in practice too, the selection of the products of mutations plays by far the largest part. Selection of the products of fluctuating variability gives rise to inconstant, and therefore only temporary races. In practice the process is called improvement, in nature it produces the local adaptations and local races. It is not known to yield any permanent and independent results, the real results remaining always dependent on the permanency of the agency of the selective process itself. Thus interspecific selection is the broad base of pro-

gress at large, as well in practice as in nature, whilst intraspecific selection is the base of highly valuable but local and transient improvement.

This principal difference between mutative and fluctuative selection can be supported by a critical examination of the processes of fluctuation themselves. Fluctuations are the responses of the individual plants to the outward influences to which they are subjected. Of old, all these factors were thrown together under the name of nourishment, and already a century ago, Knight has pointed out how largely the variability depends on this factor. Since then, the term nourishment has been replaced by that of life-conditions, which is, of course, more appropriate on closer analysis.

Light and space, soil and water, temperature, and numerous minor factors, determine the growth of the plant and of all its parts. Quite obviously the development must depend upon them, and at least a large part of the observed fluctuating variability finds its cause and its explanation in these influences. It is readily granted that in observations of plants and animals, taken from their native localities, these influences are liable to escape the observer. In the experiment garden, however, exactly the same fluctuations occur, and statistical studies find a material, which is in no way inferior to that which is afforded by nature. Here the climatic conditions are daily seen at work. The differences in soil and manure, in space and exposure, are in large part dependent on the conscious will of the experimenter. Partly, of course, they escape his direction, but even then they are followed and controlled with utmost care, not to say with great anxiety. In the same bed one individual is affected by them in this way, and another in a diverging direction, but these relations, though often unavoidable, are commonly obvious, at least in their main features. Thence it comes that the experimenter is strongly impressed by the dependency of fluctuations on outer conditions, whilst the observer takes the variability as a fact of dubious and hypothetical explanation.

In our gardens we observe our plants during the whole period of their development. At each moment they undergo the influences of the prevailing conditions. But it is evident that each part of the plant must respond to them in its own way. One branch may be exposed to the sun, whilst others are more or less shaded. The first will enjoy all the effects of full light and vigorous assimilation, whilst the latter have only a scant supply of organic food. On richer branches the flowers will be more numerous and larger, and their variable parts produced in greater abundance. On the poor sides reduction must be the rule.

It seems quite superfluous to work out this discussion any further. It leads directly to the conclusion that fluctuating variability is, at

least in large part, a process in which the various organs of a plant act more or less independently. This form of variability is therefore to be distinguished by the term of "partial fluctuation."

Opposed to it stands the individual variation, which affects the whole individual in the same manner, but which influences different individuals in different degrees and ways. If this individual fluctuation is a response to outer influences too, the question arises, when do they work, and at which period of its development does the organism respond to them.

Here for our discussion plants afford great advantages over animals. For it is clear that, as soon as buds are produced, partial fluctuation must prevail and individual variation become reduced. Therefore only the embryonic stage pertains to the latter, whilst the whole subsequent life is ruled by partial responses. The embryo itself leads its life within the seed, and thus we are induced to consider the period of the ripening of the seed as one of prominent significance for the whole group of phenomena collected under the name of fluctuations.

The life of the germ commences with the copulation of the male and female sexual cells. Obviously even these must vary, since they have been previously subjected to varying conditions. The individual characters of a given organism must, therefore, largely depend upon the degree of development of latent qualities, already present in the sexual cells before their copulation. And it is equally manifest that at that important moment there is as yet no room for partial fluctuation.

As soon, however, as tissues are developed, the chances for the latter arise and rapidly increase, whilst in the same degree the part of the individual variability must decrease. Leaving aside the buds in the axils of the cotyles, and equally discarding the primary root, we may limit our interest to the terminal vegetative cone of the young plant, and consider all variations therein provoked as of individual nature.

But as soon as this cone begins to differentiate itself, individuality comes to an end, at least in respect to the responses to varying agents, and partiality takes its place. In the same measure the embryonic life is replaced by that of the developing plant. Thus we might call the individual fluctuation by the name of embryonic fluctuation, if it is only rightly understood that the variations of the paternal and maternal cells before their copulation are to be included.

In horticultural practice individual and partial fluctuation play a very large part. Excluding the embryonic stage from the process of multiplication, the embryonic variability may be excluded, too. Hence the almost universal use of vegetative multiplication in all cases where it is practically applicable. Perennial plants and shrubs

and numerous fruit trees owe their large number of varieties, and the high degree of constancy of all the samples, even, to this exclusion of one of the two main parts of the common variability. The term variety is often taken as indicating only one single individual with its peculiar characters acquired in the embryonic stage, which remain unchanged in the thousands and in the millions of its grafts and cuttings.

Nature, of course, makes some use of vegetative multiplication, too. But since this process does not play any prominent part in the current theories concerning the larger features of progressive development, it has no further interest for our present discussion.

One main point, however, has to be considered. It is seen by looking at the question from the opposite side. In order to take a definite example, we may ask to what extent an observed character is due to embryonic variability, and which part falls to the partial variability. In all cases of branched plants there is no difficulty, and every one will grant that only the average of all the leaves or all the fruits or all the flowers can be the result of embryonic changes.

But in the case of main stems and main roots there is no possibility to determine this average. An annual plant has one main stem, whilst a perennial species has many of them. The one stem is obviously to be considered as equivalent to only one of the many in the latter case. It may be of average height, but it may as well be a more or less extreme variant.

Exactly so it is in practice. The amount of sugar in an individual sugar-beet is partly due to embryonic variability and partly to the subsequent influence of treatment and weather. Now it is manifest that both are of value for the direct industrial purposes, but it is equally manifest that both cannot have the same signification for the value of the seeds which this individual plant may afterwards produce. Or, in other words, the sugar-amount of a beet is in no way a full and reliable indication of its value as a seed-bearer. If a high amount of sugar is due to embryonic variability, it is indicative of high excellence, and will probably be followed by the production of seed of primary quality. If, on the other hand, the percentage figure is reached by exceedingly favorable weather, or by an accidentally good position of a plant on the field, as to light, space, and the escape from all its enemies, it is no indication at all of embryonic variability, and it is very dubious whether it is to have a lasting influence on the seed. In fact, such a relation is strongly denied by Rimpau, von Ruemker, and other German authorities, whilst it was believed in by the famous English wheat-breeder Hallett.

Granting the exactness of the first view, the sugar-percentage figures are seen to be reliable only when subsequent or partial variability is sufficiently excluded. A hundred of selected beets may

be relied upon, if used for the continuance of a single strain, but each single beet of high percentage should be regarded with doubt. Direct experiments of Laurent, of Kuhn at Naarden, and others have proved the validity of this conclusion, showing that the progeny of extreme variants does not necessarily give always high averages for the amount of sugar.

Regression has as yet chiefly been studied by means of statistical methods. It seems probable that it is largely due to the combination of embryonic and partial variability. If the latter has no influence, or only a very small influence, upon the embryonic latent qualities of the new seeds, there must be regression, even if embryonic variability itself should not be liable to it.

Turning now to the processes in nature, we may assert that the result of the struggle for life depends on the qualities of the individuals, but not on the causes of this quality. Any advance gained by partial variability will be of equal value as the same advance gained by embryonic fluctuation. Taking the latter as heritable, and the first as not, or nearly not, it is easily seen that the relation between the struggle for life and the hereditary qualities is by far not so intimate as has hitherto been assumed.

It may readily be granted that the fittest survive. But it may also be granted that, in broad figures, half of the fittest have the power to transmit their fitness to their offspring, whilst the other half have not. And if, perchance, the same proportion should hold good for the unfit, it would be of no avail for the next generation, whether it springs from the fitter or from the less fit parents.

Probably no breeder and no physiologist would take such an extreme view. Some effect of the struggle for life in nature must as well be granted as for artificial selection. My discussion had only the aim of convincing you that there is much exaggeration in the current conceptions concerning the effects of natural selection through the struggle for life between individuals of the same species. My chief object was to show that a clear distinction between embryonic and partial variability points to a prominent part of the latter and to a lesser chance of fluctuation at large playing a notable rôle in the evolution of the whole animal and vegetable kingdom.

If the visible characters of an extreme variant are no reliable base for the judgment of its hereditary excellence, the question of course arises, what marks have to be put in its place.

Obviously this is a most vital question. It is equally important from a practical point of view as with a view to the whole problem of the part of fluctuating variability in organic evolution.

It has been answered in one and the same way by practical breeders and by purely scientific experiments. Hays in this country and von Lochow in Germany have propounded the idea that the fact of

heredity itself is the only fully reliable proof of heredity. Or, in other words, the average constitution of the offspring is the mark which gives us the information wanted. No visible quality can be a trustworthy substitute for it, and such are only to be regarded as surrogates.

This average constitution must be expressed by the hereditary percentage of true inheritance of the mark under consideration. If it is determined by the culture of one hundred children of each mother plant, it constitutes the centgener power of that mother, as it is called by Hays. Selection has to rely on this percentage-figure, and the results, already attained, give proof that here a new method is given which is able to yield large and rapid improvements. It is the same principle which since the earliest times is, in the main, ruling the selection of our domestic animals.

If this principle should prevail and come to exclude the selection on the ground of the visible qualities of the individuals, the comparison between artificial and natural selection will largely change its aspect. For it is evident that the latent hereditary possibilities of an individual have no influence at all on its chance of surviving in the struggle for life. Only by very remote considerations would it be possible to uphold the significance of this, but in all ordinary cases, this significance for the improvement of the race would be reduced to nothing.

Thus we see that a close analysis of the factors which provoke the fluctuating variability goes to prove how uncertain the basis is, which it affords for an explanation of organic evolution at large. On many points, artificial and natural intraspecific selection have been compared, but nowhere is this comparison favorable to the current theoretical views. On the other hand, the artificial processes of variety-testing and the theoretical and presumable selection between elementary species in nature seem to be perfectly comparable. The large practical significance of the first points clearly to an equally large theoretical importance of the latter. Hence we conclude that interspecific selection through the struggle for life is the always-acting sieve which keeps evolution on the main lines, and which in this way is the one great Darwinian cause of all organic progress.

# THE PROBLEM OF THE ORIGIN OF SPECIES

BY CHARLES OTIS WHITMAN

[Charles Otis Whitman, Head Professor of Zoölogy, University of Chicago, since 1892; Director of Marine Biological Laboratory, Wood's Holl, Massachusetts, since 1888. Graduate of Bowdoin College, 1868; A.M. 1871; Ph.D. Leipzig, 1878; LL.D. University of Nebraska, 1894; Sc.D. Bowdoin, 1894; Fellow, Johns Hopkins University, 1879. Professor of Zoölogy, Imperial University of Japan, 1880-81; Naples Zoölogical Station, 1882; Assistant in Zoölogy, Harvard, 1883-85; Director of Allis Lake Laboratory, 1886-89; Professor of Zoölogy, Clark University, 1889-92. Member of National Academy of Sciences; American Academy of Arts and Sciences; The Linnean Society; and various other scientific and learned societies. Editor of *Journal of Morphology*; *Biological Bulletin*; and *Biological Lectures*.]

THE problem of problems in biology to-day — the problem which promises to sweep through the present century as it has the past one, with cumulative interest and correspondingly important results — is the one which became the life-work of Charles Darwin, and which cannot be better or more simply expressed than in the title of his epoch-making book, — *The Origin of Species*.

Darwin certainly made this problem one of universal interest, and no one will deny that the work which he did has revolutionized both the morphological and the physiological branches of biology. Indeed, no field of thought has escaped the leavening influence of his conclusions.

The prevailing belief up to Darwin's time that species were immutable forms, each separately designed and fashioned by the Creator, and each endowed with all its instincts and equipped with a structural organization perfectly adapted to its prescribed sphere of life, — this old belief was certainly effectually exploded, and is now passing into oblivion.

With one mighty stroke Darwin released biology from the thralldom of supernaturalism. In the place of special creations and cataclysmal revolutions, he set up progressive evolution through the operation of simple natural laws. To unveil that sacred mystery of mysteries, and reduce it to the level of natural laws, was a shock to all Christendom. The idea of a self-regulating, progressive evolution of species appeared, even to many eminent men of science, to be a "heresy." This was the case with Sir John Herschel, and even Sir Charles Lyell was at first of the same opinion, although he soon became convinced that natural laws were just as efficient and uniform in operation in the organic as in the inorganic world.

The outcome is familiar history. The sciences all the way up to psychology have experienced a wonderful renaissance, and the

world at large has moved forward in sympathetic accord to the close of a truly "Wonderful Century."

Few, however, would now claim that Darwin's solution was entirely conclusive and complete. From the nature of the case, Darwin could not exhaust the problem, and no one has made this clearer than Darwin himself, who examined his own theory with such critical acumen and breadth of knowledge that he anticipated nearly every important objection that has since been urged by others. A problem that is at once the focal point of each and every one of the biological sciences is not to be exhausted by one man, however long and successful his work. The problem has grown larger rather than smaller with every new contribution to its solution. The expansion of its horizon, however, has not, and, as I believe, is not likely to disclose the "death-bed of Darwinism." We have heard the predictions, but have witnessed no fulfillment.

Among the rival theories of natural selection two are especially noteworthy. One of these is now generally known as *orthogenesis*.<sup>1</sup> Theodore Eimer was one of the early champions of this theory, basing his arguments primarily upon his researches on the variation of the wall-lizard (1874-81). Eimer boldly announced his later works on *The Origin of Species* (1888), and the *Orthogenesis of the Butterflies* (1897), as furnishing *complete proof of definitely directed variation, as the result of the inheritance of acquired characters, and as showing the utter "impotence of natural selection."* Eimer's intemperate ferocity toward the views of Darwin and Weismann, coupled with an almost fanatical advocacy of the notion that organic evolution depends upon the inheritance of acquired characters, was enough to prejudice the whole case of orthogenesis. Moreover, the controversial setting given to the idea of definitely directed variation, without the aid of utility and natural selection, made it difficult to escape the conclusion that orthogenesis was only a new form of the old teleology, from the paralyzing domination of which Darwin and Lyell and their followers had rescued science. Thus handicapped, the theory of orthogenesis has found little favor outside the circle of Eimer's pupils.

The second of the two theories alluded to is the mutation theory of Hugo de Vries. The distinguished author of this theory, whose presence honors this International Congress, and lends special *éclat* to the Section of Phylogeny, maintains, on the basis of long-continued experimental research, that species originate, not by slow, gradual variation, as held by Darwin and Wallace, but by sudden *saltations*, or sport-like mutations. According to this theory, two fundamentally distinct phenomena have hitherto been confounded under the term variation. In other words, variation, as used by

<sup>1</sup> A name introduced by Wilhelm Haacke (*Gestaltung und Vererbung*, p. 31).



Darwin and others, covers two classes of phenomena, totally distinct in nature, action, and effect. Variation proper is defined as the ordinary, fluctuating, or individual variation, and this is held to be absolutely impotent to form new species.

It is claimed that no amount of either natural or artificial selection can by any possibility lead this variation up to the birth of a new species. The utmost that could be attained would be an improved race that would inevitably revert to the original state as soon as left to itself.

Mutation, on the other hand, never advances by slow and minute modifications, which are continuous and cumulative, but by single, sudden jumps. In the words of De Vries: "Species have not arisen through gradual selection, continued for hundreds or thousands of years, but by jumps (*stufenweise*) through sudden, though small, transformations. In contrast with variations which are changes advancing in a *linear direction*, the transformations to be called mutations diverge in *new directions*. They take place, then, so far as experience goes, without definite direction." (Vol. I, p. 150.)

The new species arises from the old, but without any visible preparatory steps, and without intermediate connecting stages. Like the old, it is subject to variation, but as a type, it is essentially immutable.

De Vries does not deny that variation produces what may appear to be transitional forms, but he maintains that these forms in reality have no such meaning. They are to be regarded as phenomena of "transgressive variability," which may obscure, but not obliterate the specific limits.

"For," says De Vries, "the transitions do not appear before the new species, at most only simultaneously with this, and generally only after this is already in existence. The transitions are therefore no intermediates or preparations for the appearance of the new forms. The origin takes place, not through them, but wholly independently of them." (Vol. I, p. 362.)

Granting that the position with respect to the mutants obtained from the evening primrose (*Enothera Lamarckiana*) is unassailable, does it follow that *all* new species have arisen by mutation, and that continuous variation has never had, and never can have, anything to do with the origin of species?

Plausible as is the argument and impressive as is the array of evidence presented, I can but feel that there are reasons which compel us to suspend judgment for a while on this pivotal point of the mutation theory. America is the original home of the evening primroses, and it is here that the natural history of the group remains to be worked out in the light of the experimental results obtained in Holland.

What does it mean that a few mutants keep on reappearing year after year, and that even the mutants themselves mutate, not in new lines, but in the same old ones? Persuaded as deeply as I am that we can never draw from a species anything for which no ancestral foundations preëxist, I anticipate that our wild evening primroses have revelations to make.

Whatever revelations may await future investigation in this field, the work done in the Primrose Garden of Amsterdam will stand as a classical contribution to the new biology, and as one of the very best models in method of research that we have yet seen.

Natural selection, orthogenesis, and mutation appear to present fundamental contradictions; but I believe that each stands for truth, and that reconciliation is not distant.

The so-called mutations of *Ænothera* are indubitable facts; but two leading questions remain to be answered. First, are these mutations, now appearing, as is claimed, independently of variation, nevertheless the products of variations that took place at an earlier period in the history of these plants? Secondly, if species can spring into existence at a single leap, without the assistance of cumulative variations, may they not also originate with such assistance? That variation does issue in new species, and that natural selection is a factor, though not the only factor, in determining results, is, in my opinion, as certain as that grass grows, although we cannot see it grow.

Furthermore, I believe I have found indubitable evidence of species-forming variation advancing in a definite direction (orthogenesis), and likewise of variations in various directions (amphigenesis). If I am not mistaken in this, the reconciliation for natural selection and orthogenesis is at hand.

I am aware that orthogenesis is held by many to be utterly incompatible with both natural selection and mutation. "The Darwinian principle demands," says De Vries, "that species-forming variability and mutability be *indeterminate in direction*. Deviation in all senses must arise, without favor to any particular direction, and especially without partiality for the direction proceeding from the theory to be explained. Every hypothesis which departs from this principle must be rejected as teleological, and therefore unscientific." (Vol. I, p. 140.)

Again (p. 180) the same point is amplified: "Again and again, and by authors of different aims, it has been insisted upon that species-forming variability must be *orderless*. The assumption of a *definite variation-tendency* which would condition, or even favor, the appearance of adaptive modifications, lies outside the pale of the natural science of to-day. In fact, the great advantage of Darwin's doctrine of selection lies in this, that it strives to explain the whole evolution of the animal and plant kingdoms without the aid of supernatural

presuppositions. According to this doctrine, species-forming variability goes on without regard to the qualification of the new species for maintaining themselves in life. It simply supplies the struggle for existence with the material for natural selection. Whether this selection takes place between individuals, as Darwin and Wallace supposed, or decides between whole species, as the mutation-theory demands, ultimately it is, in either case, simply the ability for existence under given external conditions that decides upon the permanence of the new form" (p. 180).

I take exception here only to the implication that a definite variation-tendency must be considered to be teleological because it is not "orderless." I venture to assert that variation is *sometimes* orderly, and at other times rather disorderly, and that the one is just as free from teleology as the other. In our aversion to the old teleology, so effectually banished from science by Darwin, we should not forget that the world is full of order, the organic no less than the inorganic. Indeed, what is the whole development of an organism if not strictly and marvelously orderly? Is not every stage, from the primordial germ onward, and the whole sequence of stages, rigidly orthogenetic? If variations are deviations in the directions of the developmental processes, what wonder is there if in some directions there is less resistance to variation than in others? What wonder if the organism is so balanced as to permit of both unifarious and multifarious variations? If a developmental process may run on throughout life (*e. g.*, the lifelong multiplication of the surface-pores of the lateral-line system in *Amia*), what wonder if we find a whole species gravitating slowly in one or a few directions? And if we find large groups of species all affected by a like variation, moving in the same general direction, are we compelled to regard such "a definite variation-tendency" as teleological, and hence out of the pale of science? If a *designer* sets limits to variation in order to reach a definite end, the direction of events is teleological; but if organization and the laws of development exclude some lines of variation and favor others, there is certainly nothing supernatural in this, and nothing which is incompatible with natural selection. Natural selection may enter at any stage of orthogenetic variation, preserve and modify in various directions the results over which it may have had no previous control.

It has always appeared to be one of the greatest difficulties for natural selection to account for the incipient stages of useful organs. Orthogenesis, as I hope to make clear, removes this difficulty from a large portion of the field.

It should be noted in this connection that the difficulty of incipient stages is not what it is so generally presumed to be. The advocates of natural selection habitually assume that the evolution of an organ

or character begins with an "infinitesimal rudiment," which has no way of emerging from its functionless state except through minute chance variations in various directions. In this assumption the problem is misconceived. The characters we meet with to-day have rarely, if ever, arisen by direct evolution from useless rudiments. When we know enough about a character to undertake to trace its genesis, the "rudiment" imagined to lie so near recedes, and we are led on, not to a "beginning," but to an antecedent; and if we are fortunate enough to be able to advance farther, we come to another antecedent, and so on. The series of antecedents stretches ever as far as we can see. As we repeat this experience with different characters, looking always for the primordial rudiment, our childish faith in such "beginnings" gives way to the conviction that the chase is led by a phantom.

No one of our sense-organs, for example, can be traced to a rudiment, except in the embryological sense. The eye of the vertebrate may appear as a rudiment in the embryo, but no one can doubt that it has had a phylogenetic history, the first term of which — if first there be — must have been very different from its present embryonic rudiment. To assume that the eye began in some indifferent variation that fluctuated or mutated, chance-wise, into a state of incipient utility, and was then developed in a direct line to its present stage of complex adaptations, either gradually or *per saltus*, would be hardly more satisfactory than appealing to a miraculous succession of miracles. It is impossible to believe that such a system of harmonious coadaptations could ever arise by mutation;<sup>1</sup> and selection, although playing a very important part in such achievements, is probably never equal to the whole task. Without the assistance of some factor having more continuous directive efficiency, selection would fail to bring out of the chaos of chance variation, or kaleidoscopic mutation, such progressive evolution as the organic world reveals.

In order to show that such a factor is essential, and that it is actually present, supplying the indispensable initial stages, and holding the master hand in the *general* direction of evolution, demonstrative evidence is, of course, required. Such evidence lies in *the history of specific characters*. But how shall we approach such a task, if no near-by rudiment is to be found as a starting-point? Rudiments and premutations are alike illusory in this regard, for their beginning is always and necessarily assumed to lie in the realm of the invisible and unknowable. If we are to keep always on ground that is open to

<sup>1</sup> Darwin frequently emphasized the same objection. In a letter to Asa Gray, referring to the orchids, he remarks: "It is impossible to imagine so many coadaptations being formed, all by a chance blow."

Weismann has shown in a masterly manner how inadequate is the mutation theory to account for such phenomena.

investigation, we must find our starting-points in known stages. As the laws of nature are constant, it is not essential to trace entire histories. If some chapters are sufficiently open to observation and experiment to permit of close study, we may hope, in some of the more favorable cases, to read the phenomena in their natural order, and to learn from what goes on in one part of the history the factors that govern in all parts.

The study of the problem of the origin of species resolves itself, therefore, ever more clearly into exhaustive studies of single favorable characters, in the more accessible portions of their history.

For decisive evidence we must have characters of a comparatively simple nature, the evolutionary records of which, in every case, are to be read in a considerable number of different species of known common origin.

It is a great mistake to resort exclusively to domestic races, for here the ancestry contains so many unknown elements that it is often impossible to refer phenomena to their proper sources. Even the so-called "pure breeds" are decidedly impure as compared with pure wild species. The ideal situation, as regards material, is to have pure wild species in abundance as the chief reliance, and allied domestic races for subsidiary purposes.

The pigeon amply fulfills all these prerequisites. A simple and convenient character, presenting divergent courses of evolution in some species and parallel courses in others, is to be found in the wing-bars and their homologues.

It is to some chapters in the history of this character that we may now turn for evidence that natural selection waits for opportunities, to be supplied, not by multifarious variation or orderless mutation, but by continuous evolutionary processes advancing in definite directions.

The rock pigeons (*Columba livia*) present two very distinct color-patterns; one of which consists of black checkers uniformly distributed to the feathers of the wing and the back, the other of two black wing-bars on a slate-gray ground. These two patterns may be seen in almost any flock of domestic pigeons.

The inquiry as to the origin of these patterns involves the main problem of the origin of species, for the general principles that account for one character must hold for others, and so for the species as a whole. Darwin raised the same question, but did not pursue it beyond the point of trying to determine which pattern was to be considered original and how the derivation of the other was to be understood. Darwin's explanation was so simple and captivating that naturalists generally accepted it as final. It is but fair to state that Darwin's conclusions did not rest on a comparative study of the color-patterns displayed in the many wild species of pigeons. Accepting the view

generally held by naturalists, that the rock pigeons must be regarded as the ancestors of domestic races, the question was limited to the point just stated.

It was known that the two types interbreed freely, under domestication, and it had been reported that checkered pigeons sometimes appeared as the offspring of two-barred pigeons. Moreover, Darwin discovered that the checkers were homologous with the spots composing the bars. As the main purpose was to show that variation was present to any extent required for the origin of new species, rather than to trace its course in any specific case, and as variation was supposed to be multifarious, and progress to be guided by natural selection of the "fittest," it is not strange that Darwin failed to get the direction of variation, or to realize that in *direction* is given the key to one of the fundamental laws of evolution.

As the two color-patterns are alike in having a common element, and differ chiefly in the number of elements, it was natural enough to take the smaller number as the point of departure, and to view the larger number as "an extension of these marks to other parts of the plumage." (*Animals and Plants*, vol. 1, p. 225.) With the ancestral type thus determined, and a simple mode of variation pointed out, Darwin could dismiss the problem with these words: "No importance can be attached to this natural variation in the plumage."

Whence and how the two bars arose was not explained. The mode of departure assumed to account for the checkered variety would, however, suggest that the bars themselves originated in the same manner; that is, from one or two spots arising *de novo*, as chance-variations, and the gradual extension of like spots in two rows of feathers. The one or more original spots, according to the general theory, would first appear as minute rudiments, and then be gradually enlarged and intensified by the aid of natural selection, guided by their utility as recognition marks.

Such a mode of origin would presuppose a plain, uniform gray ancestor, without any spots or bars in the wings, and would raise many puzzling questions that would be beyond the reach of investigation. For example: Why two bars? Why at the posterior end of the wing? Why do the spots taper backwards to a more or less sharp point in the checkered variety, while presenting a nearly square form in typical bars? Why should they have first extended upward, or downward, and in *two* rather than any other number of rows of feathers? If two rows of feathers were favored long enough to establish the bars for ornamental or other purposes, what freak of natural selection could have then interposed to turn a long-favored, definitely directed extension into a diffuse general extension, and thus to neutralize completely the very effects it was invoked to explain?

Natural selection could not be supposed to originate or to guide the first indifferent stages of new characters. Mutation would be equally helpless, and each step would leave a gulf of discontinuity, — a miracle that nature seems to abhor.

Turning from theoretical *impasses* to the facts, let us compare the two patterns.

In the checkered pattern all the feathers are marked alike — *no regional differentiation*. In the other type we have a conspicuous local differentiation, suggesting at once a higher stage of evolution. Checkered wings are to be found which vary all the way between a uniform marking and the barred type. If we arrange a number of unequally checkered wings in a series, running from the most to the least checkered, we shall see that the pattern approaches more and more nearly to that of two bars, as the checkers diminish in size and number. We shall notice that the pigment is reduced more rapidly in the anterior than in the posterior part of the wing.

As checkers are reduced, they gradually lose their sharp ends, and approximate the square or rounded form seen in the elements of the typical bars. The series shows a flowing gradation, that may be read forward or backward with equal facility. Darwin's view takes the bars as the starting-point and reads forward. Taking the checkered condition as the point of departure, the variation runs just as smoothly in the opposite direction. We here meet an ambiguity that is everywhere present in color-pattern problems — an ambiguity that is frequently overlooked with disastrous consequences. The only way to eliminate the difficulty is to take our evidence from several different sources, and when agreement is found for one direction, and disagreement for the other, the way is clear.

As an experiment, we may take one or more pairs of pure-bred, typically barred pigeons, and keep them isolated from checkered birds for several years, in order to see if the young ever advance toward the checkered type.

Another experiment should be tried for the purpose of seeing what can be done by working in just the opposite direction. In this case we take checkered birds, selecting in each generation birds with the fewer and smaller checkers, and rejecting the others, in order to see if the process of reduction can be carried to the condition of three, two, and one bar, and finally, to complete obliteration of both checkers and bars, leaving the wing a *tabula rasa* of uniform gray color.

If these experiments are continued sufficiently far, it will be found from the second experiment that a gradual reduction of pigment to the extreme conditions named can be comparatively easily effected, and that the direction of reduction will always be the same, from before backward; while, from the first experiment, it will be

seen that it is hopeless to try to advance in the opposite direction, from the bars forward to the checkered condition. No variations will appear in that direction, but such as do appear will take the opposite direction, tending to diminish the width of the bars and to weaken their color. It is in this way that we must account for the existence of some fancy breeds in which the bars have been wholly obliterated. The direction of evolution can never be reversed.

I have tried both experiments for eight years, and as both tell the same story as to the direction of variation, I am satisfied that further experiments will not essentially modify the results.

With reduction traveling from before backward, in the manner described, we get the bars in their typical number, form, and position, as *one of the necessary stages* of the process, and without appealing to *de novo* origin, incipient rudiments, etc.

But if bars originated in such simple fashion, — *the direction of evolution being precisely the same as that of embryological development*, — if the theory of rudiments must be abandoned in this case, do we not meet the same theory again in any attempt to account for the checkers?

What kind of rudiments could be imagined? We might assume that minute flecks of pigment first appeared, one in each feather; and then, further, imagine that these purely chance originations happened to have some slight utility, and that natural selection did the rest. But it is just as difficult to account for a small as a large origin *de novo*, and the smaller it is, the more unfortunate it is for the theory of natural selection.

If we seek refuge in the doctrine of mutation, are we better off? Mutation hides itself in the undiscoverable premutation, and so we have all the difficulty of an incipient stage, and no means of advancing by ordinary variation.

Fortunately we are not driven to either alternative, for the checkers arise neither as mutations nor as rudiments, but by direct and gradual modification of an earlier ancestral mark, which came with the birth of the pigeon phylum, as a heritage from still more distant avian ancestors.

This ancestral mark is a *dark spot* filling the whole central part of the feather, leaving only a narrow distal edge of a lighter color. This mark is still well preserved in some of the old-world turtle-doves — best in the Oriental turtle-dove of China and Japan. The checker of *C. livia* differs from the dark centre of *T. orientalis* only in form and in having a lateral position. Typically this spot appears in pairs, one on each side of the feather. The two spots represent the two halves of the old central spot, which becomes more or less deeply divided by the disappearance of pigment along the shaft of the feather. This change begins at the tip of the feather



and advances inward, but usually more rapidly along the shaft than at the sides, thus resulting in two checkers with more or less pointed tips.

The direction of change again coincides with that of embryonic development, the tip of the feather, where it begins, being first in order of development.

In many checkered rock pigeons we may find in the dorsal (inner) feathers of the bars *undivided* central spots, which pass gradually into the typical checkers as we pass towards the lower (outer) ends of the bars. Transitional stages of various degrees thus connect the derived with the ancestral type in *one and the same individual*, and so demonstrate that the two specific marks are not separated by impassable mutation gaps.

While it is not necessary to go beyond the wild rock pigeons and the multitude of domestic races descended from them to learn that nature has here pursued *one chief direction of color variation*, always leaving an open door, however, to minor modifications and improvements through natural and artificial selection, it is, nevertheless, highly instructive to make a comparative study of the whole group of wild pigeons, in both adult and juvenal stages. It is in this field that we find the same lessons amplified and repeated in multitudinous ways, confirmation confirmed, convergence of testimony complete.

It will be sufficient here to cite a few examples.

In the little ground doves (*Chamæpelia passerina*) of Florida, Arizona, California, Central and South America, and the West Indies, we find the turtle-dove pattern preserved in the whole breast region and in the anterior, smaller coverts of the wings, while in the posterior portion of the wings we meet with lateral spots or checkers, of higher finish than in the rock pigeons. In many coverts of the wing, we find the dark centres more or less reduced, with the distal ends of their remnants in various stages of conversion into lateral spots. Here again we find most striking proof of gradual change from one specific type to another.

In the brilliant bronze-winged pigeon (*Phaps chalcoptera*) of Australia, we have still another combination type, in which iridescent checkers coexist with the original dark centres. Here the checker seems to arise by direct differentiation of a lateral portion of the dark centre, the latter still occupying the original field and forming the ground within which the checker appears as a more highly colored spot. While the dark centre does not suffer any reduction in its field, it does lose considerably in intensity of color. The metallic spots are therefore probably built up by concentration of pigment at the expense of the dark centres. As these birds make great display of their colors in the breeding season, this departure from the orthogenetic trend of development may be attributed to natural selection.

The wild passenger pigeon (*Ectopistes*) bears checkers closely resembling those of the checkered rock pigeon, in form, color, and distribution. In this species the sexes are distinctly differentiated in color; and we have for comparison three stages in an ascending series; namely, the juvenal, the adult female, and the adult male. As in so many other birds, the male makes the widest departure from original conditions; the female occupies a lower plane; the young are nearly alike in both sexes, and may be said to recapitulate ancestral conditions with less modification than is seen in the adult of either sex.

In birds taken at random, I count in the left wing and scapulars 90 checkers in a juvenal, 51 in an adult female, and 25 in an adult male. This is pretty conclusive evidence that checkers are, or have been, disappearing in the species. Not only the number, but also the size of the checkers has been reduced. In the female the checkers are for the most part two or more times as large as in the male. The reduction in both respects has been greater in the anterior than in the posterior half of the wing, and greater along the lower edge than in the middle and back regions.

In this species we may recognize at first sight the homologues of the rock pigeon bars. On the secondaries of the female we find the homologue of the posterior bar, and on the first row of long coverts the homologue of the anterior bar. The latter is scarcely recognizable as a bar; for we see only five or six checkers in the upper half of the row, the lower half being without checkers. Nevertheless, this row represents, so far as it goes, the elements of a bar, which is already too far gone to have even a chance to attain the finish of a perfect bar.<sup>1</sup>

On the secondaries the checkers fall into juxtaposition, forming a continuous bar, with an irregular posterior outline, which indicates that the checkers have been unevenly reduced from behind. It is a rudely finished bar, which has sunk below the horizon of utility, if it was ever above it, and is now facing ultimate effacement. The reduction has advanced further in the male, with no improvement towards regularity of outline. Here it becomes quite certain that effacement advances from all sides, leaving but a small remnant of a bar confined to two or three feathers.

Glancing at the wing as a whole, in both young and old, it is plain that the process of obliteration is in progress over the entire checkered area. The elongated, sharp-pointed marks of the earlier pattern have rounded tips in the adult; the posterior bar is roughly emarginated; the number of checkers is reduced by a half or more; and some of the remaining ones are but little more than mere dots. It is also

<sup>1</sup> In the young, the checkers of this row are more numerous and much more sharply pointed at the ends. In both respects the juvenal pattern approaches more nearly a condition of general uniformity.

equally manifest that the process of reduction is making more rapid progress in the fore part of the wing and along its lower edge than elsewhere. There can be no mistake here as to the direction in which the phenomena are to be read. The direction is as certain as that the adult male stands in advance of the adult female, and still more in advance of the young bird. The significance of the case lies mainly in the fact that it is not an isolated or exceptional one. Many other species tell more or less perfectly the same story.

A parallel case, only carried still farther in the same direction, is found in the mourning dove (*Zenaidura*). The adult male and female differ but slightly, each having only about a dozen checkers visible on each side. These are confined to the scapulars, and to a few feathers at the posterior upper edge of the wing. In the young, they are more numerous, but less so than in the young passenger pigeon. The middle and fore parts of the wing in the adult have no visible checkers, but a few concealed ones which may be seen on lifting the overlying feathers. These concealed checkers, and other differences between old and young, show that the species had its origin in a checkered stock, and that its history has been analogous to that of the passenger pigeon.

The white-winged pigeon (*Melopelia leucoptera*) is a most instructive form. Although a much more highly accomplished bird in the arts of display of form, feathers, and voice, than the mourning dove, it has suffered a complete effacement of the checkers it once possessed in common with other members of the family. Indubitable proof of this is to be seen in the juvenal feathers, which, in some cases, exhibit a few pale vestigial spots in the last two rows of long coverts, at points where the checkers are usually best developed in checkered species. Another striking proof is to be found in the coverts and scapulars of the adult bird, where we find, on lifting the feathers, distinctly outlined areas, corresponding in shape and position with reduced checkers, but from which the black pigment has disappeared. These vestigial outlines, structurally defined, were first noticed in a female bird of a dark shade.<sup>1</sup> The outlines were more perfect than in lighter birds obtained from Arizona and California.

Similar vestiges are present in the mourning dove, and here their identification as marks formerly filled out with black pigment is freed from every shadow of doubt by checkers in all stages of obliteration.

The large wood pigeon (*C. palumbus*) of Europe has departed still more widely from the turtle-dove type, having lost all its black spots except a few in the neck patches, which have retreated so far from the tips of the feathers as to be concealed. The gray plumage

<sup>1</sup> Captured in Jamaica by Dr. Humphreys.

and the white streak along the edge of the wing mark a plane in the evolution of this bird very nearly identical with that of the white-winged pigeon. A little higher plane has been reached by our band-tailed pigeon of the Pacific coast, which is also a species of turtle-dove derivation, as shown in the neck-marking and in the voice and behavior.<sup>1</sup>

These illustrations, which could be extended into the hundreds, may be concluded with two cases, representing wide extremes, yet governed by the same law of progressive orthogenetic variation.

The crested pigeon of Australia (*Ocyphaps lophotes*) stands at one extreme, at the uppermost limit in the number of bands and in the perfection of finish. There are eleven, or at most twelve, parallel bands crossing the wing and scapulars transversely, each band marking a single row of feathers, with the regularity of zebra stripes. The width of these bands increases from before backward, beginning with a width of about  $\frac{1}{2}$  mm. and reaching 4 to 5 mm. on the tenth band. The eleventh band, located on the long coverts, is especially interesting, as it begins above with narrow elements, like the preceding, but is continued, from the third or fourth feather onward, by elongated *checker-like spots*.

This band, or bar, is the homologue of the anterior bar in the rock pigeon, and furnishes a standing picture of transitional continuity from one character to another, and at the same time settles beyond dispute the direction variation has pursued. So clear and decisive is the case, that one might safely predict that this entire bar is destined to be reduced to the narrow band-type seen in the fore part of the wing. We have only to turn to a closely allied species, the white-breasted crested pigeon (*Lophophaps leucogaster*)<sup>2</sup> to find that it has already realized the prediction to the full, having every checker in this row converted into a typical band-element.

Moreover, the transformation has already begun in the first feather of the next and last row, so that the same prediction could be extended to this bar, which is the homologue of the posterior bar in the rock pigeon.

Glancing again at *Ocyphaps*, and looking at the wing as a whole, the course of transformation, its mode, direction, and future termination are all very clearly defined. The wing-pattern, as shown especially in the light edges of the juvenal plumage, takes us clear back to the turtle-dove type. Next came the checkered pattern similar to that of the primitive rock pigeon. Reduction of pigment, proceeding from before backward, fashioned the bilateral checkers from the uni-central spots. The reduction kept on in the same

<sup>1</sup> Minute blotches of black were found in the longer scapulars of a few individuals. These are probably atavistic reminiscences of lost spots.

<sup>2</sup> This bird is comparatively rare, and I have seen but a single pair that recently came to hand through the kindness of Frank M. Chapman.

direction, shortening the checkers and transforming the rows successively into narrow bands, eventually reaching the eleventh row, where we find only one or two complete steps, followed by a graded series of 4 to 6 steps, less and less decided, until we lose every trace of them. So finely graded are these steps in some females that it is difficult to locate the vanishing-point.

Unless the process of transformation is arrested by the extinction of the species, or through the intervention of some more potent modifying influences than have thus far appeared, the fate of both posterior bars is irrevocably sealed. Granting that natural selection may be credited with strengthening the iridescent splendor of these bars, I believe that the orthogenetic influences are bound to prevail here as in the white-breasted species.

But is there any direct proof that the transformation is actually making progress to-day? May not these transitional steps go on appearing generation after generation, without ever making any permanent progress?

We have to concede that we cannot follow the processes that reveal themselves in steps. We can at most only see what is done — not the doing. We are entirely in the dark as to the time required to carry the change through a single row of feathers. But we know that this has been done in three other species of the same family. We see that after it is done, *not before*, the transitional steps appear in the next and last row. Moreover, — and this is as close as we can hope to get to actual seeing, — we find that *progress of just the kind we are looking for is certainly made in passing from the juvenal to the adult plumage*. This is an ontogenetic change of a few weeks, which we can easily demonstrate by experiment to be progressive and continuous. The corresponding phylogenetic advance has left no other record, and hence we only know that it took time — that it was not a momentary salt. In the adult plumage, *one or two full steps are taken beyond the juvenal stage, and taken precisely at the points premarked by transitional steps*. The number of transitional steps is increased at the same time.<sup>1</sup>

As the next and last illustration, I take a case in which the bars are verging to complete obliteration. The well-known wild stock dove (*C. œnas*) of Europe may serve as a convenient and instruct-

<sup>1</sup> One point here should not escape attention; namely, that the transitional steps in *Ocyphaps* form a *linear* series; but there is nothing artificial or arbitrary about it. It is a small-number series, each element of which stands in an appointed place, and marks the height to which the transformation process rose at that point in its course. Such a series cannot be open to the objections which De Vries has very justly made against large-number series, the elements of which are collected at random and then arranged arbitrarily to display transitional continuity.

In the *Ocyphaps* series there is some fluctuation, the series varying in length, but always advancing in one predetermined direction, like a tidal flow guided along a prepared channel, and flowing to varying distances, according to the initial momentum.

ive example. In this pigeon we find that reduction of the checkers has swept over the whole wing, leaving nothing except a few obsolete spots, which we recognize as vanishing elements of bars formerly more highly developed, and homologous with those of the rock pigeon.

Here we find what at first glance looks like extraordinary variability, suggesting mutations, incipient stages, bars *in statu nascendi*, etc. The selectionist and the mutationist could each find what he looks for. The first thing to decide is the *direction* in which the phenomena are to be read. Is it a positive, progressive upbuilding of new characters, or a negative, retrogressive weakening of old characters? I have already anticipated the answer, and will now briefly show how the direction of variation is decisively settled.

(1) These spots have every outward appearance of being reduced remnants, such as we get in passing from the checkered to the barred condition in rock pigeons. They are rounded or squarish in form, frequently irregular and thin at the edges, dull in color as if fading, etc.

(2) The smallest stages are not found on the exposed surface of the feathers, but lie *concealed* beneath the overlapping feathers next above or in front. Concealed spots admit of but one interpretation. This pigeon is a not distant relative of the rock pigeon, has a similar gray ground, and is therefore probably moving in a parallel direction, only more advanced.

(3) The spots are found at the posterior end of the wing, near the upper edge, on one to three tertials and on a few long coverts. In some cases they occur also on a few of the second row of long coverts, but here they are always very small and completely concealed. They are thus in the position occupied by vanishing spots generally.

(4) The adult plumage makes no advance in the number of spots, and some spots (second row of long coverts) visible in the young, are completely concealed in the adult. This indicates degeneration unmistakably.

(5) The stock dove, although sometimes having a concealed third bar of few spots, never appears in checkered dress. It seems to have moved so far in the opposite direction that no reversal of course is now open to it.

Taking the checkered pattern as the earlier one, the various conditions of checkers and bars in rock pigeons, domestic races, and, indeed, in all the wild pigeons, become almost self-explanatory. We could not explain satisfactorily how just two bars could arise *de novo* in one species, three in another, twelve in another, and so on. The repetition of *de novo* origins would become ever more incredible. Making phylogeny our guide as to the starting-point, we find it comparatively easy to thread our way through the maze of patterns

existing among five hundred or more species of pigeons, and even to trace affinities farther back in the bird world.

The orthogenetic process is the primary and fundamental one. In its course we find unlimited opportunities for the play of natural selection, escape the great difficulty of incipient stages, and readily understand why we find so many conditions arising and persisting without any direct help of selection.

*Charles Darwin.*

"As natural selection acts solely by accumulating slight, successive, favorable variations, it can produce no great or sudden modification." *Origin of Species*, ch. xiv, p. 421.

"Slight individual differences, however, suffice for the work, and are probably the sole differences which are effective in the production of new species." *Animals and Plants*, vol. II, ch. xx, p. 233.

"As modern geology has almost banished such views as the excavation of a great valley by a single diluvial wave, so will natural selection, if it be a true principle, banish the belief of the continued creation of new organic beings, or of any great and sudden modification in their structure." *Origin of Species*, ch. iv, p. 98.

*August Weismann.*

"The simultaneous modification of numerous cofunctioning parts, in essentially different ways, yet in harmonious functional relations, points conclusively to the fact that *something is still wanting to the selection of Darwin and Wallace.*" *Germinal Selection*, p. 22.

"We know of only one natural principle of explanation for adaptation, that of selection." *Ibid.*, p. 61.

"The three principal stages of selection; that of *personal selection*, as held by Darwin and Wallace; that of *histonal selection*, as upheld by Wilhelm Roux in the form of a 'Struggle of the Parts;' and finally, that of *germinal selection*, the existence of which I have endeavored to establish — these are the factors that cooperate to maintain the forms of life constantly capable of life." *Ibid.*, p. 60.

"The harmony of the direction of variation with the requirements of the conditions of life is the riddle to be solved. *The degree of the adaptation which a part possesses itself determines the direction of variation of that part.*" *Ibid.*, p. 54.

"When a determinant has assumed a certain variation-direction it will follow it up of itself, and selection can do nothing more than secure it a free course by setting aside variations in other directions by means of the elimination of those that exhibit them." *Evolution Theory*, vol. II, p. 123.

*Carl von Nägeli.*

"Between the *theory of selection and that of direct causation*, there is, apparently, only a little difference, since, according to the latter, the present condition of the organic world would likewise result from individual variation and elimination. But these two processes [selection and direct causation] differ fundamentally in their causal import. According to Darwin, variation is the germinating factor, selection the directing and regulating factor; according to my view, variation is at once both the germinating and the directing factor. According to Darwin, selection is indispensable; without it there could be no progression, and organisms would remain in the same condition as at the beginning.

In my opinion, competition simply removes what is less capable of existence, but it is wholly without influence in bringing to pass anything more perfect or better adapted." *Theorie der Abstammungslehre*, p. 285.

"The fortuitous or directionless variation of individuals would be conceivable, if it were conditioned by external influences (food, temperature, light, electricity, gravitation); for, as these causes obviously cannot be brought into any definite relation to the more or less complex organization, they must effect sometimes a positive, sometimes a negative, step. If, however, the causes of variation are internal, in the constitution of the substance, then the matter stands otherwise. In this case *the determinate organization of the substance must exercise a restricting influence upon its own variation*; and this influence, as development begins at the lowest point, can only take effect in an upward direction." *Abstammungslehre*, p. 12.

"Individuals transmit to their offspring the tendency to be like themselves, but the offspring are not perfectly like the parents. *The tendency to variation must therefore also be transmitted*. A primordium, if all conditions are favorable, must be able to develop ever farther in a series of generations, as a capital enlarges to which interest is added annually; for each generation inherits from the preceding not only the possibility to realize the capital, but also the possibility to add the interest." *Individuality in Nature*, 1856.

Hugo de Vries.

"According to the theory of mutation, species have not arisen through gradual selection continued for hundreds or thousands of years, but by steps, through sudden though small transmutations. In contrast with variations, which are changes advancing in a linear direction, the transformations to be called mutations diverge in new directions. They take place, then, so far as experience goes, without definite direction, *i. e.*, in various directions." *Die Mutationstheorie*, vol. I, p. 150.



**SECTION B — PLANT MORPHOLOGY**



## SECTION B — PLANT MORPHOLOGY

---

(Hall 2, September 22, 10 a. m.)

CHAIRMAN: PROFESSOR WILLIAM TRELEASE, Washington University, St. Louis.  
SPEAKERS: PROFESSOR FREDERICK O. BOWER, University of Glasgow.  
PROFESSOR KARL F. GOEBEL, University of Munich.  
SECRETARY: PROFESSOR F. E. LLOYD, Columbia University.

---

### PLANT MORPHOLOGY

BY FREDERICK ORPEN BOWER

[Frederick Orpen Bower, Regius Professor of Botany, University of Glasgow, Scotland. b. November 4, 1855, Ripon, Yorkshire. Sc.D. Cambridge, England. Assistant to Professor of Botany, University College, London, 1879-82; Lecturer on Botany, Royal College of Science, South Kensington, 1882-85; Fellow, Royal Society of London; Fellow, Royal Society of Edinburgh; Fellow, Linnean Society of London; Corresponding Member of Deutsche Botanische Gesellschaft.]

THOSE who organized these congresses left to the guests whom they honored with their invitation a high degree of freedom in the handling of their subject. In the exercise of that freedom, which I gratefully acknowledge, I have decided not to attempt any general dissertation on the present position of plant morphology as a whole, but to discuss certain topics only in the morphology of plants, which at present take a prominent place in that branch of the science of botany. These centre round the question of the relation of the axis to the leaf in vascular plants.

The progress of plant morphology has shown certain well-marked phases in its history, and we stand at the moment on the threshold of a new one. First came the mere description and delineation of the mature form, with special reference to the higher flowering plants. This period included the work of the herbalists, and early systematists, and led to classification as its chief end: but it was enlivened by occasional generalizations, such as that of Wolff, who regarded all appendages of the axis as leaves. It was deeply influenced later by the poetic gloss cast over it by Goethe, in his idealistic doctrine of metamorphosis. But this, and the development of the spiral theory, led the stream of botanical thought temporarily away from fact into a region of surmisings.

From these it was strongly recalled by the initiation of the *second* phase, about the middle of the last century, the basis of which was the dictum, formulated by Schleiden, that "the history of develop-

ment is the foundation for all special botanical morphology." The study of development thus introduced for the individual part was soon extended to the whole life-cycle, and especially among the lower forms, which had been so long neglected. The year 1848 should be marked with a white stone in the chronology of every morphologist, for in that year the essential outline of the life-history of a fern was completed by Suminsky. Hofmeister followed in quick succession, with the enunciation of the fundamental homologies in fern and moss; and thus was laid, though upon a purely comparative basis, the foundation of a scientific morphology for vascular plants. But the comparisons were still formal, and might have been applied equally well to dead as to living things. The inspiration of the breath of life came with the theory of evolution: the facts then first "lived, and stood upon their feet." It is, however, remarkable how slowly the change of view brought by the theory of evolution permeated morphology. Sound though Hofmeister's conclusions were on the comparison of either generation as a whole, the same could not be said of the comparison of the parts. It took almost a generation after the publication of the *Origin of Species* for botanists to achieve any practical appreciation of evolution as a factor in the morphology of the appendages. The position up to 1874 is well reflected in the text-book of Sachs. Though he himself points out the limitations necessary to such a method, Sachs proceeds in the morphological section of his book on the footing that in vascular cryptogams and phanerogams "every organ is either a stem, or a leaf, or a root, or hair." Sporangia are held to be the results of metamorphosis of vegetative parts. The conception of homology which underlies such a grouping is dictated rather by convenience of definition and of classification than by any deeply lying aspiration after historical truth. An important step towards placing the morphology of the appendages upon a sounder footing was taken by Goebel in 1881, when he asserted the independence of the sporangium, as an organ *sui generis*, and not a result of metamorphosis of any vegetative part. This was upheld by Sachs in the following year, in his *Vorlesungen*.

Another feature, and perhaps the most important, of the *Vorlesungen*, was that in them Sachs for the first time gave due weight to the physiological aspect of morphology, and thus harmonized those two branches of study which had too long been kept asunder. The increasing attention thus given to physiology, and to the effects of external influences, has naturally led to the initiation of a *third* phase in the history of morphology: I mean the phase of experiment, with a view to ascertaining the effect of external agencies in determining form: that phase is still nascent, and carries with it high possibilities. But it is well in the enthusiasm of the moment to keep

in view the limitations which hedge it round: it is to be remembered that the effect of external conditions upon form is always subject to hereditary control, and that thus the whole field of past history is still left open to speculation. This seems to have been forgotten by a recent writer, who remarks that "the future lies with experimental morphology, not with speculative morphology, which is already more than full-blown." Though this assertion contains an important truth, inasmuch as it accords prominence to experiment, the case is in my opinion overstated. All who follow the development of morphological science will value the results already obtained from the application of experiment to the problems of plant-form. But it is necessary at the same time to recognize that the two phases of study, the experimental and the speculative, are not antithetic to one another, but mutually dependent: the one can never supersede the other. The full problem of morphology is not merely to see how plants behave to external circumstances *now*, — and this is all that experimental morphology can ever tell us, — but to explain, in the light of their behavior now, how in the past they came to be such as we now see them. To this end the experimental morphology of to-day will serve as a guide, and as a check to the speculative branch, limiting its exuberances within the lines of physiological probability: but experiment can never replace speculation, for experiment cannot reconstruct history. It is impossible to rearrange for purposes of experiment all the conditions, such as light, moisture, temperature, and seasonal change, on the exact footing of an earlier evolutionary period: and even if this were done, are we sure that the subjects of experiment themselves are really the same? There remain the factors of hereditary character, and of competition, which cannot possibly be put back to the exact position in which they once were. There must always remain a margin of uncertainty whether a reaction observed under experiment to-day would be the exact reaction of a past age. So far, then, from experiment competing with or superseding speculation in morphology, it can only act as a potent stimulus to fresh speculation, wherever the attempt is made to elucidate the problem of descent. It will only be those who minimize the conservative influence of heredity, or, it may be, relegate questions of descent to the background of their minds, who will be satisfied by the exercise of an experimental method of morphological inquiry, apart from speculation.

It has already been remarked that, notwithstanding the soundness of Hofmeister's comparison for the alternating generations as a whole, the homologies of the parts remained unsatisfactory: the chief reason for this was that the grouping was not derived from comparison of nearly allied species; nor does it seem to have been held as important to consider critically whether such parts as were grouped

together were or were not comparable as regards their descent. For long years after the publication of the *Origin of Species* homology had no evolutionary significance in the practice of plant morphology. But in the sister science of zoölogy this matter was taken up by Ray Lankester in 1870, in his paper "On the Use of the Term Homology in Modern Zoölogy, and the Distinction between Homogenetic and Homoplastic Agreements." Many botanists at the present day would be the better for a careful study of that essay. He pointed out that the term homology as then used by zoölogists belonged to the Platonic school, and involved reference to an ideal type. This meaning lay at the back of Goethe's theory of metamorphosis in plants, and it seems to have been somewhat in the same sense that homologies were traced by Hofmeister. Lankester showed that the zoölogists' use of the term "homologous" included various things: he suggested the introduction of a new word to define strict homology by descent: structures which are genetically related in so far as they have a single representative in a common ancestor, he styled "homogenous;" those which correspond in form, but are not genetically related, he termed "homoplastic."

It is important at once to recognize that the strict "homogeny" defined by Lankester as that of "structures which are genetically related in so far as they have a single representative in a common ancestor" can only be traced in the simpler cases of plant-form: it implies the repetition of individual parts, so strictly comparable in number and position as to stamp the *individual identity* of those parts in the successive generations. The right hand of a child repeats in position and qualities the right hand of the mother, and of the race at large: here is a strict homogeny. In the plant-body such individual identity of parts of successive generations is not common. It may be traced, for instance, in the cotyledons, and the first plumular leaves of seedlings of nearly related species, or in their first roots. But as a consequence of that continued embryology, which is so constant a feature in the plant-body, the number of the appendages of any individual is liable to be indefinitely increased, while often the absence of strict rule in their relative positions makes their identical comparison in different individuals impossible. This is especially clear in the case of roots of the second, and higher orders, for they do not correspond in exact number or position in seedlings. What we recognize in such cases is, then, not the individual identity: but their similarity in other respects: and when we group them under the same head we recognize, not their strict homogeny according to the definition of Lankester, but their essential correspondence, as based upon the similarity of their structure, and of their mode of origin upon and attachment to the part which bears them. This is also the case with the antheridia and archegonia of the pteridophytes,

which are as a rule definite neither in number nor in arrangement, and are subject to variation in both respects, according to the conditions which may be imposed upon them by experiment: nevertheless, they accurately maintain their structural characters, and their essential correspondence is thus established, but not their individual identity. It is clear that this is a comparison of a more lax order than the recognition of their individual homogeneity would be.

But if room for doubt of the strictest homogeneity be found in simple cases such as these, what are we to expect from the comparisons of less strictly similar parts of the plant, such as cotyledons, scale-leaves, foliage-leaves, bracts, sepals, petals, stamens, carpels? How far are these to be held to be homogeneous, or in some less strict sense homologous? Or, going still further, how are we to regard those comparisons which deal with parts of different individuals, species, genera, orders, or classes? What degree of homology is to be accorded to them? In proportion as the systematic remoteness of the plants compared increases, and the continuity of the connecting forms is less complete, so the comparisons become more and more doubtful, and the use of the term "homology" as applied to them more and more lax, until we are finally landed in the region where comparison is little better than surmise. It becomes ultimately a question how far the term "homology" is to be held as covering these more lax comparisons, which are certainly not examples of "homogeneity" in Lankester's sense, and are only doubtfully correlated together on a basis of comparison of more or less allied forms.

The progress of our science should be leading towards a refinement of the use of the term "homology:" an approach must be made, however distant it may yet be, to a classification of parts on a basis of descent. But though this may be readily accepted in theory, it is still far from being adopted in the general practice of plant morphology. None the less, comparison is inevitably leading to the disintegration, on a basis of descent, of the old-accepted categories of parts: of these the most prominent, and at the same time the most debatable, is the category of leaves, and they will lend themselves best to the illustration of the matter in hand.

To those who, like myself, hold the view that the two alternating generations of the *Archegoniatae* have had a distinct phylogenetic history, it will be clear that their parts cannot be truly comparable by descent. The leaf of the vascular plant, accordingly, will not be the correlative of the leaf of a moss. Even those who regard the sporophyte as an unsexed gametophyte will still have to show, on a basis of comparison and development, that the leaves of the two generations are of common descent. I am not aware that this has yet been done by them.

But the phylogenetic distinctness of the leaves in the sporophyte

and gametophyte is not the only example of parallel foliar development; Goebel has shown with much cogency that the foliar appendages of the bryophytes are not all comparable as regards their origin: he remarks, "It is characteristic that the leaf-formation in the Liverworts has arisen independently in quite a number of series" (*Organographie*, p. 261), and has shown that they must have been produced in different ways. Here, then, is polyphyleticism in high degree, seen in the origin of those parts of the gametophyte which on grounds of descent we have already separated from the foliar appendages of the sporophyte.

Such results as these for the gametophyte lead us to inquire into the views current as to the origin of foliar differentiation in vascular plants. In discussing such questions it is to be remembered that in different stocks the foliar condition of the sporophyte as we see it may have been achieved in different ways, just as investigators have found reason to believe that it was in the gametophyte. We have no right to assume that the leaf was formed once for all in the descent of the sporophyte. But at the moment we are unprovided with any definite proof how it occurred. All the evidence on the point is necessarily indirect, since no intermediate types are known between foliar and non-foliar sporophytes. Physiological experiment has as yet nothing to say on the subject. The fossil history of the origin of the foliar state in the neutral generation is lost, for the foliar character antedated the earliest known fossil-sporophytes. There remain the facts of development of the individual, and comparison, while anatomical detail may have some bearing also on the question: but all of these, as indirect lines of evidence, fall short of demonstration, and accordingly it is impossible to come at present to any decision on the point. For the purposes of this discussion, however, we shall proceed on the supposition that all leaves of the sporophyte generation originated in essentially the same way, though not necessarily along the same phyletic line.

There are at least three alternatives possible for the origin of the foliar differentiation of the shoot, in any progressive line of evolution of vascular sporophytes: (1) that the prototype of the leaf was of prior existence, the axis being a part which gradually asserted itself as a basis for the insertion of these appendages: the leaf in such a case would be from the first the predominant part in the construction of the shoot; (2) that the axis and leaf are the result of differentiation of an indifferent branch-system, of which the limbs were originally all alike; in this case neither leaf nor axis would predominate from the first; (3) that the axis preëxisted, and the foliar appendages arose as outgrowths upon it: in this case the axis would be from the first the predominant part.

The first of the above alternatives, viz., that the prototype of the



leaf existed from the first, and was in fact the predominant part in the initial composition of the shoot, has been held by certain writers as the basis of origin of the leafy shoot in vascular plants.<sup>1</sup> On this view not only is the whole shoot regarded as being mainly composed of leaves, but some even contend that the axis has no real existence as a part distinct from the leaf-bases.<sup>2</sup> The way in which this is pictured as having come about is by branching of a sporogonium of a bryophyte: the sporogonial head of one limb of such a branching became vegetative as the first leaf, while the other continued its growth, and branched again: thus the apex of the first lateral appendage was of the nature of a sporogonial head: this condition has been compared with that seen in the embryo of a fern, or of some monocotyledons.<sup>3</sup>

This view in its general form represented the plant as constructed on a plan somewhat similar to that of a complex zoöphyte. It has more recently culminated in the writings of Celakovsky and Delpino. The former in his theory of shoot-segments (*Sprossgliedlehre*) starts from the position that the plant is composed of morphological individuals: the cell, the shoot, and the plant-stock are recognized as such. The stock is composed of shoots, and the shoot of cells. Braun recognized the shoot as the individual *par excellence*: between the cell and the shoot is a great gulf, which has not yet been filled: "between the cell and the bud (shoot) there must be intermediate steps, the limitation of which no one has succeeded in defining:" the long-sought-for individual middle step is the shoot-segment (*Sprossglied*), which is neither leaf only, nor stem-segment only, but the leaf together with its stem-segment. Now this appears to me to be purely Platonic morphology: the intermediate step *must* occur; we will therefore discover and define it. The definition of it consists in the drawing of certain transverse and longitudinal lines partitioning the shoot, lines which in the sporophyte have no existence in nature: the assumed necessity of partitioning the shoot into parts of an intermediate category between the whole shoot and the cell brings these assumed limits into existence.

In support of his theory of shoot-segmentation, Celakovsky (*loc. cit.* p. 101) adduced evidence from the development of the embryos of certain monocotyledons; from certain inflorescences; from the origin of the leafy moss stem on the protonema; and from the actual existence of the leaf-forming segments in mosses and pterido-

<sup>1</sup> Goethe, *Die Metamorphose der Pflanzen*. Gaudichaud, *Mémoire de l'Académie de Science*, 1841. Kienitz Gerloff, *Botanische Zeitung*, 1875, p. 55. Celakovsky, *Unters. über die Homologien, Pringsh. Jahrbuch*, xiv, p. 321, 1884. *Botanische Zeitung*, 1901, Heft v, vi.

<sup>2</sup> Delpino, *Teoria generale della Filotassi*. For reference see *Bot. Jahresbr.*, viii (1880), p. 118, also vol. xi (1883), p. 550.

<sup>3</sup> Celakovsky, *loc. cit.* Kienitz Gerloff, *loc. cit.*, compared the first leaf with half of the sporogonial head, in the case primarily of fern embryos.

phytes. But objection may be taken to all these lines of evidence. We should hardly look to either the embryos of seed-plants nor to their inflorescences for safe guidance as to the origin of the fundamental characters of shoot-construction, for both are probably highly specialized forms of shoot. Particularly would this seem to be the case in the embryo, which is nursed with a supply of endosperm within the seed, a condition far removed from what can possibly be conceived as that of a primitive leafy shoot. Moreover, the fact that certain monocotyledon embryos conform externally to such a theoretical description as is given is not sufficiently cogent in the absence of internal limits of demarkation of the constituent shoot-segments.

The details of comparison of the moss-plant and protonema are quite beside our question, which relates to vascular plants: however interesting the analogies may be between the alternating generations, they cannot rank as evidence in such a question as this: for it is quite conceivable that a perfect system of shoot-segmentation might rule in the one generation, while the leafy development in the other, having originated by a distinct evolutionary sequence, might show a quite distinct relation of leaf to axis.

The last line of evidence is from segmentation at the apex of the shoot in pteridophytes: if one cell-segment regularly produced one leaf-bearing shoot-segment, this might be held to be valid evidence of Celakovsky's view. But this argument does not apply consistently, as indeed Celakovsky himself admits. It is true that a leaf may be produced from each apical segment in some ferns: but in dorsiventral ferns, and hydropterids, leaves are not produced from the ventral rows (Klein, *Bot. Zeit.*, 1884). In *Azolla* and *Salvinia* leafless internodes intervene between successive nodes: thus there is no constant relation in ferns between apical segmentation and leaf-production. Treub's investigations resulted in his statement that "there cannot be any constant relation between the leaves and the segments of the apical cells in *Selaginella Martensii*." Lastly, in *Equisetum*, notwithstanding the regular segmentation of the tetrahedral apical cell, the leaves show no regular relation to the segments in number or position, varying in number from three to about forty. Thus the argument from apical segmentation even in pteridophytes does not give consistent support to a theory of shoot-segmentation, while such evidence is entirely wanting in the vast majority of phanerogamic plants. Notwithstanding the ingenuity of the theory as put forward by Celakovsky, in the absence of any structural indication of the limits of the shoot-segments in the vast majority of cases, the theory does not appear to me to be sufficiently upheld by the facts.

An extreme, and indeed, a paradoxical position has been taken

upon this phytonic question by Delpino. As a consequence of his studies on phyllotaxis he concluded that the axis is simply composed of the fusion of the leaf-bases: that the leaves are not appendicular organs, but central organs: that an axis or stem-system does not exist, and accordingly that the higher plants are not cormophytes at all, but phyllophytes. There will, I think, be few who will adopt this fantastic view of the shoot.

The second view, that the axis and leaf are the result of differentiation of an indifferent branch-system, of which the limbs were originally all alike, has lately been brought into prominence by Potonié.<sup>1</sup> Taking his initiative from the branching of the leaves in early fossil ferns, he recognizes the frequent occurrence of overtopping (*Uebergipfelung*), that is, the gradual process of assertion of certain limbs of a branch-system over others: in the branching of fucoids he finds an analogy for his observations on fern-leaves, and draws the following conclusion: that "the leaves of the higher plants have been derived in the course of generations from parts of an Algal thallus like that of *Fucus*, or at least from Alga-like plants, by means of the overtopping of dichotomous branches, and the development as leaves of the branches, which thus became lateral." Dr. Hallier, who adopts Potonié's position, prefers to draw the comparison with liverworts, which show a similar sympodial development of a dichotomous branch-system.<sup>2</sup>

It seems not improbable that the condition of many branched fern-leaves may have been derived through a process of "overtopping" in an indifferent branch-system of the leaf itself. But it lies with Potonié to show, on a basis of comparison of forms more nearly related to them than the fucoids, that the relation of axis to leaf in the ferns was so derived: and further, that such an origin is in any way applicable to other foliar developments in vascular plants, especially pteridophytes, such as the lycopods, equiseta, and sphenophylls. I am not aware that this has yet been done. But granting that this can be done, the question still remains whether similarity of method of branching is any criterion of comparison as to descent? And especially whether such comparison is valid between widely distinct groups, or between the different generations of an antithetic alternation? It is true that Potonié prefers to regard such generations as homologous, as is indeed essential for his view: but that does not prevent others from differing from him, or even considering the fact that the parts compared belong to different generations as fatal to his theory. For my own part I am not prepared to give up the broad conclusions as to antithetic alternation on so

<sup>1</sup> *Lehrbuch der Pflanzenpaläontologie*, pp. 156-159. Also *Ein Blick in die Geschichte der Bot. Morph. und der Pericaulomtheorie*, 1903, p. 33, etc.

<sup>2</sup> *Beiträge zur Morphogenie der Sporophylle und des Trophophylls. Morph. d. Sporophylle u. d. Trophophylls*, Hamburg, 1902.

slender a ground as similarity of method of branching represented in them both.

For sympodial development of a dichotomous system (and this is all that such "overtopping" actually is) has occurred in cases where it cannot be held to have resulted in a branching which is foliar: and of this instances can be found without going so far afield as the *Fucaceæ*. It has been shown by Bruchmann<sup>1</sup> that the first branching of *Selaginella spinulosa* is dichotomous, and that this is probably so for all species of the genus. This mode of branching may be repeated, but the later branches may lead by most gradual transitions to the monopodial type. Yet no one would hold that the shoots thus laterally placed are consequently foliar in their nature. Again, in *Lycopodium* the branches of successive dichotomies often develop unequally: a conspicuous example is seen in *L. unilaterale*, R. Br., where one limb develops as a strobilus, and is pushed to one side by its stronger vegetative brother. A similar unequal development of dichotomous branches probably leads to such dendroid forms as *L. cernuum*. Progressions from the dichotomous to the monopodial branching are also to be seen in the case of the roots of *Selaginella*. Such examples show that in pteridophytes progressions are found from the regular dichotomous branching to its sympodial, or even its monopodial development, in cases where it is impossible to rank as leaves those parts which are forced to assume the lateral position. This shows that such progressions are a widespread phenomenon, occurring in parts of various category. If this be so, then little value need be attached to the comparison of such branchings in plants not nearly allied to one another; these may be held to be quite distinct examples of a general phenomenon, without the one being in any sense the prototype of the other. Such reflections as these indicate that the comparison in mode of branching between the leaves of ferns and the thallus of fucoids, which forms the groundwork of the view of Potonié (or between ferns and the thalloid liverworts, as may be preferred by others), are not to be held as more than distant analogies; consequently they are no demonstration of the origin of the leaf by a process of "overtopping."

There remains the third view, which, however, is no new one: for there have not been wanting those who have assigned a more prominent place to the axis in the initial differentiation of the shoot. Perhaps the most explicit statement on this point is that by Alexander Braun, who remarks in his *Rejuvenescence in Nature* (Eng. ed. p. 107), referring to phytonic theories, that "all these attempts to compose the plant of leaves are wrecked upon the fact of the existence of the stem as an original, independent, and connected structure, the more or less distinct articulation of which certainly

<sup>1</sup> *Unters. u. Selaginella spinulosa*, Gotha, 1897, p. 18, etc.

depends upon the leaf-formation, but the first formation of which precedes that of the leaves." Unger also in his botanical letters to a friend (no. viii), described how "The first endeavor is directed towards the building up with cell-elements of an axis;" "those variously formed supplementary organs which are termed leaves" originate laterally upon it; and he concludes that "we may therefore say with perfect justice that the plant . . . is, as regards form, essentially a system of axes." Naegeli contemplated a somewhat similar origin of the leafy shoot, as an alternative possibility; in fact, that the apex of a sporogonium-like body elongated directly into that of the leafy stem: in which case the axis would be the persistent and prominent part, and the leaves be from the first subsidiary and lateral appendages. In my theory of the strobilus in archegoniate plants the central idea was similar to this; it may be briefly stated thus: There seems good reason to hold that a body of radial construction, having distinction of apex and base and localized apical growth as its leading characters, existed prior to the development of lateral appendages in the sporophyte: for such a body is seen in certain bryophyte sporogonia, while the prior existence of the axis, and lateral origin of the appendages upon it, is general for normal leafy shoots. The view thus put forward is indeed the mere reading of the story of the evolution of leaves in terms of their normal individual development. I have recently shown that all pteridophyte shoots may be regarded as derivatives from the radial strobiloid type, with relatively small leaves, which would thus have come into existence.

It is natural to look to the pteridophytes for guidance as to the origin of foliar development in the sporophyte, for they are the most primitive plants with leafy sporophytes. They may be disposed according to the prevalent size of their leaves in a series, leading from microphyllous to megaphyllous types. I have lately shown that such a seriation is not according to one feature only, but that certain other characters which have been summarized as "filicineous" tend to follow with the increasing prominence of the leaf: this indicates that such seriation is a natural arrangement. Now it is possible to hold either that the large-leaved, fern-like plants were the more primitive, and the smaller-leaved derivatives from them by reduction; or conversely, that the smaller-leaved were the more primitive, and the larger-leaved derivatives from them by leaf-enlargement: other alternative opinions are also possible, such as that the leaf-origin has been divergent from some middle type, or that the leaves of vascular plants may have been of polyphyletic origin.<sup>1</sup> For the moment we shall leave these latter alternatives aside.

<sup>1</sup> The view recently advanced by Professor Lignier (*Equisetales, et Sphenophylales, Leur origine filicinienne commune*, Bull. Soc. Linn. de Normandie, Serie 5, vol.

Much of the difference of view as to foliar origin centres round the question whether originally the leaf was relatively large, or small. Those who hold that the larger-leaved forms were the more primitive will be naturally disposed towards the view of the original preponderance of the leaf over the axis, and will favor some phytonic theory; those who hold the smaller-leaved forms to be the more primitive will probably adopt a strobiloid theory of origin of the leafy sporophyte. I propose to offer some remarks on the relative probability of these alternative views.

If large-leaved prototypes be assumed generally for vascular plants, this naturally involves a widespread reduction, since small-leaved forms are numerous now, and have been from the earliest times of which we have any record. Reduction is a ready weapon in the hands of the speculative morphologist, and it has often been used with more freedom than discretion. But reduction should never be assumed in order to meet the demands of convenience of comparison, nor as a cover for doubt. The justification of a view involving reduction must be found in its physiological probability in the case in question, and this should be backed by comparisons of form, and of anatomical structure: the conclusion should also be in accordance with the paleontological record. All suggested cases of reduction where such justification is absent should be looked upon as doubtful.

Convincing evidence of reduction of leaf-complexity in an evolutionary sequence, supported on all these grounds, has been adduced in the progression from ferns, through cycado-filicinean forms, to the cycads, and it applies with special force in the case of their sporophylls. Ferns, which are essentially shade-loving and typically zoidiogenic, or amphibious, may be understood to have given rise to the cycado-filices and cycads, which are more xerophytic, and show that essential character of land-plants, — the seed-habit. Not only is such a progression physiologically probable, but it is supported by paleontological evidence, as well as by detailed facts of anatomy, and of reproductive morphology. The case for reduction of leaf-complexity seems to be here fully made out: and somewhat similar arguments will also apply for other types of gymnosperms.

J. Coen, 1908) is analogous to that of Potonié, though differing from it in detail. It involves the ranking of the lycopod leaf as a "phylloid," the leaf of the fern as a true leaf, or "phylome," differentiated from an indifferent system of "cauloids," on which the "phylloid" appendages had become abortive. It regards the leaves of equisets and sphenophylls as phylomes, reduced from the larger-leaved fern-type. The argument is chiefly based on comparisons as to branching and anatomical structure. I do not think that these grounds suffice to override the probability that the leaves of lycopods are essentially of the same nature as those of the sphenophylls, or equiseta. Compare my *Studies*, no. v. Professor Lignier's view further involves the acceptance of homologous alternation, while he makes no mention of the chromosome-differences of the two generations. Such difficulties do not arise if the leaves of the sphenophylls and equiseta are regarded as being in the upward rather than the downward scale of development, a view of them which would equally harmonize with the anatomical comparisons of Prof. Lignier.

The facts relating to the vascular system of the shoot have also their bearing on the question of the relative size of primitive leaves. The origin of the leaf-trace from the axial stele in conifers, and also in angiosperms, has been shown by Dr. Jeffrey to be of the type styled by him phyllosiphonic. This is specially characteristic of those plants where the leaf is essentially the dominating influence in the shoot. In this I see a probability, which their physiological position as land-growing plants would justify, that the seed-bearing plants at large were descended from a large-leaved ancestry, and had undergone reduction of leaf-complexity in their descent. But while we thus recognize a probability of widespread reduction producing relatively smaller-leaved forms, it does not follow that *all* small-leaved vascular plants originated thus: on this point the anatomical evidence is of importance, as bearing on the origin of the small-leaved strobiloid pteridophytes. Of these (putting aside the hydropterids as being a special reduction-problem in themselves), there remain the lycopodiales, the equisetales, and the sphenophyllales, which are all cladosiphonic in the terminology of Dr. Jeffrey: the question will largely turn upon the meaning of this anatomical feature. I take it to be as follows: The cladosiphonic character is the anatomical expression of the dominance of the axis in the shoot: here the leaf-trace is merely an external appendage on the stele, which is hardly disturbed by its insertion: this type is seen in certain small-leaved pteridophytes. The phyllosiphonic character, on the other hand, is the anatomical expression of the dominance of the leaf over the axis in the shoot; here the insertion of the vascular supply of the leaf profoundly disturbs the vascular arrangement in the axis: it is characteristic of certain large-leaved pteridophytes, and is seen also generally in seed-plants.

It is a fact of importance that, in the individual life, the one or the other type is usually constant: but in certain ferns the progression may be traced from the cladosiphonic in the young plant to the phyllosiphonic in the mature, thus suggesting a similar progression in descent, viz., that the large-leaved phyllosiphonic ferns were derived from a smaller-leaved cladosiphonic stock. Of the converse, viz., the progression from the phyllosiphonic to the cladosiphonic state in the individual life, I know of no example among the pteridophytes, though it is true that there is some approach to it in the *Marsileaceæ*. Thus the anatomical evidence indicates a probability that, even in large-leaved ferns, the cladosiphonic was the primitive type, but that the phyllosiphonic, once initiated, is as a rule maintained; this is shown by its persistence in the seed-plants, even where the leaf has been reduced in size.

Having thus gained a valuable side-light from anatomy, we may now return to our central question of the initial relation of leaf to

axis. Of the three theories already noted, the theory of overtopping, as applied to the origin of the leaf, may in my opinion be dismissed, as it is not based upon comparison of nearly related forms, while the sympodial development of a dichotomous system, on which it is founded, is a general phenomenon of branching, neither restricted to leaves, nor to the sporophyte generation. As to the other two, the facts, whether of external form or of internal structure, seem to me to indicate this conclusion, that the strobiloid condition was primitive for certain types, such as the equisetales, lycopodiales, and sphenophyllales, that in them the leaf was from the first a minor appendage upon the dominating axis, and anatomically they have never broken away from the cladosiphonic structure, which is the internal expression of their microphyllous, strobiloid state. That the filicales and also the ophioglossales were probably derived from a microphyllous strobiloid ancestry, and achieved the phyllosiphonic structure as a consequence of leaf-enlargement, this being the derivative rather than the primitive condition; its derivation is even illustrated in the individual life of some ferns. From the filicales the phyllosiphonic structure was probably handed on to the seed-plants, and by them retained, notwithstanding the subsequent leaf-reduction which followed on their adaptation to an exposed land-habitat. Thus a strobiloid origin may be attributed to all the main types of vascular plants; it seems to me to harmonize more readily with the facts than any phytionic theory does.

A prototype, which was probably a prevalent, though perhaps not a general one for the pteridophytes, may then be sketched as an upright, radial, strobiloid structure, consisting of a predominant axis, bearing relatively small and simple appendages. On our theory the origin of those appendages in descent would be the same as it is to-day in the individual development: viz., by the outgrowth of regions of the superficial tissue of the axis to form them: the axis would preëxist in descent, as it actually does in the normal, developing shoot. The origin of these appendages may have occurred independently along divers lines of descent, and the appendages would in that case be not homogenous in the strict sense. Thus there would be no common prototype of the leaf, no morphological abstraction, or archetypic form of that part. More than one-category of appendages might even be produced on the same individual shoot, differing in their function on their first appearance: such has perhaps been the case in the calamarian strobilus, where the leaf-tooth cannot be readily homologized with the sporangiophore. These suggestions will suffice to indicate how elastic a strobiloid theory is, and how its application will cover various types of construction, and even such as are shown by the most complex cones of pteridophytes.

From the comparison of living species there is good reason for



thinking that all the primitive leaves in certain types, such as the lycopods, were sporophylls, and that a subsequent differentiation took place, by abortion of the sporangia: thus a sterile vegetative region became defined from a fertile upper region. It may be a question whether this origin by sterilization of sporophylls is applicable to foliage leaves at large: nevertheless analogy, not only with other vascular plants, but also with the bryophytes, suggests that a similar differentiation of a sterile from a fertile region has been a general phenomenon in the neutral generation. At first in the simpler pteridophytes these regions were essentially similar to one another in form, as is still seen to be the case in some lycopods. Later, however, the sterile and fertile regions took divergent lines of development in accordance with their difference of function. The differentiation reaches its climax in the higher flowering plants. The inflorescence, or flower, on this view, though produced later than the vegetative region in the individual life, embodies the more primitive parts, viz., those which bear the sporangia and spores; the vegetative region is in its origin mostly, if not wholly, secondary. The physiological reasonableness of this view is too obvious to need insistence. As the self-nutritive powers of the gametophyte fell off in the adaptation to the land-habit, the nutritive function was taken up by the new vegetative system thus intercalated between sexual fusion and spore-production.

This is in brief outline the strobiloid theory of the shoot in vascular plants, as arising out of the facts of antithetic alternation. It will be seen that it is essentially in harmony with the view of Braun, upheld also by Sachs, that the shoot is the real morphological unit, of which leaf and axis are correlative parts. Those who adopt it will find their position simplified in regard to another question which has recently taken afresh a prominent place in morphological discussions, viz., the theory of cortication (*Berindungstheorie*). It is held by Potonié, and a similar view was also maintained by Celakovsky, that the stem has centrally an axial nature, peripherally a leaf-nature. The primitive axis (*Urcaulom*) acquires in the course of generations, by coalescence with the basal parts of its primitive leafy appendages (*Urblätter*), a mantle, — a “Pericaulom.” This is what we commonly designate the cortex, which is thus regarded as not being axile in origin, but foliar. In accordance, however, with our strobiloid theory, we may presume that, as is seen in some of the bryophytes, the simple sporophyte consisted originally of a central region, — a primitive stele, — and a peripheral region, a primitive cortex. From the latter sprang the appendages, as superficial outgrowths, just as at the present day the leaves originate upon the cortex of the axis. The cortex in such cases would be, from the first, part of the primitive axis, and the outgrowths processes

from it. The primitive cortex from which the appendages sprang may remain a continuous, undifferentiated band, as it actually does appear in the vast majority of leafy sporophytes; or it may in certain cases be more or less clearly marked off into regions surrounding the insertion of the individual leaves. But in the fact that these special cases exist I see no sufficient foundation for the view that each leaf is, in shoots at large, connected with a definite area of extended leaf-base: and still less for the theory that in vascular plants the cortex originated from such coalescent leaf-bases. Our theory of the strobilus would indeed presuppose that close relation of cortex and appendage, and absence of limit between them, which is so common a feature in vascular plants: and furthermore, it will readily cover the facts where the cortex is delimited into definite areas round the leaf-bases: but it does not recognize any necessity for generalizing from such cases of special delimitation, that the cortex is foliar in its origin, in shoots of vascular plants at large. It would be more ready to suggest the converse, viz., that the leaves were cortical in their origin, as indeed they are in the ontogeny.

Discussions such as these on phytonic theory, or theory of cortication, are liable to develop into mere scholastic contests. They originated in the present case in the use of terms in an unprecise sense, and the subsequent attempt to attain precision. Both these theories have proceeded from the assumption that the "leaf" is an abstract entity, distinct from the stem. Difficulties arise when the attempt is made to carry out that distinction sharply in practice, for this is nothing less than the attempt to define precisely things which in point of fact appear neither uniform nor precise in nature. The strict definition of terms used in morphological science is doubtless in itself a desirable thing; but it must be so conducted as to harmonize with the facts of individual development, while at the same time it must not violate evolutionary probability. As a matter of fact, neither in the mature state, nor in the ontogenetic or phylogenetic development of the leaf, does the structure suggest its sharp delimitation from the axis as a general feature in the shoots of ordinary vascular plants.

My present position with regard to the phytonic theories and the theory of cortication is frankly destructive: for, in the first place, if the evidence from the gametophyte generation be discounted, the facts of segmentation in the sporophyte are of the slenderest: further, I do not think that morphological insight will be advanced by attempts to define precisely the limits of the parts of the vascular shoot; it seems more in accordance with nature to accept for vascular plants the view of Braun and of Sachs, that the shoot is the original unit. What is first urgently required, in order to decide such questions, is the correct recognition of the phyletic lines which

eventuated in the various appendages as we see them. Then may follow definitions of the parts, which may or may not succeed in assigning their strict limits. When this is accomplished, a terminology may follow, which shall segregate parts which have had a separate phyletic origin. Thus an evolutionary morphology of the shoot would be built up. But it is useless to accept the thesis merely in the abstract, that the basis of morphology must be in phylogeny: the principle must also be put in practice, and be ultimately reflected in our methods, and in the definitions of our terms.

A step in this direction will be the recognition that at present the word "leaf" is loosely applied: it is, indeed, a temporary makeshift borrowed from colloquial language, and used in a descriptive rather than in a strictly scientific sense. It designates collectively objects which have, it is true, formal and functional, and even topographical features in common, but have not had the same phyletic history. There is every probability that the word "leaf" will continue to be used in this merely popular sense.

This position, with its conservative use of terms fitting awkwardly upon advancing phyletic ideas, can only be properly understood by glancing back at the history which has produced it. So long as species were regarded as the individual results of creative power, the complexity and variety of their form was relegated to the arcana of the Divine Mind, and organic nature presented the aspect of a series of isolated pictures; any similarity which these might show was to be regarded as indicative of the underlying divine plan. Now that species have been threaded together by evolutionary theory into developmental sequences, they, like the ribbon of a cynemetrograph, present phyletic history to the mind with all the vividness of a living drama. While monophyletic views held the field, this seemed comparatively simple: but the conclusions thus arrived at in plant morphology were often palpably improbable. Such difficulties, together with the substantiation of examples of parallel development on a sound comparative basis, led to the modification of monophyletic views, and opened the way for less cramped conceptions. It is now customary to contemplate the plural origin of such leading features as sexual differentiation, foliar development, heterospory, the seed-habit, as well as a host of minor characters. On such examples we base a general belief that similar structures may be arrived at by divers evolutionary routes. It is this conception of polyphyleticism that we must make clear in our descriptions, if not even in our terminology.

It will be objected that to carry through a method of designating by the same term only such parts as are shown to be of common descent would produce unwieldy results. Doubtless this is true. But in the terminology of a science it is not so much convenience as

truth and clearness which should be the aim. The choice is open to us either to make the terminology strictly phyletic throughout, which would certainly be cumbersome, though it would reflect the true position; or, putting phyletic distinctions in the background, to use terms in a more or less comprehensive sense, even grouping together things which we know to have been distinct in phyletic origin. Such a comprehensive sense is conveyed by the expression "homology of organization," which, as Goebel points out, "has only to do with phylogeny in so far as it recognizes a common capacity for development derivable from undifferentiated ancestors" (*Organographie*, Eng. ed., p. 19). This is indeed a collective term for the results of parallel development; it suffers from the danger of suggesting some ideal type or pattern towards which evolution has tended.

For my own part I think it matters little what our terminology be, or what the separation of categories of parts, provided we attach clear meanings to the words we use, and select those words as naturally conveying those meanings. For instance, if we fully realize that the word "leaf" is used in a sense which is not phylogenetic, but merely descriptive of those lateral appendages on the shoot which are produced exogenously, and in acropetal order, then let it remain, ranking as an expression of "homology of organization." But the appendages thus included may for clearness be conveniently divided into "phyllomes" on the sporophyte, and "phylloids" on the gametophyte, as, indeed, I suggested some years ago. Nevertheless, these again are not phyletic unities: they include parts with distinct histories, which have already been recognized in the gametophyte, while for the sporophyte a more advanced state of the science will probably provide definitions. Meanwhile we consent to a compromise in grouping these together: but the only condition upon which this can be safely done is the clear knowledge that this is a compromise by which we secure a certain convenience of description. Moreover, the acceptance of this compromise must not be understood to grant free license to argue from one to another of the forms included, as though they were equivalents: what has resulted in one line of descent can at best only throw a side-light on what has happened in another distinct line: and in proportion as the lines involved in a comparison are more remote from one another, their comparison assumes more and more the character of a mere analogy. The danger which our compromise brings with it is that this will not be clearly kept in mind. At all hazards the strict phyletic view should underlie all present morphological discussion, notwithstanding that, for mere convenience, that view may not be clearly reflected in the classification of the parts. This makes me hope that the compromise is only a temporary concession, and that

it will give way ultimately to the demands which a more detailed knowledge of descent is sure to bring.

It is well, however, in connection with discussions such as these, to impress upon the lay public that all evolutionary theories are, like other scientific theories, hypotheses incapable of complete proof. No one will appreciate this more fully than biological investigators themselves, for they are in the best position to know how insufficient the evidence actually is, and how liberal a use has to be made of the imagination in bridging over the wide gaps in the series of known forms. The details of a story thus constructed depend so largely on comparative opinion, and in so slight a degree on positive demonstration, that the history as told by competent experts in comparative morphology may vary in material features. A little more weight allowed for certain observed details, or a little less for others, will be sufficient to disturb the balance of the evidence derived from a wide area of fact, and consequently to distort the historical picture. There is in truth no finality in discussions on the genesis and progress of organic life, or in the kaleidoscopic changes of opinion, since any new fact of importance will in some degree affect the weight accorded to others, and may vary the general result. It will be objected that conclusions which are so plastic are little better than expressions of personal taste, that the study of comparative morphology is therefore calculated to dishearten its votaries, while the non-specialist public, which is compelled to take its information at second hand, will be bewildered, and will conclude that it is useless to pursue a subject which shows so little stability. But on the other hand, those who follow the progress of morphology with sympathetic care will take heart when they compare its present position with that of a generation ago; it is encouraging to think that it is little more than half a century since the history of the life-cycle of a fern was first completed. In some sixty years a vast array of kindred facts have been acquired, and a theoretic structure is being raised upon them, which, though still protean, is gradually acquiring some settled form. Never has the advance of morphological thought been more rapid than at present. The support of the facts of alternation from the unexpected quarter of minute cytology has been one of the most striking features in the recent history of our science. The discovery of spermatozoids in the cycads and *Ginkgoaceæ* has filled in a gap in the story of evolution, which all followers of Hofmeister must have felt. But in no field of morphological research has investigation been more amply rewarded than in palæophytology. The luminous facts derived from fossils are shedding fresh light on obscure problems, such as the origin of the seed-habit, and helping us to locate such difficult groups as the *Psilotaceæ* and *Equisetaceæ*. When we regard these rapid advances, and truly estimate the influence they

bring to bear upon morphological theory, we must surely congratulate ourselves on being devotees to a science which is very actively alive.

But at the same time the detached cynic may find in the methods of plant-morphologists, or still more sometimes in their want of method, food for much critical remark. And if he put his finger upon one mental process which more than another has introduced discord, it would, I think, be "assumption." It may be that our science is not worse than others in this respect, but I am very sure that arguments based upon ill-founded assumption have put back the progress of morphology more than anything else in our discussions. Any one can find examples for himself in the literature: some of us in our own writings. It remains for us who tread the difficult path of morphological theory to beware lest we neglect those warnings with which its course is so plentifully strewn, for it is just as much the duty of a scientific man to avoid blurring the issues for others by faulty argument, as it is to attempt to make clear to them what he himself believes to have been obscure.

# THE FUNDAMENTAL PROBLEMS OF PRESENT-DAY PLANT MORPHOLOGY <sup>1</sup>

BY KARL F. GOEBEL

(Translated from the German by Professor Francis E. Lloyd, Columbia University)

[Karl F. Goebel, Professor of Botany, University of Munich, since 1891; Conservator of Botanical Gardens and of the Institute of Vegetable Physiology. b. Belligheim, May 8, 1855. D.S. Strassburg, 1877; Assistant to Julius Sachs, 1878-81; Privat-docent, Würzburg and Leipzig, 1880-81; Special Professor, Strassburg and Rostock; 1881-82; Regular Professor, Rostock and Munich, 1883-87. Member of the Royal Academy of Science, Munich; Royal Association of Sciences, Göttingen; Linnean Society, London; Edinburgh Botanical Society; and numerous other scientific and learned societies. Author of *Characteristic Features of Systematic and Special Plant Morphology*; *Comparative Study of the Laws of Development of Plant Organs*; *Descriptions of Plant Biology*; *Organography of Plants*.]

A FEW months ago I was in Jena in order to attend the unveiling of the statue there erected to M. Schleiden. Now there is hardly any other place which has been of so much significance in the development of plant morphology as this small university town. It was there that Goethe, the originator of the term "morphology," busied himself with morphological studies, and founded the idealistic system which has influenced our thought — often unsuspectedly — till the present day. There Schleiden, in outspoken opposition to the conceptions of the idealistic morphology, gave new life to the theory of development founded by Caspar Frederick Wolff in the neighboring town of Halle in the middle of the eighteenth century, and so paved the way for the brilliant discoveries of William Hofmeister. And who does not know what meaning Jena has won as the citadel of phylogenetic morphology, first through the work of Haeckel in zoölogy and later through that of Strasburger in botany? In such a morphological atmosphere the question forces itself upon us, in what relation do the morphological questions of the present stand to those of the past? Are they still unchanged in spite of the immense increase of empirical material, and have the methods of their solution only changed? Or have the problems themselves become different?

To reply to this question is not easy, and the answer must vary with the point of view of the one who makes it. For morphology is yet far from being an exact science, the results of which force themselves upon us with the compulsion of necessity. This is due to the difficulty of the materials, a difficulty which compels us to seek for hypotheses and other subjective means of explanation. It thus comes

<sup>1</sup> The views set forth in this lecture are presented at length in the author's *Organography of Plants*, Jena, 1898-1901, English translation, Oxford, I, 1900; II, 1905. Concerning the historical significance of Goethe, Schleiden, Hofmeister, compare Sachs' *History of Botany*, translation, Oxford, 1890.

115731

about that views not only concerning the goal of morphology, but also as to the way in which this goal is to be reached, are widely diverse, and my own views concerning the fundamental problems of morphology are certainly far from being approved by all morphologists.

We may, indeed, say that, apart from minor differences, there are in morphology two main trends of thought which, apparently, at least, are opposed to each other, one of which we may denominate formal, and the other causal. Causal morphology is that the aim of which is to determine the causes, in the widest sense, of form-relations; this kind of morphology is the youngest, and is far less widely diffused than the formal. To us of a later period it may seem like a remarkable pleonasm to speak of a "formal morphology." Morphology is, of course, the doctrine of form, and therefore any morphology appears to be, in the nature of the case, a formal one, and, as a matter of fact, has been, in its historical development. But in spite of this fact, this definition is historically justified, for it designates the tendency of morphology which regards form as something which stands alone for itself, and takes cognizance neither of the functions of organs nor of how they have arisen. This formal morphology arose at first out of the necessities of taxonomy.<sup>1</sup> There had first to be contrived a terminology for the distinction and description of single plant forms. From this function morphology soon, however, became distinct, thus constituting an independent discipline which, on its part, had done taxonomy a more important service than one might have at first expected. For while taxonomy, in order to find its way amid the maze of plant forms, had to keep in view the differential characters and the separation of single forms from each other, morphology found itself under the necessity of determining what was common to the most various forms, and was accordingly directed toward more general questions; morphology taught, as Goethe expressed it, "Die Glieder der Pflanzen im Zusammenhänge zu betrachten, und so das Ganze in der Anschauung gewissermassen zu beherrschen." It resulted in the knowledge that, when we regard plants singly, manifold as their parts appear, they may yet be referred to a few elementary forms, and further, morphological research showed that the parallelism between different plant forms could be understood most easily under the assumption which we designate the theory of descent. The establishment of the theory of descent was the result of the morphological research. This we must here especially emphasize, for it shows what significance morphology has gained in respect to our general conception of organisms. But the theory

<sup>1</sup> How far the trends of morphology and taxonomy have of recent years drawn apart is shown, *e. g.*, in Engler's *Syllabus of the Families of Plants*, the most recent review of the plant kingdom as a whole. For the most part, the results of developmental research remain entirely disregarded in this work.



of descent has also reacted upon morphological research, to such an extent, indeed, that it has been held that phylogenetic research is to be regarded as the sole business of morphology. Thus, for example, Scott has said:

“The object of modern morphological botany is the accurate comparison of plants, both living and extinct, with the object of tracing their real relationships with one another, and thus of ultimately constructing a genealogical tree of the vegetable kingdom. The problem is thus a purely historical one, and is perfectly distinct from any of the questions with which physiology has to do.”<sup>1</sup>

This position is certainly justified from the standpoint of the paleontologist. For him, for whom nothing but dead material is at hand, there remains nothing else to do than to make known, through careful comparative study, the structure and relationships of those organisms whose remains are available. This is a very important business. The beautiful results of phytopaleontological research, such as have been attained during the last decade in England and France, have very materially furthered our knowledge of plant forms, and have made to live again before our eyes, in a most surprising manner, and in the finest details of their structure, types long since vanished from the surface of the earth.

But does this limitation of morphology to the comparative phylogenetic method which is imposed upon the paleontologist exist also for the morphological study of living plants?

There are many of the opinion of Scott; and, indeed, a special “phylogenetic method,” which is said to be a characteristic of modern morphology, has even been talked of.<sup>2</sup>

Were this the case, then the only difference between the morphology of the present and the earlier, idealistic morphology would consist in this, that in the place of the general ideas with which this operates, as, *e. g.*, “type” “plan of organization,” etc., there would be found phylogenetic conceptions. Such general abstractions are, however,

<sup>1</sup> Address to the botanical section, British Association for the Advancement of Science, Liverpool, 1896.

<sup>2</sup> Cf. Haeckel, *Generale Morphologie*, I, p. 50; Strasburger, *Ueber die Bedeutung phylogenetischer Methoden für die Erforschung lebender Wesen*, Jena, 1874; also the criticism, pertinent according to my opinion, which Al. Braun made concerning the setting forth of the phylogenetic method, in his treatise, *Die Frage nach der Gymnospermie der Cycadeen* (*Monatsber. der Berliner Akad.*, 1875). Al. Braun rightly maintained that the theory of descent did not offer a new method, but was really the result of earlier methods, and that the results of paleontology are far too fragmentary for the construction of a phylogenetic tree of the organic kingdom. This is yet true, thirty years later, after we have attained a much more exact knowledge of the organization of fossil plants through the important work of Williamson, Scott, Oliver, Renault, and others. We have found, *e. g.* that the group of cycadofilices possessed seeds. It has, however, not become possible to derive a group of living plants from the cycadofilices directly. It has become highly probable that these have sprung from fern-like ancestors; but from what form it remains at this time entirely unknown. Concerning fossil plants see the work of Scott, *Studies in Fossil Botany*.

even now difficult to escape, since we can set forth real descent-series only in the fewest instances, and, accordingly, we cannot actually point out the stem-forms. Yet Darwin himself said:

“ We have seen that the members of the same class, independently of their habits of life, resemble each other in the general plan of their organization. This resemblance is often expressed by the term ‘unity of type;’ or by saying that the several parts and organs in the different species of the class are homologous. The whole subject is included under the general term of Morphology. This is one of the most interesting departments of natural history, and may almost be said to be its very soul.”<sup>1</sup>

The significance of formal morphology cannot be more forcibly expressed than it was by Darwin. And yet we see that, in Germany at least, interest in morphological problems has greatly decreased. Morphological treatises have become relatively less numerous; morphological books, even such excellent ones as, *e. g.*, Eichler’s *Blüthen-diagramme*, do not pass through a second edition, while anatomical and physiological works appear repeatedly in new editions; evidently meeting the demands of the botanical public more fully than morphological works.<sup>2</sup> This may be referred to reasons which lie partly without and partly within morphology itself; both turn out to be true. Histology, cytology, and experimental physiology have developed remarkably; new methods in this field promise new results; particular lines of work, however, such as descriptive anatomy, are especially favored because the perfection of the methods of research have quite materially lightened the task of working through a vast array of materials, especially for those to whom the other fields of botanical study are more or less unfamiliar.

But the reasons for the phenomena which lie within the field of morphology are also clear. Some parts of morphology are well worked out, as, *e. g.*, the doctrine of the more obvious form-relations of plants; and the homologies, at least in the large, are determined, although in the matter of detail much remains vague, and offers a wide field for exhaustive studies in development. More and more, however, these studies bear the stamp of repetition and complement, from which the stimulus of newness is wanting, or they are carried on upon materials which are very difficult to obtain. The constructions of the idealistic morphology, however, often proved to be untenable.

But the first experiments towards a causal morphology brought disillusion. For only a short time lived the hope of being able to

<sup>1</sup> *Origin of Species*, II, 142.

<sup>2</sup> As Eichler wrote me shortly before his death, he would have been glad to publish a second edition of his work in order to bring to light the numerous hitherto unpublished observations of Al. Braun. The publishers demurred, however, on the ground that there still remained unsold a large number of copies of the first edition. Since then the book has, it seems, gone out of print. Nor to my knowledge has any other morphological work passed through a second edition.

answer, *e. g.*, the question as to the arrangement of leaves through the effect of mechanical factors, or to refer the form-relations of a plant to the direct influences of gravity and light on the plant. It soon became evident, however, that such involved problems are not to be unraveled by such simple means, and this may well have resulted in the suppression of interest in morphology.

At this point phylogenetic morphology appeared to take on a new lease of life. This, however, in natural science is connected, on the one hand, with the appearance of a new, creative idea, and, on the other hand, with the discovery of new methods. Now the theory of descent has powerfully stimulated morphological research. But has it brought to it, as, *e. g.*, Strasburger has held, a new method, the phylogenetic? Alexander Braun has already properly answered this question in the negative.

Scott, also, has maintained that historical morphology (as regards both living and fossil plants) is dependent upon comparative study, that is, makes use of the same method as was in evidence before the appearance of the theory of descent; indeed, the most important homologies in the plant kingdom became known through Hofmeister at a time when the idea of descent was far from that general acceptance which it at first gained through the life-work of Darwin.

The method has then from first to last remained the same: the most comprehensive comparison not only of mature forms, but also their development. A special "phylogenetic method" there is not, but only a phylogenetic conception of morphological problems. These are, however, just as at first was the case with idealistic morphology, purely formal. Modern morphology in my sense, however, differs from the older in this, that it goes beyond the method of mere comparison. It allows the setting up of genetic trees to rest for the while, since, with our present knowledge, this meets with insuperable difficulties, and has brought almost as much disappointment as the idealistic morphology. For just this reason, namely, because we are persuaded that no other forces have been at work during the phylogenetic history than those which now control the development of each particular organism, do we wish, first of all, more exactly to learn what these are. We are concerned not alone with the determination of the single successive stages of development. These must, of course, be followed, but in addition we should follow all phenomena which may be got at by our means of observation, whether directly, by the microscope, or by chemical analysis. We may, therefore, say: The basal problem of the present-day morphology is not phylogenetic development, but development in general. We must, therefore, take our departure from the investigation of individual development (of ontogeny), for only this lies before us complete and without any break, and further,

because the study of ontogeny only may proceed from the experimental point of view. An understanding of development is possible only when the conclusions to which the observation of the phenomena of development has led us, rest upon experimental proof; in other words, when we ask questions of nature, and obtain our answers to them.

Every little step — and with such only are we now concerned — beyond the mere descriptive consideration of development is here of significance, and brings the possibility of further progress. And small indeed, I may add, appears to be such advance to those who from the beginnings of phylogenetic morphology have, like Sisyphus, sustained their courage to roll again and again up the mountain the rock of phylogeny as often as it has rolled down.

It may now be attempted to examine somewhat more closely in certain particular examples the relation between phylogenetic and causal morphology. One of the changes which phylogenetic morphology has brought with it is that it seeks to ascertain which form is "primitive" and which derived.<sup>1</sup> Idealistic morphology has borne in upon us no conviction on this question, since it derives all forms from a type which is present only as a conception. But phylogenetic morphology must, on the one hand, always reckon with the possibility of polyphyletic development, and, on the other hand, it can operate not only with reversionary structures, as did the idealistic morphology, but must be far more concerned in determining which forms within the series which it proposes stand near-

<sup>1</sup> I do not, of course, deny that there are forms which we may designate primitive. What, however, is insisted upon in the above text is as follows:

- (1) The different meanings of the word "primitive." It can mean either
  - (a) A form which stands nearer to the stem form than any other. In this sense we may designate the *Gymnospermæ*, *e. g.*, as more primitive than the *Angiospermæ*, because it may be admitted that all seed-plants are derived from heterosporous *Archegoniata*, while it is the *Gymnospermæ* which maintain this character most evidently.
  - (b) "Primitive" is also used often in the sense of "phylogenetically older." At this point, however, we come into the field of hypothesis, for the paleontological facts are far too few to afford us a picture of chronological series of plant groups. It is known that there are several parallel developmental series (*e. g.*, the appearance of heterospory in different groups of *Pteridophyta*). Forms which appear primitive may, then, in reality constitute the end of a very long series, younger perhaps than one which does not appear to be primitive and is derived from other stem-forms, with which then it is not genetically related. It is, *e. g.*, very easily conceivable, though at present incapable of proof, that heterospory, in so far as it is older than isospory, arose at first from spores of sexual cells (male and female swarm spores), and that from this point on the development of the spores took on a more or less marked vegetative character. Were this the case, then the isosporous *Pteridophyta* would be phylogenetically younger than the heterosporous, and the *Bryophyta* would be a parallel development to the *Pteridophyta*. This is, to be sure, only a possibility which one may at first regard as fantastic, which, however, is no more so than many other conceptions which have been put forth at one time or another.
- (2) The difficulty of distinguishing with certainty between primitive and reduced forms.

est the common point of derivation. It seeks, then, with diligence after "primitive" forms. But in this search we meet with great difficulties. In the first place, we are inclined to regard those forms as primitive which have simple form-relations, and unmarked division of labor. But such forms may also have arisen by reversion, and if one looks over botanical literature, he sees, at least so far as the relationships between the larger groups are concerned, there exists no agreement as to which forms are to be regarded as primitive and which derived; opinion on this point often changes with the fashion. Thus the thallose liverworts have up till now been regarded as more primitive than the foliose, because the vegetative body of the former is much more simple in construction than that of the latter, and between them there are found gentle gradations. Recently, however, the attempt has been made to derive the thallose from the foliose forms.<sup>1</sup> This is not the place to examine the evidence for or against such derivation. How vacillating is the point of view from which it is judged what form is primitive is shown by the various positions which have from time to time been given to the apetalous dicotyledons.

The old morphology regarded these as reduced forms because their flowers are less fully differentiated than those of most of the other dicotyledons. Eichler has, however, already shown that there is no ground for maintaining that the corolla in the *Tulifloræ* and *Centrospermæ* has suffered reduction; and on this point we can only agree with him. But must they, because the perianth shows simply form-relations and also because the number-relations within the flower are not always constant, be therefore primitive? Even if we admit that these groups have a great geological age, it is not proved that they stand as regards their total organization on a lower plane of development; old and primitive forms are the same only when it can be shown that the former stand nearer to the stem forms of the angiosperms than other forms. If this is not capable of proof, then the old forms may just as well be the end terms of long developmental series as others, only that the differentiation of organs has not taken place to the same degree as in the others. Now, we do not know the stem forms of the angiosperms, and they may never, perhaps, be known. But even if we content ourselves by reconstructing them on the basis of comparative study, I can find no reason, *e. g.*, to regard the *Cupuliferæ* as primitive forms, while I can find many reasons for not doing so. Here may be cited

<sup>1</sup> Wettstein, *Handbuch der Systematischen Botanik*, II, p. 26, 42. It is certainly suggestive to regard the development of organs from various points of view. I cannot, however, regard the attempt of Wettstein as wholly well-founded. It is quite true that among the liverworts, a thallus may arise at times from a leafy stem. I have shown this for *Pteropsiella* (*Cephalozia*) *frondiformis* Spr. (Goebel, *Rudimentäre Lebermoose*, Flora, 1893, p. 84). But the grounds for regarding this true in general for the thallose liverworts appear to me not to be at hand.

chalazogamy, which elsewhere occurs in forms which may be regarded as degenerate; the facts that only a few of the ovules develop further; that at the time of anthesis they are in many forms not yet present; and finally the dicliny of the flowers. There has been much contention over the question whether the androgynous flowers of these forms are to be admitted to be the original form or not. Let us look at, *e. g.*, the *Cupuliferae*. Most of the forms have diclinous flowers. In *Castanea vesca*, however, androgynous flowers occur regularly: in the male flowers rudiments of the ovary, while in the female flowers staminodia, are often evident. But we know that for reduced organs all gradations occur from nearly complete development to almost entire disappearance. From the formal standpoint, then, the androgynous flowers may, with at least as much justice, be regarded as primitive as the diclinous ones, which more recently have been thus branded.<sup>1</sup> Just this question is, however, fitted to clear up the difference between pure phylogenetic and causal morphology. The latter says: By the mere comparison of forms morphological questions may not at all be decided. We must first of all become more closely acquainted with the forms to be compared, by seeking to determine the conditions under which, in living plants, the configuration of parts is produced. Concerning the flowers of the *Cupuliferae* the question then arises: is the occurrence of male and female flowers dependent upon different conditions, and are these other than those under which androgynous flowers arise? As a matter of fact, it may be determined that, *e. g.*, in the oak, the female flowers always occur in those parts of the twig which are stronger, that is, better nourished, than those in which the male flowers occur. This offers us, however, only a point of departure for a more exhaustive research. When we know better the relation between the formation of flowers and the total activity of the plant, when we have the ability at will to cause it to produce male, female, or androgynous flowers, when we further know how it is determined that the oak usually brings to development only one out of six ovules, and why the pollen tube follows a different path than the usual, then may we further discuss the question whether the *Cupuliferae* are primitive or not—for then shall we have better grounds for phylogenetic conclusions than we have at present, and we shall then recognize with great probability the changes which have taken place in these organs as phenomena resulting from changes in the total organization of these plants.

<sup>1</sup> It was chiefly the fact that among the *Gymnospermae* the flowers are typically diclinous that led to the view that this condition is the primitive one for the lower *Angiospermae*. In making such comparisons, however, we should always start from the group in question, and not from some other one. In a very great number of cases dicliny is certainly not primitive in angiospermous flowers, so that it appears entirely probable that also in the remaining cases dicliny is to be derived from monoclity.

So, as the matter now stands, we cannot deceive ourselves on this point, that the constructions of the old morphology, although confined almost entirely to *vestigial* series, nevertheless stood on firmer ground than the modern speculations on the question of primitive forms. Starting with a completely endowed form, we can follow the reduction of form through intergradations, and, by reference to vestigial organs, often with convincing certainty. But by what means shall we judge a rudimentary organ? Is it more than a gratuitous assumption, when, as recently was the case, a certain botanist declares the lodicules of grasses to be not a perigone, but a rudiment of a perigone?<sup>1</sup> Whereby may one recognize a rudiment, *i. e.*, the attempt to form something new, an attempt which, however, has remained nothing more? In what way may we distinguish such a rudiment from a vestigial organ? And, finally, after one has broken faith with the old vestigial series, is it not still more of the stamp of formal morphology if he contents himself in arranging forms in series and then comes to a standstill when he tries to decide at which end stand the primitive and at which end the derived forms? At any rate, such a limitation brings out the better the true condition of our knowledge, for such an arrangement of forms in a series is about the best service that formal morphology can do. This service is, to be sure, no small one, for it enhances broad critical comparison, and is, therefore, the result of hard work. But the desire to give this arrangement in series a genetic bearing has oftentimes led us to untenable propositions and explanations. Just as we have little ground for assigning the *Cupuliferæ* to a primitive position, so have we as little evidence for regarding the *Casuarinæ* also in the same light. The latter have been placed by a recent systematist at the apex of his system, because there has been an inclination to find in them a sort of "missing link" between angiosperms and gymnosperms.<sup>2</sup> I may, perhaps, mention that I had regarded such a view

<sup>1</sup> Engler, *Die systematische Anordnung der monocotyledonen Angiospermen*. (Abhandl. der K. Preuss. Akad. d. Wissensch. zu Berlin, p. 22.) The reasons advanced by Engler for the view that the primitive flower of the *Graminæ* was naked are quite beside the mark, as, *e. g.*, when he expresses the opinion that wind pollination indicates that the types of the *Graminæ* and *Cyperacæ* are very old. Is, then, the *Plantago* type very old, or *Thalictrum* "older" than the other *Ranunculæ*? We know that wind pollination has appeared in widely different groups of plants, evidently in part as a reduction of flowers which were not wind-pollinated. A correlation between the flowers and the glumæ, or paleæ, puts Engler on the defense. We see, however, very plainly in many grasses that leaf-organs which have become superfluous as a result of their position, have become reduced. A similar process may have taken place in the perigonal leaves, and the behavior of *Streptochaeta* strongly indicates this. (Cf. on this point Goebel, *Ein Beitrag zur Morphologie der Gräser*, *Flora*, 81. Bd. *Ergänzungsbd. z. Jahrg.* 1895.) The seed and fruit characters of the grasses also are anything but primitive.

<sup>2</sup> Engler (*Syllabus*, Fourth Edition, 1904) has recently yet again placed the *Casuarinæ* at the point of divergence of the *Dicotyledona*, although the contention that in their macrospore before fertilization "a rudimentary prothallium, consisting of twenty or more nuclei, arises" cannot be maintained by the earlier researches of Treub, as I have pointed out (*Organographie*, p. 894). Frye (*The*

as incorrect, even before the evidence was adduced by an American botanist (Frye) that *Casuarina* has evidently nothing which marks it off from other angiosperms. Many of my fellow botanists have been inclined to point out as a further example of the fruitlessness of the search for primitive forms those bryophytes which have been regarded by me as primitive; and I readily admit that here also we cannot point out any conclusive evidence for their primitive position, but only for a greater or less subjective probability. Numerous other examples (as, *e. g.*, the supposed primitive monocotyledons) may be pointed out, which show that the phylogenetic morphology has overrated the prospects of results in search for primitive forms, stimulating as this has been.

This may be seen also if we notice the attitude of phylogenetic morphology to the problem which the old morphology dubbed with the not very fortunately chosen name of metamorphosis, and which historically is that of homologies. Here, also, it may be shown that the problems have remained the same, while only the attempts to reach a solution have changed.

The idealistic morphology believes that all organs of the higher plants may be traced back to caulome, phyllome, and trichome; it conceived this process not as a real one, but was content with a conceptual arrangement of different plant organs in these categories, which were really nothing but abstractions.

That thereby the reproductive organs were left entirely out of consideration — these were referred to modifications of vegetative organs — is explained in part by the fact that they occur in the higher plants less frequently as peculiar parts, and often completely disappear in teratological growths, which are with predilection turned to account in theoretical considerations; and in part because of the view that for morphology the function of an organ is a matter of indifference, and that accordingly in morphological considerations it can have no significance whether an organ has developed as a glandular hair, chaffy scale, or as an archegonium, so long as it has developed out of the outer cell-layer of the plant body! This standpoint, which is an obviously sterile one, needs no further special discussion. Let us, on the other hand, see how phylogenetic morphology has come to terms with the problem of metamorphosis. As an example, I select a passage from a prominent American work, in which Coulter and Chamberlain express themselves concerning the leaf structures of flowers as follows:

“While sepals and petals may be regarded as often leaves more or less modified to serve as floral envelopes, and are not so different

*Embryo-sac of Casuarina stricta*, *Bot. Gaz.* xxxvi, p. 104) shows that the embryo-sac of *Casuarina stricta* behaves just as in the other *Dicotyledonæ*. Of this paper, however, Engler has taken no notice. The whole of Engler's presentation shows how far the desire to find primitive forms may lead to untenable views.



from leaves in structure and function as to deserve a separate morphological category, the same claim cannot be made for stamens and carpels. They are very ancient structures of uncertain origin, for it is quite as likely that leaves are transformed sporophylls as that sporophylls are transformed leaves. . . . To call a stamen a modified leaf is no more sound morphology than to call a sporangium derived from a single superficial cell a modified trichome. The cases of 'reversion' cited are easily regarded as cases of replacement. Lateral members frequently replace one another, but this does not mean that one is a transformation of the other."<sup>1</sup>

We see that in this verdict the emphasis is laid on the historical development, but at the same time this is pointed out to be unknown to us. With this latter conclusion I am in complete harmony, but the accentuation of the historical-phylogenetic factor has, on the other hand, led to a conception of the ontogenetic problem, in which I can perceive no advance upon the old morphology; there is rather avoidance of the problem than an attempt to solve it. This, however, is connected with the purely formal conception, as the phylogenetic morphology employs it. Let us examine the matter in question. For a long time we have known that often in the room of the stamens — to confine ourselves to these — flower leaves, or foliage leaves, or occasionally even carpels, arise. The idealistic morphology says that this proves that the stamens are "leaves," for these can be modified the one into the other. Coulter and Chamberlain, however, deny that a stamen fundament may be transformed into a flower leaf; they find only a "replacement" of one "lateral member" by another. It should be remarked that "leaves" exist in nature as little as "lateral members." Both notions are mere mental abstractions, not the expression of the facts of observation. We speak of the replacement of one organ by another if these have nothing more in common than the place of origin. Thus we see that in the foliose liverworts a branch often arises in the position of a leaf-lobe.<sup>2</sup> No one has observed any intermediate form between these; the lateral shoot in reality takes only the position of a leaf-lobe. The relation between the stamens and the organs which "replace" them is, however, quite different. We speak of a transformation of an organ *A* into an organ *B* when *B* not only stands in the position of *A*, but also corresponds with *A* in the earlier stages of its development, and later strikes out on its own line of development. If this is the case, we should expect to find between *A* and *B* intermediate forms which are different according to the developmental stage at which *A* is caused to develop further as *B*. To use an analogy:

<sup>1</sup> Coulter and Chamberlain, *Morphology of the Angiosperms*, p. 22.

<sup>2</sup> Goebel, *Rudimentäre Lebermoose, Flora*, 1893, p. 84. *Ueber die einfachste Form der Moose, ibid.* 76, 1892, p. 92.

Replacement and transformation behave as two fluids which are, and two fluids which are not, miscible; in the first case the inner structure is different, and in the second there is a correspondence. The comparison is a limping one, but still gives us a fair illustration.

As a matter of fact, we do find every intermediate step between stamens and flower leaves, and we cannot doubt that these have come into existence because a stamen, or, in other words, a stamen fundament, has at different stages of its development received a stimulus which has caused it to develop into a flower leaf. We find correspondingly, that the earlier developmental stages of a stamen and a flower leaf are parallel throughout, while in the above-cited example of the branch and a leaf-lobe of a Jungermanniaceous liverwort their developmental histories are throughout different, as is shown by the arrangement of cells. In the case of stamens, therefore, there occurs not a replacement, but a transformation. And, indeed, a limited one. Not any "lateral members" you please may arise instead of stamens, but only and always those which we subsume under the concept leaf, because they evidently have peculiarities in common. Besides, there are also normal flowers which exhibit all intergradations between flower leaves and stamens. The former Coulter and Chamberlain would regard as leaves, the latter not; where, however, is the line of separation between them?

From the limited power of transformation possessed by organs it results that in causal morphology the problem is, then, not a phylogenetic, but an ontogenetic one. Whether sporophylls or foliage leaves are the older phylogenetically may be disregarded. For it appears more important first to determine why the power of transformation is limited, why a shoot-thorn or a shoot-tendril may be transformed only into a shoot, a stamen or a carpel only into a "leaf;" and second, what conditions are determinative thereto.

The first step toward the solution of the problem is that we learn to call out experimentally and at will such transformations as we have heretofore occasionally observed as "abnormalities."

This has been successful in experimental morphology in a great number of cases, and in the future will be still more so. To be sure, we are still unable to induce the transformation of stamens into flower leaves at will, — we only deceive ourselves when we believe that the art of the plant-breeder has succeeded in doing this, for in reality all he has done is to isolate such races which have occurred in nature with more or less doubled flowers, — and in this regard we stand in contrast to the fungi and insects, the activities of which, as Peyritsch and others have shown, often — unconsciously of course — call forth such transformations.<sup>1</sup> Yet it has been possible

<sup>1</sup> The literature is presented in Goebel, *Organographie*, part I, p. 165.

to change scale leaves (cataphylls) and sporophylls into foliage leaves, inflorescences into vegetative shoots, and, *vice versa*, plagiotropous into orthotropous shoots, hypogæous into epigæous, not to mention the interesting results which have been obtained by Klebs<sup>1</sup> in his studies of the lower plants.

Let us take, for example, the just mentioned transformations of scale leaves into foliage leaves and of sporophylls into sterile leaves. Here developmental study and experiment immediately encroach on each other. Development has shown that, *e. g.*, the bud-scales of many trees which in their definitive condition are very different from the foliage leaves, yet parallel them developmentally in an extraordinary degree; and that many bud-scales possess the fundament of a leaf-blade which has failed to develop and has thus become vestigial.<sup>2</sup> Similarly, the fundaments of the foliage leaf and the sporophyll in *Onoclea*<sup>3</sup> are the same up to a quite late stage of development, beyond which each follows its own course. These facts gave occasion to the question whether or not it were possible to influence the development at will, and so to cause a scale leaf or a sporophyll to grow from a fundament which otherwise would develop into a foliage leaf. It has been shown that such transformations may be occasioned in a simple way, and the developmental correspondence makes such a limited transformation without further difficulty capable of being understood. And since seedlings produce, apart from the cotyledons and certain adaptations in hypogæous germination, only foliage leaves, which are arranged for the work of photosynthesis; since further it is seen that all foliage leaves of one and the same plant, different as they appear externally, yet in reality follow one and the same course of development, which, as we have seen, is remarked also in scale leaves and sporophylls, — I accordingly come to the view that other leaf-organs are derived from foliage leaf fundaments through a change in the course of development occurring at an earlier or later period of growth. This conception has found many opponents, some of them for the reason that they have not been able to free themselves from the purely historical conception of the problem.

But the historical question cannot help us over the ontogenetic problem, any more than the solution of the latter alone can answer the historical question. Even if it were proved in all cases that sporophylls, flower leaves, sepals, etc., are transformed foliage leaves, it would remain undecided that these are phylogenetically older

<sup>1</sup> Klebs, *Die Bedingungen der Fortpflanzung bei niederen Algen und Pilzen*, Jena, 1896. Further, *Ueber willkürliche Entwicklungsänderungen bei Pflanzen*, Jena, 1903.

<sup>2</sup> Goebel, *Beiträge zur Morphologie und Physiologie des Blattes*. *Botan. Zeitung*, 1880.

<sup>3</sup> Goebel, *Ueber künstliche Vergrünung der Sporophylle von Onoclea Struthiopteris*, *Ber. der Deutschen Botan. Gesellschaft*, v, 1887, p. lxix.

than the former. This phylogenetic problem, however, is with our present means and knowledge not subject to solution with certainty, while the ontogenetic problem, on the contrary, is. Problems, however, which may not be solved appear to me less important than those which may.

To be sure, the solution of the ontogenetic problem is hedged about with great difficulties. For the results which have already accrued, valuable as they may be, take their importance from the fact that they lay the foundation for the future work: what changes take place during transformation, and upon what outer and inner conditions are they dependent? We may not comfort ourselves nowadays as at one time Goethe could with the view that flowers differ from the vegetative shoot in a refinement of the sap; rather would we know what change of the materials, and what other changes, are connected with the order of successive developmental stages of the flower. This, to us as good as unacquired knowledge, should give us a more penetrating glance into the nature of development than we have as yet had. To just this purpose plants are especially well adapted, for experience has shown us that the development of a plant is not produced as is the melody in a music box, in a definite order, so long as the outer source of power is present to start it; for the experiments of the last few years indicate rather "that the form-relations of chlorophyll-bearing plants are not predetermined in the germ cell, but in the course of development."<sup>1</sup> As a result we can not only arrest development at any particular stage, but we can also cause fundamentals to unfold which were previously "latent." Historical morphology has contented itself as regards the unfolding of latent fundamentals also with an historical explanation of the facts. The observation, *e. g.*, that instead of the seed scale of the *Abietinæ* under certain circumstances an axillary shoot appears, has been used by prominent botanists to support the conclusion that the seed scale has arisen phylogenetically from a shoot. Such an hypothesis would get beyond the rank of pure supposition if a living or fossil form certainly related to the *Abietinæ* could be pointed out, the cones of which bear in the axils of the cover scales shoots possessed of macrosporophylls. As long as such proof is not forthcoming, we stand opposed to a phylogenetic explanation of this observation, "*kühl bis ans Herz hinan.*" We seek rather to establish the conditions under which the fundamentals, which otherwise become seed scales, develop into shoots, and hold before us therewith the possibility that the forbears of the *Abietinæ* could have borne their ovules upon an axillary outgrowth of the cover scales, which, indeed, possessed the ability under certain circumstances which disturbed the normal development to form shoots, but which

<sup>1</sup> Goebel, *Flora*, 1895, p. 115.

phylogenetically does not need to have been at any time an axillary shoot.

The question of the significance of metamorphosis leads us into another field of morphology. The above-cited examples show that the transformation of organs always goes on hand in hand with a change of function. This gives us the occasion to take up a further problem of modern morphology: the relation between form and function. The old morphology believed that it should keep away from this question, because it held that the function of an organ had nothing to do with its "morphological meaning." Just recently we have heard that morphology has to do with "members" and not with the "organs" of a plant. The fact that "members" and "organs" mean one and the same thing, and that for the organism their members are organs, or tools, shows that here again is a purely artificial and therefore untenable abstraction. Morphology stiffens to a dead schematism when it does not take the plant for what it really is, — a living body the functions of which are carried on in intimate relation to the outside world. It was the powerful influence of Darwinism that turned more attention again to the function of single plant organs, for, according to one view, which has many adherents, all form-relations arise through adaptation. D. H. Scott has given clear expression to this view in the sentence, "All the characters which the morphologist has to compare are, or have been, adaptive."

This is a widely disseminated conception, but is by no means as widely accepted. Above all, it must be pointed out that it is not the result of observation, but is a theory, which enjoys by no means general acquiescence. True, the conclusion drawn depends upon the meaning given to the word "adaptive." But, take it as you will, in the Lamarckian or in the Darwinian sense, in reviewing the phenomena of adaptation we come face to face with the problem: are the form-characters fixed adaptational characters solely, or have we to distinguish between organization and adaptational characters? There are several grounds which have led to the belief that organization and adaptational characters coincide. Chiefly the brilliant results which investigation concerning the functional significance of structures as well in the flower as in the vegetation organs has had in the last decade. It was evident that structures to which were earlier ascribed no sort of function yet have such. And if none was found, there yet remained the possibility that the structures concerned had earlier been useful as adaptations. It is, however, clear that we are hereby near to the danger of accepting something as proved which needs rather to be proved. In reality, it seems to me that morphological comparison as well as experiment shows that the distinction between organization and adaptational characters is justified, and that the opinion to which Scott has given ex-

pression has arisen from the admission that specific characters have arisen through the accumulation of useful fluctuating variations effected by the survival of the fittest. But we see that in many cases specific characters are not adaptive. If we follow out, *e. g.*, the systematic arrangement of the *Liliifloræ*, we see that the particular groups differ from each other as to whether the ovary is inferior or superior, and whether it later becomes a capsule or a berry, and, if it is a capsule, whether it is loculicidal or septicial. Concerning these characters one may well ask whether one can bring the berry or the capsule into relation with the question of adaptation; whether it can be shown that the berry-bearing *Liliifloræ* occur or have arisen chiefly in those regions where also occur many birds which devour the berries and thus disseminate the seeds. Such a relation cannot at present be shown to exist. And who would regard the question whether a capsule opens septicially, as in the *Colchicaceæ*, or loculicidally, as in the *Liliaceæ*, as one which stands in relation to adaptation? The method of opening is conditioned by the structure of the fruit in the *Colchicaceæ* and *Liliaceæ*, but for the scattering of the seed it is evidently quite a matter of indifference. Shall we conclude that in the past it was otherwise?

Here again we are shown that we get along the best when we start out with the observation of the plants which surround us, and not with theoretical assumptions and far-reaching phylogenetic hypotheses. The theory of mutations formulated by De Vries with such brilliant results is the result of this kind of patient and step-by-step observation of the now living plant world. The observations of De Vries show us that specific characters arise not through the accumulation of useful variations, but by leaps, and have nothing at all to do with direct adaptation. Such as are disadvantageous in the struggle for existence are weeded out. But selection cannot effect the origin of specific or organization characters as such, and this makes it clear to us why — from the human standpoint — one and the same problem may be solved in such different fashions.

The mutation theory of De Vries limits itself to that alone which the observation of the present moment can come at, to the origin of the so-called "minor species." But how the division of the plant kingdom into the larger groups has come about, how it has happened that the "archetypes" have reached such marked development and others have died out or remained in abeyance, are further problems, the solution of which may not so soon be looked for. For this, however, the more intimate knowledge of the factors which regulate the development of the individual from the egg-cell to the ripening of the fruit forms a fundamental starting-point. For this purpose plants are especially suitable, since, on the one hand, because of the possession of a *punctum vegetationis*, they are in later

life also provided with embryonal tissue, and, on the other hand, because in their form they are more exposed to the influence of the outside world than the majority of animals.

An especially important means in order to the causal study of development has the research into those phenomena proved itself, which we designate the regeneration of new formations as the result of wounding. The questions, what really takes place when an embryonic cell becomes a permanent cell; the reciprocal influences of separate plant organs, which we call correlation; further, the problem of polarity, stand out with great clearness in the phenomena of regeneration. I can, however, at this moment only indicate the problems, and cannot point out the steps which have been taken toward their solution. A wide vista spreads out before us. The more must we wonder that of the countless botanical papers which appear each year not more than perhaps a dozen are concerned with the problem of development.

Summing up this brief presentation, it should have been shown that morphology, which originally formed a part of taxonomy, later grew apart from it as an independent discipline. Only when it gives up this separate position will morphology take on new life, for such a position is warranted only historically and not in the facts.

The earlier morphologists would have said that morphology has as little to do with the physiology as with the anatomy of plants, which latter, at the time when systematic botany was in the ascendant, they reckoned also as physiology. For physiology was then everything which was not taxonomy. Nowadays it would be carrying coals to Newcastle to point out the significance of the cell doctrine for morphology. For the understanding of alternation of generations, of inheritance, and other phenomena fundamentally important to morphology, the doctrine of the cell has become of basic significance. The same is true in a higher degree for the relation between morphology and physiology, for all other tasks of the descriptive natural sciences are, after all, only preliminary attempts at orientation, which at length lead to experimental questioning, to physiology. Indeed, one may say that morphology is that which is not yet understood physiologically. The separation of the different tasks of botany is not in the nature of things proper, but is only a preliminary means at first to orientate ourselves with reference to the maze of phenomena. The barriers between these tasks must, then, in the nature of the case, fall with further progress. I do not wish to deny the value of phylogenetic investigation, but the results which it has brought forth often resemble more the product of creative poetic imagination than that of exact study, *i. e.*, study capable of proof. If the knowledge of the historical development of plant forms hovers before us as an ideal, we shall approach it

only when we attack the old problems of morphology, not simply with the old method, that of comparison, but experimentally, and when we regard as the basal problem of morphology not phylogenetic development, but the essence of development in a large sense. Even if we had the story of development spread out clearly before us, we could not content ourselves with the simple determination of the same; for then we should be constrained to ask ourselves how it has been brought about. But this question brings us straight back to the present, to the problem of individual development. For there is for natural science hardly a more significant word than this of Goethe's: "Was nicht mehr entsteht, können wir uns als entstehend nicht denken. Das Entstandene begreifen wir nicht." It is, then, the task of modern morphology to learn more exactly the factors upon which at this time the origin of structures depends. To this task, for which there was at that time but little preparatory work, consisting of a few important attempts by the gifted Thomas Knight, Wilhelm Hofmeister, who is known to most of us only as a comparative morphologist, did a too little recognized service. For he pointed out, even before this trend of study became apparent in zoölogy, that the ill-designated *Entwickelungsmechanik* pursues essentially the same goal as the causal morphology of botany.

We may regard as a motto this sentence from Hofmeister's *Allgemeine Morphologie*: "Es ist ein Bedürfnis des menschlichen Geistes, eine Vorstellung sich zu bilden über die Bedingungen der Formgestaltung wachsender Organismen im allgemeinen." This is even now the problem of present-day morphology. Comparative consideration, including, of course, the especially important history of development, offers us valuable preparation for the intellectual grasp of the problem, but, above all, for the pursuit of the experimental method.

That the zoölogists also have felt this necessity to strike out into new ways besides that of comparative morphological observation, shows anew that for all organisms the problems are really the same. Let us, then, take for our watchword development, not only as a problem, but also for the methods with which we seek to bring ourselves nearer its solution.


---

#### SHORT PAPER

DOCTOR J. ARTHUR HARRIS, of the Missouri Botanical Garden, St. Louis, Missouri, presented a short paper on the subject of "The importance of Investigation of Seedling Stages," in which the speaker epitomized the recent attempts to solve the problem of the phylogeny of monocotyledons by reference to the anatomy of seedlings.



SECTION C — PLANT PHYSIOLOGY



## SECTION C — PLANT PHYSIOLOGY

---

(Hall 4, September 22, 3 p. m.)

CHAIRMAN: PROFESSOR CHARLES R. BARNES, University of Chicago.

SPEAKERS: PROFESSOR JULIUS WIESNER, University of Vienna.

PROFESSOR BENJAMIN M. DUGGAR, University of Missouri.

SECRETARY: PROFESSOR F. C. NEWCOMB, University of Michigan.

---

THE Chairman of the Section of Plant Physiology was Professor Charles R. Barnes, of the University of Chicago, who introduced the speakers as follows:

“It is perhaps somewhat unfortunate that the study of living things must be divided so minutely in these modern times. It is a matter of convenience, in certain respects, to separate plant physiology from other divisions of botany and from the study of animal physiology. It is unfortunate, however, in some respects, for the physiology of plants is fundamentally like the physiology of animals. Indeed, the solution of some of the most important problems of physiology must be sought in a study of the simpler phenomena of plants rather than in the much more obscure, because more complicated, processes in animals. Naturally, therefore, papers on animal physiology are likely to be of great interest to the plant physiologist, and papers on plant physiology should be of equal interest to the animal physiologist. Even were physiologists one, however, they would still have to lament their separation from the chemist, on the one hand, and the physicist on the other, since their study is in reality chiefly applied physics and chemistry. While, therefore, in late years there has been a steady specialization and a tendency to express this specialization by the formation of separate sections and societies, students are coming to realize more than ever before the fundamental unity of scientific study and the close relations that exist between what seem to be quite independent branches.

“The modern history of plant physiology begins shortly after the great impulse given to the study of nature by several contemporary events about the year 1860, the most notable of these being the publication of Darwin's *Origin of Species*. Ever prominent in the renaissance of plant physiology will be the name of Julius von Sachs, and high upon the list of those who have advanced the boundaries of knowledge in this field will always be the name of the distinguished

investigator who honors us with his presence this day. In 1873 Julius Wiesner founded at the University of Vienna an institute for the study of plant physiology, one of the earliest, as it has been one of the most active, of institutes devoted to this subject."

# THE DEVELOPMENT OF PLANT PHYSIOLOGY UNDER THE INFLUENCE OF THE OTHER SCIENCES

BY PROFESSOR JULIUS WIESNER

(Translated from the German by Professor F. E. Lloyd, Columbia University)

[Julius Wiesner, Regular Professor of Vegetable Physiology, University of Vienna, and Director of the Institute of Vegetable Physiology, since 1873. b. Tschechen in Mähren, Austria, January 20, 1838. Studied in Technical High Schools, Brünn and Vienna; University of Vienna, 1856-60; Ph.D. 1860; J.U.D. (*honoris causa*) Glasgow, Scotland, 1898; Privat-docent, University of Vienna, 1861-68. Regular Professor, Technic High School, Vienna, 1868-71; *ibid.* Forest Academy, Vienna, 1871-73; Rector Magnificus, University of Vienna, 1898-99. Member of the Academies of Sciences, Vienna, Berlin, Munich, Rome, and Turin, and numerous other scientific and learned societies. Author of *Introduction into Technical Microscopy*; *The Elementary Structure and Growth of Living Substance*; *Anatomy and Physiology of Plants*; *Biology of Plants*; *The Raw Materials of the Vegetable Kingdom*.]

I HAVE received the honor of an invitation to speak before this great International Congress of Arts and Science on the relation of plant physiology to the other sciences. I gratefully accede to the request. When I accepted the invitation I did so, however, with real pleasure, for, I said to myself, I shall see with my own eyes the great progress which the sciences, especially the natural sciences, have made in America, and I shall have the opportunity to speak on a subject with which I have long been busied, and which has, so to speak, become a part of my life.

It happened that six years ago I spoke in public upon this subject on the occasion of my induction into the office of Rector of the University of Vienna. The content of my address at that time has, I believe, not remained unknown to a wider audience, and I may presume that it has become known to my American colleagues through a translation, with which I was honored, and which was published in the Yearbook of the Smithsonian Institution for 1898. They will then understand that I do not desire merely to repeat myself to-day, and will bear with me, if I give my present address a somewhat different turn and content, without losing sight of the main issue, which is to throw light upon the interaction of the sciences and the complete unification of all human knowledge.

The insufficiency of human understanding compels us to move the lever of research within a small area, and for all time the principle of division of labor will hold good, and, by the same token, the parceling off of the field of labor will advance.

But, necessary as this division of labor is, it has its drawbacks as well as its advantages, for it narrows the horizon of the individual worker, and leads not seldom to a cramped idea of the goal of the

sciences. It is often to be blamed for a classification of the sciences in the sense that we imagine that we see an assured advantage in a complete separation of fields of work which we sought to arrive at by means of definition.

But, quite on the contrary, the greatest advances in the sciences are to be made through the union of the results gained by individual research. Not alone through the union of our experiences in special lines, but more especially through the incidence of one science upon the rest, is the richest harvest for all concerned to be gained. This interrelation of the realms of study brings it about that the sciences do not separate from one another, as the classifiers would have it, but, as living streams, change their boundaries, and often unite with each other to form larger units. The final goal, which, to be sure, may never be fully reached, becomes ever clearer: all human knowledge, especially all our knowledge of nature, will become bound together into a great unity. This is the leading thought of my address.

In order to brevity, I will not attempt to trace out the early paths of plant physiology. I take up the thread of its development at that point where its advance appeared assured, that is, at the time of the revival of art and science.

The discovery of the New World, and the almost synchronous announcement of the heliocentric world-system, powerfully stimulated research; and the invention of printing, which had been given to the world a short time before, made possible the spread of knowledge in a theretofore unthought-of way, so that the conditions preparatory to the advance of science were supplied in a manner as never before.

Then the spirit was awakened, and bestirred itself in every branch of science. We can quite understand that, as a result of the wide choice of materials for study, a certain irregularity of development in knowledge should appear. But, in spite of such go-as-you-please methods, there grew up a "spirit of the times," more or less unnoticed, which directed the stream of research into more regular channels than the unconstrained impulses to research might lead one to expect. How the genius of single greatness and how the apparently unsuspected ferments and stimuli of the thought of the times acted upon one another in the struggle up new steeps of knowledge, may not at this time be further discussed.

At the beginning of the period which I have in mind, the physicist was the first to enrich our knowledge of nature. Mechanics — including the mechanics of the system of worlds — formed the point of departure for the studies. Soon followed the discoveries in physics and chemistry, which were not then separated as they became at and after the time of Lavoisier. By the physicists were made the first discoveries in plant physiology, by Mariotte in the seventeenth, and Priestley in the eighteenth century. Priestley, who was from our

present point of view a chemist, not only discovered oxygen, but was the first to show that this substance is excreted by plants.

These physicists were the forerunners of Hales and Ingen-Housz, the true founders of plant physiology. Hales, by his studies of sap movement, laid the foundation for physical plant physiology; on the other hand, Ingen-Housz, by his discovery that atmospheric carbon dioxide is dissociated by light in green plants, did the same for the chemical aspect of this study.

Thus it was that the foundations for plant physiology were laid by the physicists. The next advance, the firm establishment of the discovery of Ingen-Housz, came through Th. de Saussure, who was, in the language of his colleagues, as well as in our own, a chemist. At the beginning of the eighteenth century there was no relation between plant physiology and botany. The botanists, who were of the stamp of the Linnæan School, were completely engrossed in description, and were quite indifferent to the knowledge of the life of the plant, already well advanced.

The French were the first to show the relation between plant physiology and botany. The great botanist, Augustine Pyrame de Candolle, came under the influence of his elder colleague and countryman, Th. de Saussure. The great significance of plant physiology, which was at that time too closely identified with physics and chemistry, could not have escaped his far-seeing eye, and he hoped to bring the young science into new life by pressing into service the knowledge of the botanist. In addition to his fundamental studies in systematic botany, he was active as an experimenter in the field of physiology; and by means of his *Physiologie végétale* furthered greatly the knowledge of the life processes in plants by his regard for morphological relations, by the assembling of rich materials for observation, and, in general, by the bringing together of botanical (as then understood) and experimental evidence.

To the French belongs the credit of having preserved intact the continuity of plant physiology, which was effected, in addition to De Candolle, by the important physiological research of his colleague, Dutrochet, and by others, until Boussingault, whose activity extends into the period of the general dissemination of plant physiology.

More slowly was the union of this study with botany accomplished upon German soil. The bridge which led from the one to the other was plant anatomy, which, however, shared the fate of plant physiology, in being regarded as something strange within the bounds of the older botany. This is explained, of course, by the fact that plant anatomy did not originate with the botanist.

Plant anatomy was first made possible by the invention of the microscope; in fact, it was this invention which gave the spur to this study. The earliest anatomical observations of plants were made by

Robert Hooke. This eminent colleague of Newton, as is well known, brought the compound microscope to a considerable degree of perfection. Moreover, to test the performance of his instrument, he studied cork and other plant tissues. These incidental observations led this keen-minded man to the discovery of the plant-cell. Malpighi and Grew, however, went much deeper into the subject than Hooke, and, as Hales and Ingen-Housz are to be regarded as the true founders of plant physiology, so, too, Malpighi and Grew, on account of their studies of the inner structure of plants, stand in the same relation to plant anatomy. None of these four, however, were botanists in the sense of the times in which they lived. Malpighi and Grew were rather physicians, and their endeavors to learn the inner structure of plants and animals led them into the then almost completely unexplored field of plant anatomy. The study of life was of much more meaning to these two anatomists than the business which the botanists set for themselves, and so we see that they associated their morphological studies with the problem of life, and this gave many stimuli in the direction of physiology.

This was the situation at the close of the seventeenth century. What Malpighi and Grew did, went, a hundred years later, to the credit of the growing plant anatomy, while plant physiology got no use from it; we have seen, then, that the founders of plant physiology went to work as physicists and chemists; their aim was a pure physics and chemistry of plants; the anatomical knowledge of Malpighi and Grew had not been made use of.

Much later was the bond between plant physiology and anatomy welded. This was accomplished chiefly by the so-called German plant physiologists in the first third of the previous century. These were plant physiologists, as a matter of fact, only in name. Unpracticed in experiment, they stood aloof from the achievements of their above-mentioned greater forerunners, which were quite foreign and incomprehensible to them. The works which they wrote on plant physiology did not show what had been done in this field decades before. And yet the authors of these works have done a great service, in that they furthered the knowledge of anatomy, and out of this sought, in a one-sided way to be sure, to explain the life of plants.

In two ways, however, the advance of plant physiology was helped. First, in that these men established in Germany the relation to botany of plant physiology, and, in the second place, in that they introduced, besides the chemical and physical point of view already had, a morphological one.

The union of plant physiology to botany by means of anatomy is easy to understand, if we note that the anatomists were first of all concerned with the determination of morphological relations,



which were at that time, as they still are, of great significance to the systematist. Thus anatomy gained entrance into botany in the beginning of the previous century, while the botanists of that time yet saw something strange in the physical and chemical conception of plants. Men such as Hedwig, Treviranus, Link, Meyen, and others, who belonged to the ascendant school of botanists, went into plant anatomy. The anatomical point of view must have led them to the question of the functional significance of cells, vessels, and tissues, and thus was developed, from the morphological side, the idea of physiological study of the plant body, just as earlier the physiological and the chemical methods had led to the same goal.

It was the plant anatomist, then, who made physiology at home among the botanists, especially in the German countries. The works on plant anatomy of Treviranus, Meyen, and others, which appeared during thirty years of the last century, give us evidences of the spirit of the teachings of that time on the life of plants. The independent observations and conceptions which are to be found in these works bore a one-sided morphological stamp; and all that dealt with the changes of force and materials in the plant had, on the other hand, the character of compilation, in which the un-matured ideas of agriculturists were accorded a larger place than the researches of the above-mentioned physiologists, who had already departed the field of action.

The whole of the botany of that time, as it was carried on in Germany, had a one-sided morphological character. Under such circumstances, plant physiology could not flourish. This one-sidedness gave to botany, especially in Germany, its specific stamp, and even such men as H. von Mohl could not escape the influence of their time, although his clear intellect made better use of the literary inheritance of plant physiology than did his colleagues. His mind, better adapted for the study of nature, led him to question into the field of experiment, in which he started some fundamental lines of work, as, *e. g.*, the study of twining, and of the tendrils of plants. But his strength always lay in anatomy. In even this, where questioning led straight to experiment, he clung as a rule to morphology. An instructive and pertinent example is his relation to the question of leaf-fall. The history of plant physiology and the influence of other studies upon it are reflected so clearly in this problem that I may be permitted a few moments to follow its development.

The physiologists of the earlier epoch had a purely mechanical conception of this phenomenon. They held that leaves dried up at their death, and that their stiffened forms were broken from the twigs by the autumn winds. It was later held that the buds which developed in the axils of leaves enter between them and the stem like

a wedge, and force them off. H. von Mohl showed that this and other such naïve conceptions were untenable, and he tried to point out the true state of things. His discovery of the scission layer was a great advance.

Now, for the first time, it was recognized that the loosening of leaves is brought about by an organic process. But von Mohl conceived the question in a one-sided, almost purely morphological way. Ten years later, when plant physiology started its larger development upon German soil, did they for the first time begin to search experimentally for the causes of leaf-fall, and since that time the question has not been allowed to rest, because we have sought to come at a complete solution by means of combined anatomical, physiological, and biological researches.<sup>1</sup>

How much and how long plant physiology suffered in Germany under the dominion of one-sided anatomical study we are taught by the *Anatomie und Physiologie* of Schacht, which was much valued at this time (1856-59). This work is based almost entirely upon morphology; experimental study was relegated quite to the background; the specifically physiological element is not in evidence.

Yet another remarkable point in the development of German plant physiology demands explanation, because it shows that, as a result of meaningless, one-sided handling, disciplines mutually necessary, instead of helping, have hindered each other. I refer to the conflict of Liebig with the German plant physiologists.

The humus theory, upheld at the end of the eighteenth century by Hassenfratz, was completely overthrown by Ingen-Housz. Yet it was revived again among the German agriculturists and accepted by the German plant physiologists. Their one-sided morphological conception of the life of the plant and their neglect of the study of their great forerunners explains this peculiar fact. As is well known, Liebig laid the new humus theory to rest, as Ingen-Housz had the old. He did it on the basis of the exact methods of chemistry with yet greater certainty than Ingen-Housz, and also with better results. This was the cause which led to a conflict between Liebig and the German plant physiologists, lasting forty years, which was of no use to science, and only showed that Liebig did not understand morphology and that the plant physiologists did not conceive aright the chemistry of the plant. In one thing both parties were wrong. They did not understand how much each was necessary to the other, if they would really further physiology.

The first botanist who studied and mastered equally anatomy and physiology, and attained that balance between them which is neces-

<sup>1</sup> Wiesner, *Untersuchungen über die herbstliche Entlaubung der Holzgewächse, Sitzungsberichte der Wiener Akademie der Wissenschaften*, bd. 64 (1871). *Ueber die neuesten biologischen den Laubfall betreffenden Studien*, s. *Berichte der Deutschen Botanischen Gesellsch.* 1904. *Ueber den Sommer-Laubfall, Ueber Treiblaubfall.*

sary for the full fruition of plant physiology, was Franz Unger. It was thus that he did his epoch-making work. There came into play, however, a personal factor, also, which leads us to understand his fundamental importance in the development of plant physiology. He was called in 1849 as Ordinary Professor with Endlicher. He made an arrangement with that great systematist to teach anatomy and physiology, and leave taxonomy to his colleague. The compact was never broken. And thus for the first time in history a real professorship of plant physiology became a fact. A new banner was unfurled in a great university. Thousands of students were introduced by Unger to plant physiology. In Vienna, botany, as an object of learning, took on a new character: it was seen that there was something else besides that science of botany which was known to the privileged few, the knowledge of the inner structure and of the life of the plant. What furtherance is experienced by a science, especially in a great university, when a special chair is devoted to it, every subject to which a similar lot has fallen, has, I suppose, undergone.

Through Unger's work, plant physiology, in the best sense of the word, for the first time became so popular in Austria that the establishment of a special ordinary professorship of this study must have appeared to be justified. After Unger's resignation such was provided, and then followed in its train the Institute for plant physiology. When Sachs (1875) urged special chairs and laboratories for plant physiology as an undeniable help to science,<sup>1</sup> they were already in existence in Vienna and Prag, and the Institute for plant physiology founded in Vienna after the establishment of the special professorship of anatomy and physiology of plants was the first workshop of the kind laid out on a grand scale, which furnished the stimulus for the founding of other institutions of the same kind. To-day there exist in Europe and America well-nigh countless such laboratories, and from their origin dates the great advance of plant physiology in the last thirty years.

These arrangements have, however, been fruitful for the development of our science in a way which demands our special attention. Brought into being in great universities, the laboratories for plant physiology were placed in a centre in which they came into intimate touch with other domiciles of research, so that the stimulating influence of the other sciences could hardly have been escaped. Advancement under this permanent contact became ever more marked. This process has gone on before every one of us, and all who understand will admit that the present condition of our science could not have been realized, and the hope for the future could not have been so promising, if, earlier, plant physiology had remained dependent on

<sup>1</sup> Sachs, *Geschichte der Botanik*, München, 1875, p. 572.

itself alone, and had been deprived of that great share which has to-day been afforded it by science and practice.

Science and practice! How often is their advantageous reciprocity misjudged! But it is just in the realm of plant physiology that their reciprocal advancement becomes clear to the unprejudiced, in spite of the errors which have proved a hindrance to their union for so long. Starting from a purely theoretical point of view, Liebig entered the sphere of practical agriculture, and, after an activity full of vicissitudes in the practical and theoretical trends of thought, led by practical ideas, worked especially at his experimental farm at Bechelbronn in Alsace, and Boussingault worked in the field of plant nutrition, advancing, with the most refined means of research, toward the solution of plant physiology. What these two accomplished for agriculture through their researches, especially in regard to the nitrogenous and mineral foodstuffs of crops, must remain as difficult to estimate as the great advance which plant physiology owes to these two men who established the most intimate bond between chemistry and physiology through the founding of agricultural chemistry.

At the end of the sixties the condition of things was thus. Plant physiology had not only come into relation with botany, but had become, indeed, an integral part of it. Further, plant anatomy, physics, chemistry, and practical agricultural chemistry had come to her assistance. Even animal physiology, now and then at least, came into a relation to physiology mutually beneficial to both, since the interrelation of animal and plant life had been clarified by Ingen-Housz and Saussure. I shall take occasion to return to this question later.

In spite of the efforts of Unger and others, who sought to portray plant physiology in comprehensive works, this knowledge, which had been derived from so many sources, was not yet welded into a real unit. There appeared in 1865 the *Experimental Physiologie der Pflanzen* of J. Sachs, in which was drawn up a critical summary of the sum total of the knowledge gained up to this time. This work gave a great impulse to new research. It was a most seasonable undertaking, which, not only by its rich contents, but also by its incomparably clear and illuminating presentation, did not fail to exert a great effect in the further development of plant physiology. Unger's researches and his scholarly activity and Sachs' *Experimental Physiologie* contributed the most to the fruition of plant physiology in Germany in the second half of the last century.

Thus, although Hales laid down the first guiding principles of plant physiology, we have seen that its further development took place in France and Germany. If we except the discovery made first by Priestley, that oxygen is excreted by plants, — a conclusion

clarified and strengthened by Ingen-Housz,—England took no further part in the building up of plant physiology as the product of chemical, physical, and anatomical study. Another great impulse, however, emanated from England, the introduction of the principle of development into botany. This, excepting that of a few forerunners, was the work of Robert Brown.

Although this eminent student dealt with development only as a morphological principle and turned it to account especially in taxonomy, yet his method of viewing the vegetable organism from the standpoint of development at once quickened the study of anatomy, which up to this time had taken into consideration only the mature plant, and must be credited, of course, to physiology. Robert Brown taught the doctrine of ontogenetic development. This, however, paved the way for phylogenetic development, which similarly emanated from England, and had its chief champion in Darwin.

The principle of phylogenetic development was of importance first in morphology. By the appropriation of physiological methods and by the application of this principle to purely physiological matters, this historical conception entered with happy results into our sphere. We ask, nowadays, not only how this form, species, genus, etc., has arisen, but we also set before ourselves the question, with reference to the process of differentiation and life processes, how far these are referable to direct influence and how far to peculiarities which have become fixed by inheritance in the course of generations.

Darwin's great influence on the development of our science is not confined to the historical conceptions of physiological phenomena, and in general to that which is connected with the origin and perpetuation of characters beyond the limits of the individual life, with adaptation and inheritance. His conception of organic life has in manifold other ways furthered the development of our science, especially in that he widened our horizon by a unified conception of the whole organic world.

That to-day there may no limit be drawn between plant and animal physiology, and that we may, with advantage to the botanists and zoölogists, and in general to the study of nature, approach a general physiology, is chiefly referable to Darwin's influence, even though in this particular this great student also had his forerunners.

Fechner, with true insight, had already pointed out the irritability of plants. But he preached to deaf ears: the contemporary physiologists were in the bonds of a purely mechanical conception of plant life. A rich harvest came to Darwin through the *Power of Movement in Plants*, in which he showed that plants, without having nerves, yet are able to receive stimuli, to transmit them, and to react in places which are removed from the point of stimulus.

Thus was indicated the way to make use in plant physiology of

the experience of animal physiologists. This late intimate contact of so nearly related disciplines, which earlier had been led up to, and again and again failed of, has shown itself in the highest degree fruitful; and the physiology of irritability, which earlier was pushed forward by Sachs, and later by Pfeffer and his school, and is at the present time in the forefront of interest, is referable to the beneficial influence upon plant by animal physiology. I beg to be allowed to emphasize this influence still more, and to indicate the interaction of these two sister sciences.

In spite of Fechner's earlier suggestion on the point, there is nothing to be found in Sachs' *Experimental Physiologie* on the matter of irritability. The most important and most frequently adduced phenomena, as heliotropism and geotropism, were referred to tissue tensions and similar purely mechanical effects. Almost all plant physiologists followed the path which was pointed out by the gifted morphologist, Hofmeister. Only a few of the most striking movements of plant organs, as, *e. g.*, those of the leaves of *Mimosa pudica*, were spoken of by Sachs as "the so-called phenomena of irritability." He stood in this under the influence of the great animal physiologist, Bruecke, who, in order to get a more comprehensive idea of the life of organisms, took up plant physiology and studied closely the sensitiveness of *Mimosa pudica*.

In his *Pflanzenphysiologie*, still following Hofmeister, Sachs explains positive geotropism as a bending under weight, — that the root-tip as a result of its weight when the root is placed in a horizontal position, bends downward in the subapical part, which is composed of soft, plastic, and tender cells. Sachs says expressly that, just as the end of a piece of sealing-wax bends downwards when the part behind is softened by heat, the heavy and stiff end of the root bends out of the inclined, or horizontal, into the vertical position.

In his later writings this account, which was out of all harmony with the facts of anatomy, was not held to, for the conception of the phenomenon of irritability underwent a total change, doubtless under the undoubted influence of animal upon plant physiology. The way we to-day regard irritability in plants is a reflection of the matter from the animal point of view. Pfeffer took this position in the first edition of his celebrated *Plant Physiology*, and yet more clearly and decidedly in the second edition, recently completed. Nowadays the phenomena of heliotropism and geotropism — not to pass beyond the examples cited — are regarded as those of irritability in the sense of the animal physiologists. The causes of stimulation (gravitation, light, etc.) have been determined, the point of reception shown, transmission of stimuli proved, and the whole course determined in detail. The value which accrued to plant physiology

through its union with animal physiology forms a debt which the former is trying to pay to the latter, and which in part has been paid. It was the recognition of heliotropic and geotropic phenomena in plants which guided us to discovery of analogous phenomena in animal organisms. And thus we see that the long-separated and independently parallel disciplines have become united into a more symmetrically developing general physiology.

It seemed as if the doctrine of the cell, so important for physiology, would have had a happier fate than all the other branches of natural science. Its founders, Schleiden and Schwann, had worked into each other's hands. Schleiden regarded this as a fortunate circumstance, which, as he expressed it, "protected the doctrine of cell-life entirely from the one-sidedness of a simply botanical or zoological point of view."<sup>1</sup> But it has turned out otherwise. The iron law of division of labor holds good here, also, and only after long-drawn-out special researches in both fields has the conviction grown upon us that experience in one field has something to teach us in the other also. About half a century after the founding of the cell theory the large results of animal histology worked a change. The happy discovery of karyokinesis in the animal cell taught the botanists, who saw their enlightenment near at hand in the study of plant cells, in which traces of karyokinesis had been seen, by means of the tried methods of the animal histologist. From day to day the union of plant and animal histology advanced, and our knowledge of the organic elements gradually became more unified, the condition which Schleiden held as an ideal, and, in company with Schwann, had prepared for.

In the field of botany, morphology and physiology sprang up slowly side by side from the several above-mentioned foundations. That we see at this time interrelations between them indicates a far advanced condition. But this significant union is taking place by no means without contention. There yet sticks in the heads of many morphologists that these two parts of botany will thrive the better the more completely they are separated from each other. Advantageous as the division of labor has been, and as much as the study of details has led to this, it must yet be clear to the far-sighted that the solution of the great questions of plant life is possible only by a morphological-physiological treatment. To express it roughly, we may understand a machine when we take note not only of the structure and form of its component parts, but also of their function and work; so may we get an intellectual grasp of the living plant when we study its morphology in relation to its functions. To make use of all demonstrable morphological facts in the explanation of life processes is one of the most obvious phases of modern

<sup>1</sup> Schleiden, *Grundzüge der wiss. Bot.*, Vierte Aufl., Leipzig, 1861. Vorrede, p. xi.

plant physiology, and is to be seen in the development of our science clearly enough. One needs only to compare the older works of Sachs with his last book, *Lectures on Plant Physiology*. In the latter work for the first time morphology comes into living relations with physiology, and this is more clearly evidenced by his presentation of anisotropy, in which he makes the attempt to explain the relation between the formation and the direction of plant organs under the influence of constant outside directive forces. Similar attempts to explain the form-relations of plant organs from analogous points of view were made soon after. Everywhere the most intimate relation between form and structure, and function, was sought after. This research was directed not only at causal but also at teleological explanations, for which experimental evidence was, as far as possible, advanced. Schwendener and his school were active in both directions, furthering the union of morphology and physiology, and thus laying the foundations for a physiological plant anatomy.

The increasing invigoration of physiology by morphology has in more recent times been of the same importance for the further development of our science as the influence of Darwin's basic idea of phylogeny was to numerous problems concerning plant life. The question which now stands to the front is, how have forms arisen, and what functions are bound up with morphological relations, and also how we are to distinguish between ontogenetic and phylogenetic. *E. g.*, Has a particular form or a particular tendency of an organ originated with the individual, or is it referable to inherited peculiarities, or is it the product of ontogenetic and at the same time of phylogenetic development?

The study of ontogeny is the peculiar domain of physiology in the narrower sense — that is, the mechanics, chemistry, and physics of the living organism — so far as the development which takes place before our eyes is approachable by direct observation and experiment. That which may be determined inductively concerning the life, the origin and fate of plants and the plant world may be got at only by following the individual development.

The riddle of ontogeny, and the question of phylogeny (which is well-nigh unanswerable by direct methods) open the door of speculation, and the scope of the problems of the origin and development of the organic kingdom are thus discovered. These have stimulated many students outside of the circle of the observational and experimental sciences to seek help, or at least suggestion, in philosophy.

Indeed, at the present time the philosophical element in natural science has come strongly to the front. The reawakening of research in the theory of descent is indeed the chief cause of this modern phenomenon, which, I believe, commenced in the organic natural sciences, and then passed over into the inorganic.



Whatever we may think on the cause of this phenomenon, philosophy has stepped so far to the foreground within the natural sciences that, in discussing the relations of the sciences to the plant physiology of that time, I cannot avoid examining how far philosophy is in debt to our science.

The question what philosophy is has been very variously answered. If we regard it in the widest sense as the science of all being and happening, and especially of the underlying principles, it is then evident that it, or at least part of it, must form a proper constituent of the natural sciences.

The desire to penetrate the ultimate causes of phenomena is deeply rooted in mankind. This desire, as Whewell at one time so truly remarked, is a curiosity to reach beyond the goal, to step beyond the bounds, which shut in the human spirit. Within these bounds rule the experiences of knowledge. Human knowledge shuns everything which is not made sure by experience. Thus the limit is drawn within which philosophy may and can make itself of service in the natural sciences.

He who follows the development of the natural sciences with a comprehensive view must come to the result that a sound philosophy, based upon experience, has always existed in natural science. The problems which many scientific workers have set themselves are indeed of a simple kind, so that a philosophical penetration into the objects dealt with may not have been sought for by them. But the masters, the leaders, have ever been philosophers, so far as they controlled their observations with logical power, bound together scattered observations with an intellectual insight held in check by criticism, and tested by experience the theories which they formulated. Herein, however, is indicated the limit up to which speculation is permissible in natural science. Hypothesis may be used as a means, but is justified only so long as it stands in harmony with experience.

Such philosophy has obtained since the rejuvenescence of the natural sciences, wherefore this period has properly been called the inductive; such philosophy will and must always obtain, because this kind of philosophy is the living element of natural science.

I do not have in mind that philosophy used by students of the natural sciences, but seldom called so by them, when I speak of the help which they have sought for in philosophy, but rather of that of the specific philosophers, or, as I may say, of the speculative philosophy, or, in brief, of "philosophy."

Highly instructive for the relation of philosophy to the study of natural science is the relation of Newton to the previous philosophers. This has been shown by Brewster.<sup>1</sup> The vortex theory of Descartes

<sup>1</sup> Brewster, *Sir Isaak Newtons Leben*, Deutsche Uebersetzung, Leipzig, 1833, p. 276 ff.

was a real hindrance to the acceptance of Newton's theory of the motions of the heavenly bodies. And concerning the assertion that Newton depended upon Bacon, Brewster has shown conclusively that Newton searched out the truth by observation and by experiment in part worked out by himself and partly borrowed from Copernicus and Galileo.

But, in order to speak of the influences of philosophy on botany, must we not point out Schleiden, who, it may be presumed, placed this science upon a new basis? The methodological basis proposed by him, which may be referred back to Kant, had the value of quite setting aside the harmful academic philosophy of Schelling, which caused not a little confusion among the mediocre botanists of that time, and of adhering to exact observation and to the logical presentation of the facts. But the advance of our science by no means took its origin from his philosophical teachings; this was effected by students such as Hugo von Mohl and others. Schleiden's schematization of the cell was a fruitful idea, and his activity, in the sense of Robert Brown in the field of ontogenetic development, brought a rich return. But all this had nothing to do with the Fries-Appelt philosophy, often cited by him, and with his continual reference to Bacon. His criticism, however, often overshot the mark in matters of plant physiology, and has hindered rather than helped on the development of our science. The greater part of Saussure's experiments he cast aside as "completely useless;" the fact that green plants in an inclosed space can, in spite of gas exchange, keep the surrounding air in a condition in which it remains apparently unchanged qualitatively and quantitatively, was regarded as an impossibility, and in spite of Ingen-Housz and Saussure, it was boldly asserted that Bous-singault first proved that green plants absorb carbon dioxid in sunlight. Fechner's views in regard to the irritability of plants, with which all physiologists to-day agree, were not only opposed by Schleiden from the philosophical standpoint, but he even scouted them with derision.

The whole literature shows how little use "philosophy" has been to plant physiology. I will touch upon this with only one example, which, however, will show also that students of science themselves enter into abstract thought so far as it is advantageous to them in the solution of their problems. Schopenhauer, in his work, *Zur Philosophie und Wissenschaft der Natur* (1851), broke a lance for the doctrine of vital force. His arguments against the purely mechanical conception of life are completely justified; but it was these same arguments which were advanced ten years ago by Johannes Müller. So far as Schopenhauer and Müller are in accord with one another on this point, the student of science can follow the philosopher. But when he encroaches on the field of metaphysics, and

identifies vital force with the will, he can offer nothing further to the scientist.

As often as philosophy has disturbed natural science, as did the so-called nature philosophy in the period of Schelling, has the sound thought of the scientist always repaired the damage which has been done to our science by the misuse of the human mental power.

The marked philosophical movement of to-day in the natural sciences revolves chiefly about the questions of the origin of life, about the vital force, about the alternative mechanism or vitalism, and about the propriety of a teleological conception of nature.

The further our knowledge of facts extends, the greater becomes the gulf between the lifeless and the dead. Schleiden would have it that the yeasts arise spontaneously from the nutritive fluids; even after the epoch-making researches of Pasteur the attempt was made to show that bacteria arise spontaneously. But this is all past, and there is no fact to support the idea that the living can arise from the non-living. A new support for the correctness of this view is to be found in the conception, supported by an immense amount of evidence, that in the organism, also, the organized or living elements can arise only from the living.<sup>1</sup>

The specific philosophers have offered us nothing on the question of origins. For when Kant, with a far-seeing eye, expressed the view that the living may not arise from the non-living, it was the scientist in him that spoke. When, on the other hand, Naegeli supported the idea of *generatio spontanea*, and, indeed, represented the view that this continues without interruption (while the monists are usually content with the once-for-all origin), this eminent man denied the scientist in him, and descended to doctrinaire speculation. So various is the human disposition that the great philosopher Kant expressed himself on the question of primal origin for a whole century, just as the scientist must at the present moment, while so eminently a modern scientist as Naegeli took the position in this matter not simply of a philosopher of the monist type, but rather of a metaphysician. The arguments of E. von Hartmann that there is now no *generatio aequivoca*, because, in view of the stability of both organic kingdoms, this is no longer necessary, had obviously no effect upon scientists.

But the recent attempts of a prominent scientist to bring back the problem into the field of physics and chemistry by making an analogy between crystal formation in metastable solutions with spontaneous generation was only an intellectual idea without further consequence in leading to a solution of the question.<sup>2</sup>

<sup>1</sup> Wiesner, *Die Elementarstruktur und das Wachstum der lebenden Substanz*, Wien, 1892, p. 82 ff.

<sup>2</sup> Ostwald, *Vorlesungen über Naturphilosophie*, Leipzig, 1902, p. 345 ff.

Thus to-day we are resigned as regards the question of the origin of life, just as the physicist is as to the origin of matter; and as he pursues his studies on the assumption of the existence of matter, so also we do best when we take for granted the living stuff, and study observationally its nature without speculation upon its first origin.

The kernel of the doctrine of vitalism, which we have recently regarded as dead and buried, was forced again into recognition by the great Johannes Müller, after the attempt to reach a purely mechanical conception of life had been wrecked. Truly, we may no longer hold that in the living individual a force reigns which controls everything within. We really see at work within the organism the chemical and physical forces which are active in the inorganic world. But that which within the organism directs the mechanical forces toward a definite goal and unifies harmoniously all that happens within a living individual and leads to a particular purpose (*Enharmomy of the Organism*)<sup>1</sup> cannot be understood from our experience with lifeless nature.

It has often been attempted to refer the whole life of plants and animals to psychological manifestations. This is, however, an extreme view, which fails of profit; while the primitive psychical manifestations in the life of plants, particularly with reference to the consideration of Fechner, may be allowed some consideration.

It will be admitted by every far-sighted observer that the purely mechanical conception of life has been set aside, but that, however, there is no reason to take an extreme vitalistic point of view. In order to accentuate the rejection of extreme mechanism in the control of the organism by means of a certainly unprejudiced judgment, I cite the opinion of an eminent physicist and astronomer, which was published at the time when the mechanical view of nature was in vogue, but which has not been properly appreciated. In August, 1868, Frederick A. B. Barnard, in his address at the opening of the Chicago meeting of the American Association for the Advancement of Science, spoke the following words. "The vital principle differs from every form of force known to us, and from every other known property or quality, in that it confers upon the body which it animates a special character of individuality, and in that it is incapable of being insulated or of being transferred from body to body. We know it only through the peculiar organizing power which belongs to it, and which is manifested not merely in the chemical changes which it determines, but in the external forms which the resulting compounds assume."<sup>2</sup>

The manifestation of mechanical forces in addition to that of

<sup>1</sup> Wiesner, *Biologie*, Zweite Auflage, Wien, 1902.

<sup>2</sup> *Presidential Address*, seventeenth meeting of the American Association for the Advancement of Science. Translated into the German by Klöden, Berlin, Weidemann'sche Buchhandlung, 1869.

a specific "principle" in the life of organisms could not be better expressed; and the reference to "individuality" is a pregnant thought with regard to the enharmony evident in every living form.

It seemed as if the last traces of teleology would have been effaced from biology by Darwin's theory of selection. No one has expressed this more clearly than Schleiden, who, always a tireless opponent of every teleological conception, speaking concerning Darwin's doctrine, cried out in triumph at the close of his activity as a student: "Teleology belongs no more to science, but has its place now only in mere talk."<sup>1</sup> His opposition to teleology started from a one-sided, pedantic philosophy, but his disputatious arguments gained great weight with the majority of the botanists of his time, and his influence in this direction has remained, sporadically to be sure, up till our time. Most of the botanists of his time were so overawed by him that scarcely one of them dared to speak of the purposes of organs or of purposeful arrangements in organisms and so on. And this, as a result, worked a desolation in morphology, and made more difficult its union with physiology.

In this also, however, Schleiden by his hypercriticism overshot the mark. For it was just this great scientific movement, which Darwin set up through the rehabilitation of the doctrine of descent, that of necessity placed teleology in its right place. And this teleology, enriched by an immense number of facts, contributed materially to the advance of the biological sciences. It has also brought it about that eminent and scientifically educated philosophers, such as Wundt, enforced again the recognition of teleology together with causality. In this the reaction of natural science upon philosophy is only slightly indicated. It extended, however, much further, for the rehabilitation of the theory of knowledge is the result of the advancement of natural science; and the coöperation of eminent scientists, such as Boltzmann, Mach, Ostwald, Reinke, and other also scientifically trained philosophers, shows, in the building up of the theory of perception, how science entered this field to its advancement.

That which in the teleological conception concerns transcendentalism we leave to the specialists in the theory of knowledge. We stand on the ground of experience, and permit of metaphysics, as we have said above, only as a source of helpful ideas, which, however, may be permitted only when they do not negate experience, and only so long as they prove themselves useful in opening up to us new directions for inductive research. If through this kind of scientific operation the clear area within which we move appears to be limited within narrow confines, yet our advance within them is the more certain.

<sup>1</sup> Schleiden, *Grundzüge der wissenschaftlichen Botanik*, Vierte Auflage, Leipzig, 1861. Vorrede, p. viii.

The wanderings of the academic philosophers on the extreme limits of human knowledge, and even beyond them, lead only to transitory results, which in turn may be called into question, while science advances steadily in its development. A celebrated physicist and thinker has said that sound human understanding is a lasting product of nature, while philosophy is a meaningless, ephemeral, artificial product.<sup>1</sup>

Only that philosophy will profit us which has arisen from the true spirit of science, even though it advances in the causal and teleological only by way of description. In the spirit of our descriptive methods let us not, when opportunity offers, withhold from speaking of the purposefulness of organization, or of purposes and goals in the realm of life, as in the adequate observation of a machine. In doing so, we renounce the explanation and exposition of final causes of things and events; this lies beyond the limits of the knowledge of nature and beyond the power of man.

From mathematics we have greater hope for the furtherance of our science. Small beginnings are already visible, which at first attain only to a primitive expression in arithmetical representation of quantitative experiments. A further advance is to be noticed in representing mathematically simple physical relations, *e. g.*, to express the entrance and exit of gases into and out of the plant as phenomena of effusion or gas transpiration, or the graphic representation by means of a system of coordinates of the relation of a phenomenon (*e. g.*, heliotropism) to a variable factor (*e. g.*, intensity of light). When a simplification of the conception of a morphological relation (*e. g.*, leaf arrangement) or of a state (*e. g.*, rigidity or elasticity of the plant body or the use of light to plants) is possible, we use mathematical expressions to advantage, and similarly for precise illustration of certain principles (*e. g.*, by means of the biochronic equation of H. de Vries), etc.

Yet these are, as we have said, only small beginnings. Mathematical calculation plays yet a very minor rôle in plant physiology because, in the lack of deeper knowledge of the facts, everything seems as if so hidden in a cloud that the congeries of active factors may not yet be brought to a corresponding mathematical form; that the setting up of a mathematical formula or equation of any kind from which, upon the basis of adequate observations, future conditions may be inferred, appears not yet possible. Animal physiology has already taken the lead, in that in some questions it uses the differential equation, and so it may be expected that mathematical calculation, after the example of physics, will become an important means of advance in our science.

Almost every problem in plant physiology gives us in the pro-

<sup>1</sup> E. Mach, *Die Analyse der Empfindungen*, Dritte Auflage, Jena, 1902, p. 29.

cess of its solution a reflection of the history of our science, ever showing how changeable its limits are and from what various directions, often unexpectedly, its help comes. A pertinent example has been already advanced by me, — that of leaf-fall. Allow me to give as briefly as possible two other examples of great illustrative power.

The problem of leaf position has been till recently purely descriptive, although treated in part with great mathematical and geometrical precision. Later, by Schwendener, it was brought, as a mechanical problem, out of the field of morphology into that of physiology. Quite recently it has been shown that, with reference to illumination, the simplest positions for lateral and for vertical axes, the approximation of leaf positions to the irrational limits of value are the most purposeful. Thus the problem of leaf position was at first morphological, then physiological, and finally biological.<sup>1</sup> or, as we may more precisely say, ecological, whereby it is, however, not said that it cannot be further advanced from the side of morphology and physiology.

In the second place, our great problem of photosynthesis (carbon assimilation). Priestley discovered the excretion of oxygen by the plant, Scheele that of carbon dioxide. But neither was able to say under what conditions these took place. Ingen-Housz first showed that the photosynthesis correlated with oxygen secretion takes place only in the green organs of plants under the influence of light. The explanations of the chemistry involved which obtained from the time of Th. de Saussure to Boussingault are well known. Anatomy now took a hand, and showed us, in the living body of the chlorophyll grain, the place where photosynthesis takes place. The knowledge of the spectrum of chlorophyll, contributed by the physicist, led to the attempt to study the absorption of light by chlorophyll from the physiological point of view. First it was shown how the pigment chlorophyll by light absorption influences the process of transpiration<sup>2</sup> and then the same in regard to photosynthesis.<sup>3</sup> The reference of fermentation to an enzymatic process has raised the question whether photosynthesis may not be a process of this kind. As you know, we are in the midst of a strife of opinions as to whether or not photosynthesis is a matter bound up with the living condition or has to do merely with an enzymatic process. And now the chlorophyll question wanders into the realm of cosmic physics. In that on the one hand the view is set forth that the correlations between photosynthesis and the life of plants and animals presents itself not as a struggle for the elements or for energy, but as a struggle

<sup>1</sup> *Zur Biologie der Blattstellung*, *Biol. Centralblatt*, 1903, p. 209 ff.

<sup>2</sup> Wiesner, *Untersuchungen über den Einfluss des Lichtes auf die Transpiration*. *Sitzungsbericht der Wiener. Akad. d. Wissensch.*, 1876.

<sup>3</sup> The well-known works of Engelmann, Reinke, and Timirjazeff.

for entropy,<sup>1</sup> and on the other side, the attempt has been made to show, on the grounds of observation, what proportion of the energy of the sun which is used on the earth by green plants is rendered available for the life of organisms. I here come to the calculation of Pfaundler and to the beautiful and important researches carried on by Brown and Escombe to determine the "economic coefficient," which have shown approximately how much of the sun's energy is fixed by the transpiration of green plants in the light, and by photosynthesis. It was found that in sunlight far more energy is employed for the purpose of transpiration than for that of photosynthesis, and that, in diffuse light, relatively more energy, in comparison with transpiration, is consumed in photosynthesis than in sunlight. Since we in recent times recognize only green plants as autotrophic, the opinion—entirely problematical, to be sure—may well arise that life upon the earth must have begun with green organisms. Now, however, as you know, it has been shown by Hueppe and Winogradski that certain bacteria also fix carbon dioxide, and are in every way to be regarded as autotrophic. Chlorophyll is, then, not absolutely necessary to photosynthesis; but rather has this become to us, according to our present understanding, in the course of the development of the plant world, a wonderful, purposeful means of building up organic substance under the influence of light.

And yet many more details may thus be advanced, to show that even one and the same problem may be brought to its solution by the most different branches of science.

I have, to be sure, only in the most cursory manner tried to show how plant physiology has arisen under the influence of the other branches of natural science, and, finally becoming a part of botany, was advanced by morphology.

How physiology has come into relation with the other branches of science, especially the mental sciences, and has affected practical life, has already been dwelt upon by me.

In order to complete the picture of the interaction of the special sciences, I would, at the close, draw attention to the fact that, young as plant physiology is, it has been of help to pure science far beyond the bounds of botany.

I may mention the advance which plant geography, at first especially a statistical account of the plant world, has made since it was organized upon physiological and ecological bases by Schimper, Warming, and others. It is no paradox when I say that plant physiology has reacted advantageously upon the further development of

<sup>1</sup> Boltzmann, *Der zweite Hauptsatz der mechanischen Wärmetheorie. Vortrag Wiener. Akad. d. Wissensch., Almanach, 1886, p. 246.* See also L. Pfaundler, *Die Weltwirtschaft im Lichte der Physik, Deutsche Revue, 1902.*



chemistry, physics, meteorology, and climatology, and upon other studies far distantly removed, according to earlier conceptions; and that it will do this with still more advantage in the future. Plant physiology is often in need of things, *e. g.*, on the part of physics and meteorology, which these sciences do not have to give her, so that the plant physiologists are compelled to work independently in these apparently strange fields. I may recall Pfeffer's important discoveries in osmosis, which, as is well known, have been of great importance in the theory of osmotic action.

In order to learn the actual, but apparently highly overestimated mechanical effect of rain upon plants, a close student of this question had need of data which were not to be found in the meteorological literature, and himself determined the weight of the heaviest raindrop, its rate of fall, and its kinetic energy.<sup>1</sup> From this study both plant physiology and meteorology profited. The same plant physiologist, incidentally to his studies of the use of light by plants, contributed to the science of climatology by his thorough observations of photochemical climate.<sup>2</sup>

These are random examples merely, but nevertheless indicate that plant physiology is in condition to render service to the so-called exact sciences.

If I should speak a word for the later advantage to physics through plant physiology, this might seem to be an *oratio pro domo*. For this reason I refer to the remarks of a celebrated physicist. Ernst Mach says in one of his best known works, "Not only may physics help and clarify biology (in the widest sense as the doctrine of life), but biology may stand in this relation to physics. . . . Physics will accomplish yet more for biology, after it has grown by means of the latter."<sup>3</sup>

I hasten to a close. I have not intended to present new facts, but rather to use well-known ones in order to support my leading thought to which I gave voice at the outset.

I have tried to present to you a picture in which the development of plant physiology under the influences of the other sciences is portrayed; but in reviewing it I feel that it is very incomplete.

The disproportion between the extent of my duty and the time at my disposal will explain in part the failure to realize my aim. Still more, however, is this due to the difficulty of my subject, for one must master all the sciences which stand in relation to plant physiology in order to give an effective account of its development. On account of the specialization to which we are all committed,

<sup>1</sup> Wiesner, *Beiträge zur Kenntnis des tropischen Regens, Sitzungsber. d. Wiener Akad. d. Wissensch.*, 1895.

<sup>2</sup> Wiesner, *Beiträge zur Kenntnis des photochemischen Klimas, Denkschriften d. Wiener Akad. d. Wissenschaften*, 1896 u. 1898.

<sup>3</sup> E. Mach, *Analyse der Empfindungen*, Jena, 1902, p. 74.

hardly any one is properly fitted to carry out this task. I readily admit that there are many others who could have done this better than I. Yet I believe that I have drawn for you some of the more important outlines of the development of our science.

As a chief result of my analysis I have shown the evidence of continual change, of separation and union, of scientific work. Not only are the results gained in divided labor united within small special fields to the advantage of science. Perhaps of still greater advantage is the contact and union of studies which are apparently heterogeneous. Fruitful ideas and methods come often enough not from the narrowly circumscribed field of study, but to a certain extent from outer and apparently foreign realms. And just in the results thus obtained, the facts teach us that all human wisdom, all which to-day furthers the struggle after knowledge, forms only one great unity, which to the individual comes with more reality the deeper he has gone into science.

Yet one thing I would not leave unmentioned at the close. Out of the depths of the past, science has emerged, at first a mixture of truth and fiction, of the results of study which are often intertwined with strange embellishments, inventions, and dark hints. In the older writings, and further on in the literature up till the present time, — in lessening amount, to be sure, — religious conceptions, or wonder at creation, appear side by side with the results of research. But throughout the conviction rings that these reflections, much as they may be in themselves justified and partake of the noblest aspirations of the human mind, must be separated from science, and belong to another sphere.

And yet another form of vague inner impulse still rules, even though it has already been much suppressed, in the realm of science, — the metaphysical element. A trace of the metaphysical, as salt to the bread, will perhaps always remain, because, as already shown, thoughts which help the weakness of the human understanding are as crutches to the lame. We may be allowed to compromise with these small remnants of a once rampant metaphysics, if we entertain such ideas only so long as they do not come into clash with our experience, and really help us in the sure way of observation. There are indeed optimistic theorists who expect that natural science will reach complete fruition only after the last trace of metaphysics has been eradicated.<sup>1</sup>

<sup>1</sup> E. Mach, *loc. cit.*, p. 7.

## PLANT PHYSIOLOGY — PRESENT PROBLEMS

BY BENJAMIN MINGE DUGGAR

[**Benjamin Minge Duggar**, Professor of Botany, University of Missouri. b. Gallion, Alabama. B.S. Mississippi Agricultural and Mechanical College, 1891; A.B. Harvard University, 1894; M.S. Alabama Polytechnic Institute, 1892; A.M. Harvard, 1895; Ph.D. Cornell, 1898; Postgraduate, Alabama Polytechnic Institute, 1891-92; Harvard, 1893-95; Cornell, 1896-98; Leipzig and Halle, 1899-1900. Assistant Professor of Botany, Cornell University, 1900-01; Plant Physiologist, Bureau of Plant Industry, U. S. Department of Agriculture, Washington, 1901-02. Member of the Society for Plant Morphology and Physiology, Botanical Society of America, Deutsche botanische Gesellschaft, American Association for the Advancement of Science. **Author** of articles for botanical magazines, Experiment Station bulletins.]

To the very year one century has elapsed since Théodore de Saussure published his remarkable investigations relating to the nutrition of plants and to the influences upon plants of certain well-known physical forces. Although preceded by the publications of Duhamel, Hales, Ingen-Housz, and Senebier, as well as by those in a somewhat different line, by Konrad Sprengel and others, we may look upon the work of de Saussure as a wonderful production for his time and as strikingly indicative of the status of plant physiological problems a century ago. His paper may be regarded in a sense as the original charter or constitution of plant physiology. Fortunately, it is assigned to an eminent and experienced botanical historian to recite the amendments which mark the wonderful growth of this historic instrument. There remains, therefore, the task of suggesting some directions of future growth.

No distinction need here be made between those problems which are readily seen to involve the closest work in such other sciences as physics and chemistry and those which do not show a relationship so close. There is certainly much in physiology which must be based upon physics and chemistry, but when dealing with the causes of the activities of living organisms, it is in relatively few cases that explanations may ever be offered in terms of physics and chemistry alone. Nor is it possible to offer such explanations without the assistance of these sciences. The progress of the work in physiology is indissolubly bound up in the development of other sciences. The benefits are, however, mutual, and as physiology acknowledges the fundamental importance of these related sciences, they in turn must acknowledge the important contributions, often of fundamental nature, which have resulted through physiological investigation.

In such a paper it would be impossible to do more than outline briefly some of the relationships of special problems which, for one

reason or another, merit emphasis. In general, the problems in plant physiology have been well brought out and systematized through the monumental work recently completed by Professor Pfeffer. To him the science owes a debt of gratitude which may be acknowledged as well by one who attempts to suggest future work as by the historian. Again, due recognition should be made of those who have in recent years based upon this or any similar topic valedictory addresses before various botanical organizations, — notably, those of Professors Vines, Ward, Barnes, Reynolds Green, and others.

The fact that every cell or organ requires its food materials, or at least its nutrients, in liquid form, readily emphasizes the fundamental importance of those problems suggested by the relation of the plant to solutions. The mechanisms for absorption and the general and special diosmotic properties of the living cell, all of which have been studied with the most consummate skill, have yielded matchless results, yet the rewards for future research show at present no distinct limitations. It has not been possible to determine the nature of the plasmatic membrane which directly or indirectly possesses such marked powers of selection and accumulation. The conditions under which the activities of this membrane may be modified are but poorly understood; and it is, perhaps, quite beyond the present possibilities to determine the mechanism of this modification, for in that must be involved one of the most important vital activities of protoplasm. Perhaps when many more data have been accumulated by a study of plants of diverse habitat, the conditions of this modification may be more clearly distinguished. It is known that continued endosmosis of a particular solute depends largely upon the use or transformation of this solute within, yet it is not always possible to demonstrate any change in the substance absorbed. In any event, it is necessary to ask further light upon the exosmotic resistance of the plasmatic membrane to the accumulation of turgor-producing substances, or, in other words, to a further explanation of what may be termed one-way penetration. To these phenomena the processes of excretion and secretion are closely allied, whether they are ultimately, periodically, or continuously the function of certain protoplasts.

Further chemical knowledge is needed dealing with the meaning of high pressures and of the accommodation of very high pressures in the fungi. As a rule, those protoplasts seem to be resistant to such high pressures which are also resistant to cold, desiccation, and other stimulation. Mayerburg, working under the instruction of Professor Pfeffer, has recently applied himself to a study of the method by means of which the organism may regulate its turgor. It is evident that one of two propositions must be assumed, and that increased turgor may be produced either (1) by the penetration

of substances from without, or (2) by substances of strong osmotic action produced within the cell through the stimulative action of external agents. It was determined in this case that in general no absorption of the substances bathing the plant occurs; therefore, osmotic substances are produced within the cell and largely by increased concentration of the normal organic cell products. The extent and method of this capability for turgor regulation are highly important, as is also the general question of the relation of turgor to growth. In recent times some of the important problems in this connection have been well suggested by the work of Ryssleberghe, Puriewitsch, Overton, Copeland, and Livingston.

The absorptive systems of plants seem to be admirably adapted for their needs from a diosmotic point of view. Diffusion may, therefore, be sufficiently rapid to supply all demands of the absorbing cells or organs. Nevertheless, the assumption that ordinarily diffusion through the cell and plasmatic membrane is sufficiently rapid properly to provide for the translocation of metabolic products from cell to cell is certainly open to further inquiry. Present knowledge of the translocatory processes is insufficient. Plasmatic connections between cells are now known to be of common occurrence, and this fact has given further interest to the above inquiry. Brown and Escombe are of the opinion that the plasmatic connections are eminently adapted for all of those phenomena which they have found to belong as subsequently mentioned, to multiperforate septa. They claim, further, that with slight differences of osmotic pressure the necessary concentration of gradient for increased translocation would be very simply effected.

Thus far it has been difficult to throw any light upon cell-absorption and selection in many complex natural relationships by calling in the assistance of the dissociation theory and the ionic relationships of the salts in the soil. The external relationships of nutrient salts, or the relative abundance of these in substrata supporting vegetation, constitutes a problem with which the physiologist must be concerned. It is only necessary to glance at the results of work done by various experiment stations in this country to be convinced of the great physiological importance which may be attached to such studies.

Recent results tend to emphasize the importance of considering to a greater degree the physical conditions of the soil. Some have even gone so far as to claim that practically all soils contain a sufficient quantity of plant food, and that the all-important question is the regulation of the water-supply in accordance with the quality of the particular soil. This latter, however, is an error into which few physiologists have fallen. Nevertheless, precise studies upon the relation of plants to the physical characters of soils afford problems which should receive the best attention. Many of the pro-

blems are not new, and in a qualitative way, at least, the problem of the relationship of the conservation of moisture and the tilth of the soil to productiveness has been duly appreciated by the best agronomists. We must notice with regret, therefore, that botanists have not always appreciated the importance of such work. Either directly or indirectly the water factor is a chief one in regulating the activities of the living plant and must be considered from every possible point of view.

It may, perhaps, be less a problem than a routine matter to determine the relation of the rate of absorption of salts in the soil solutions to water under the varying conditions of growth and transpiration. Nevertheless, information of this nature is important.

In spite of all the recent work, the physical explanation of the ascent of water in trees is a problem which must be mentioned. The renewed investigations which have been made along this line from an objective point of view will undoubtedly contribute to its eventual solution.

It is a matter of interest that in their studies of the physics of transpiration, Brown and Escombe have found evidence to regard this process also as a matter of diffusion through multiperforate septa, rather than a matter of mass action. It is calculated that by diffusion water may pass out of the stomates to an extent as much as six times the actual amount of transpiration which has been observed in special cases.

The great number of cytological investigations which have been completed within the past ten years indicate notable advancements in a most important field; and this is particularly true with relation to the study of nuclear phenomena. Through this work light has been thrown upon many problems of cell physiology and of development: and as a result of the latter new theories of heredity have been advanced. Nevertheless, the field for investigation has been constantly broadened and many new lines of research made possible. In spite of the excellent results accomplished, there is yet great uncertainty as to the interpretations which have frequently been made. In no field of work, perhaps, is it possible for the personal factor to enter into the results more largely than in this. Again, it is unfortunately true that fixed material has been studied almost to the exclusion of all other and that even general observations relating to the conditions of growth have been omitted in many instances. Much attention has been bestowed upon the minutest details which seem to be of morphological significance in the nucleus; but often the purely physiological side has been insufficiently emphasized. It is quite possible that in different plants the exact method of chromosome division, or the manner of nucleolar disappearance, may not be similar; and it is certainly well

known that external conditions may considerably modify the details of spindle formation, and perhaps other details in nuclear and cell-division. The important point in every case is to determine if the same physiological purpose may be accomplished.

It is extremely important, however, to the subject of physiology that the methods which have made possible these cytological advances shall be extended and utilized in developing a knowledge of all of the various activities of the cell. In this way, a clearer insight may be given of many abstruse metabolic processes; and certainly further light may be thrown upon the matter of protoplasmic decompositions and secretions, the production of enzymes and alkaloids, tannins and other products. Going hand in hand with observations upon fresh material, the limitations of micro-chemistry alone should determine the possibilities in this direction of the work.

In such cytological investigations, Fischer's work on the artificial production of effects resembling those seen in fixed protoplasm should be borne well in mind. This work is timely, and may assist in checking irrational developments by forcing a proper regard for a comparison of the effects observed in fixed tissues with those shown by the living material.

There are, moreover, but few directions in which the study of metabolism and metabolic products may not profit from cytological research. A notable instance of what there is to be done is well indicated by the work of the late Dr. Timberlake on the division of plastids and the development of the starch grain.

Photosynthesis is a topic which has received a full share of physiological investigation throughout the past century; yet the problems demanding attention are too numerous for complete enumeration. The mechanism of gaseous exchange in leaves has repeatedly been experimentally proved to be the function of the stomates. After critical physical experimentation, Brown and Escombe have recently reported that the results of their studies of diffusivity through multiperforate septa are closely applicable to the herbaceous leaf with its stomates and substomatic chambers. Assuming their calculations to be correct, and granting that all of the incoming carbon dioxide is removed, it is estimated that with the stomates open the maximum observed rate of fixation of  $\text{CO}_2$  in *Helianthus* (which is .134 c.c. per square centimeter per hour) would be only 5.2 to 6.3 per cent. of the theoretical capacity of the diffusion apparatus of the plant. In other words, with a gradient between the outer and inner air of only 5 to 6.5 per cent. pressure, the maximum observed fixation is well accounted for.

Important problems in the general study of photosynthesis may well begin with that of a better knowledge of the structure of the

chloroplasts and the constitution of chlorophyll. Neither of these, however, is absolutely essential to further physiological observations of a fruitful kind. One of the questions long ago raised is still pertinent: what is the connection between chlorophyll and the plastid in which it is imbedded? An answer to this question may perhaps afford in time an answer to the general inquiry as to the location of the true photosynthetic property. If chlorophyll is always the same chemically, it is perhaps probable that the first product of photosynthesis may always be the same, although this is not necessarily true. In any case, the chief problems hinge upon the method of decomposition of carbon dioxide and water and the synthesis of the first organic product. Neither the hypothesis of Bayer, Erlenmeyer, Crato, Bach, Putz, nor any other, has, to any considerable degree, been made capable of experimental proof, although that of Bayer has been most generally accepted. Each of these assumptions offers some suggestions for future work. Perhaps it may as well be said that they, to a certain extent, bias future research. Nevertheless, even when the chemical reactions in this synthesis become known it may yet remain problematical how the energy of sunlight, that is, of those rays most absorbed, with wave lengths of 660 to 680  $\mu$ , is made available, or whether it is this energy directly or indirectly which is concerned in the decomposition. It has been well assumed that the light-waves may not be immediately serviceable, but only after the transformation into other forms of energy. Further, it is not known to what extent this energy is operative in subsequent transformations. The conditions under which photosynthesis occurs have been worked out with a fair degree of accuracy, the status of these problems having been well set forth by Ewart and others. It is known that when deleterious agents act at a given concentration merely to inhibit the assimilatory function (the cell not being permanently injured) there is no evident change in the chlorophyll, from which it has been inferred that the assimilatory arrest has its origin in the plasmatic stroma. In all cases photosynthesis cannot long proceed except under conditions of health of the protoplasts. Nevertheless, the effects of deleterious agents have not always been studied by very delicate tests, and further attention might be bestowed upon this matter by the use of the photobacterial method, or other delicate methods, recently suggested, for it is of considerable interest to determine the relation of the photosynthetic activity to such agents as compared with other activities.

Recently the effects of temperature on photosynthesis have been carefully worked out by Miss Matthaei. She states that the curve of synthetic activity rises with the increased temperature, that it is in general convex to the temperature abscissæ and somewhat



similar to the curve of relation between temperature and respiration. There is a certain maximum for each temperature. It has also been ascertained that there is a certain economic light intensity beyond which there is no increased photosynthetic activity, and doubtless only injury. This is of special interest in connection with some recent work by Weis. Recognizing the facts that plants are of very different types with relation to their light requirements, he has sought to get an expression of their assimilatory energy. He finds that *Oenothera biennis*, a well-marked sun plant, fixes under favorable conditions of temperature, and in direct sunlight, about three times as much CO<sub>2</sub> as in diffuse light (light of one sixtieth to one ninetieth this intensity). On the other hand, *Polypodium vulgare* assimilates in diffuse light somewhat more energetically than in direct, while *Marchantia polymorpha* occupies a position intermediate. This will be welcomed by physiologists as a field for wholesome ecological study, for an extension of such investigations to an analysis of plant associations with relation to the light factor may yield profitable results.

In 1901, Freidel made the surprising report of success in securing outside of the living plant a gas exchange similar to the photosynthetic action of chlorophyll. He was later unable to confirm his previous conclusions, nor were the subsequent results of Macchiata and Herzog concordant. Recently, Molisch has employed upon this problem the photobacterial method of Beijerinck. He finds that the expressed sap of certain plants may for a time maintain photosynthetic activity, but since usually the sap loses this power when filtered through a Chamberlain filter, it is believed to be due to the presence of living plasmatic particles. Nevertheless, it is claimed that an exchange of gases characteristic of photosynthesis may proceed in a solution of the leaves of *Lamium album* dried crisp at 35° C. and then "rubbed up" in water and filtered. The observation demands much further study, for it must be remembered that the test is by means of the liberation of oxygen, and Ewart has shown that some bacterial pigments may have the power of evolving oxygen. In the last-named case the gas evolved appears to be, as he states, "occluded oxygen absorbed from the air by the pigment substance excreted by the bacteria."

It cannot be stated at the present time, however, as was assumed from Freidel's first work, that there is any enzyme concerned in the photosynthetic activity.

To a large extent the problems involved in a study of the assimilation of nitrogen are limited by the very imperfect chemical knowledge of nitrogenous products, and may not, therefore, be very clearly defined. Practically, the whole question of the formation of amides, proteids, or other nitrogenous compounds in plants

remains in obscurity. It is known that these are formed in both non-chlorophyllous and chlorophyllous plants, and that while in the former it may proceed in darkness, in the latter, light is apparently required for the most vigorous synthesis. In the latter case it may seem to suggest that there is need of the active coöperation of the chlorophyll apparatus; but here again the influence may be only indirect, since the roots, as well as the aërial parts of chlorophyll-bearing plants, are said to possess, to a certain extent, this synthetic power. Interesting suggestions have been recently made by Godlewski. The part played in photosynthesis by nucleus and cytoplasm, respectively, is unknown and may be important.

Some careful studies have been made dealing with the sources of organic nitrogen in certain of the molds, but owing to the very great variety of fungus habitats, further studies may indicate unusual specialization, — perhaps even to such extent as is now known to be true with the bacteria.

Saida has confirmed and extended the early work of Puriewitsch and others, clearly demonstrating that under certain conditions some of the fungi are able to utilize to a variable degree the atmospheric nitrogen. It would be interesting in this connection to give further attention to various groups of saprophytic fungi. In a public lecture Moore has recently made known the results of remarkably definite experiments showing that the organism (or organisms) of leguminous tubercles assimilates free nitrogen apart from its hosts, and that, therefore, the symbiotic association gives the parasite no nitrogen-assimilating advantages. Moreover, this nitrogen-assimilating capacity increases under conditions of artificial culture, and this increased power is heritable to a considerable extent at least. This is an important fact and deserves further attention.

Recently Reinke, Benecke, and others have focused our attention upon the nitrogen supply in sea-water. They find that the organisms *Clostridium Pasteurianum* and *Azotobakter chroococcum* are found in the ooze of sea-bottoms; and the suggestion is made that the external but nevertheless close association of these micro-organisms with certain marine algæ may explain the power of these algæ to grow so vigorously in situations in which they are found. The nitrogen supply is probably one of the most important problems relating to the marine algæ. It is to be borne in mind, however, that the question of fundamental interest is always that of how these micro-organisms are able to utilize the nitrogen which is absorbed in gaseous state. No such power is known among phanero-gams. It has not yet been demonstrated to be possible with the lower algæ, and certainly none of the interesting results so far obtained indicate that it is a very fundamental character of fungi and bacteria. In this connection, perhaps, it may also be stated

that nothing whatever is known concerning the method by which carbon dioxide is chemo-synthetically utilized by the nitrite and nitrate bacteria.

There are many interesting problems afforded by the general phenomena of metabolism, with relation both to those products which may be immediately utilized and to those which may be stored up for future use. It is well known that during active growth special foods may be taken out of circulation and stored up. The stimulus to such storage is not easily determined. In many instances it is apparently the protoplasm which is decomposed in order that these storage products may be formed; therefore, so far as possible a study of all protoplasmic decomposition phenomena is especially necessary. The deposition of the cell-plate and the storage of reserve cellulose are especially interesting. It will be extremely difficult to follow the succession of changes involved, yet some information will undoubtedly be gained.

The migration of compounds, particularly of those containing nitrogen, magnesium, and potash, to growing vegetative parts and to the developing seed is most remarkable. The production, whether regulatory or otherwise, of the numerous by-products in the cell, such as tannin, pigments, organic acids, etc., is also of peculiar interest. The functions of some of these compounds must be most important, and should receive further attention. Tannin, particularly, is doubtless of much economic importance in the regulation of turgor and in augmenting the resistance to injurious external agents. Astruc has recently shown that acids are found in the younger parts of non-succulents and mostly in the region of maximum turgescence; and that there is a progressive decrease of such compounds in the older organs. In succulents, moreover, very slight changes in the external conditions materially affect the acid content.

It cannot be expected that all of the information desirable with relation to the composition and action of hydrolyzing and oxidizing enzymes will be obtainable until more is known of the proteids, to which group the ferments seem to belong, or with which they are at least closely related. Whether these enzymes are concerned with the metamorphoses involved in rendering soluble or transforming pectin, proteids, glucosides, starches, cellulose, fats, or sugars, their physiological activities are in the highest degree remarkable, and worthy of the closest study. The problems which relate to their occurrence, composition, production, and action require, however, the combined attention of physiologists and organic and physical chemists. In recent times, through the work of Brown and Morris, Fischer, Green, Prescott, Vines, Loew, Beijerinck, Newcombe, Woods, and many others, these compounds have received renewed attention. It may be that at present too many obscure phenomena

are passed over with the superficial explanation that they are the result of enzyme action, and, therefore, require no further consideration. It is known that the ferments are largely concerned with the regulatory production or modification of numerous metabolic products. The activity of each enzyme is circumscribed, yet the power to do work borders upon the miraculous. It is asserted that invertin may invert 100,000 times its volume of cane-sugar, and pepsin may transform 800,000 times its volume of proteids. The chemist is especially concerned with the composition and occurrence of these, but the physiologist is interested not alone in the occurrence and specific action of the enzymes, but also with the effects upon the general metabolism of the individual plant, with the methods and conditions regulating the secretion of these products, and with their vitalities or limiting external conditions. Ferments may be concerned with external cellular digestion, that is, with the solution and absorption of foodstuffs from without, thus necessitating exosmosis, or with intracellular modifications, preparatory to the direct use of the substances modified in metabolism or in translocation. Again, the ferments may be present only at a certain definite period in the life of a cell, produced, undoubtedly, by special requirements and special stimulation.

When isolated, or at least when outside of the cell, many enzymes are most active at temperatures far above those which may be maintained within the living cell. An explanation of this fact is difficult. Comparative studies of their reactions to light, heat, toxic agents, and other stimuli should be made. In the penetration of parasites, cellulose-dissolving ferments are important, but further information is needed before it can be said that the presence or absence of such enzymes to any great extent affects the resistance of certain varieties and species to fungous attacks. It has been stated that the resistance of plants to fungous attacks is due largely to the presence of certain enzymes or toxalbumens present in the cells of the host; and by others it has been suggested that susceptibility is frequently a special property due to the presence of certain oxidases, which are regulated by external conditions.

It has been shown that the mosaic disease of tobacco and other similar diseases are accompanied by certain oxidase ferments which appear to prevent the digestion of reserve food. The ferment is developed in the growing parts of the plant, it may be transferred from plant to plant, and on the decay of the diseased organism, it is supposed to be set free in the soil. It is believed that it is then capable of diosmosis and infection of the young seedling. While it cannot be shown at present that the enzyme is beyond all question the direct cause of the disease, this field of work is certainly one which might yield most interesting results. In this connection it may be

stated that peach "yellows" and several other important contagious diseases are believed to be of somewhat similar nature. It is also claimed that the keeping qualities of fruits may bear a certain relation to the amount of enzymes present at the time of storage; and, therefore, a knowledge of the time and conditions of the production of such enzymes would have great economic value.

In general, Czapek found no enzymes to occur in the excretions from the roots of higher plants, and it is now generally believed that the roots of one plant may develop no excretions injurious to neighboring plants, and, therefore, there may be no biological relation between the roots of non-parasitic plants associated in the given plant society. It must be said, however, that the information at hand may not be taken as final. There are yet some peculiar facts with relation to the rotation of crops which may not be readily explained on the grounds of the exhaustion of plant nutrients or of the physical condition of the soil.

The fermentation of tobacco and tea, or hay and manure, involves enzyme actions which in recent times have received some attention, although the problems which are of most physiological importance require solution. The general belief is that in all cases of enzyme action these compounds do not form a part of the substance upon which their action is exerted, but they act as a key in each particular case, unlocking, or rendering labile, a certain organic compound, which is then subject to rearrangement and transformation. This is all, however, too speculative for profitable consideration, although such speculation may have no evil influence if it is not permitted to encourage the reference of all unusual phenomena to an unusually obscure and difficult process.

The early perfection of water-culture methods permitted a careful study of the mineral nutrient requirements in the higher plants. Pure culture methods have afforded a more accurate means of studying the needs of fungi and certain algæ. As usually installed, water cultures of the higher plants contain bacteria, so that they afford only a practical test of the requirements. The problem demands some confirmatory tests, at least, under pure culture conditions, particularly when organic compounds are employed. It is possible to grow, in a limited way, higher plants under pure culture conditions.

With the fungi, exact studies may be made upon the influence of the different nutrients on the general form and upon the production of conidia, etc. It has been found, for instance, that, in the absence of potassium, *Sterigmatocytis niger* may produce no conidia or very curious modifications of the conidiophores. By far the most interesting problems with relation to the mineral nutrients are those which have to do with the rôles of these elements in metabolism. The effect of the lack of one or another element is made manifest by

some general macroscopic change, and sooner or later, by disturbing pathological changes and subsequent death. It is reported, for example, that the absence of iron prevents the development of a healthy green color, and a scarcity of potassium is made evident, especially in reduced photosynthesis.

We are yet merely at the threshold of these problems. A cytological and microchemical study of numerous plants in various conditions of culture is needed. Loew has instituted some good work in this direction. He attempted a careful microscopic study of *Spirogyra* under the conditions indicated. Although well rewarded, he has not followed up the result. The problem is, nevertheless, again under serious investigation, and when much time and thought shall have been devoted to it, with the utilization of the best cytological methods available, important results may be anticipated. The possibilities of the future are particularly dependent upon this, that investigation must be made of all macroscopic changes as well as of all demonstrable microscopic changes.

The interrelations of parasites and hosts, or of symbionts, are of such great physiological interest that some of the most significant problems may not justly be omitted in this connection. It has long been assumed that the conditions of nutrition of a host plant determine to a considerable extent its immunity to parasitic attack. Ward was unable to detect in the bromes any modification of resistance due to either high cultivation or to lack of sufficient mineral nutrients.

The results which have been attained with the Uredinaceæ have established the fact of the existence of "biologic forms." This opened a new problem in the study of the Uredinaceæ and it was later ascertained that similar host-restricted forms are present in other groups of the fungi, especially in the powdery mildew *Erysiphe graminis*. Salmon has found bridging host species by means of which the parasite may pass from one species or host to another; for example, the form of *E. graminis* on *Bromus racemosus* is incapable of affecting *B. commutatus*, but does not fail to affect *B. hordeaceus*; and the spores produced on the latter will then affect the previously immune *B. commutatus*. From infection studies it is further found that there are biologic forms among the grass hosts as well. Salmon reports that this restriction of the parasite to certain hosts may be broken down if the vitality of the leaf has been lowered by traumatic means. In this case penetration would result either in the injured area or certainly within the sphere of the traumatic influence. Spores produced by such infections proved capable of infecting uninjured leaves. The application of these results is certainly far-reaching; yet they must be extended and confirmed before a conservative explanation may be advanced. It is undoubtedly more or less in line with the well-known capacity of such fungi as *Botrytis*, *Nectria*, and certain Basidio-

mycetes to become parasitic under special conditions. Two leading inquiries may be suggested: (1) What constitutes immunity or resistance in the host? (2) What constitutes virulence or attenuation in the parasite?

As the result of practical experiments in cross-inoculation, on the one hand, and of close morphological study, on the other, some investigators have long claimed that there are racial or specific differences between the organisms producing the tubercles on the roots of certain leguminous plants. From the results obtained by Moore (in the U. S. Department of Agriculture) which have been reported but not yet published, I am permitted to recite a further interesting fact of accommodation. When an organism isolated from one host species is grown for a time artificially, under special conditions of nutrition, its host limitations are in great measure broken down, and it may produce tubercles on a variety of leguminous plants. It is likewise conceivable that in the case of certain yeasts the temperatures at which spores are formed, and the specific fermentative activities, may be changed by special conditions of cultivation.

In view, therefore, of the work already accomplished it is certainly evident that the propriety of basing what are termed species upon certain physiological characters has distinct limitations. I do not intend to bring into this paper a discussion of the inadequacy of the present nomenclature system from a physiological point of view. It may be said, however, that it is scarcely possible for the systematist to consider all physiological characteristics or to appreciate the confused ideals of the physiologist.

Stimulated by the marked advancement which has been made in physical chemistry, especially in the knowledge of electrolytic dissociation, the past few years have added much to our fund of information with relation to the toxic action upon plants of solutions of both acids and salts, as well also as of certain non-electrolytes. The work of Kahlenberg and True, Heald, Krönig and Paul, Clark, and others has contributed enough data for an appreciation of the limitations of toxic action. Nevertheless, no broad generalizations are as yet possible. Indeed, it is not generalizations which are wanted, but further experimental data bearing upon the relation to the toxicity of the ions and molecules and their respective interactions.

Studies may well be made dealing with the relation of nutrition to toxic agents, the effects of temperature and other conditions upon such action, and the accommodation of organisms to increasing strengths of deleterious agents. Naegeli's work on the oligodynamic action of copper is beginning to be appreciated, and in one way or another the results have in recent times been repeatedly confirmed. In most cases, however, no allowance has been made for the action of the nutrient salts which may be present in the

culture fluid and which may affect in a very dissimilar way two different electrolytes. In this connection it is only necessary to call attention to the toxic action of certain compounds of mercury, in which increased toxicity, due to the presence of small amounts of some other salt of the same acid as the mercury salt used, is indeed quite remarkable. Within the past few months an unusually interesting paper has appeared in which Kanda reports the action of certain toxic agents upon plants grown in pots as compared with those plants grown in water cultures. His important conclusions are as follows: (1) A strongly dilute copper sulphate solution, even 0.000,000,249 per cent, is injurious to seedlings of the common garden pea in water cultures; and neither a solution ten times nor one a hundred times more dilute produced any stimulative effect. (2) In pot experiments with soil, the same seedlings are uninjured when watered twice a week during a period of from five to eight weeks with a solution of .249 per cent; in other words, even after from five to seven grams of copper sulphate were present in each pot. No explanation is offered of this remarkable diversity of action, but within the past few months another paper has appeared which may throw light upon the results given. True has ascertained that finely divided paraffin, quartz-sand, filter-paper, or other insoluble substances are all found to reduce the toxic action of the deleterious salt. It is explained on the assumption of an absorption of the toxic molecules by the surface of the insoluble particles. Increasing the number of grains of sand, for instance, in any toxic solution produced the same effect as increasing the dilution. From the results of these two papers it would seem, therefore, that we have two entirely different sets of conditions to deal with when any test of such action is made in water cultures, on the one hand, and in soils, on the other. If Kanda's results are confirmed, an extensive series of tests with both fungi and higher plants should be made in order to determine some relation which may give a working basis for further comparisons. In fact, much of the work thus far done will have to be reëxamined in the light of these results, for if any precipitate or other solid particles have been present in the solutions, an error will enter into the calculations. The question will also arise if the surface extent of the vessel used in the culture is of any consequence. The practical bearing of these results in the treatment of soils is a matter which may prove of unusual economic interest.

Loew observed that marked injury results when such a plant as *Spirogyra* is placed in a solution of a magnesium salt, or in a solution in which magnesium is in excess. From all of the results obtained Loew has inferred that there is present in all plants requiring calcium an essential calcium protein compound. When magnesium must, owing to the predominance of this element, be substituted



for calcium in this proteid compound, there results a lessening of the capacity for imbibition, attended by unfavorable consequences. It has been further ascertained by the work of May, Kearney and Cameron, Kusano, Aso, and others, that there is for each plant a certain more or less definite relation between calcium and magnesium. Nevertheless, further experimental proof is needed before this brilliant hypothesis may be acceptable in its entirety. It may here be noted that in a paper read by the writer before the Society for Plant Morphology and Physiology it is indicated that magnesium compounds exert upon the marine algæ the least injurious action of all nutrient bases. On the other hand, it has not been demonstrated that the marine algæ require calcium.

The general phenomenon of chemotaxy, or chemotropism, demands searching investigation in view of the recent work of Jennings on flagellates, that of Newcombe on root responses, and other studies on the fungi. There is much to be done in determining the effects of heat and cold upon special processes, in a study of the relations of temperatures to other conditions of the environment, and in showing the limitations of accommodation phenomena. In the latter study, moreover, the effects of accommodation upon the general constitution of the organism should be followed. Stimulation at high or low temperatures merely expresses an intensified or modified irritability. It may be observed in this place that death at the supramaximal or subminimal may be due to changes of a very definite nature; but, as Vines has indicated, this means very little. To say that death at the supramaximal is due to the coagulation of an albuminoid as suggested by Kuehne is insufficient. For the immediate effect upon the protoplasm of this high temperature must also be of consequence. The external conditions of temperature of the effects of a modification of conditions are more or less readily determinable; but it has not been possible to follow the internal changes which result. It may be noted that the freezing-point of a plant is lower than that of the expressed sap; yet of course the freezing-point is not necessarily a valuable indicator of injury. The effects of temperature upon reproduction will be treated of later.

The symbiotic relationship of fungus and root to *Mycorhiza* offers a fine opportunity for careful investigation. The studies which have already been made serve only to put the reader in a state of hopeless confusion.

The universal phenomenon of irritability as manifested by trophic phenomena has been a fruitful field of investigation. The general methods of irritable response have been determined; and the best work of such investigators as Haberlandt, Noll, Czapek, Newcombe, MacDougal, and others has more recently been directed to the deeper

problems relating to the internal mechanism of response and to the exact methods of transmission of the stimulus, as well as to the immediate changes in the cells affected.

A word may be said concerning the regeneration phenomena, which are strikingly characteristic of the lower groups of plants, but which in the higher plants do not seem to be well emphasized, and are certainly less understood. The regeneration of the root-tip has been best studied. In none of the higher plants has it been possible from a single isolated active non-sexual cell, or a small group of cells, to regenerate the plant.

Although a study of the physiology of reproduction may be said to have had its origin in the early observations of Camerarius, all early studies represented largely only the ecological aspect of the subject. It is only in very recent years that rapid strides have been made in the general physiology of reproduction. The effect of conditions upon the production of antheridial or archegonial thalli, or of pistillate or staminate flowers among dioecious and polygamous plants, has received very slight attention. During the present year Laurent has published the results of experimentation during a period of seven years with the effects of fertilizers, or plant nutrients, upon spinach, hemp, and *Mercurialis annua*. It will be seen that according to his results an excess of nitrogen or calcium has a tendency to produce staminate flowers in the spinach, while potassium or phosphorus tends to increase the production of pistillate flowers. The seed produced on the pistillate flowers of these plants gave a preponderance of female plants; but from these plants, in turn, the seed yielded a larger number of staminate plants.- So far as I have been able to learn, it has never been determined if in a case of dioecious perennial plants it is possible by a change of conditions to induce a temporary or permanent change from pistillate to staminate flowers, or *vice versa*. In the same way, the influence of grafting or budding a scion of one upon the other has not been made out, although it is assumed that the flower will be characteristic of the scion.

It is with reference to the effects of external conditions upon the production of sexual and asexual fruiting organs that unusual progress has been made. In this direction a field of great magnitude has been opened by the work of Klebs, and it is evidently being pursued along all possible lines. As yet this work has been extended only to a few green algæ (as, for example, *Hydrodictyon* and *Vaucheria*); several fungi (*Sporodinia grandis* and *Saprolegnia mixta* especially); certain yeasts and bacteria, and finally, to several species of phanerogams. While with the algæ the light relation is of prevailing importance, with the fungi it is more particularly a matter of nutrition or transpiration. As a rule, with the latter Klebs finds

the stimulus to reproduction in the failure of the food-supply in the immediate vicinity of growth. That is, beginning with a well-nourished mycelium, a diminution of food-supply, other conditions being constant, usually compels reproduction. A change in the specific chemical content may be effective, and in other cases there are other concurrent stimuli. In the study of phanerogams it would seem that the problem is one which is, as a rule, far more complex. It has, however, been found possible with a few species to produce at will continuous vegetative growth or continuous flowering, to induce fruiting in a well-nourished vegetative shoot, and to incite vegetative growth in a flowering axis. It is probable that all shades of difference will be found in the capability of plants to have these processes distinguished by releasing stimuli; and it remains for the future to determine to what extent this is possible.

The general law which seems to be warranted is, that conditions most favorable for growth do not favor reproduction. The problem, then, is to determine for every organism what are these conditions under which, on the one side, growth, and on the other, reproduction, may occur. Whether, under any circumstances, the complete cycle of development may be run without any change in conditions apparently awaits proof.

In grafting it would seem that seldom, if ever, do any characters of the stock pass into those of the scion except such characters as may be due to the presence of diffusible metabolic products, or products capable of self-propagation upon requisite stimulation. In this manner it has been shown that albinism may be transmitted from stock to scion. Again, Strasburger has indicated that atropin is accumulated in the potato when on a potato stock there is grafted a scion of *Datura stramonium*. It has been found that hardness in the stock may affect the scion to a marked degree, but here the real problem is to determine what constitutes hardness.

Fusion possibilities in vegetative cells are more or less common in all groups of plants. In basidiomycetes parallel filaments fuse under many conditions of development, and a pseudoparenchymatous tissue may result. In grafting, the layers which fuse may represent different species or even different genera. Little is known concerning the factors influencing such fusions. Allusion may also be made to the fact that plasmodia of the same species of myxomycetes (at least, when produced in nearly similar conditions) fuse with one another. It should be accurately determined if this is an inherent property of the same race or species only, and if this fusion tendency may be weakened or dissipated by diversity of conditions under which the plants may be grown. The solution of such problems with simple and rapidly culturable organisms may even throw some light upon the more complex problems of self-sterility and

prepotence (in the sense in which these terms are used horticulturally) in higher plants — phenomena which may not be explained with present information. It has been found that tomato and tobacco fruits are sometimes formed without pollination; and the same is true of other plants. In certain cucurbits the act of pollination seems to afford a stimulus for the development of the fruit, even the dead pollen serving to call forth this response. Under such circumstances it may well be that other chemical stimuli may produce the same effect. On the whole, there are no more interesting problems in physiology than those relating to pollination, the penetration of the pollen tube, and conditions of fertilization. Many phases of these problems have thus far been studied by gardeners and horticulturists alone.

In this connection may be mentioned another fusion phenomenon of physiological interest, — that of double fertilization in the angiosperms. This fusion of the second sperm nucleus with the endosperm nucleus (itself a compound of two nuclei of the gametic groups) or with one of the polar nuclei, may have a special significance, or it may be merely the expression of the fusion tendency which has not been lost, although the function of the endosperm nucleus may have undergone specialization. In the case of the pine, it will be remembered that the second sperm nucleus frequently undergoes division in the cytoplasm of the egg. What is meant by the fusion of the gametes? This is always a fundamental problem. It may be strictly a matter of the fusion of characters, or it may further be a stimulus to embryonic growth. It is a remarkable fact, however, that this stimulus to embryonic growth does not merely involve the embryo itself. The limitations of the correlations which seem to exist between the mere process of fertilization and incitation to growth in the extra-carpellary structures are extremely complex. On the other hand, the process of fusion is often immediately followed by the resting period.

It would be extremely well if further attention could be directed to the matter of parthenogenesis in the higher plants. Except in the case of Nathanson's studies upon *Marsilia*, little has been done to indicate the conditions which may induce or which may tend to induce this process. In recent years, artificial fertilization, or stimulus to a certain growth of the egg in the lower animals, has been effected by chemical agents, by changes in the density of the solution, and by other means. This work has demanded world-wide attention from animal physiologists. It has been too much neglected from a botanical point of view, although the difficulties involved in similar studies with plants would be, for the most part, immeasurably greater. Yet it is certainly possible to prosecute such studies along the lines indicated.

Except in the case of *Sporodinia grandis*, and perhaps one or two other species of *Mucoraceæ*, mycologists have experienced great difficulty in securing the zygosporic stage of these fungi. The recent paper by Blakeslee, announcing the conditions governing zygosporic formation in this family, seems to open a field for investigation wholly novel and suggestive. The substance of his results is that this family may be divided into two principal categories, designated, respectively, as homothallic and heterothallic, these terms corresponding to monœcious and diœcious forms among higher plants. *Sporodinia grandis* belongs to the homothallic type, both gametes in every union developing from the same thallus. *Rhizopus nigricans* belongs to the second and larger class, the heterothallic type, in which the two gametes are invariably the product of two mycelia, which mycelia are sometimes of diverse vigor. When, in culture, the two strains, as they are termed, grow together, zygo-spores are abundantly produced along the lines of contact. These are the striking results of this important paper; but other related physiological facts have been observed, and only further investigation can tell whether this is a special case of gametic union in the fungi, or whether similar phenomena may be found to be characteristic of other groups where there is gametic union.

The discovery of Mendel's hybridization studies and the independent confirmatory evidence furnished by De Vries, Correns, and others, all indicate the necessity of differentiating unit characters and of following separately the inheritance of each unit character. The idea which it involves of the purity of the gametes with respect to unit characters, the segregation of unit characters in the formation of the gametes, is one of fundamental importance. Such work has given a marvelous impetus to studies in inheritance. Numerous investigators have followed up this work, but it will be many years, perhaps, before a test of the Mendelian laws can be carefully made with any great number of plants and animals. The exceptional instances already reported of the appearance of mosaic characters and the dissimilarity in the product of reciprocal crosses themselves indicate further fields for experimental research. Only a word need be said bearing upon the phylogenetic side of physiological work, since phylogeny, as well as pathology or ecology, constitutes a separate section of biological science. The admirable work accomplished by De Vries, serving beyond all question to demonstrate experimentally the origin of species by leaps or mutations, necessitates laying further stress upon discontinuous variation as a factor in the origination of existing species of plants. It is to be doubted, however, that most botanists will at present concur in such an opinion as that the evidence advanced is sufficient to disregard or disparage the part which is played by continuous variation in the

origination of species. Continuous variation must be manifest by relatively slight variations; and it would be unfair to expect at this time the experimental proof of its efficiency. It may even be assumed that there is a complete series between continuous variations and discontinuous variations, as well, perhaps, as between the possibilities of inheriting immediately or ultimately such variations. Many of the problems in plant physiology are distinctly practical problems. The task of the physiologist is primarily to study the activities of plants irrespective of practical bearing. To have the greatest possible breadth and force, however, the cultivated plant may not be neglected in any of its artificial environmental conditions. It is unfortunate that as yet physiological botany has not been made fundamental to agronomy, horticulture, forestry, and other sciences, arts, or commercial pursuits. Physiology cannot be limited by any practical problems, nor can any sacrifices be made, but a sympathy with commercial endeavor will invigorate the work, will afford equipment, and will contribute towards the common good.


In conclusion, it may be said that present-day physiology, even more than any other section of biological science, is fundamental. Many phases of pathology, ecology, phylogeny, and experimental morphology, especially, may not be clearly differentiated as sections. Broadly conceived, plant physiology concerns itself:

(1) With the relationships of existing organisms, ontogenetically and phylogenetically. Phylogeny would necessarily claim much of this general field, as would also morphology, ecology, and other subdivisions.

(2) With the functions or activities of organs, tissues, and cells, and the interactions and interrelations of these one with another and with external forces. It is here that morphology touches physiology most closely, and here experimental morphology must have its basis.

(3) With the incorporation and excretion of matter, metabolism, and growth, the sources and uses of energy, irritability, and the minute constitution of living matter. In this last are included many of the most fundamental problems, not necessarily problems involving the question "What is life?" but problems concerned with the resolution of those factors and an intimate knowledge of those materials which make life possible.

SECTION D — PLANT PATHOLOGY





## SECTION D — PLANT PATHOLOGY

---

(Hall 7, September 23, 10 a. m.)

CHAIRMAN: PROFESSOR CHARLES E. BESSEY, University of Nebraska.

SPEAKERS: PROFESSOR JOSEPH C. ARTHUR, Purdue University.

MERTON B. WAITE, U. S. Department of Agriculture.

SECRETARY: DR. C. S. SHEAR, U. S. Department of Agriculture.

---

THE Chairman of the Section of Plant Pathology was Professor Charles E. Bessey, of the University of Nebraska, who opened the Section with the following remarks:

“It gives me great pleasure to preside over this Section of the Congress of Arts and Science, since I have been interested in watching the development of the subject with which it deals from its beginnings in this country. The subject is still so new in American botany that many of us in this room remember when it had no existence. Some of us remember the efforts, about twenty years ago, of a few botanists who felt that the United States Department of Agriculture should undertake a systematic and scientific study of plant diseases and their causes. We recall the formal and informal letters we wrote, and the protesting articles which we published in scientific journals. We remember our gratification, not unmixed with some bewilderment, when the Commissioner of Agriculture acceded to our urgent suggestion by appointing a specialist in agrostology to the position of plant pathologist. Although scientifically illogical, this proved to be a fortunate appointment, and good work was at once undertaken, and rapid progress made in the study of certain plant diseases, accompanied by experiments in regard to the best methods of eradicating them.

“From this time of small beginnings so much progress has been made that to-day this country stands foremost in this department of botany. In the United States Department of Agriculture the Division of Plant Pathology now commands the services of many trained specialists, and, in addition, more than half of the experimentation botanists are plant pathologists.

“Gentlemen, I congratulate you upon the fact that, while you represent one of the most recent developments of botanical science, it is one which you have pushed with such vigor that in the short period of a score of years it has grown from nothing to its present

proportions, and I congratulate you further in that you are engaged in work which is at once scientific and immediately useful to the community. I trust that your deliberations to-day may result in giving still further encouragement and impetus to this department of pure and applied science."

# THE HISTORY AND SCOPE OF PLANT PATHOLOGY

BY JOSEPH CHARLES ARTHUR

[Joseph Charles Arthur, Professor of Vegetable Physiology and Pathology, Purdue University. b. Lowville, New York, 1850. B.S. Iowa State College, 1872; M.S. *ibid.*, 1877; D.Sc. Cornell, 1886; Post-graduate, Johns Hopkins, Harvard, 1879, University of Bonn, 1896. Botanist, New York Experiment Station, 1884-87; Professor of Botany, Purdue University, 1887. Member of the Botanical Society of America; American Association for the Advancement of Science; Indiana Academy of Science; Society for the Promotion of Agricultural Science; Association Internationale des Botanistes; Torrey Botanical Club; etc. Author of *Plant Dissection*; *Living Plants and their Properties*, etc.]

PLANT pathology, in so far as it has become a science, is an eminently practical one, and credit must be given for the initiative of its development largely to the stimulating demands of economic interests. The more intelligent and intensive methods employed in agriculture, horticulture, and floriculture during recent years have emphasized the profitableness of making due provision for maintaining the health of a crop and for evading and combating diseases in their multi-form disguises and modes of attack. It is the reciprocal stimulus of the cry from the commercial world to the man of science that has led to the present highly creditable and valuable understanding of the causes of many forms of diseases in plants, and of their therapeutic treatment. Although far from being a well-rounded and clearly established science, yet its high standing in the long roll of departments of classified knowledge is widely recognized, and its rapidly increasing growth is as sure to be maintained as the arts of productive commercialism continue to outstrip and dominate those of war.

Pathology of plants, as an independent subject, having its own lines of growth and its own terminology, is of very recent standing. Essentially all the part that rises much above empiricism and natural deduction from cursory observation has come to light within a quarter of a century. Very little that cannot be quite as properly relegated to mycology, morphology, and physiology antedates 1880.

The beginnings of the science as displayed in the earliest works giving an independent treatment of the subject are but little more than a century old. These writings are interesting in showing how carefully and effectively the paucity of facts was displayed upon a nomenclatural scaffolding built in imitation of the ancient edifice of human medicine and surgery. A glance at them will prove not only entertaining, but indicate the early lines through which our knowledge has been derived and the primitive influences moulding

its form. A representative work of the early school of pathologists is by von Zallinger of the Austrian Tyrol, whose treatise *De morbis plantarum* appeared in 1773. It is a scholarly and comprehensive work. Here are some of the topics considered: In what does the life and death of plants consist? Plants have diseases; wherein lies the health of plants? What may be called a disease of plants? Unfavorable appearances are indications of disease; how many general symptoms of diseases may be found? How many groups of diseases are there? If I should continue, it would soon appear that the work culminates in a classification of diseases based upon symptoms. The fundamental idea of the work is that when symptoms are correctly understood, knowledge of the disease follows with certainty, and treatment may be prescribed accordingly. The classification of diseases, as stated by the author, follows that of contemporary medicine, modified by the methods introduced by Tournefort and Linnæus. There are five general classes, divided into nineteen orders and eighty-four genera. Thus the second class is called *Paralyses*, and is divided into four orders: *Anorexia*, *Adynamia excretionum*, *Anaphrodisia*, and *Commata*. The last order, *Commata*, embraces three genera, *Apoplexia*, *Lethargus*, and *Lethargus gemmarum*. It is easy to see from the vantage-ground of present knowledge that this is more a classification of ideas than of facts. In truth, although the author recognizes the value of a knowledge of causes, the work does not touch upon the true etiology of any disease, and furthermore does not suggest a single prophylactic or therapeutic measure of even meager worth.

A similar work to the preceding is the second part of J. J. Plencks' *Physiologia et Pathologia Plantarum*, published at Vienna in 1794. But a more progressive work, in that it exhibits a better acquaintance with conditions in nature, is that of the Freiherr von Werneck, head forester, who lived in the Rhine provinces, and in 1807 published a *Versuch einer Pflanzen-Pathologie und Therapie*. Von Werneck philosophized thus: The simpler composition a body has, the fewer driving-wheels contribute to its action, but also the briefer, more obscure, and more involved is the chain of causes that lie at the basis of the movement. In order to be able to recognize each simple driving-wheel, or, what is the same thing, each simple cause, we must know the full connection of each simple condition and the value of the contribution of each simple ingredient to the whole. But the incompleteness of our knowledge of the plant body makes this determination of simple causes impossible.<sup>1</sup> The author goes on to distinguish

<sup>1</sup> Je einfacher zusammengesetzt ein Körper ist, je weniger Triebräder zu seiner Bewegung beitragen, je kürzer aber auch, je dunkler und verwickelter ist die Kette von Ursachen, welche den Grund der Bewegung enthalten. Um jedes einzelne Triebrad, oder — welches einerlei ist — jede einzelne Ursache bestimmen zu können, müssten wir den ganzen Zusammenhang jedes einzelnen Verhältnisses und

between immediate and remote causes, and to write learnedly upon many pertinent topics. But the amount of real knowledge of facts is small and inconsequential. Seven substances are listed as all that the author had found serviceable in the treatment of diseased plants during eighteen years of experience. They are: Lime, acids, alkalis, balsams, honey, corrosive sublimate, and mineral water. From perusal of his account one is forced to conclude that not much good was accomplished by the application of these remedies.

One more work should be brought forward in this connection. In 1795 J. M. Ritter von Ehrenfels, living not far from Vienna, published a work on the diseases of fruit-trees, which he addressed to the horticulturists among the middle classes. It was written with enthusiasm and inspired by patriotism and love of nature. Scholastic terms are largely discarded and a familiar but dignified style adopted. A work on the same lines at the present time would find place in the "Rural Science Series" or the "Nature Library." However, as in the other works mentioned, it is very evident that the science of pathology and therapeutics was in its helpless infancy.

There is no need to pursue the examination of the works of the beginners further. Enough has been displayed to show that, for the most part, in trying to systematize what little was known regarding the subject, they made a brave showing with borrowed finery of words. Nevertheless, an efficient terminology is not only attractive at any stage of a science, but in its later development nearly indispensable, in order to express exactly and concisely what has been definitely established. Its need is much felt even at the present time. At the Madison Botanical Congress in 1893, the matter was discussed in detail, and it was agreed that "it is desirable for vegetable pathologists to unite upon an international and purely scientific classification of plant diseases," which should be provided, for the most part, with a nomenclature based upon Greek and Latin roots, and that the common names, used by people in general, should be codified, and so far as feasible restricted in application to definite phenomena. The remarks of Professor Bessey at that time are still pertinent, and still deserve to be put into action. "We have two problems before us," he said. "One is the scientific classification of diseases or pathological phenomena; the other the determination of what are the corresponding vernacular terms used by the people. The first of these, the scientific classification, should be international; the work of deciding upon the ordinary vernacular terms need not be international." Nothing was done at the Madison meeting but outline the subject, and the committee<sup>1</sup> appointed at the time to continue the

den Werth des Beitrags jedes einzelnen Bestandtheils zum Ganzen kennen. Aber die Unvollkommenheit unserer Kenntnisse vom Pflanzen-Körper macht auch diese Bestimmung der einzelnen Ursachen unmöglich (p. 11).

<sup>1</sup> This "Committee on the Nomenclature of Plant Diseases" was composed of

work has made no subsequent report. In returning to the historical survey, we find that the borrowed nomenclature of the early pathologists rapidly fell into disuse, as the subject developed, because unsuited to its needs. Yet at the present time there is no question but that a vast accumulation of observation and deduction could be made more available by a purification of names, due consideration being shown to philology and to that curious, indefinable force to which we all submit, usage. We need not adopt the scholastic terms, but in some cases they might prove suggestive.

Plant pathology is debtor to many sciences for suggestions and foundation material, but the debt to human and animal medicine and surgery is not large, and consists chiefly in the transfer of names, with superficial reasons underlying the application.

The next influence that swayed pathology came from a wholly different quarter, and proved of more than temporary strength. In the publication of the treatises on plant physiology and structure by A. P. de Candolle in France, Schleiden and Sprengel in Germany, and the translations from German texts into English and other languages, observations upon deviation from the normal in plant life found considerable substantial basis upon which to rest. Back of these were the discoveries and doctrines of Malpighi, DuHamel, Hales, and Knight, of the earlier physiologists, and Treviranus, Moldenhawer, and especially von Mohl, of the later physiologists of this period, to give direction and strength to the course of ideas, although their influence upon pathology was only indirect. I am now speaking especially of the period from about 1800 to 1850.

Another influence upon the development of the subject during this time, destined to become greater than all others, was the growing interest in mycology. The fungi that are largely instrumental in producing diseases are the very small or microscopic forms. In the study of the classification of these during the first half of the nineteenth century, Persoon, Nees von Essenbeck, Link, and Léveillé especially deserve mention, while Sowerby, Corda, and the brothers Tulasne furthermore contributed much by way of splendid folio illustrations of a large number of species. The systematic diagnoses of the species were chiefly the work of De Candolle, Chevallier, and Castagne in France, S. F. Gray and Greville in Great Britain, Sommerfelt and Fries in Scandinavia, Link, Wallroth, and Rabenhorst in Germany, and Schweinitz in America. Of these the greatest influence was exerted upon systematic mycology by De Candolle, Fries, and Link. Treatises on pathology became more

Professor Byron D. Halsted, of Rutgers College New Brunswick, N. J., as chairman, and Messrs. W. F. Swingle, L. R. Jones, Chas. E. Bessey, W. A. Kellerman, Geo. F. Atkinson, and B. F. Galloway. It was to report to the botanical section of the American Association for the Advancement of Science. The time of service was not limited. See the *Proceedings* of the Madison Botanical Congress, 1893.

abundant at the last of this period, but were chiefly by German and Austrian botanists. The best of these were by Unger in 1833, Wiegmann in 1839, Meyen in 1841, and Nees von Essenbeck in 1842. In these and other works an enumeration and consideration of the parasitic fungi occupied half or more of the space. It must not be inferred, however, that any clear notion had yet developed regarding the relation which parasitic fungi hold to the host and to the accompanying disease. Throughout this period it was generally maintained that their existence was conditioned by the host. At first it was thought that parasitic fungi could not be reproduced by their spores, but were generated by the fermenting sap of the plant, or by a transformation of the perverted tissues. When it became clear that the spores did reproduce the fungus, it was still asserted that the fungus was a product of the disease and that its form was dependent upon the kind of host, or upon the state of the host at the time it was attacked by the disease. Endophytic species were frequently called pseudo-organisms, and the opinion was general that they might be transformed from one kind into another, according to the state of the weather, degree of moisture, amount of nutrition supplied by the host, or other uncertain factors.

It is not a part of the speaker's purpose to sketch the history of plant pathology, but in a perspective outline to trace the dominant influences that at successive stages of the science bore strongly upon the course and rapidity of its development. We have seen that prior to the beginning of the nineteenth century the science had so little knowledge at command that it might be said to be in its helpless infancy. During the first half of the nineteenth century it made rapid growth, nourished by the pabulum derived from the studies of plant structure and function, and from the systematic study of fungi, although harboring many erroneous beliefs. This period may be looked upon as a lusty childhood, full of activity and promise, but guided by unstable and imperfect theories. The next period extended from about 1850 to 1880, during which there was accumulated much positive knowledge of the fundamental features of the science that gave substantial basis for coming usefulness. It was a period of youth, to be followed by the period of established maturity.

The greatest single service rendered to pathology during this interim of thirty years was performed by De Bary in establishing the fact that healthy plants may be attacked and penetrated by fungi, which may there flourish and propagate, thus disproving the long-held theory that parasitic fungi were emanations of the higher plants. This did not lead at once to a full understanding of parasitism, but it cleared the way for an intimate study of the endophytic fungi. In this line of research De Bary was unmistakably

the leader. In 1853 he published his investigations on the rust fungi and the diseases caused by them, with special reference to the cereals and other useful plants; and in 1865 he gave to the world the first demonstration of heterœcism among the *Uredinales*.

Nothing could better show the unprejudiced attitude and clear judgment, together with facility for turning unintentional suggestions to account, which De Bary displayed in his studies, than this demonstration of heterœcism. For nearly a century English and Dutch farmers had been convinced from observation that the cup-fungus on barberry bushes in some manner promoted, or possibly gave rise to, the very unlike wheat-rust. These two forms of fungi are so dissimilar in appearance and structure that professional botanists would not entertain the notion that they were but two forms of the same species. Nearly at the beginning of the century, and more than fifty years before De Bary began his experiments, Sir Humphry Davy, the greatest chemist of his times, and well versed in the natural sciences, said: "The popular notion among farmers, that a barberry tree in the neighborhood of a field of wheat often produces the mildew [English term for rust], deserves examination. This tree is frequently covered with a fungus, which, if it should be shown to be capable of degenerating into the wheat fungus, would offer an easy explanation of the effect."<sup>1</sup> Others before and after Davy recorded similar opinions. After De Bary had shown by sowing spores of wheat-rust on barberry leaves, and raising the cup-fungus, that the views of the English farmer were well grounded, Continental botanists made many additional studies of heterœcious rusts, and in 1880 Professor Farlow started the work in America. But in Great Britain, where the annual field demonstration was so plain as to attract the attention of the unlettered, De Bary's results were discredited for more than a quarter of a century, and almost the only work in heterœcism so far done, unless we include the recent brilliant work of Marshall Ward and his pupils on the transference of the uredo-stage to allied hosts, was accomplished in the decade following 1883, by Plowright of King's Lynn, a physician quite isolated from direct scholastic influences.

In the study of life-histories of rust-fungi, and in the introduction of a culture method of observation now employed among all classes of plants, as well as in many other ways, De Bary contributed greatly to the advancement of mycology. The economic problem of the cereal rusts, for which De Bary supplied an interpretation of the most fundamental unknown quantity, transcends that of all others in plant pathology, if measured by the annual money loss to the cultivator in America, Australia, and possibly other countries. It is yet an unsolved problem. De Bary's services culminated in his

<sup>1</sup> Davy, *Elements of Agricultural Chemistry*, 2d ed., p. 266, London, 1814.



classical work on the morphology and biology of the fungi, published in 1884 at Leipzig, and three years later issued in the English language.

Beside great progress made in mycology during the thirty-year period now under consideration, another subject was started and well advanced, which was to become one of the most important sciences affecting pathology, whether of plants or animals, and destined to exert the greatest influence, furthermore, upon human well-being. Pasteur had prepared the way by his epoch-making researches on wine and beer, and the diseases of silkworms, for many excursions into the new world of the "infinitely little," the mighty pigmy kingdom of the bacteria, discovered by Leeuwenhoek a century before, but almost unrecognized until now. It had been shown that bacteria were plants, although their power of rapid movement kept many students from fully accepting the fact, when, at the beginning of this period, Cohn, the distinguished botanist of Breslau, first systematized the flora of this new realm, and established the infant science of bacteriology. Already Koch, then a young physician practicing in the vicinity of Breslau, had placed the question of the bacterial origin of certain contagious diseases of animals beyond doubt by his studies of anthrax, but it was not until the last of the period that any plant disease was definitely shown to have a similar origin. In 1880 Dr. Burrill, of the University of Illinois, published his studies on pear-blight, which he called the anthrax of trees, demonstrating that it was always accompanied by an enormous production of minute, colorless bacteria, and that the disease could be set up in perfectly healthy trees by inoculating a few of these bacteria into the young shoots. As in the case of every important discovery, it required subsequent studies fully to establish the claims of the discoverer, and to procure popular acceptance of the truth. Even to-day, after the lapse of a quarter of a century, there appears to be a lurking suspicion in the minds of most European botanists that, after all, the bacteria accompanying pear-blight are not, strictly speaking, the cause of this destructive disease of pomaceous trees. This is doubtless in part due to the fact that the disease does not occur in Europe and other countries outside of North America, for which our trans-Atlantic fruit-growers have reason to be profoundly grateful, although probably unaware of their good fortune. If our distinguished botanical visitors from across the waters to this Congress will observe the great injury which the disease has produced this year in American orchards, in many places killing outright a majority of the pear-trees, and doing immense harm to apple- and quince-trees, and will let it be known upon their return that the statements regarding this disease are not boastful tales to be classed as characteristic

of this endlessly expansible country, but sober facts, they will do a distinct service, not only to their eminent colleagues, but to the whole science of plant pathology. For when important truths are not accepted by the students of a science, the progress of the science suffers. That this first claimant among contagious diseases of plants is truly of bacterial origin is a statement as worthy of acceptance as that two and two make four, without need of mental reservation.

After this digression let us glance at the general treatises on the subject of pathology which went into the hands of the public during the thirty years preceding 1880, for one of the indications of cumulative activity and interest in scientific matters is the production of handbooks. They serve as maps to show the extent of exploration, the direction of advancement, and especially as a record of accepted knowledge, all in addition to their usefulness as practical reference-books for the cultivator.

It may be stated first that essentially all treatises of this period were by German authors, or reflections from German writings. The one work that exerted the greatest influence was by Kühn of Lower Silesia, afterward at the University of Halle, not only because it gave the latest information regarding parasitic fungi, to which the work was chiefly devoted, but because the author poured a hot fire of criticism into the camp of hero-worshippers, who extolled Schleiden and Schacht, both extensive writers upon physiological and economic botany, and Liebig, the agricultural chemist, and who, in admiration of the great and brilliant service these men rendered to science and to economics, were blind to their errors and to the drag upon progress which these errors imposed. He decried the medieval tendency to lean upon authority, and advocated closer study of natural phenomena. "It is the problem of the times," he says, "it is the problem, especially of the younger husbandmen, to progress energetically, to unite science with practice, and to apply the results of the former to the improvement of the latter, for personal profit as well as for the benefit of our fellow men. But it is not words or phrases that will lead us to this, — results, economically important results, must we be able to show; but in order to do this, we must understand that to examine methodically, see clearly, observe sharply, and interpret correctly the natural laws underlying the association of phenomena, is the true fruit of scientific study."<sup>1</sup> The admonition was timely and effective. The

<sup>1</sup> Es ist die Aufgabe der Zeit, es ist die Aufgabe, insbesondere der jüngeren Landwirthe, rüstig fortzuschreiten, die Wissenschaft mit dem Leben zu verknüpfen und die Ergebnisse der ersteren auszubeuten zur Vervollkommnung des letzteren, zum eigenen Vortheil wie zum Nutzen unserer Mitmenschen. Aber nicht Worte und Phrasen sind es, die uns dazu führen, — Resultate, practisch bedeutsame Resultate, müssen wir aufzeigen können, und um dies zu vermögen, müssen wir einsehen lernen, dass methodisch untersuchen, klar sehen, scharf

German investigator and the German cultivator became the foremost promoters of the science and practice of plant pathology, and maintained the supremacy almost, if not quite, to the present time.

Beside Kühn's admirable work issued in 1858, and also a dozen or so small handbooks showing the popular interest, two especially notable works, covering the whole range of the subject as then understood, appeared during this trental period. They were by Sorauer, director of the experiment station at Proskan in Silesia, issued in 1874 and enlarged and improved in 1886, and by Frank, of the University of Leipzig, issued in 1880, both authors afterward continuing their labors in Berlin. The two works are essentially alike in the division of the topics, except that Frank devotes over a hundred pages to harmful insects, while Sorauer, like most plant pathologists of the present time, leaves the consideration of insects almost wholly to the entomologist. Disregarding the chapter on insects, both authors devote approximately one half of their space to parasitic fungi, one third to external influences, such as unfavorable conditions of soil, moisture, air, and food-supply, and the remaining one sixth to wounds and galls. There is no need to go into detail regarding these works; their essential features have been preserved in all general treatises up to the present time, and are familiar to every one having some acquaintance with the subject.

At the beginning of the ninth decade of the nineteenth century plant pathology was a subject for scholars and for those who wished to know the reason for things, but it had no great economic importance. It taught many useful matters, but only in a small way. The part pertaining to parasitic growths was an adjunct of mycology, that arising from non-parasitic causes was an adjunct of plant physiology, and that having to do with wounds and galls was an adjunct of plant anatomy. But as a unified and independent science it had little standing. To-day shows a great change. There is such a vigorous growth in so many directions that as a science it seems unsettled and ill-balanced, but its merit as an important and vital part of useful knowledge has been recognized. It has become a utilitarian science of vast possibilities. Like the subject of electricity, which not long since was a department of physics of only moderate prominence, it has felt the energizing effect of a demand to help in forwarding the great economic enterprises of the times, which are the foundations of commerce. In the early days plant pathology was developed by botanists who had special love for the subject, working at such odd times as their regular duties permitted. To-day it has its organized and independent workers,

beobachten und den naturgesetzlichen Zusammenhang der Erscheinungen richtig auffassen lernen, die wahre Frucht naturwissenschaftlicher Studien ist. — Kühn, *Die Krankheiten der Kulturgewächse*, Berlin, 1858.

and the results are far more numerous and valuable; just as the mineral output of the world has been vastly increased where large corporations have supplanted the individual miners who worked for personal gain and love of wild life.

To start the science into this augmented development required an unusual combination of circumstances. So long as the farmer was content to lose from ten to fifty per cent of his crop of grain from smut, rust, or other fungous diseases, and ascribe it to the vague and uncontrollable action of the weather or the season, no concentration of effort was made to understand the nature of the disease, as a disease, and to invent methods of eliminating it from the fields. It required an epidemic severe enough to bring discomforts and threaten poverty in order to start an outcry that would be heeded, and divert the forces of science into a new channel. Such an occasion was the epidemic of potato disease of 1844 and 1845 in northern Europe, and notably in Ireland, where a famine resulted. But the region did not possess scientific men prepared to cope with the situation. Another such occasion was the introduction of the grape mildew into the wine districts of France. The downy mildew of the grape, common in America, but never epidemic, was first noticed in southwestern France in 1878. By 1882 it had become so destructive that in many vineyards about Bordeaux, where proximity to the ocean kept the atmosphere moist and favorable to fungal growth, the leaves dropped from the vines and the harvest of fruit was almost worthless. Here was a critical situation, and the man to cope with it was not wanting. That man was M. Millardet, professor in the Academy of Science at Bordeaux. A fortunate observation at this time was put to the test during the season of 1883, and through persistent study and experimentation carried on by Millardet, and by others under his direction, and by still others working independently, the most important fungicide yet known was soon in general use, and a great industry saved to France. The substance employed has been called from the first the Bordeaux Mixture, and consisted of lime and sulphate of copper in solution, which was sprayed upon the foliage.

It was the introduction of spraying in the early eighties that gave new life and new direction to the study of pathology. It also shifted the geographic centre of activity in the study of plant diseases from Silesia, where it had remained from the earliest times, westward into France. Nevertheless France was not destined to hold this advantage long.

In September, 1884, the American Association for the Advancement of Science appointed a committee<sup>1</sup> on the "Encouragement

<sup>1</sup> The members of this committee were J. C. Arthur, C. E. Bessey, W. G. Farlow, T. J. Burrill, J. T. Rothrock, W. J. Beal, and C. H. Peck. The following year the

of Researches on the Health and Diseases of Plants," three of its most active members being now members of this Congress. In April, 1885, the committee addressed a memorial to the United States Commissioner of Agriculture, calling attention to the desirability of instituting investigations into the diseases of plants under government auspices. The communication was well received, as were subsequent ones, and in July, 1885, Professor F. L. Scribner of Girard College, Philadelphia, was appointed to begin the work. The first report by Professor Scribner appeared in the Yearbook of the Department for 1886, and amply justified the wisdom of the movement.

Professor Scribner with wise foresight directed his greatest efforts toward a study of the diseases of the grape, enlisted the interest of many able vineyardists, and became familiar with the great activity then manifested in France. In 1887 the French Government commissioned Professor Viala, of the National School of Agriculture at Montpellier, to visit the United States and make an extended study of grape diseases throughout our territory, and in this enterprise Professor Scribner coöperated, the field work extending from June to December.

Thus it came about that the activity in the practical application of all that science had to offer in preventive, palliative, or curative treatment of the diseases of crops, especially of the grape, an activity that had recently attained notable proportions in France and Italy, was transplanted to America at a favorable moment, when the Government began to recognize the important interests to be subserved by thus protecting and increasing the output of the cultivator. This movement received another great impetus in 1888, when the state experiment stations were established by act of Congress, many of them including a botanist on the staff of investigators, whose principal duty lay in the direction of the study and dissemination of information regarding plant diseases. It was at this time and during the next few years that many American botanists went to the German universities for longer or shorter periods, and brought back enthusiasm for deep, critical study of difficult subjects. Still another factor which seems to the speaker of immense importance in this connection is the education of the cultivator in the recognition of diseases and in the comprehension of their causes and the extent of the losses that accrue. This has been effected by the bulletins and other publications issued by the Government and by the state experiment stations, by the return of graduates from the agricultural colleges into the active management of farms, orchards,

committee was reduced to five members by substituting the name of C. V. Riley for the last three; and at the next meeting, in 1886, the committee was discharged, having accomplished the particular object had in view when appointed.

and gardens, by the teachings of farmers' institutes, horticultural societies, and similar organizations, and to a less degree by other agencies. The result attained in twenty years is marvelous. At first only few cultivators could understand the nature of the efforts made in their behalf, and great indifference was shown toward suggestions for warding off or controlling fungous diseases, even when emphasized by abundance of proof and demonstration. But with increase of knowledge has developed widespread interest. The prophylactic and precautionary suggestions emanating from the laboratories are rapidly incorporated into daily practice. Great as is the increase in personal and national wealth, which this change has wrought, even greater is its importance in the reaction which has been exerted upon the growth of the science. It may be true, as many times asserted of late, that America now leads in the development of plant pathology, both as a science and in its application as a useful art, and if so, this laudable situation has been secured by increasing the opportunities for scholarly research and by the coöperation of an educated constituency.

I have said that the introduction of spraying gave new life and new direction to the study of pathology. So successful have been the results that it has furnished a sufficient reason for the expenditure of large sums of money, in both government and state institutions, for equipment and men to carry on the work. The division of plant pathology in the United States Department of Agriculture, founded by Professor Scribner, developed by Dr. Galloway, and now administered by Dr. Woods, has within twenty years grown to commanding proportions, with many laboratory workers and field observers, using during the present year an appropriation of \$130,000, entirely apart from what is expended in other departments of the Bureau of Plant Industry. It is safe to affirm that if it had not been possible to show that the efforts of the pathologists were resulting in the saving of many millions of dollars to the country annually, this material growth could not have been secured, and a large part of the fundamental knowledge developed in connection with the work would not have become available, while the general stimulus emanating from conspicuously successful enterprise must have been wanting.

A few words regarding some salient features in the history of spraying will give more concrete form to these statements. I have said that Bordeaux Mixture was the first efficient prophylactic substance employed. Although it had been known for a hundred years that copper sulphate, the active ingredient of Bordeaux Mixture, could be used to free seed-wheat of the germs of hard smut, yet attempts to employ it in other ways in controlling fungous enemies usually resulted in disaster, until the fortunate addition of lime reduced the

danger of injury to foliage, and made it the most important agent known to-day for the direct treatment of plant diseases. Many experiments have been tried with a wide range of substances, but none has been found to supplant it, although other preparations of copper, like the ammoniacal solution, are used for special cases when the staining of the foliage due to Bordeaux Mixture is objectionable. The methods of application have been refined and extended, early replacing the coarse whisk-broom first employed, until now a great variety of machinery is in the market, and choice may be had of many kinds of nozzles, and of knapsack, barrel, or power pumps of varied designs.

The general introduction of spraying was hastened by the advent of the Colorado potato beetle, which marched in armies across the country from the western plains to the Atlantic coast in a period of about ten years, leaving the potato-fields a waste of withering stalks. Something had to be done to hold in check these voracious insects, that threatened to do for America what the potato fungus had done for Ireland in 1845. As a result of these strenuous conditions, the arsenite insecticides were brought into use. At first they were applied in powder, but when the Bordeaux Mixture proved serviceable for fungi, it was found that both insecticide and fungicide could often be applied in one operation, and since then the practical work of the entomologist has to a considerable extent run parallel with that of the pathologist.

Success in spraying naturally stimulated inquiry into remedial and protective agents for fungous diseases not amenable to spraying methods. Attention was first directed to a method of protecting wheat, oats, and similar grains from smut, which would be more efficient and less hazardous than the very old one of steeping the seed in a solution of blue stone. In 1887 J. L. Jenson of Denmark brought out a method of applying hot water to the seed, that proved very effective, and was widely adopted. Ten years later H. L. Bolley of North Dakota introduced formalin for the same purpose, which is now extensively employed. It has also been found effective and is easily applied in the prevention of potato-scab, and has recently been used for flax where the presence of a fungus threatened to put an end to the industry.

In this connection a very ingenious method of ascertaining what kinds of fungous spores and how many are attached to the surface of seeds was devised not long ago by Professor Bolley. The seeds to be examined are washed with pure water, which is then revolved at high speed in a centrifuge. The resulting drop of sediment is placed under the microscope, and all the germs, large and small, that were present on the seeds are now clearly visible, providing unmistakable evidence of the fungous parasites infesting the field

during the last season, and indicating what should be done to prevent a recurrence of these fungi in the next crop.

But great as has been the service to agriculture and horticulture by this development of spraying and its related operations as well as the reciprocal service to the science itself, yet it is the outgrowth of but one division of the science, and that not necessarily the largest one.

Much work has been done, and still more is contemplated and under way, in the breeding of resistant varieties of various kinds of crops, with the double purpose in view of securing larger products and at the same time evading the destructive attacks of certain fungi, insects, and other small enemies. This work is likely to yield excellent results, especially where parasitic forms show adaptations within narrow limits. It must be borne in mind, however, that our knowledge regarding the range of adaptability of parasites is not large. Even the whole meaning of parasitism is not yet available to guide the plant-breeder. Much progress has recently been made toward a knowledge of parasitic adaptations and variations by the researches of Klebahn, Eriksson, Marshall Ward, and others, on the grain- and grass-rusts. Especially significant in this connection are the results obtained by Ernest S. Salmon at Cambridge University, who found that by mutilating or otherwise partially killing the tissues in the vicinity of the spot on which the spores of the grain mildew, *Erysiphe graminis*, were sown, a "biologic" form of barley mildew could be grown on wheat, which under normal conditions would be entirely immune to it. Moreover, when a form was once established by thus lowering the vitality of an immune host, as we may assume was the main effect of the mutilation, spores from the growth thus produced would infect uninjured individuals. Thus through the presence of a wound a parasitic fungus was enabled to gain a foothold and maintain itself on a crop, wheat in the instance cited, which had before been completely immune to it. This is surely a highly interesting situation. What assurance have we that after years of work in establishing an immune variety of grain or vegetable some mishap, like an untimely frost, a hail-storm, or an army of locusts, may not lower the vitality or cause injuries that will give just the right opportunity for the fungus, which we have taken so much pains to circumvent, to gain a foothold in our supposed immune crop, and profiting by the greater vigor of the new host, become after a short period of adaptation a greater pest than it was to the old varieties. Thus at the end of our effort comes worse disaster than preceded it. The moral of this fable is clear. Pathologists should turn more attention than at present to a study of the conditions underlying parasitism, of the degree of adaptation, and of the range of variation, among fungi which cause the diseases most



dreaded among cultivators. There are some abstruse and what to many are theoretical questions which need to receive careful answers in order to supply proper guidance for those working upon avowedly practical problems.

But I am in danger of infringing upon the ground of the speaker who is to follow me. It does not, in fact, come into the province of this discourse to speak of work under way at this time, or to point out the unsolved problems, except to indicate the branches of knowledge whose methods or facts are being turned to account.

I may at this point barely touch upon the aid that cytology is rendering to pathology by the illumination which it brings into the matter of the intricate life-histories of many parasitic fungi. Just at present we are awaiting with much interest the cytological results of investigations into the nuclear history of rust-fungi, in order to determine which sets of spores have merely conidial or vegetative powers, and which have sexual and consequently more intense powers of reproduction. Such knowledge will enable us to direct our attacks upon their activity with greater clearness and accuracy.

Taking a general survey of the field, the advance since 1880 is most largely along the study of parasitic diseases, and especially of the organisms which produce these diseases. It is natural that the life-histories of the fungi should first receive attention, especially the numerous small forms on field crops, and that the work should extend gradually to the large but frequently obscure forms on forest trees, and then to the minute and more obscure micro-organisms, the bacteria, yeasts, and possibly amœboid forms. Up to the present time the energy of investigators has been largely absorbed in studying the inciters of disease; the means by which the assaulting organism overcomes the resistance of the host has received small elucidation, and the nature of the physiological perturbations induced by the parasitic organisms, or by any other cause, is almost an unexplored field.

If I have said little about bacterial diseases, which have been studied with such brilliant success and with such clear and discriminating judgment by Erwin F. Smith of Washington, or of diseases caused by enzymes, to which we were introduced by the researches of Loew, or of the well-marked diseases of unknown origin, such as yellows and rosette of peach-trees, it is that I do not doubt but you will hear them more ably and entertainingly presented by my successor upon the programme. Neither is it desirable that I should discuss the advance likely to be brought about by the new theories and methods in the study of the action of poisons, as these are applied to the explanation of diseases, as well as to the devising of remedies.

In the long list of indebtedness held against plant pathology by various sciences, physiology stands foremost with the largest account, a condition fully recognized as early as the days of A. P. de Candolle, and especially emphasized at the present time. But in close succession follow mycology, anatomy, bacteriology, chemistry, cytology, physics, toxicology, phylogeny, and other subjects in diminishing degree. That the science is largely in an uncrystallized condition, when looked at from our new points of view, is probably the reason why no handbook written from the modern standpoint and covering the whole subject has appeared since 1880, with the exception of the small, introductory, but highly luminous work by Marshall Ward, issued in 1891.

I trust that in this cursory presentation of the history and scope of the science of plant pathology I have made clear some of the lights and shadows that give interest to a subject of great economic and scientific importance.

# VEGETABLE PATHOLOGY AN ECONOMIC SCIENCE

BY MERTON BENWAY WAITE

[Merton Benway Waite, Vegetable Pathologist, United States Department of Agriculture, since 1887. b. Oregon, Illinois, January 23, 1865. B.S. University of Illinois, 1887. Author of *Pollination of Pear Flowers*; *Pear Blight and its Remedy*; and other botanical papers.]

VEGETABLE pathology is a practical, economic science and is an important aid to horticulture and agriculture. The science of botany began, in its early days, as an economic study of medicinal herbs, but the development of the subject has been mainly along the lines of pure science. There are no higher motives for study than the pure love of knowledge. To discover the laws and facts of plant life, for the satisfaction of knowing, has doubtless been the object of most of the researches of the botanists. Botany is rapidly becoming a practical science, but no one despises more than myself the attitude which assumes that knowledge for its own sake is not worth while attaining. The enthusiasm of the botanist is proverbial. The study was so fascinating that men pursued it for its own sake. In this way the various departments of botanical science have been built up.

Vegetable pathology utilizes all botanical knowledge and turns it to practical account. Doubtless the diseases of plants have been studied to a certain extent as pure science, but the enormous progress of the last twenty years in the study of plant diseases under the support of governments, experiment stations, and other public institutions, has been due to the practical utility of the knowledge obtained. Vegetable pathology calls to its aid all departments of botany as well as entomology, chemistry, physics, geology, and allied natural sciences. How different were the methods of the systematic botanist half a century ago from the investigating pathologist of to-day. The one working in some attic or small room, with his bundles of dried flowers and ferns and his collections in pigeon-holes; the other, with his expensive laboratory facilities, chemical and physical apparatus, greenhouses, gardens, and other equipment. And yet the systematic botanist laid the foundation for pathological work. The early mycologists, even if some of their descriptions were only three lines long, have left us very deeply indebted for the names and classification of the fungi. The working pathologist must know systematic mycology as well as the classification and names of flowering plants. He must be an all-around botanist. A copy of Saccardo's *Sylloge Fungorum* is an essential in every well-equipped pathological laboratory.

Mycology is so intimately connected with vegetable pathology that some have thought the terms synonymous. The parasitic fungus is frequently spoken of as the disease. The fundamental conceptions are distinct, however, even if in practice the work is interwoven. The mycologist studies fungi for themselves; the pathologist for the diseases they produce—in other words, from the standpoint of the host plant. If we acknowledge indebtedness to the early systematic mycologists, what must we say of the life-history of the fungi? To the studies in the biology of the fungi, as worked out by De Bary and his pupils, we trace the direct starting-point of modern investigation work in pathology. By no means are all plant diseases caused by parasitic fungi; yet the fungus diseases are so numerous and important that with their knowledge well under way, we are prepared to understand and distinguish from them the injuries produced by insects and mites, poisons and unfavorable environment, as well as the physiological and other non-parasitic troubles.

Plant physiology is another of the great aids to pathology. Physiology not only enables us to understand the disturbances in growth and nutrition of plants produced by parasitic fungi and other parasites, but it enables us more fully to understand the non-parasitic diseases. Through the researches of Dr. A. F. Woods an entirely new type of physiological disease is known to be produced by the action of enzymes. The study of enzymic diseases is in its infancy, but promises to enable us to unravel some of the most mysterious plant troubles. In this type of disease we have the curious anomaly of non-parasitic diseases which are contagious or at least communicable.

The closely allied subject of anatomical botany is also of great importance to pathologists. Not only is the knowledge of normal plant anatomy necessary in the study of abnormal structures, but the methods which have been developed in the study of anatomy are in every-day use by the pathologist in his researches. Especially useful are the histological and microscopical methods. Processes of imbedding, sectioning, and staining are absolutely necessary to the study of pathology.

Cytology is another very useful branch of botany to the pathologist. The finer studies in parasitism are possible only through a knowledge of normal cytology and through the use of cytological methods of research. Very little in fact has yet been done in cytological pathology, but this is surely one of the most promising lines for the future.

Plant ecology also lends aid to the pathologist. Disease in plant life may be defined as a condition of the plant by which it is partially or wholly incapable of responding to its environment. How-

ever, plants may be sickened by poisonous substances in the soil, may be injured by extremes of heat and cold, or injuriously affected by other environmental conditions so that disease results. After these unfavorable conditions have passed away, the plants are not prepared to respond to normal conditions. The ecologist understands the effect of environment on plants, their adaptations and struggles in competition with other plants and with unfavorable environment. When the plant succumbs wholly or partially in this struggle it becomes a pathological subject. Here ecology blends into pathology.

Bacteriology, although somewhat allied to mycology, deserves special mention as an aid in the study of plant diseases. A considerable number of plant diseases — no one knows how many as yet — are caused directly by parasitic bacteria. The study of these bacterial diseases forms in itself a very important department of vegetable pathology, and has enabled us to understand with considerable clearness a very large group of plant diseases. The usefulness of bacteriology is, however, still wider than this. The special methods developed in bacteriological research have quite revolutionized the life-history studies of fungi. I refer especially to the use of artificial culture media and the methods of isolating, cultivating, and inoculating parasitic germs. By these processes results which were only possible by the most laborious and uncertain methods thirty years ago can now be accomplished with the greatest facility by a student of only a few months' training.

Zoölogy, the sister science of botany, has contributed along many lines to botany, and therefore to pathology. Animal physiology, anatomy, and cytology have been extremely helpful. Many of the methods of sectioning and staining, especially the finer cytological and embryological methods, have been first worked out on animal tissues.

Entomology is connected with plant pathology in many ways. While the study of insects is itself quite distinct from the study of fungi, yet not infrequently the plant diseases produced by these diverse agents are difficult to distinguish till properly studied. The pathologist must know a good deal about insect injuries and diseases to distinguish them readily from fungus troubles. Furthermore, insects are largely concerned in the distribution of bacteria and the spores of fungi, and are thus important agents of infection. In the treatment by spraying in many cases an insect pest and fungus disease are killed at the same application. For example, the lime sulphur salt spray on dormant peach-trees kills the curl-leaf fungus and the San José scale. Bordeaux Mixture with Paris green or arsenate of lead kills the apple-scab and the codling moth.

The utilization of physiological botany, the methods of staining,

botanical microchemistry, as well as the studies of fungicides, bring the science of chemistry into continual use in pathological work. In fact, the limitations of the working bacteriologist and pathologist of to-day are largely in knowledge of chemistry. Most pathologists acknowledge that they have too little training in chemistry for the best results. The knowledge of theoretical chemistry, especially organic chemistry, is imperatively demanded in the further advancement of plant disease investigation. Perhaps no branch of natural science is of more use to pathologists at the present stage than physiological chemistry. It is opening the doors to entirely new fields of investigation in plant diseases. The general methods of research and laboratory equipment of the chemist are in frequent use by the pathologist.

A knowledge of physics is also of the utmost use to the working pathologist. While he can scarcely be expected to make investigations in the physical composition of soils, yet he must be prepared to utilize and understand the results obtained by workers in that line. We now know with more certainty than ever that many of the physiological processes in plant life are directly attributable to physical laws.

The plant pathologist should also have a general knowledge of horticulture and agriculture, or at least agronomy. He should understand the cultivation of plants, and should be prepared to master quickly and thoroughly the culture of any specific plant when occasion demands.

I have attempted to show that, while vegetable pathology is a somewhat narrow specialty, it requires very broad training on the part of the investigator. An ideal pathologist should have a thorough knowledge of systematic botany, including mycology, of physiological and anatomical botany, of cytology, ecology, and bacteriology, as well as a knowledge of zoölogy, entomology, chemistry, and physics, and allied sciences. I need scarcely mention that he should also have a good preparation in the languages, especially German, French, Italian, and Latin, and in such incidentals as drawing, photography, photomicrography, etc. A knowledge of horticulture and agronomy becomes absolutely essential when he starts in field work. Such a pathologist, of course, scarcely exists. Such complete equipment is hardly to be expected in one individual. No one realizes their deficiency more than the pathological workers themselves.

#### *The Treatment of Plant Diseases*

The object of an investigation of a plant disease is to find out the cause and remedy. If it is a parasitic disease the nature and life-history of the parasite must be determined. Its complete life-his-

tory is frequently necessary for full knowledge of the disease. The different stages of the organism must be worked out, where it spends the winter, how it reinfects the host plant, the climatic and other conditions which favor or retard its development or its parasitism. The stage at which it is most vulnerable, as well as the means of reaching and killing it, must be found out. If it is a non-parasitic disease, the causes or conditions which produce it are often still more difficult to ascertain, and the method of removing them or circumventing them is to be discovered.

The treatment for plant diseases is yet in its infancy, but successful results have been reached in many specific instances and along several lines more or less distinct. These may be classified as follows: (1) spraying with fungicides; (2) disinfection by means of germicides and fungicides; (3) eradication methods; (4) breeding resistant or immune varieties of the host plant; (5) cultural methods.

*Spraying.* The discovery of Bordeaux Mixture by Millardet about 1885 proved the starting of an important and successful era in the treatment of plant diseases. Spraying has probably accomplished more good up to the present time than any other method, or perhaps than all other methods together. The success of Bordeaux Mixture led to extensive studies of the other compounds of copper, some of which promised for a time to supersede the original preparation. While for certain uses copper acetate, and especially the ammoniacal solution of copper carbonate, have proved to be the best form of copper, yet the Bordeaux Mixture remains by far the most important fungicide. The sulphur compounds, whose use antedates that of copper, have also retained their place in the list of fungicides. The lime sulphur salt or the lime and sulphur mixture, on account of its usefulness in killing at one application certain fungi as well as scale and other insects, has become the greatest spray for dormant trees. During the last year or two dust-spraying, or, more properly speaking, dusting of plants, has come into prominence. The object here is to avoid the carrying and applying of large quantities of water, and instead to prepare the fungicide in a dust form, so that it can be thrown on the plant more economically. Rain or dew is expected to supply the necessary water to dissolve and more thoroughly distribute the fungicide over the plant. It has proved more satisfactory in the prevention of the codling moth and leaf-eating insects, in the application of insecticides, than it has in the prevention of the fungous diseases. These are more difficult to prevent, and in many cases even too difficult to prevent by the finest sprays, so that the results in dusting are not thoroughly satisfactory.

Bordeaux Mixture has achieved notable triumphs in the prevention of the black rot and the *Peronospora* of the grape, apple-scab and

pear-scab, pear leaf-blight on the pear and quince, leaf-blight of the plum and cherry, and the mildew and leaf-blight of the potato. Many other diseases are capable of prevention by spraying with this valuable fungicide. Curl-leaf of the peach is preventable by spraying with Bordeaux Mixture or the simple solution of copper sulphate shortly before the buds swell in early spring. The lime sulphur mixture is about equally successful applied at the same time. There are still some troublesome problems in the application of Bordeaux Mixture and other fungicides to growing plants. For some unexplainable cause, under certain climatic conditions, apples and pears are russeted or even deformed by the absorption of the poisonous copper through the cuticle. How to prevent this and to make Bordeaux Mixture that will be uniformly safe in spraying these fruits is an unsolved problem. Peaches and Japanese plums when sprayed in foliage, with Bordeaux Mixture or any other fungicide which has been tried, will, under most conditions, suffer severely. In most cases the fungicide kills round spots, which drop out of the leaves, producing a shot-hole effect, and at various intervals, from a few days to a month or two, all leaves touched by the fungicide fall to the ground. This defoliation results, of course, injuriously to the growth of the tree and the fruit. How to find a fungicide that will prevent the brown rot of the peach and plum and not injure the foliage is one of our most serious problems.

*Disinfection methods.* Certain diseases of plants are carried over mainly by means of spores or mycelium of the fungus which cling to seeds, tubers, and cuttings, etc. Where these can be disinfected and all the parasites destroyed, successful crops can frequently be grown in infested localities. One of the first treatments of this type was the dipping of wheat infested with smut in a solution of copper sulphate. Jensen found that hot water could be used for the loose smut of oats and other smuts successfully. The germination of the seed was even benefited by the treatment. Recently formalin has come into use for the same purpose, at first by the expensive method of dipping, and later by simply sprinkling it over the grain. Potato-scab was found by Arthur and Bolley to be preventable by dipping in a weak solution of mercuric chloride. Later they substituted formalin as a preferable disinfectant. The black rot of the sweet potato is preventable to a large extent by keeping the houses and hotbeds annually disinfected with copper solutions or formalin, and by selecting for planting only the sound tubers free from disease.

*Eradication.* No more puzzling disease as to its cause exists than the so-called "yellows" of the peach. There are two other serious diseases of the peach and plum of a somewhat similar nature, namely, the peach rosette of the Southern States, and the "little peach" of New York and Michigan. We are thus justified from their similarity



in calling this type of disease the "Yellows Group." Peach yellows has been demonstrated repeatedly to be readily controllable by promptly digging up the diseased trees and burning them as soon as they appear in the orchards. Thus, while the yellows is one of the most obscure diseases as to its cause, it is one of the cheapest diseases to control. A careful inspection of the orchard two or three times during the season, especially at the ripening of the fruit, and the digging out of an occasional tree for the benefit of the rest of the orchard, is vastly cheaper than the thorough and repeated sprayings necessary to prevent the average fungus disease. Rosette is pretty certainly preventable by the same means. The writer is now engaged, with his assistants, in testing the feasibility of this treatment for the "little peach," with every prospect of success.

Pear-blight, the bacterial disease which attacks the blossoms, young shoots, and the bark of pomaceous fruit-trees, can be remedied, or rather prevented, only by the eradication method. It is more quickly contagious than the "Yellows Group" diseases, and the eradication is more laborious and difficult and not quite so successful. Black knot of the plum may be mentioned as another fungus disease which can be controlled by the eradication method. Simply cutting out the infected limbs in the fall or winter has been demonstrated to control the disease. Even some of the leaf-spot diseases, such as the leaf-spot of the violet, can be controlled by picking all the infected leaves as soon as they appear.

*Breeding resistant varieties.* Until recently our object has been to discover some method of spraying or disinfecting the diseased plants, or by destroying and thus losing them in the fight against disease. At best all these methods are somewhat extravagant and wasteful. By breeding varieties of plants which are immune to disease, or which are resistant to a greater or less degree, we may even avoid the necessity of treating the disease. No more desirable method can be imagined of getting around a troublesome plant disease. In fact, in cases of some root diseases, there may be no possibility of using the other methods. For an example, Orton, in his work on the root-rot of the cotton and cowpea, found resistant varieties which would not take the disease, and grew a fine crop on infested soil where common varieties were entirely destroyed. Swingle and Webber found that by the use of the sour orange as a stock on which to bud oranges, they were able to grow trees resistant to the root-rot of the orange. Webber found that the Drake Star orange was resistant to the *Phytophthora* rust on the orange. Bolley is breeding varieties of flax resistant to the flax *Fusarium* disease. In case of tobacco the mosaic disease appears to be susceptible of circumvention by selecting the plants free from the trouble. Mr. A. D. Shamel has achieved a notable triumph in selecting tobacco in the

root-rot districts of Connecticut and Florida. Carleton, by breeding and selection, and by the introduction of resistant varieties of wheat from Russia and other parts of the world, has made excellent progress in growing wheat free from the rust. In this case, it would not pay to spray the wheat-fields, even if it were possible; so about the only way to avoid the losses from this disease is by growing resistant wheat. Of course resistance to a disease of parasitic nature is only one phase of plant breeding and selection. General vigor, ability to withstand unfavorable climatic conditions, productiveness, and special adaptability to certain soils and climates, or else wide range of adaptability are parts of the object of the plant-breeder.

This brings us to the fifth and last method of controlling disease.

*Cultural methods.* Every grower of plants finds that with most diseases, if he can grow strong, vigorous plants, they will be either immune to the disease or they will suffer so slightly from it as to grow successfully in spite of the trouble. By selecting proper soil and other environmental conditions for exacting plants, by the intelligent use of fertilizers and manures, the cultivator is able frequently to grow his crops with but little loss from disease.

In the arid regions of the United States the irrigated orchards and vineyards are almost entirely free from the fungus diseases of humid sections, such as black-rot and mildew of the grape, apple- and pear-scab, bitter-rot of the apple, and the ordinary leaf-spots. In Virginia the Newtown Pippin, when grown on the black, mountain loam soils, on the higher slopes and coves of the Blue Ridge Mountains, is nearly free from apple-scab and the fly-speck and smut fungus. It is also partly immune to the bitter-rot fungus. In low situations, or on the red clay hills at the foot of the Blue Ridge, it is extremely susceptible to all these troubles, so much so as to be commercially a failure there.

The selection of proper soils and localities for the peach, apple, and pear is a matter of the utmost importance in the commercial production of these fruits. This is true, of course, also of most of our garden vegetables and other crops. By the use of fertilizers we can frequently push plants into greater growth so as to enable them to resist partly or wholly certain types of diseases. Peach-trees infested by the root-rot, if heavily fertilized, will live and bear profitably without any indication of the presence of the disease. This is especially true in the Lake region, where the root-rot is apparently slower in its action than in the Southern States. The effect of fertilizers and stable manures is even more prominent in case of certain insect troubles than with the fungus diseases. A young peach-tree may be so sick from the attacks of the black peach aphid on the roots as to have every leaf rolled up and yellowed by the disease, and yet a bushel of stable manure placed around the tree in the winter and

incorporated with the soil in the spring may push it into a vigorous growth the following summer, so that no trace of the symptoms can be noticed.

The study of root parasites gives us an additional reason for the rotation of crops. In fact, judicious rotation of crops is one of the best methods of shaking off and avoiding certain diseases. Nursery stock of the peach, when grown in an old peach location where a nursery or orchard has previously been located, will usually be seriously affected with root troubles, such as crown-gall, root-rot, and other fungus root parasites, eel worms or *Heterodera*, not to mention root aphid and other insect troubles. This can be nearly all avoided by growing the trees on a clean piece of land which has never been in peaches.

The application of lime to the soil has proved very beneficial in preventing the club-root of the cabbage and allied plants.

It should be noticed in this connection that not all diseases are preventable by high culture. Certain diseases on fruit-trees, such as pear-blight and apple-scab, more readily attack vigorous, well-fed trees than they do those growing moderately. Brown rot of the peach attacks trees with large heavy foliage on rich soil, or where an excess of nitrogenous fertilizer has been used, more seriously than it does less thrifty trees. It is necessary, therefore, for the cultivator to understand his particular plant as to its requirements and as to its diseases. No one has to know plants so intimately as the pathologist.

The early successes in the treatment of plant diseases have led to vigorous prosecution of this work by the Government. The section of Vegetable Pathology, of the Department of Agriculture, was organized in 1886, by one investigator. In 1888 there were four working pathologists. In 1893 there were nine. During the present season there are about one hundred investigators employed in the Vegetable Pathological and Physiological Investigations of the Department, the majority of whom are now in the field studying the diseases of plants. Considerable progress has been made by other governments, notably France and Germany. Nearly every prominent experiment station in the world has a plant pathologist on its staff. Our own state experiment stations have at work in nearly every state in the Union from one to five investigators. In Australia, in the Philippines, in Java, in Japan, and, in fact, in nearly every country where scientific botany is being pursued, contributions to the knowledge of plant diseases are being made.



**SECTION E — ECOLOGY**



## SECTION E — ECOLOGY

---

(Hall 7, September 23, 3 p. m.)

**SPEAKERS:** PROFESSOR OSCAR DRUDE, Kön. Technische Hochschule.  
PROFESSOR BENJAMIN ROBINSON, Harvard University.  
**SECRETARY:** PROFESSOR F. E. CLEMENTS, University of Nebraska.

---

### THE POSITION OF ECOLOGY IN MODERN SCIENCE

BY OSCAR DRUDE

(Translated from the German by Miss Jane Patten, Boston, Mass.)

[Oscar Drude, Professor of Botany, Königl. sächs. Technische Hochschule, since 1879, and Director of the Botanical Gardens and Experiment Station of Dresden since 1890. b. Braunschweig, June 5, 1852. Graduate Student of Technische Hochschule, Braunschweig, 1870; Göttingen, 1871-74; Ph.D. Göttingen, 1874. Privy Councilor, Saxony; Assistant in Herbarium, Göttingen, 1874-79; Privatdocent of Botany, Göttingen, 1876-79. Member of the Leopold-Caroline German Academy of Natural Historians; German Botanical Association; French Botanical Association; Zoölogical-Botanical Association of Vienna; and numerous other scientific and learned societies. Author of *Atlas der Pflanzenverbreitung*; *Handbuch der Pflanzengeographie*; and many other works and memoirs in botany.]

IF, at a Congress fifteen years ago, ecology had been spoken of as a branch of natural science, the equal in importance of plant morphology and physiology, no one would have understood the term. That to-day in St. Louis it is given this rank is due to the zeal with which new lines of scientific research, inspired by discoveries in the most widely separated fields, have been followed during the last ten years; and no country has been in advance of America in placing in their true light the versatility, lofty aims, and scientific depth of ecology. In this country the floras of Minnesota, Illinois, Pennsylvania, and Missouri, also those including the region from the Appalachian Mountains and the Western territories to New Brunswick and Nova Scotia, have attempted to show how their contents are to be regarded by the light of ecology.

This new tendency has not arisen from any chance discovery; just as in the case of the study of bacteria, instruments had to be perfected before it could be placed upon a firm foundation.

In reality, this branch of science dates from the earliest period of botanical investigation, for in addition to the formal descriptions of those early times are found traces of a refreshing, vitalizing

insight which connect mere description of the living form with the vital phenomena of the animate world.

Individuality and independence, however, had first to be woven from the weakest as well as the strongest threads which unite the "sciences of the earth," essentially geographical in substance, with the vital phenomena of the plant and animal kingdoms.

Physiology had taught how, with the aid of physics and chemistry, experiments could be made in the laboratory; it was obvious that these experiments could be repeated out of doors, where the changing play of nature's forces could be observed and fresh data obtained, which later could serve as a basis for further experiments in the laboratory.

At the same time this new tendency took strict account of the morphological development of those organs which, independently, according to their adaptation to the environment, determine to what biological form a plant or animal belongs. The ability of a plant to perpetuate its existence as a tree with deciduous or evergreen leaves, as a perennial whose powers of rejuvenation have endured for centuries, as a weed dying after the quick ripening of its seed, or else as a freely swimming or submerged water-plant, or a plant exposed to the stress of storms and winds, is just as important from the ecological standpoint as are the various means of locomotion developed by animals for the purpose of securing nourishment, such as springing, running, creeping, fluttering, and flying through the air, or wriggling through the dark earth, swimming freely on the surface of the water, diving in its shallows, — or else banished for life to the depths of the ocean.

We find the greatest variation in vital conditions in passing from pole to pole, from the ocean to the ice and snow of the mountain peaks, from the sun-scorched desert to woody and shady valleys, or to the cool caves hidden in the cliffs where is seen the greenish glimmer of the *Schistostega*. For each change in the vital conditions we find specially adapted forms of animal and plant life, and in the fundamental principles of animal and plant geography we find the earnest endeavor to contrast the more physiographical details of distribution with the dependence of the adapted form upon the environment; this latter, with its great biological importance, being more especially the province of the zoölogist and botanist.

In this manner has the study of ecology come into being, and, since it has been most clearly and easily followed in botany, the word in its modern meaning has come to denote more especially the ecology of plants. Therefore the honor to address this Congress upon the subject of ecology has been given to a botanist, who is a plant geographer as well.



By the word "ecology" we understand the vital phenomena exhibited by plants and animals in the struggle for space, under conditions enforced by the climate and the physiography of a country. "Struggle for space" is Ratzel's appropriate version of Darwin's proverbial phrase, "struggle for existence," whose purport, however, remains unchanged. In the struggle for space each organism requires a place in which he can fulfill his career; that is, secure nourishment, and leave behind him descendants capable of occupying a similar location. Each organism is closely associated with its environment; each plant, each animal, lives, like mankind, in a special world of its own.

These considerations show us that ecology is the borderland to which the sciences of biology and geography can both lay claim. Thus the ecologist, persuaded of the importance of the various vital problems which here cover common ground, must have a complicated equipment for his varied work; he must be as familiar with the use of the balance, photometric and thermometric instruments, as with the absolute dominion of lifeless nature. In order not to be betrayed into forming hasty conclusions, he must work in the herbarium as a florist, with the microscope as a physiological anatomist, and also bear constantly in mind the geological development of present conditions.

Yet until now botany and zoölogy have held aloof from one another in this new scientific departure, although it is just here that victories common to both have been achieved,—as, for instance, in the biology of the flower whose form shows adaptation to the needs of the insect world; or in cases where there is mutual dependence between plant and animal, the one affording domicile, the other protection, as in the case of the Imbauba trees of Brazil, which furnish food and lodging to armies of ants, who in turn protect the trees from the devastating hordes of leaf-cutting ants. In this connection, too, has been brought to light the usefulness of the modest earth-worm and the versatility shown by plants in the methods used for protection from the voracious assaults of snails and caterpillars. The dire need of animals struggling to obtain their scanty nourishment is often revealed at the same time as the silent efficacy of the protective forces of the plant kingdom.

We can readily understand how through all ages the effect of large troops of Herbivora has been harmful to the plant world, while the effect of their enemies, the Carnivora, has been beneficial, and how these two influences must have produced various changes in the formations.

In determining the dependence of organic life upon the physiographic character of a country, the science of botany is naturally of the utmost importance, since the individual plant is found actually

connected with the outer world. Animals that live alone, or are banded together in flocks, swarms, or herds of the same species, are naturally incapable of building formations dependent upon the climate and inseparable from the soil. Their power of locomotion is a hindrance to the close connection with Mother Earth that is maintained by the flora.

Ecology is new in name only, and while stress has lately been laid upon the versatility of its special methods, we find the sources from which they have been derived far back in the past century, and the connection between ecology and geography, as evidenced by the restriction of the animate world to stations with special physiographic features, is expressed in the excellent floras of earlier days. Linnæus, in his *Flora lapponica*, a work which until recently has hardly received due recognition, has given us an example of how a flora may not only give a diagnosis of the different species, but also a description of their mode of life. A flora containing a description of the methods employed by the most widely distributed plants in perpetuating their existence, unfolding their blossoms, and ripening their seeds, is of the utmost importance for the true comprehension of the part played by every species in covering the soil with verdure. The worthy florists of that early period undoubtedly recognized the fact that the appearance of similar associations followed definite laws which they endeavored to express in the terminology used in their diagnosis of the situation; thus they actually were the founders of the modern doctrine of "plant formations."

But in order that ecology should advance to the rank of an independent branch of science capable of further development, the creative genius of an investigator was needed, who, unsatisfied by the older methods of description, could work from a more general basis. During his long journeys through distant lands, Alex. von Humboldt had recognized the special scientific value of the mutual relations existing between the annual change of season and the form of vegetation assumed by predominating plants. Accordingly, he chose a few representative orders of the plant kingdom, fifteen in number, such as palms, conifers, cacti, tree-ferns, mosses, and lichens, which by their mode of growth and perennation give a certain definite physiognomy to the district in which they predominate, since each one of these groups gives rise to landscapes totally differing in character. Von Humboldt was undoubtedly guided by the ecological spirit, as we should say to-day, in the elaboration of his excellent system, whose defects lay in the then existing confusion of vegetative form with systematic character.

Alphonse de Candolle enumerated these defects, when, in his *Géographie botanique raisonnée*, he laid the foundation upon which

could be based the study of a flora from the evolutionary point of view, and confined climatological considerations within their proper limits. But A. Grisebach in his earlier works had already begun to develop the doctrine that the victories of the all-conquering climatological factors find their outward expression in "formations" composed of special forms of the vegetation with which our earth is decked. The cactus alone does not determine the arid character of the desert, nor the Mauritia palm the tropical character of the Amazon region, nor the Lodoicea that of the Seychelles Islands. Mosses and lichens are not the only plant growth on the Siberian and Canadian tundras; and among the conifers the northern larches bear witness to quite different ecological conditions from those designated by the cedars of Lebanon, or the Araucarias which grow in eastern Australia and on the southern shores of the American tropics. With these plants, however, grow other species having the same requirements in regard to light, heat, and moisture, and all these together make up a typical formation in their common station.

Since Grisebach elaborated these fundamental ideas and gave them general expression in his *Vegetation der Erde* (1872), he may be regarded as the founder of the third period in the development of ecology, just as I regard von Humboldt, with his *Essai sur la géographie des plantes*, to be the founder of the second and Linnæus that of the first, which began with the appearance of his *Flora lapponica*.

As yet, however, the ability to penetrate the intimate relations existing between climate and plant life was lacking. The discovery of mere outward facts of contiguity furnished only the barest outline, which still needed the accumulation of important data for its true comprehension.

Knowledge of the evolution of the earth and of organic species became the aim of scientific research. Darwin's great intellectual achievements bore universal fruit. Such men as Moritz Wagner attempted to extend questions of theoretical evolution so as to include the problem of the distribution of species, until then regarded as something fixed and unalterable, and thus the idea of evolution became involved in the explanation of present conditions. In a similar attempt, especially in botany, to give formal diagnosis a more natural bent, the mere description of organs was transformed to biological morphology, while anatomy was changed to physiological anatomy. For floristic purposes the attempt was made, by means of the clear and simple methods used originally in experimental physiology, to correlate organs with the physiological factors of the environment.

While these new tendencies, developed from morphology and physiology, which to-day form the closest connection between the

organic and the inorganic worlds, were advancing and the vast amount of material already collected was being worked over, a special branch of science had arisen, namely, the biology of the flower, which, instigated by Darwin's work upon the mutual relations existing between different organisms, set aside the ancient opinion that zoölogy and botany could proceed side by side with absolute disregard of their dependence upon one another.

The pivot upon which investigations concerning the pollination of flowering plants turned was the "law of avoidance of self-fertilization." Facts which to-day are universally taught in the schools still remained to be proved by such men as Darwin, Hildebrandt, Hermann Müller, and others. It was discovered with astonishment that Koelreuter toward the middle of the eighteenth century, and K. Sprengel in 1793, had already disclosed "the secret of Nature in the structure and fertilization of flowers." Until then, however, no one had applied the biological relation between flowers, wind, and the insect world, as shown in the phenomena of pollination, important enough to be included in the science of botany, nor had any one made clear the mutual dependence of the animal and plant kingdoms in their household economy. These factors in the struggle for existence were now given their full value, and the different appearance of various associations was explained by the absence of this or that insect, while in tracing the boundaries which limit the area of distribution of certain plants and animals, as, for instance, *Aconitium* and *Bombus*, the organisms were found by Kronfeld to be interdependent.

Thus in the fourth period of the development of ecology, widely separated branches of science are brought together in order to explain the life-history of a certain region. These, however, must be united in the realm of geography to form a new entity, and, by their correlation of numerous data, prove the propriety of their use. The evolutionary tendency, which extends far back into the geological past, and is based upon knowledge of the areas of distribution of hosts of related genera and species, has been considered, especially in botanical geography, as a subject quite separate from that which treats of the vegetative forms and the formations as physiological entities, dependent upon external factors.

The division of entire continents into zones, as seen in the atlases of physical geography, gave expression to this feeling. It was also necessary to extend the ecological method to the field covered by the publication of special floras, and with renewed interest and zeal to begin the revision of the enormous mass of material collected therein. This work had already been begun in the floras of central Europe, which were soon followed by the excellent departmental work of the North American Surveys. Occasional brilliant descriptions of tropical floras, such as the descriptions of the vegetation

of Lagoa Santa, in Brazil, also that of Juan Fernandez and the division of Mt. Kinabalu, in Borneo, into regions, quickly bore the methods of the doctrine of formations to distant lands, whose floras until then had only been known to us through the systematic enumeration of their orders. Thus the way was prepared for the recognition of ecology as a new and special centre, and scarcely ten years have elapsed since this centre, which would unite biology to the natural sciences, was demanded.

Whoever wished to pursue the study of the physiology and development of organs, in order to understand the weapons used in the struggle for space on land or in water; whoever wished to study the mutual relations of species, rather than their inherited characteristics, or to consider the flora and fauna not only as they determine the characteristic appearance of the country they inhabit, but also as being the external, vital result of the effect of geographical factors, which is capable in its turn of influencing the aspect of nature, had to be called an ecologist, whether he wished to be so designated or not. Even the name of this new branch of science was still in dispute and no one was satisfied. To-day, however, we need not concern ourselves with the name. From the beginning, the mutual relations existing between the various branches of science exerted upon ecology the powerful influence which usually only accompanies the gradual change from the purely scientific to the utilitarian point of view.

In this historical sketch we have now reached the fifth period, which begins with the publication of MacMillan's well-known study of the *Lake of the Woods* (1897) and Warming's *Lehrbuch der ökologischen Pflanzengeographie*. These works emphasize the special province of ecology and give preference to the methods employed in the organic natural sciences rather than to those used in the geographical. It soon appeared as if this daughter of bio-geography would destroy the reputation of her mother and usurp her place, but the opportune appearance of Schimper's work, based upon the same foundation and fulfilling Grisebach's unattainable dream, completely restored the connection between the highly specialized ecological and the broader geographical points of view. The most distinguishing characteristic of this last period, however, is the closer bond of union established between ecology and phylogeny.

Evolutionary thought, which is the keynote of modern natural science, may proceed along two lines: according to the variation of species in regard to their spatial requirements, or according to the variation of an association under the influence of successive generations, each of which has undergone modifications. In this way the study of phylogeny is extended to the field of floristic geography. The connection between these two lines of thought will be

readily seen, if we consider certain recently evolved, feeble endemic species in connection with their nearest relatives, and also study the history of their modification under the influences of time and external circumstances. As such species we may mention the glacier willows of Nova Zembla and the twenty-three species of the genus *Hieracium*, restricted to the Faroe Islands and described by Dahlstedt. The presence of such species gives a decided geographical character to the region in which they occur.

Under the title *Géographie botanique expérimentale*, Bonnier endeavors to prove the direct effect of change of climate upon the variability of specific forms, and Géneau de Lamarrière uses the phrase *physiologie spécifique* to express the idea of the degree of adaptation accomplished. R. von Wettstein draws his conclusions from different premises, since he considers that the species which have been developed have been derived from related species and from those closely restricted to the same location. Having made this assumption, he then proceeds to search for the causes which have been influential in the accomplishing this end.

The ecological point of view includes those things concerning the question of continuance in a given location, the power of obtaining nourishment, and the certainty of establishing the succession, which are not general and uniform, but which differ according to the varying factors of the environment. Ecology is the study of epharmony in the organic world, and the possibility of variation possessed by species, as well as the mere fact of their life together, is an ever-present, dynamical factor in the determination of the external appearance of our earth. But it is not enough simply to discover and describe these various specific relations; we must press forward and from the mass of accumulated data obtain an intimate comprehension of the organic form in its dependence upon Mother Earth!

During the course of our historical sketch of the development of the ecological idea, three special points of view have been made manifest, namely:

- (1) The relation of the organization of ecological forms to the morphology of plants and animals (morphological relation).
- (2) The relation of the ecological formation to the physiography of the country (physiographical relation).
- (3) The relation of ecological epharmony to the phylogeny of systematic groups in both animal and plant kingdoms (phylogenetic relation).

If we wish ecology to rank as a special branch of biology, we must undoubtedly consider these three points of view as inseparable, and we may give our attention to either one or the other, just as, until recently, most North American studies have been devoted to inves-

tigation of the ecological station and the analysis of the smallest associations. The union of the morphological, geographical, and phylogenetic points of view upon the physiological basis of adaptation and dependence, alone gives us the essence of ecology. Therefore we will devote the following remarks to an elucidation of these three fundamental ideas, and try to show how intimately their connecting threads are interwoven.

(1) Considering the many internal and external differences in the adaptation of various organs to the environment shown by aquatic, rock-living, forest, and swamp plants, or springing, flying, creeping, and swimming animals, it has been thought expedient to elaborate this point of view separately, which serves as a basis for physiological anatomy. The works of Schwendener, Vesque, and Haberlandt, which turned the methods of systematic, anatomical description into physiological channels, gave botany its freedom. Yet it is difficult to develop a special ecological system of instruction from morphology and anatomy alone, since an inextricable network is formed by the relations existing between inherited systematic structure, climatic factors, regional peculiarities, and the influence of coexisting plants and animals, whether friends or foes.

Each one of these relations is capable of forming a basis for comparative analysis and classification. The dissatisfaction felt with earlier as well as with more recent divisions, such as those given in Reiter's *Consolidation der Physiognomik* (1885), is explained by the inconsistencies which necessarily attend the incessant change from morphological to physiological or physiographical characteristics, and it is doubtful whether we shall ever be able entirely to avoid them. The difficulties are most apparent when we attempt to change the accustomed systematic arrangement of our museums to one which shall represent the ecological features of a given formation. It is, however, necessary to work out this new point of view, using ecological types as a basis.

There are quite a number of individual morphological forms having no definite ecological meaning; undershrubs, shrubs, and bulbs are found distributed in the most dissimilar stations in every clime, while their requirements in regard to season, warmth, and light differ totally. Undoubtedly the most important forms of vegetation are those which depend directly upon the climate and whose appearance typifies to the geographer, unversed in ecological methods, a certain definite landscape. Von Humboldt tried to do justice to the importance of these forms when he made the first attempt at classification.

The principles of ecology have been of especial value in the introduction of ecological names, which refer to annual periodicity, such as "evergreen leather-leaf plants," "trees bearing a tufted, ever-

green crown," and "leafless, perennial succulents," in place of the systematic names of orders whose predominance characterizes a given landscape, such as conifers, palms, and cacti. The leaves have come to be more and more regarded as a distinguishing characteristic, and to them is dedicated Hansgirg's *Phyllobiologie*, in which they are classified according to their pubescence, their flexible or rigid character, or according to their structure for protection from light, wind, or rain, or the method they adopt for shedding water, either by means of "spouts," or of an impervious wax covering. It is their structure which bears the imprint of the climatic seal and determines the fundamental form of tree, shrub, bulb, and mat, just as their period of activity determines the length of the season. Thus in groups formed according to leaf and vegetative period, we naturally find the most diversified sub-groups, among which may be reckoned those classified according to the mode of displaying the flower, the manner in which it is fertilized, the protection of the pollen from rain, or the characteristics of parasitic or insectivorous plants, while there may still be others arranged according to the station, either in light or shade, on dry or moist soil, or humus or on rock.

As yet, science has not succeeded in obtaining a satisfactory enumeration of the separate ecological forms, for this, the science in its anatomical and physiological aspect is still too young, but it is a pleasure to see the increase in investigation along these lines and the severe criticism to which the results are subjected. For the future, we can predict a classification of living forms, which, based upon observation of external appearance, will appeal to a far larger circle than do the intricacies of phylogenetic research, whose embodiment in a system offers just as great difficulties to the more formal methods of classification.

(2) Ecology is the doctrine of reciprocal biological relations and of the adaptations acquired in the struggle for space and necessitated by the existing conditions of soil and climate; we may therefore consider that these terms show us the links by which ecology is indissolubly bound to the geographical sciences. Still, it would not be right to consider botanical geography as only the same matter as botanical ecology, since, taken by itself, and without due regard to the ecological interpretation of phenomena, there exists also an abstract, geographical method of considering the organic world.

If, however, we survey the organic world from the geographical point of view, it seems to us of the utmost importance to divide it into organic districts which will represent the essential characteristics of continents, islands, mid-ocean, and seacoast. From the biological point of view it seems of the utmost importance to discover the



causes determining the different areas of distribution, by an investigation of the life-history of our present environment, or, when this fails to give the required explanation, find out, by patient research among the geological records of the past, the locations where analogous conditions must have prevailed.

The essence of geography is the endeavor to acquire knowledge of the distinctive features of the earth, and for this purpose all the data of related sciences must be collected. Since the organic sciences are constructed from separate bits of knowledge, they must take each fundamental element into account, that is, consider each individual species according to its inherent qualities and external form. The tendency of ecology to accumulate minor details obstructs the broad view towards which it has painfully toiled, until the introduction of the freer methods of geography aid it in uniting the results of divided effort. We have here before us an excellent example of the intimate connection between two branches of science, the one being the complement of the other and acting as a stimulus to further investigation.

The attempt has been made to introduce into ecology various phrases which shall have a definite, geographical application, but in order to do this, due justice has not been done to existing facts. The phrase recently used, "Climate creates a flora, soil determines the formation," seems to me to be unfavorable for the advancement of future research along those lines where climate and soil furnish a causal explanation.

Climatology especially must be restricted within its proper limits, where, however, it must be given all its privileges, as, for instance, in the classification of continental zones. It seems to me entirely wrong to allow the undue influence of a certain factor to establish unnatural scientific divisions in a subject whose inherent worth lies in the correlation of the most heterogeneous data. The defects which arise from the use of a single morphological characteristic have been recognized in systematic classification, so that here, where the investigator must deal especially with the complexity shown by determining factors, the giving prominence to one factor alone will enable him to illumine only a small portion of the field and will give him but imperfect means of taking his bearings.

In the determination of both large and small divisions the naturalist is ever haunted by the same questions: for which forms of vegetation, as well as for their union into formations, is each district best adapted, and by what vital conditions does it differ from neighboring districts?

It is strange that until now the ecological branch of animal geography has almost neglected this, to me, most interesting side of the question. Yet the periodic phenomena of animal life, so often con-

temporaneous with those of plant life, should invite the investigation of the naturalist. Recently, in the subtle work of Kobelt, animals have been divided into great groups according to their behavior toward the northern winter, as well as according to the cause and forms of their migrations. This immediately brings up questions as to the climatic limits of their distribution, the southern boundary of hibernation, and also of the parallel which separates the winter and summer quarters of the northern eider-duck from those of the Antarctic penguin which cannot fly. With these we may compare the shorter migrations of reindeer and bison.

The time may not be far distant when the geographical maps of the animal kingdom will emphasize this point of view more strongly than the fact of mere territorial distribution. For its part, botanical geography is occupied in making clear in separate, experimental works, the connection between landscape and formation, and, by imitating geology in the publication of special maps, a long-felt need is being satisfied. Such actual accomplishment counts much in a field where our wish to make clear the cause so far outstrips our ability to do so, for we must not forget that in all other special scientific branches the final aim lies before us much more clearly than in ecology, which must be regarded as a place of public assemblage, and it would fare but poorly if it spoke of a final aim before sufficient work had been accomplished in the investigation of all vital phenomena.

The difficulty of stating clearly the reasons for the changing garb of this or that formation is shown by the circumspection used in MacMillan's work upon the *Lake of the Woods*, where, for the first time in America, this attempt has been made. We find another expression of this difficulty in the rows of figures enumerated in Jac-card's comparison of analogous association in the mats of the Swiss Alps. The vital question here is: Why, when fruits and seeds are so widely disseminated, do the stations of the different species remain so clearly defined within the areas of distribution? Even if we could empirically determine the vital needs of a single species by a consideration of its climatic requirements, area of distribution, and nature of the station, we should still be unable to explain the inherent differences caused by a greater or less degree of acclimatization, or the changing association of species and their different bearing in widely separated districts.

(3) Thus we are led to a consideration of the essence of species, in whose powers of adaptation and variation we find the key to the important problems which weigh upon us when we regard the abundant forms of life which take part in the world's work and live in peace and harmony under the favorable and unfavorable influences to

which they are subjected. This last point of view is that of ecological phylogeny, or the study of the variability of species during the struggle for space under the direct influence of newly acquired qualities.

The accumulated data concerning isolated, endemic species and the nearly related forms of a large specific group distributed over an extensive area, are only seen in their true light when we observe the ecological requirements in connection with distinguishing systematic characteristics and also take into consideration the results of recent research concerning the variability of species. Thus we may study from an ecological standpoint the problem suggested by Jaccard as to the cause of the reduction in number of species inhabiting a limited area, the number of genera being correspondingly large. This fact has long been noticed on islands in mid-ocean, and comparison has shown it to be equally true for separate mountain ranges. It appears as if a natural genus, rich in species, were permeated by certain fundamental ecological qualities, which enable it to appear in many places as victor in the struggle for space, yet each species of this same genus can only appear in a few places, so that an association may consist of many different genera, but each genus will be represented by only a few species. This appears to be the solution of the problem concerning the development of representative species in widely separated districts whose floral elements appear to have had the same ancestry. This is shown by a comparison of the European, North American, and East Asiatic floras, where we so often find nearly related species filling a similar ecological rôle. The larch belonging to all three continents, many moorland shrubs, the beech and the birch, all having a wide distribution, can be cited as affording excellent examples of this fact. *Sorbus Americana* in the mountain regions of New England and New York holds a position similar to that of *Sorbus aucuparia* of central Europe. Few species have remained exactly the same; the greater number have been broken up into representative forms, showing on the one hand species with decidedly similar ecological adaptation, while on the other hand many species have developed into dissimilar forms possessing dissimilar modes of life.

The persistence of certain ecological habits in a species, genus, or family, is made the basis of paleontological conclusions. We judge of the climate of central Europe during the Miocene epoch by the conditions existing to-day in places where we find *Taxodium*, *Sequoia*, *Sassafras*, *Magnolia*, and *Platanus*. The beeches and firs of that time, we consider, were relegated to the mountainous districts. It seems to us hardly probable that a plant like *Taxodium*, which in the warm Miocene reached as far north as Spitzbergen and Greenland, and has remained unchanged in form for one hundred thousand years, should alter its climatic requirements; we feel rather that it persists to-day

only in those places where the hypothetical Tertiary climate still predominates.

If we need still further illustration, we might mention the fact that agriculture, developed through centuries of human experience, is a branch of ecology which long preceded methodical science. In agriculture man took the household economy of plants into his own hands in order to provide them with the necessary light, the most propitious time for germination and ripening of the seed, and the most suitable soil, paying due regard, however, to the succession of seasons peculiar to the country and to the meteorological conditions.

A botanical garden to-day, richly equipped with natural plantations of every kind, greenhouses, moist and dry, hot or warm, bright, or illumined by cool, green light, shows how many plants, native to all climates and having the most varied requirements, may actually be brought together in a small space by means of the careful imitation of those conditions which we observe in the immense extent of territory stretching from equator to pole. Progress in horticulture denotes a minute observance of the vital phenomena of all the plants we wish to assemble about us, and physiological investigation of the effect of temperature and season give us the knowledge necessary to change winter to spring in our drawing-rooms and conservatories.

Humanity gladly claims its share of the achievements which beautify existence. Universal cultivation of the intellect cannot remain unaffected by results, which, together with those of other branches of natural science, escape from their special field to become so widely disseminated as to fill the thoughts of man and counter-balance the effect of the strictly logical, mathematical point of view.

Ecology has arisen from the need to unite originally separate branches of science in a new and natural doctrine; it is characterized by the breadth of its aims, and its peculiar power and strength lie in its ability to unite knowledge of organic life with knowledge of its home, our earth. It assumes the solution of that most difficult as well as most fascinating problem which occupies the minds of philosophers and theologians alike, namely, the life-history of the plant and animal worlds under the influences of space and time.

## THE PROBLEMS OF ECOLOGY

BY BENJAMIN LINCOLN ROBINSON

[Benjamin Lincoln Robinson, Asa Gray Professor of Systematic Botany, Curator of Gray Herbarium, Harvard University. b. November 8, 1864, Bloomington, Illinois. A.B. Harvard University, 1887; Ph.D. Strassburg University, 1889. Fellow of the American Academy of Arts and Sciences; Fellow of the American Association for the Advancement of Science; Member of the Botanical Society of America; Corresponding member of the Botanical Society of Brandenburg. *Author of A Flora of the Galapagos Islands*; and numerous papers on systematic botany. *Editor of Synoptical Flora of North America; Rhodora, Journal of the New England Botanical Club.*]

ONE hundred years ago our country more than doubled its extent. At the anniversary of this great event, one of the most momentous in our national history, it is fitting that its widespread effects should be considered not merely in relation to the growth and material prosperity of our country, but to all phases of the intellectual and scientific development of the nation. Our subject this afternoon is certain problems regarding plant life, problems which have become practical, important, and even vital to the interests of the American people, largely through the very territorial accession which we are now commemorating. While the Louisiana Purchase doubled the area of the United States, it increased in a far higher degree the physical and climatic diversity of the country. The newly acquired territory contained wider prairies, higher mountains, greater forests, deeper gorges, and more arid plains than any east of the Mississippi. It was a region of extremes of altitude, temperature, and precipitation. Its successful exploration, settlement, and agricultural development presented to our government and national energy problems as intricate in their solution as they were vast in magnitude.

Furthermore, the subsequent annexation of Texas and California was a logical sequence of the Louisiana Purchase, for it would scarcely have occurred had Louisiana remained in foreign possession. When the great Southwestern and Pacific States, with their still more varied climate and floras, are thus brought also into consideration, it will be seen that the Louisiana Purchase has directly or indirectly increased by many times the extent and importance of the botanical problems of our nation.

It is a matter of common experience that one of the best indications of the value of wild land is furnished by its native vegetation; and it is of interest to notice how early in the exploration of the Louisiana Purchase this fact was realized. The management of this great and beautiful exposition has named this very day in honor of

Lewis and Clark, the first effective explorers of the original Louisiana. Every botanist may recall on this occasion with pleasure the fact that Captains Lewis and Clark gave much attention to the strange and varied vegetation of the regions traversed during their intrepid journey into the pathless wilderness, which will always form one of the most thrilling and dramatic incidents of our national history. What is more remarkable, they brought back with them a considerable number of plants. It is pathetic to think under what difficulties and with what devotion to science these plants were collected, prepared as scientific specimens, labeled, securely packed, and transported thousands of miles overland under circumstances which made each pound of baggage a source of untold labor and peril. It was through these specimens, so heroically obtained, that the floras of the vast and varied valleys of the Missouri and Upper Columbia first became known to science.

At the time of Lewis and Clark the study of plants had but two important branches. These were classification and economic botany. A plant was investigated solely with the objects, first of determining its place in a rather arbitrary system, and second of discovering its uses. At the beginning of the twentieth century, on the other hand, botany, now become one of the richest sciences in carefully observed and accurately recorded facts, is divided into many highly specialized fields of research. While the extent to which this subdivision has now been carried is often a surprise to the non-botanical, such terms as plant classification, plant anatomy, vegetable histology, physiology of plants, vegetable pathology, paleo-botany, and the like, are readily comprehensible to the intelligent layman. He may derive from them a considerable idea of the nature and importance of the subjects they designate, even though he may be ignorant of their extent and details. The word ecology, however, is too recent and technical in its application to be familiar to many who have not been professionally engaged in some phase of botanical work. The term, although equally applicable to plants and animals, has been used far more freely by botanists than zoölogists, and it is solely in its botanical sense that it is here employed. Of the various definitions of ecology I believe none surpasses in terseness and excellence that suggested by Professor Barnes. "Ecology is that portion of botanical science which treats of the relations of the plant to the forces and beings of the world about it."

The scope, significance, and probable future of ecology can only be understood after some examination of its origin and history. The subject, although older than its name, is still a relatively new one, and it is worth while to examine its position with regard to the older branches of botany. The relation of ecology to plant geography is especially complicated and difficult to state. Discussions

on this subject are apt to leave the reader a little in doubt whether ecology is to be regarded as a phase or subdivision of plant geography, or whether plant geography is only a generalized form of ecology, or finally whether the two are capable of separation even by a rather vague boundary. So much, however, may be said with definiteness. These branches of botany have arisen independently and differed greatly in their history and point of view. They have both dealt with adaptation of plants to conditions of soil, climate, and communal life, but have approached the subject from opposite sides. Plant geography, much the older of the two subjects, was at first closely allied to systematic botany. It was pursued chiefly by systematists, and consisted largely of a series of generalizations upon the distribution of genera and species and their rough grouping into floras. More and more has the plant geographer studied the adaptive traits of plants, and observed their biological rather than their systematic relationships, until he now bases most of his conclusions upon ecological data. On the other hand, the ecologist, beginning with the individual plant and examining the relation of its structure to its activities and the activities to the environment, has been gradually and naturally led to wider and wider generalization regarding the influence of structure upon distribution and of environment upon structure, until in his plant societies and plant formations, he has speedily arrived by another path at just the point more slowly reached by the plant geographer.

The material of these two branches of botany is nearly or quite coextensive. It is difficult to find any ecological modification of a plant which is not at least in some slight way connected with its distribution, and conversely the present distribution of plant life, which forms the subject-matter of plant geography, has undoubtedly resulted immediately or remotely from ecological causes. It has been well said that plant geography is the study of the present consequences of past ecological conditions.

By its nature plant geography has been descriptive and classificatory. With all due regard to their natural affinities, adaptation, and gradual association, it has grouped plants primarily according to the soil and climatic conditions in which they grow. Ecology deals with the dynamics of plant life, with such phenomena as competition among plants, crowding and tension of floras, migration of plants, parasitism, symbiosis, and the complex relations of benefit and injury which exist between plants and animals. It is of all departments of botany the most recent in development, rapid in growth, and fascinating in subject-matter. The details of classification, anatomy, and physiology are dry and cold compared with such ecological discoveries as the varied modes in which plants are protected against the attacks of animals, the complicated ways in which they scatter

their seeds, or the highly complex adaptations of their flowers to secure cross-pollination. What facts of systematic botany, for instance, can be compared in popular interest with the adaptations of the ant-plants or the marvelous biological relations of the Yucca flower and Pronuba moth so critically studied by a distinguished botanist of this city? Ecology presents plants in their most human aspect. It deals with their struggles for room, light, and food.

It would be natural to suppose that a subject so varied and fascinating would have been among the earliest phases of plant study to receive attention, but it is only within the last two decades that ecology has asserted itself as a department of botany. Of course, the observations and records upon which ecology rests have been accumulating for centuries. The task which has been accomplished in recent years is the arrangement of these observations in new sequences and their interpretation from a new point of view. It is scarcely necessary to say that the new standpoint was furnished by the theory of evolution.

This being true, however, it would be natural to ask why the effect was not more immediate, and why a quarter of a century elapsed between the clear enunciation of the Darwinian hypothesis and the first organized study of ecology. This was due chiefly to two causes. In the first place the Darwinian theory itself was, in its varied aspects, a matter so important, and so violently discussed in its early years, as to leave among speculative biologists little attention for other matters. On the other hand, mechanical improvements in the microscope, microtome, and other such apparatus had just then opened great vistas of technical research along the lines of plant anatomy and physiology, which consequently formed in the sixties, seventies, and eighties the most popular fields of botanical study. Here the spirit of investigation was by no means speculative. Anatomical structures were studied in great detail, but there was an almost morbid reluctance to theorize upon their physiological significance. In like manner the physiologist was measuring and weighing, timing and recording the vital processes of the plant, but his work was chiefly in the laboratory, and he was not given to speculating upon adaptations to environment or the complex influences which determine plant distribution. The plant physiology of these seventies was as far removed from ecology as human physiology is from sociology.

In the late eighties and early nineties a feeling arose almost simultaneously in several quarters that anatomy to be of real value should be physiologically interpreted, and that physiology should go forth from its laboratory to observe and name a host of processes and forces of nature, which are no less important because in many instances they can neither be measured nor weighed. The new science, thus called into existence, was first spoken of as biology of plants,



but it was quickly found that the term biology, already overloaded with meanings, would prove but poorly distinctive in this application, and the name ecology was substituted.

It is easy to understand the rapid growth of the subject. The most attractive phenomena of nature were awaiting its reclassification. The speculative biologist had done much to clarify ideas upon the evolutionary history of the vegetable kingdom. The unspeculative histologist and physiologist had been accumulating a great wealth of facts, which were ready at hand to be correlated by broad and interesting generalizations. Systematic botany added its well-nigh boundless literature regarding the affinities and diagnostic features of plants. Conditions were all favorable.

One of the greatest difficulties of the ecologist has been to find a simple basis of classification for the phenomena covered by his subject. Their great diversity has made it hard to group them in a logical system. Their common element is too slight to suggest a consistent arrangement. It is true, ecology can in a very broad way be divided into the relations of plants to their inorganic environment, to other plants, and to animals; but this does not go far toward a satisfactory classification. The clearest and by all means the best basis for the grouping of ecological facts is their geographic aspect. As has been already mentioned, there are few if any ecological modifications of plants which cannot be in some way correlated with their habitat. It is in this way that ecology has now become inextricably merged into phytogeography, and that phytogeography enriched by ecological methods has become one of the most attractive and promising fields of botanical research.

Having thus endeavored to make clear the general nature and origin of ecology, together with its historical relation to phytogeography, I may proceed to their joint problems, treating henceforth the two subjects as coextensive and forming but a single discipline.

The examination of plant life from a new point of view necessitated to a great extent a new nomenclature. All ecological phenomena, and especially every phase of plant distribution, had to be reexamined in a detail which could not be technically expressed by existing words. Old terms were redefined and new ones invented in bewildering succession. This nomenclature is still inchoate, for the growth of interest in ecology has been so sudden that there has been no time for its language to become fixed by usage or for any survival of the fittest to determine which of its many synonymous terms will prevail. There are at present two general practices or tendencies apparent. Many of the most critical and effective writers on plant relations have contented themselves with a small number of new terms. In expressing a novel idea for which no technical term was at hand, they have avoided coining one, and have used instead some descriptive phrase.

On the other hand, it has seemed desirable to some of the more strenuous, especially in America, to make up an extensive and highly elaborated vocabulary.

Neither of these practices should be hastily condemned. The former method of expression, even if seemingly less precise and erudite, has the great advantage of immediate clearness. It is businesslike, practical, and free from any suggestion of affectation or pedantry. But on the other hand, in favor of such an elaborate terminology as that suggested by Professor Clements, it may be forcibly urged that a well-chosen technical term, even for an obscure conception, not only makes for brevity, but does much to fix and clarify the idea. It gives a convenient handle to a thought which may be otherwise difficult to grasp and awkward to employ. It may be further argued that most branches of science are considerably incumbered by a faulty and often misleading nomenclature of casual and unsymmetrical growth, by no means ideal, yet too firmly fixed to permit of reform. Is it not, therefore, desirable that ecology, a new branch of science, should be supplied at once with an adequate and consistent terminology, and thereby be spared many wordy wranglings and abortive nomenclature reforms which must inevitably result from a *laissez faire* policy in this matter? It cannot be denied that this reasoning has weight. Surely there is no systematist who does not regret the lack of convention in this regard among early writers upon his own subject.

The first great problem of ecologists is, therefore, to establish an adequate, expressive, and logical language of their subject, — *to establish*, I repeat, not merely *to invent* such a terminology. If effective uniformity in methods of expression can be accomplished, it will well repay prolonged effort and do much to give precision as well as dignity to the subject. In just this matter of nomenclature it may be thought that the systematist is in a poor position to offer advice, but surely he may be permitted on the score of long and trying experience to voice some cautions.

It has been suggested that ecological terms should be chosen by priority. This idea recalls the advice which a great art critic is said to have given when asked what step should next be taken in developing one of our municipal art galleries. His unexpected counsel was to burn it up. The principle of priority might not so completely destroy the fine arts of ecology, but it would inevitably singe and blacken them. Priority is only barely tolerable in taxonomy. No systematist determines his names by it absolutely, and the most annoying disagreements have arisen from varying efforts to restrain its ill effects. Were the principle of priority of expression to be adopted in ecology, many well-selected and now current terms of relatively recent origin would have to give place to the vaguer, poorly defined

terms of the earlier plant geography, or else some recent initial date would have to be fixed, and this would give great and perhaps unfair prominence to the works which happen to have been published at or shortly after that date. It has been found difficult enough for systematists to arrive at an agreement regarding this matter of an initial date, even in regard to authors of the rather remote past. It would be much harder for ecologists to make such a decision concerning a literature which is still chiefly of living authors. But, even if this matter of an original date could be harmoniously settled, the principle of priority would be a bad one. It would mean, not that the most fit, maturely considered, carefully discussed, and well defined term should be adopted, but that chance expression which happened to be used when the idea was first glimpsed. Furthermore, the matter of doubtful and partial synonymy of terms would present great difficulties in any such plan. Even aided by their far more formal descriptions and carefully preserved type-specimens, systematists often find synonymy almost impossible to unravel. Let this be a warning to ecologists.

Although this problem of terminology is so difficult that it should be taken very seriously, it need not be disheartening to the ecologist. The compilation and precise definition of a few hundred appropriate Latin terms with their vernacular equivalents in the more important European languages should not present a task of insurmountable difficulty for a well-chosen international commission, and would do wonders towards a solution of the trouble. The task is in no way comparable to that imposed by the two or three hundred thousand names with which systematic botany is weighted down.

During the brief course of its existence the progress of ecology both in the organization of earlier observations and in the discovery of a host of new facts has been flatteringly rapid. Of late, however, there has been a little cooling of enthusiasm, a barely perceptible tendency toward reaction, a slight question whether the subject of ecology will fulfill the promise of its hitherto conspicuous development. This feeling has been, if I rightly understand it, that the striking generalizations have now been made and the most accessible facts observed; that for its further progress ecology must now pass to details, and that these details will be found to have been already discovered and recorded to a considerable extent by the anatomist, physiologist, and systematist.

With this view I have no great sympathy. It is quite true that the ecologist has now reached a period of detail work in which results will come more slowly and be less spectacular, but still the point of view of ecology is admirably distinct, and the problems of the subject are endless.

In the first place, let us consider the division of vegetation into

life-zones, plant formations, plant societies, etc. Who will say that this highly interesting work of the ecologist is approaching completion? His scheme as yet is but an outline map, filled out only in a few isolated areas. Great reaches of territory have been wholly unexamined. Admirable work has been done locally. Even considerable tracts, especially in Europe, have been examined in detail, and the results brought together in Engler and Pruden's noble work, *Die Vegetation der Erde*. Warming, Schimper, Goebel, and others have extended ecological work to portions of the tropics of both hemispheres. In our own region there are many examples of critical work on restricted areas, as, for instance, Mr. Kearney's study of the Dismal Swamp and its environment, Professor Ganong's observations on the vegetation about the Bay of Fundy, our chairman's studies in Minnesota, Pound and Clement's organized presentation of the phytogeography of Nebraska, and Professor Cowles's interesting examination of the southern borders of Lake Michigan. Yet let any one who doubts ecological opportunity take a map of the world and note what an exceedingly small fraction of its surface has been seen by the eye of the ecologist, and what vast fields are still awaiting examination. There is not one of our states, even the smaller and more thoroughly examined Eastern ones, which does not offer to the plant geographer materials for monographic study and a volume as full of new information and valuable records as the phytogeography of Nebraska already mentioned. Just beyond the limits of our country is the great expanse of British America, readily accessible, healthful in climate, with a rich flora, taxonomically well explored and recorded by an indefatigable government naturalist, but offering for the most part virgin soil to the ecologist. Mexico, of which now even the remoter parts can be reached by rail, is a country of boundless floral wealth. With enormous mountains, wide plateaus, low tropical jungles, and extensive deserts, it offers in relatively close proximity an astonishing diversity of climate from arctic to torrid and from the parching dryness of arid sands to the most dense and oppressive moisture of the tropics. It possesses a vegetation far more varied in character and probably more rich in number of species than all the rest of the North American continent. Each mountain and valley seems to have its individual flora. To date, perhaps half a dozen trained ecologists have made hasty trips through small portions of Mexico. In their hurried records they have accomplished only the slightest beginning upon the varied and seemingly endless problems which the country offers. Although more difficult of access, Central and South America offer no less of ecological diversity and interest. Surely the unexplored territory on our own continent alone offers the ecologist the work of a century.

But it is by no means the case that these hitherto unexamined

regions present to the ecologist his only opportunity. His observations can be indefinitely extended, not merely in breadth, but in depth. To the taxonomist there seems to be a serious defect in many ecological publications, a lack of accuracy arising from the author's imperfect knowledge of systematic botany. Too often the ecologist, in characterizing his plant formations and plant societies, is contented with mentioning a few of the more obvious, showy-flowered, and easily determined spermatophytes. It is rarely, indeed, that he states fully and correctly the numerous species of goldenrods, willows, rushes, sedges, and grasses, to say nothing of cryptogams, which form such a large and important part of the flora he is studying. These groups are for him inconveniently technical, and he is all too apt to sum them up in a sort of generic way by such vague expressions as "*Solidago* species," "several undetermined *Junci*," "many sedges," etc. When the taxonomist protests against this superficial treatment of important groups, the ecologist replies in a superior manner that he cares little for such nearly related species, that they intergrade, and are from his more philosophic point of view relatively insignificant; that, in fact, he believes the systematist to have split up species in these more difficult groups far beyond what is natural or practical. Several prolific ecologists have intimated that they care but little about the details of post-Grayan classification. They mention as single species such perfectly demonstrated and undeniable complexes as *Antennaria plantaginifolia*, *Viola cucullata*, *Potentilla canadensis*, and *Taraxacum officinale*.

What makes this matter the more unfortunate is that the ecologist is rarely a collector in the taxonomic sense. His lists are often made in the field, and are subject to no check or control by means of adequate and carefully preserved specimens. This course seems all the more venturesome at a time when the systematist is becoming daily more reluctant to make field determinations, being fully aware how untrustworthy and valueless such identifications are, and how impossible it is for any memory to retain the details of recent specific segregation. Under these circumstances, how can the ecologist hope to make accurate field-lists, or how, without specimens preserved as vouchers, can he expect that his catalogues will be intelligible, not to say convincing, to other botanists?

In making these strictures on certain all too common ecological methods I do so by no means in the spirit of adverse criticism, but merely with the hope of showing more clearly the great problems still ahead of the ecologist. For a writer on plant relations who contents himself with mentioning *Antennaria plantaginifolia* as though it were a single species closes his eyes to a whole vista of most interesting observations along his own line. The taxonomist has proved that, instead of being a single species, this is a highly polymorphous

group of nearly related, although rarely, if ever, intergrading species. He knows that they have different ranges and habitats, and furthermore that by their parthenogenetic tendencies and the rarity of the staminate plant they offer to the biologist problems of exceptional interest. This is but one of many cases where from an indifference to the refinements of modern classification the ecologist has as yet failed to perceive lines of fascinating investigation appropriate to his own subject. Why should the ecologist by his own confession and preference be fifteen or twenty years behind the times in his taxonomic equipment?

While this is undoubtedly the rule, I am glad to say there are notable exceptions. The care with which Mr. Kearney has based his ecological study of the Dismal Swamp upon a large series of numbered specimens, critically identified and preserved at a great centre of taxonomic work, merits high praise. Other equally notable instances of conscientiousness in these matters might be cited.

In general, however, life-zones, plant formations, and plant societies have been indicated merely by the more conspicuous plants, identified largely in the field and with but little attention to herbarium records. Were ecologists from this time on for many years to explore no new territory, but merely extend their observations to the less conspicuous plants and more technical genera, were they to take full advantage of the most modern and detailed taxonomy, were they to place correctly in its ecological class each sedge and rush, each aster, lupine *Antennaria*, stemless violet, and *Sisyrinchium*, not to speak of cryptogams, they would find no lack of profitable occupation or interesting results.

In the definition of plant associations there is almost always vagueness. To some extent this is inherent in the subject. Floras pass into each other gradually, and sharp definition is as impossible as it would be unnatural. Yet there can be no doubt that further study could make the classification more definite. At present plant formations and societies are characterized, as we have seen, usually by a few typical and conspicuous plants, other plants often being mentioned as of more general distribution, occurring promiscuously in differing ecological conditions. In examining ecological lists it is noticeable that just these less readily classified plants are in many instances those which the systematist is inclined to segregate into two or more species. It is impossible to escape the conviction that the ecologist by studying these segregations could often place their components with greater definiteness than he does at present the aggregates, thereby attaining an added completeness and precision in phytogeographic groups.

From these facts it seems clear that ecology may obtain new depth by the aid of modern taxonomy. The converse is equally true. In

several matters the systematist must look to the ecologist for help in solving the most difficult problems of his field. In our present classification of plants there is still much that is artificial. On account of the overwhelming number of species to be examined and placed in the system, it has been as yet absolutely necessary to interpret each chiefly by the historic type. Every thoughtful systematist knows how arbitrary this is, and how seriously it hampers a natural characterization of individual species. The majority of plants have been first described from a very few specimens, or in many cases from a single individual, which ever thereafter remains the type of the species. That this historic type really represents the most typical form of the species can only be a matter of accident. In many cases it certainly does not. Yet, up to this time, it has often been impossible to solve by purely taxonomic investigations the difficult question which of several intergrading forms or varieties should be considered typical, central, or original, and which are secondary, peripheral, or derived.

A complicated problem is here involved. It is true that it has been somewhat obscured, although by no means hidden, by some systematists, who have thought to minimize the difficulty by the minute subdivision of their species. This, however, is obviously only a matter of words. To call a variety by a specific name does not stop its free intergradation, nor solve the problem of its origin and variability. It is certain that there are many variable species and that the variations have proceeded from a recent common type. It is further to be inferred that this typical form is in many instances still extant, but sure guides to its recognition are still a great desideratum in systematic botany. The question is one of development influenced by ecological conditions. It can be solved only by the closest scrutiny of distribution and habitat, past and present, with relation to the varying forms. Thus problems without number, of the greatest delicacy, requiring the closest observation and soundest judgment, are here opened to the ecologist who will turn his attention to questions of geographic variation in polymorphous species.

To turn now to a very different opportunity for successful work, I would call attention to the rarity of what may be called experimental ecology. It is not to be denied that some very interesting work has been or is still being carried on along this line, as, for instance, Professor Gaston Bonnier's studies of the influence of altitude upon alpine plants cultivated at different levels, but on the whole the field has been little worked. Of course, it may be said that much of what is classed as agriculture, horticulture, and forestry is a sort of experimental ecology. But in these practical branches the scientific aspect is apt to be obscured by the more conspicuous economic and æsthetic

interests, and the results to ecology are not great. The field here opened is boundless.

It is one of the chief difficulties of the ecologist measuring the effects of the different forces of nature upon plant life, that they are all acting at once. Each plant when in a state of nature is simultaneously affected by the physical and chemical nature of the soil, amount of light, degree of moisture, exposure to wind, density and purity of the air, crowding of other plants, and attacks of animals. Its development is the mathematical resultant of the composition of these forces. To understand their relative influence upon the plant it is necessary to isolate them. To do this it is only needful to vary one influence while maintaining the stability of the others. Such experiments require no great ingenuity, and may even be applied to plant communities of some size; thus the addition of a single chemical substance to the soil, changing the amount or character of the light, adding or withdrawing competing plants, modifying the degree of moisture in air or soil, or controlling in some single regard the animal environment, are nearly always possible, and often very easy experiments.

It may be said that these things have all been done repeatedly by the plant physiologist. This is very true, but it is to be remembered that his point of view has been different. He has tried these experiments to learn the specific reaction upon the particular plant. To the ecologist, however, their interest would be in the comparative effect upon the different components of a flora, for it would be thus that he would gain new insight into the fundamental factors in distribution.

Professor Warming, a great leader in ecological investigation, said some years ago, "There is scarcely a more attractive biological field than to determine what the weapons are with which plants force one another from their positions." Professor Ganong, in recently commenting upon this idea, says, "To-day we know no more of that subject than when Warming wrote those words." May not this problem be simplified by reversing it? Would it not be better to begin not with the weapons, but with the vulnerability of plants? Is it not safe to assume that when certain plants give way in competition it is because they are to a greater extent subject to some one or more adverse influences? The nature of these and the degree to which each species of a community is affected by them can to a great extent be determined by experiments such as have been suggested. When the relative vulnerability of the different plants has been found, it may be logically assumed that the weapons of the more resistant are nothing other than their superior faculties of withstanding these untoward influences, forces which by artificial control may be ascertained with definiteness and measured with precision.

To this point I have spoken chiefly of the development of ecology as a pure science. Although we live in an age when the pursuit of



knowledge for its own sake needs neither excuse nor apology, nevertheless, it is in its practical application that every science excites the keenest interest. An investigation void of immediate or indirect effect upon human welfare is relatively unattractive. An expert mathematician recently told me that there were great fields in his subject, hitherto unexplored, because they are too remote from any known application to physics, astronomy, mechanics, or any other branch of applied mathematics. The same is true, although perhaps to a lesser extent, in certain phases of biological work. They seem too far from probable usefulness to stimulate the investigator to their enthusiastic pursuit. This can, however, in no wise be said of ecology. Dealing as it does with the vital relations of plants to their surroundings, it yields information of the highest importance to the farmer, nurseryman, and landscape gardener. Indeed, it bridges just that all too wide gap between theoretical and applied botany, connecting the abstruse fields of plant anatomy, plant physiology, and classification with the concrete applications of botany in agriculture, horticulture, and forestry. The ecologist will never lack that wonderful stimulus which comes to the investigator who is conscious that his work is important to the welfare of his fellow beings, and intimately bound up with human progress.



**SECTION F — BACTERIOLOGY**



## SECTION F—BACTERIOLOGY

---

(Hall 15, September 24, 10 a. m.)

CHAIRMAN: PROFESSOR HAROLD C. ERNST, Harvard University.

SPEAKERS: PROFESSOR EDWIN O. JORDAN, University of Chicago.

PROFESSOR THEOBALD SMITH, Harvard University.

SECRETARY: Dr. P. H. HISS, JR., Columbia University.

---

### RELATIONS OF BACTERIOLOGY TO OTHER SCIENCES

BY EDWIN OAKES JORDAN

[Edwin Oakes Jordan, Associate Professor of Bacteriology, University of Chicago, Chief of Serum Division, Memorial Institute for Infectious Diseases. b. July 28, 1866, Thomaston, Maine. S.B. Massachusetts Institute of Technology, 1888; Ph.D. Clark University, 1892; Post-graduate, Clark University, 1890-92; Pasteur Institute, Paris, 1896. Lecturer on Biology, Massachusetts Institute of Technology, 1889-90; Associate in Anatomy, University of Chicago, 1892-93; Instructor, *ibid.* 1893-95. Member of the American Public Health Association; The Society for Experimental Biology and Medicine; Association of American Pathologists and Bacteriologists; Society of American Bacteriologists; Fellow of American Association for the Advancement of Science. Translated Huepe's *Bacteriology*; Editor of *The Journal of Infectious Diseases*.]

It is possibly a contemporary delusion that we are living in a period of unexampled mental activity. The life of the intrepid modern scholar affords opportunity for self-deception. If one becomes a member of a sufficient number of learned and quasi-learned societies, and attends committee meetings for an adequate variety of purposes, the impression of profitable intellectual endeavor may be prematurely acquired. There is much, however, to account for the prevailing sensation of breathless advance. The physiologic and psychologic accompaniments of a breakneck pace are not altogether lacking in the modern world, and there are bacteriologists, in particular, who will lend a credent ear to affirmations of the rapidity of scientific progress. However this may be, few can question that the development of the science of bacteriology has been marked by an unusual tempo. To those who have followed this development closely, discovery has trod upon the heels of discovery in bewildering succession. The scant thirty years of its history have been crowded with feverish activities, which have found their best justification in the results accomplished. At present the science touches nearly many human interests, and sustains manifold and far-reaching relations to the whole body of natural knowledge. It is no matter for surprise that such should be the case with a science that owes

its birth to a chemist, that concerns itself with microscopic organisms belonging both to the plant and animal kingdoms, and that extends its ramifying branches into the regions of medicine, hygiene, and the industrial arts.

In several respects the history of bacteriology might be held to epitomize that of the other natural sciences, or of the living organism itself. Advance in complexity of structure entails greater complexity of relations and adjustment; maturity has more extensive connotations than youth. Bacteriology is a relatively youthful branch of the stream of knowledge, but in late years it has perceptibly widened its banks. It has even encroached upon certain neighboring sciences. Modern physiography uses the term *piracy* to designate the capture by one stream of that portion of a watershed legitimately belonging to another stream. In the same way, one natural science, owing to peculiarities in its subject-matter, in its evolutionary history, or in the tools with which it works, may enter upon a piratic career, and appropriate territory which for various reasons has remained unexploited by the science to which topographically it may seem to belong. This annexation of neighboring fields has been not uncommon among the natural sciences, and bacteriology has not shown itself free from the general tendency. A notorious instance of piratic conduct on the part of bacteriology is the virtual appropriation of the whole field of microbiology. Perhaps most familiar in this connection are the discoveries concerning the life-histories of various microscopic animal parasites. The tracing-out of the relations between parasites and hosts in Texas fever, malaria, and dysentery has by no means been exclusively or even largely the work of zoölogists. On the contrary, it is well known that much of the most important work in this direction has been carried out by bacteriologists, and that the literature on these topics is chiefly to be found in the technical bacteriologic journals. A recent instance of this tendency is the renewed study of the remarkable protozoa called trypanosomes, which has in large part been undertaken by bacteriologists and by bacteriologic methods. Perhaps the most notable triumph yet accomplished in this field is the successful cultivation of these pathogenic protozoa outside of the animal body, a feat which has been achieved by one of the foremost American bacteriologists. The exploitation of zoölogic territory by bacteriologic workers is one of the many instances of successful borderland invasion, and, like the Louisiana Purchase, illustrates the impotence of territorial lines to prevent natural expansion. Many reciprocal piratic inroads among the sciences are due to the acquisition by one science of new tools which, when workers become generally acquainted with their use, are found to be applicable to other problems in other fields. Bacteriologic,

technique is one of these efficient tools the possession of which conduces to piracy; it can, however, never be forgotten that bacteriology itself owes its powerful equipment to a study of spontaneous generation which was undertaken primarily for the interest felt in its philosophic bearings.

Bacteriology stands in close relation to at least four other more or less defined fields of natural knowledge: to medicine, to hygiene, to various agricultural and industrial operations and pursuits, and to biology proper. Bacteriology, as has been often said, is the youngest of the biologic sciences, and for this reason has as yet contributed relatively little to the enrichment of the parent science. Morphologically the bacterial cell is so small and so simple as to offer many problems of surpassing interest, but of great difficulty. The question as to whether a bacterium is a cell without a nucleus, or a free nucleus without any cytoplasm, or a cell constituted in the main like those of the higher forms of life, has, to be sure, been practically settled in favor of the latter view. But there are other debated and debatable morphologic questions to which up to the present no satisfactory answer has been given, and to which our current microchemic methods are perhaps unlikely to afford any solution. On the physiologic side, the achievements of bacteriology in behalf of general biology have as yet been far from commensurate with its potentiality. This may be partly because of its temporary engrossment in other seductive lines of research, partly because of the lack of workers adequately trained in bacteriologic methods and at the same time possessed of an appreciation of purely biologic data. It may be justly urged that a rich harvest of fundamental physiologic facts waits here for the competent investigator.

There is no need to dwell in detail upon the manifold practical applications of bacteriology to the arts and industries. Particularly in agriculture and kindred occupations have the advances in bacteriology been immediately and intelligently utilized to bring forth in turn new facts and unveil new problems. The processes of cream-ripening and vinegar-making, the phenomena of nitrification, of denitrification and nitrogen fixation, the modes of causation of certain diseases of domestic plants and animals, have all been elucidated in large measure by bacteriologic workers. A new division of technologic science, dealing with the bacteriology of the soil, of the dairy, and of the barnyard, of the tan-pit and the canning-factory, has already assumed economic and scientific importance.

It is often a temptation to distinguish radically between pure science and applied science and to look upon the latter as unworthy the attention of the philosophically minded. True science can admit of no such distinction. Nothing in nature is alien to her. She can never forget that some of the most fruitful of scientific theories have

been the outcome of the search for the utilitarian. Man's knowledge of the universe may be furthered in various ways. It is well known that the work of Pasteur was particularly characterized by applications to the problems of pure science of knowledge acquired in the study of the practical. One thing plays into the hands of another in wholly unexpected fashion. An attempt to improve the quality of beer gives birth to the germ theory of fermentation, and this in turn to the germ theory of disease; the chemistry of carbon compounds leads to the discovery of the anilin dyes, and these same anilin dyes have made possible the development of microchemic technique and thrown open spacious avenues for experiment and speculation; the attempt to obtain a standard for diphtheria anti-toxin has resulted not only in the achievement of the immediate practical end, but in the discovery of unexpected theoretic considerations which have dominated the progress of an important branch of scientific medicine during the last five years. It will not be a hopeful sign for the advancement of science when the worker in pure science ceases to concern himself with the problems or avail himself of the facilities afforded by the more eminently utilitarian aspects of natural knowledge.

In the quarter-century of its history, bacteriology has sustained close and mutually advantageous relations with the science of medicine. This has been the scene at once of its greatest endeavors and of its greatest triumphs. To recount these would be superfluous. There is hardly an hypothesis in scientific medicine that has not been freshened and modified, hardly a procedure in practice that has not been influenced by bacteriologic conceptions. The experimental method in particular has been given new support and received brilliant justification. Experimental pathology and experimental pharmacology practically owe their existence to the methods and example of bacteriology. The security afforded by aseptic surgery has made possible physiologic exploits that could not otherwise have been dreamed of, a pregnant illustration of the way in which applied science may directly further the advance of pure science. Conspicuous as these achievements of bacteriology have been, it cannot be truly said that the field is exhausted. There is hardly an infectious disease of known or unknown origin that does not still harbor many obscurities. Some of the most difficult problems that medicine has to face are connected with the variation and adaptation of pathogenic bacteria. The phenomena of immunity, certainly among the most complicated and important that human ingenuity has ever set itself to unravel, still await their full description and interpretation. The study of the ultramicroscopic, or perhaps more correctly the filterable viruses, is being prosecuted with great energy and in a sanguine spirit. The extension of bac-



teriological method into the field of protozoön pathology has been already referred to, and constitutes one of the latest and most hopeful developments in the study of the infectious diseases. Medicine, perhaps more than any other department of human knowledge, is most indebted to and maintains the most intimate relations with the science of bacteriology.

At the present time the relations of bacteriology to public hygiene and preventive medicine seem to me of particular importance, and it is upon this theme that I wish chiefly to dwell. Personal hygiene is not necessarily pertinent to this topic, but falls rather into the same province with the healing art. Matters of diet, of clothing, of exercise, of mental attitude, affect the individual, and contribute more or less largely to his welfare. But except in so far as the individual is always of moment to the community, they do not affect the larger problems of public hygiene. The pathologic changes that take place in the tissues of the diseased organism and the methods that must be employed to combat the inroads of disease in the body of the individual patient must for a long time to come remain questions of supreme importance to the human race. But over and above the treatment and cure of the diseased individual, and the investigation of the processes that interfere with the proper physiologic activities of the individual organism, rises the larger and more far-reaching question of the prevention of disease.

Racial and community hygiene are but just beginning to be recognized as fields for definite endeavor. The project may seem vast, but the end in view is undoubtedly the promised land. More and more will the problems of curing an individual patient of a specific malady become subordinated to the problem of protection. More and more will scientific medicine occupy itself with measures directed to the avoidance of disease rather than to its eradication.

Whatever else may be said of it, this is certainly the age of deliberate scrutiny of origins and destiny. Man no longer closes his eyes to the possibilities of future evolution or to those of racial amelioration. If we are to remain to a large extent under the sway of our environment, we can at least alter that environment advantageously at many points. We are no longer content to let things as we see them remain as they are. On the surface the wider relations of disease have often seemed of little significance, as, before Darwin, the so-called fortuitous variations in plants and animals were considered as simple annoyances to the classifier; the causes of this variation were deemed hardly worth investigation. The rise and fall of plagues and pestilences have been readily attributed to the caprices of the *genius epidemicus*, and it has sometimes been thought idle to ascribe recurrent waves of infection to anything but "the natural order." Another phase, entered upon later, and

from which we have not yet entirely emerged, possesses its own peculiar perils. In meditating on the cosmos, the agile mind is always tempted to fill in the gaps of knowledge with closely knit reasonings or fantastic imagery. The imaginative man of science still frequently finds himself beset with the temptation to erect an unverifiable hypothesis into a dogma and defend it against all comers. It is now fortunately a truism that a more humdrum and plodding course has proved of greater efficacy in advancing natural knowledge. Theories that stimulate to renewed observation and experiment have been of the greatest service, but unverifiable speculations have often been a barrier to further advancement. Metaphysics tempered with polemic is not science, whatever be its allurements.

If the attainment of a rational position in public hygiene, community hygiene, or preventive medicine must, then, be regarded as the main objective point in the campaign against disease, it follows that the part played by bacteriology in this advance will be an important one. The relations of bacteriology to public hygiene are fundamental. The etiology of many of the most widespread and common diseases that afflict mankind is intelligible only through the medium of bacteriologic data. The modes of ingress of the invading micro-organisms, the manner of persistence of the micro-organism in nature, the original source of the infectious material, and all the varied possibilities of transmission and infection can be apprehended only through the prosecution of detailed bacteriologic studies. It is only by this means that the weak point in the chain of causation can be detected and the integrity of the vicious circle attacked. Success will inevitably depend upon a thorough understanding of the circumstances governing and accompanying the initiation and consummation of the disease process. Yellow fever cannot be suppressed by burning sulphur or by enforcing a shot-gun quarantine; the bubonic plague is not to be combated by denying its existence.

In the warfare against the infectious diseases a rational public hygiene is ready to avoid the mistake of beating the air. A preliminary survey of the possibilities reveals several distinct types of disease; those that are practically extinct or far on the road to extinction in civilized communities, those that remain stationary, or decline but slightly, and those that show a more or less consistent increase. The economy of energy would suggest that it is not a far-sighted policy for public hygiene to focus its endeavors exclusively upon those diseases that are yielding naturally before the march of civilization. The conditions under which civilized peoples live to-day are in themselves sufficient to render the foothold of many infectious diseases most precarious. What nation now fears that typhus fever

will become a national scourge, or who looks to see the citizens of London driven into the fields by the Black Death? It is of course true that the continuance of this immunity can be secured only by unremitting watchfulness, although so long as existing conditions of civilized life are maintained, the recurrence of great epidemics may be relatively remote. The pestilences that once stalked boldly through the land slaying their ten thousands are now become as midnight prowlers seeking to slip in at some unguarded door within which lie the young and the ignorant. Already some once-dreaded maladies have become so rare as to rank as medical curiosities, and their ultimate annihilation seems assured.

There are other diseases, however, that civilized life, or at least modern life, appears to leave substantially unchecked, and some that it even fosters. These may be considered as shining marks for the modern hygienist. The scale between hygienic gain and loss is always in unstable equilibrium. There is no such thing as consistent improvement all along the line. As Amiel wrote in his journal, "In 1000 things we advance, in 999 we fall behind; this is progress." It is almost a biologic axiom that progress in one particular entails loss in others. To maintain the efficiency of all parts of the complex of civilization calls for eternal vigilance. It may be that while we are waxing complacent over the fact that the opportunities for infection with certain parasites are diminishing, and that other parasites are gradually losing what we vaguely denominate as their virulence, unforeseen and greater evils are raising their heads. The increasing exemption from certain diseases will itself lead to an increased prevalence of others as diversely vulnerable age groups are formed. In general, it will occur that the diseases peculiar to the advanced age groups will increase as the diseases of childhood and youth succumb to hygienic measures. A different age distribution of the population will bring in its train new problems of preventive medicine, which must be successfully solved if the issue is to be fairly met.

There are not lacking instances of a dawning consciousness on the part of mankind that the proper development of public hygiene involves a far more comprehensive view of its relations than has hitherto been taken. The study of tuberculosis is being approached by methods of unexampled broadness. We are just beginning to recognize the way in which the roots of this destructive malady are well-nigh inextricably interwoven with the whole social fabric. Bacteriologic, architectural, and economic data are all levied upon for contribution to our knowledge of what is universally recognized as one of the most important of all human diseases. Here, as elsewhere, the care and cure of the infected individual still looms large, but beyond and above this is beginning to be placed the prevention of infection, the drying-up of the stream at its source. That for this

heavy task public hygiene will require the aid of many workers in many different fields is abundantly evident. For all of them, however, bacteriology must furnish the only definite point of view. In the full consideration of the "exciting causes," the tubercle bacillus can never be allowed to drop into the background. Given foul air, insufficient food, inhalation of dust, excessive and exhaustive labor, and the other deplorable accompaniments of modern industrialism, and it still must be constantly kept in mind that without the tubercle bacillus these predisposing causes would never result in a single case of tuberculosis. On the other hand, without these contributing factors the tubercle bacillus would almost sink to the level of the negligible "non-pathogenic organism." Witness the impotence of the bacillus to produce infection, or even maintain itself, in the tissues of those individuals able to live an outdoor life.

It is evident that in the case of tuberculosis the forces of civilization are on the whole working for its extinction rather than for its perpetuation. The available statistics demonstrate that before the modern movement for the suppression of the disease began, and, in fact, even before the discovery of the tubercle bacillus, pulmonary tuberculosis was already on the decline in widely separated parts of the world, — in London, in Boston, and in Chicago.<sup>1</sup> It is, perhaps, significant that pulmonary tuberculosis is now one of the tenement-house problems, and that as such it occupies a strictly delimited field. As yet the campaign against tuberculosis has been a desultory one, waged by a few enthusiasts without adequate material or moral support on the part of the community at large, but signs are multiplying that this condition will be a transient phase. The comparative absence of intelligent, systematic endeavor for the suppression of disease is certainly a curious phenomenon in an age of otherwise extensive coördination and organized action. The executive talents and restless energy lavished on commercial, industrial, and engineering projects may some day be turned to devising and carrying out hygienic measures. If it were necessary to find an argument in the economic value of human life, it would be readily forthcoming. The recent movements for the study and suppression of tuberculosis mark one of the first attempts to apply bacteriologic knowledge in a determined and radical way to a problem of public hygiene. As regards the ultimate extinction of tuberculosis, there may be more or less groping after ways and means, but there need be no misconception as to the scope of the problem.

There are other fields in which a similar mode of procedure based on ascertained bacteriologic facts and principles has been indicated

<sup>1</sup> Biggs, N. M., *The Administrative Control of Tuberculosis*, *Medical News*, 84, p. 337, 1904.

*Vital Statistics of the City of Chicago for the years 1899–1903 inclusive*, Chicago, 1904.

and is being at least in part carried out. In typhoid fever the evidence from epidemiology has long pointed unmistakably to drinking-water as being the chief vehicle of infection, and the first step toward suppression of this disease has been already taken in most civilized countries. The last half of the nineteenth century witnessed an improvement in the sanitary quality of public water-supplies which has diminished perceptibly the death-rate from typhoid fever. This change has been in part effected by the introduction of water from unpolluted sources, in part by the installation of sand filters. To cite a few well-known cases: For five years before the introduction of a filtered water, the annual typhoid fever death-rate in Zurich, Switzerland, averaged 76; in the five years following the change it averaged 10. In Hamburg, Germany, for a corresponding period before filtration, the typhoid death-rate was 47; after the change it fell to 7. In Lawrence, Massachusetts, under similar conditions the typhoid rate was reduced from 121 to 26, and in Albany, New York, from 104 to 38. A similar effect has been noticed where an impure water has been replaced by water from unpolluted sources. In Vienna, Austria, the abandonment of the River Danube as a source of supply in favor of a ground water diminished the typhoid fever death-rate from over 100 to about 6. In the United States the city of Lowell not long ago exchanged the polluted water of the Merrimac River for a ground water-supply, with the result that the typhoid fever death-rate was reduced from 97 to 21. In spite of these remarkable facts, there has been a lethargic slowness in profiting by the lessons that they teach. Many communities have remained to this day unobservant and negligent, and especially in the United States, the condition of the average public water-supply demands radical reform. A method that has not only reduced the deaths from typhoid fever by about 75 per cent., but has also reduced the number of cases proportionately, is worthy of universal adoption. If the fatality in all cases of typhoid fever was diminished, say from 12 per 100 cases to 3, by the use of a new drug or an antitoxin, the world would ring with the discovery. The introduction of a pure water-supply has achieved an analogous reduction in the death-rate, and confers further the enormous benefit of preventing the occurrence of a similar proportion of cases.<sup>1</sup> In the city of Albany, New York, the annual number of deaths from typhoid fever prior to the installation of a filter-plant averaged 89 during a ten-year period; in 1902 there were but 18 deaths from this cause, representing a diminution not only of 71 deaths, but of over 700 cases.

Important as is the function of a pure water-supply in preventing typhoid fever, it is now clear that public hygiene cannot stop here.

<sup>1</sup> Jordan, E. O., *The Purification of Water Supplies by Slow Sand Filtration*, *Journal of the American Medical Association*, 1903, p. 850.

In some countries, as in Germany, for example, where the larger cities and towns are supplied in the main with water of a highly satisfactory character, there still remains a notable residue of cases of typhoid fever. These, we know, are due to contact infection, to contamination of raw foods, such as milk, oysters, and the like, to the conveyance of the specific germ on the bodies of flies, and to similar modes of dissemination.<sup>1</sup> It is a fact full of significance that the existence of these various modes of spread is recognized, that they are held to be matters of public concern, and that preventive measures are being instituted under expert bacteriologic control for suppressing the existing sources of infection. One of the most difficult problems in this campaign lies in the prompt recognition and rigorous supervision of the mild and obscure cases. It may be comparatively simple to isolate and disinfect with thoroughness in the franker types of the disease, but it is not clear that the danger is most critical on this side. The application of searching and delicate bacteriologic tests is often necessary to determine the suitable mode of action. The dependence of public hygiene upon bacteriologic data and methods has rarely been better exemplified.

The vigorous warfare that is being waged against malaria in many tropical countries affords a further and striking illustration of the utilization of existing resources for the avoidance of specific infection.<sup>2</sup> It is hardly necessary to reiterate the obvious truth that malaria constitutes the chief and, perhaps, the only serious obstacle to the colonization of the tropics by the white races. Political and economic questions of the gravest import to mankind are bound up with the fortunes of a protozoön and a mosquito. The complex life-cycle of the malarial parasite offers an unusual number of points of attack. As is well known, several distinct views are current as to the best way of interrupting the continuity of transfer between man and the mosquito. It is conceivable that by the destruction of the malarial parasite within the body of man, the supply of parasites for the mosquito may be cut off and the circle broken at this point. If the mosquitoes are prevented from becoming infected, man is safe. It is claimed by the adherents of one school that this method has proved very effective in certain localities where it has been systematically employed. The extermination of the parasite in the blood of man by the administration of quinin certainly constitutes an important weapon in the

<sup>1</sup> Schuder, *Zur Aetiologie des Typhus*, *Zeit. f. Hyg.*, 38, p. 343, 1901.

Hutchinson, R. H., and Wheeler, A. W., *An Epidemic of Typhoid Fever due to Impure Ice*, *American Journal of Medical Science*, 126, p. 680, 1903.

Ficker, M., *Typhus und Fliegen*, *Archiv. f. Hyg.*, 46, p. 274, 1903.

Hamilton, A., *The Fly as a Carrier of Typhoid*, *Journal of the American Medical Association*, p. 577, 1903.

Newman, G., *Channels of Typhoid Infection in London*, *Practitioner*, 72, p. 55, 1904.

<sup>2</sup> *Die Bekämpfung des Malaria* (Koch, R., und Ollmig), *Die Malariaabekämpfung in Brioni* (Frosch, P.), *in Puntacroce* (Bludau), *in der Maremma Toscana* (Gosio, B.), etc., *Zeit. f. Hyg.*, 43, 1903, Heft 1.

armory of public hygiene, whether or not it prove to be the most efficient one or the most economic in execution. In this same category are to be put the attempts to prevent the infection of the mosquito by guarding malarial patients against the bite of *Anopheles*. It is obvious that this plan may often be difficult of execution, because of the impossibility of exercising efficient control over the movements of individuals suffering from latent or recurrent infection.

A second possibility consists in the general protection against mosquito bite of all persons dwelling in infected regions. The pestiferous insect may beat its wings in vain against the windows of a mosquito-proof dwelling; if it cannot come near enough to the human being to inject the contents of its poisoned salivary gland, no single case of malaria will result. In parts of Italy, it is said, this mode of prevention has been practiced with brilliant success in protecting railway employees, forced by the exigencies of their calling to reside in highly malarious localities.<sup>1</sup>

A third point of attack is presented in the possibility of destroying or at least arresting the propagation of the insect host of the malarial parasite. The extermination of a number of species belonging to a widely distributed and abundant insect genus may seem in itself a gigantic task to undertake. Remembering the ambiguous success that has attended the efforts of the human race to combat the ravages of certain insects injurious to agriculture, it is not easy to be sanguine concerning the speedy extinction of *Anopheles*. It is noteworthy that the most considerable triumphs attained along economic lines have been effected by the utilization of the natural enemies of the noxious forms. Efficient foes of *Anopheles* have so far not been discovered. There is no question, however, that in definite localities the numbers of individual mosquitoes belonging to malaria-bearing species may be enormously diminished by the destruction of the breeding-pools. The labors, in this direction, of English health officials in various parts of the world, have been rewarded by a decisive decrease in the prevalence of malaria.<sup>2</sup>

It will not escape remark that the effect of any one or of all of these protective measures is cumulative. A diminution in the number of mosquitoes, or in the number of persons harboring the malarial protozoön in their blood, or in the number of infected or non-infected individuals bitten by mosquitoes, will inevitably produce a lessening in the amount of malaria in a given region. This will in turn diminish the opportunities for mosquitoes to become infected, and will at least

<sup>1</sup> Celli, A., *La Malaria in Italia durante il 1902*, *Annali d' Igiene sperimentali*, 13, p. 307, 1903.

*La Société pour les études de la Malaria*, *Archives italiennes de Biologie* (1898-1903) 39, p. 427, 1903.

<sup>2</sup> Ross, R., *Report on Malaria at Ismailia and Suez*. Liverpool School of Tropical Medicine, Mem. 9, 1903.

put a check upon indefinite extension of the disease. It is significant that a high degree of success apparently attends the enthusiastic and persistent application of any one of the measures instanced.

While malaria, typhoid fever, and tuberculosis are to-day fairly in the field of view of public hygiene, such is not the case with a host of other maladies. A beginning is made here and there, but the vast majority of the diseases that affect mankind still lack an intelligent and organized opposition. This is partly because of insufficient knowledge. At the present time the apparent increase in pneumonia presents an imperative field for research. It seems unlikely that the available modes of attacking this disease are to be exhausted with attempts to improve individual prophylaxis. A clear understanding of the tangled web of statistical, climatic, racial, bacteriologic, and hygienic questions that environ this urgent problem of public hygiene is likely to come only through renewed investigation of the phenomena. If it is true, as some conjecture on what seems insufficient evidence, that the virulence of the pneumococcus is increasing, what is the bacteriologic strategy suited to the emergency? Or if it turn out that an increase in the number of victims to pneumonia is largely made up of those who have escaped an early death from tuberculosis, what procedure is indicated?

We cannot always take refuge from the consequences of inaction under the plea of ignorance. There are few, if any, instances in which public hygiene is utilizing to the full the knowledge that it might possess. Some responsibility rests upon those who are prosecuting bacteriologic studies to see that the bearings of their investigations are not overlooked or neglected by those who are constituted the guardians of the public health. There is here no question of the sordid self-interest or commercial exploitation sometimes miscalled "practical application." In the long run the saving of life may play into the hands of the idealist. If John Keats had not died of pulmonary tuberculosis at the age of twenty-five, the modern world would be a different place for many persons. It is not possible to estimate the loss to literature, science, and art since the dawn of intellectual life which must be laid at the door of the infectious diseases. The relations of bacteriology to public hygiene, if properly appreciated and cultivated, will lead to an improvement in the conditions of life which will enhance both the ideal and material welfare of the race, and will give greater assurance that each man shall complete his span of life and be able to do the work that is in him.



## SOME PROBLEMS IN THE LIFE-HISTORY OF PATHOGENIC MICRO-ORGANISMS

BY THEOBALD SMITH

[Theobald Smith, Professor of Comparative Pathology, Harvard Medical School, since 1896; Director of the Pathological Laboratory, Massachusetts State Board of Health. b. Albany, New York, July 31, 1859. Ph.B. Cornell University, 1881; M.D. Albany Medical College, 1883; A.M. (Hon.) Harvard. Assistant and Director of Pathological Laboratory, Bureau of Animal Industry, U. S. Department of Agriculture, 1884-95; Lecturer and Professor of Bacteriology, Medical Department, Columbian University, 1886-95; Member of the Board of Directors, Rockefeller Institute for Medical Research, 1901-. Member of the American Academy of Arts and Science; Association of American Physicians; American Public Health Association; Association of Pathologists and Bacteriologists. Author of many papers and reports on infectious diseases of animals; also papers on bacteriology and general pathology.]

OUR knowledge of the profound influence which the microscopic organisms, known as the bacteria, exercise in the life of the globe, may be considered an acquisition of the last quarter-century. The surmises and hypotheses of the half-century preceding were then made over into well-attested facts.

The activities of micro-organisms manifest themselves in many different ways. The functions carried on by the bacteria of the soil are known to be of fundamental importance to higher plant life. The work of the bacteria producing fermentation, putrefaction, and decay is of similar importance in preparing the way for the soil bacteria and ministering to the wants of higher organisms. Out of this latter class there has arisen a group which has given these micro-organisms all the notoriety they possess. It is a small group, but formidable in that it is in partial opposition to the higher forms of vegetable and animal life. It is these parasitic forms to which I shall devote my address, as it is they which have preoccupied my attention for some years. In thus passing over large groups of bacteria I simply register my inability to properly present their claims, and I trust that others here present will fully supplement my paper by dealing with them in deserving fashion.

While bacteriology, strictly speaking, deals only with a fairly well-defined group of unicellular plant-like forms standing near the limit of microscopic vision, medical bacteriology has been gradually widening its scope to a study of all unicellular and even higher parasitic forms, which multiply more or less indefinitely and continuously for a time in the invaded body. In addition to the bacteria proper, the protozoa, and those highly important ultra-microscopic organisms which seem to have certain characters not possessed by either of the other two groups, are now frequently gathered into medical bacteri-

ology, because of certain underlying principles of action which govern them in common as parasites.

Bacteriology differs from the older sections of biology in several important particulars. In the first place, it has been developed under the stress of practical demands. The enormous economic and sanitary significance of bacterial life has pushed forward this study very rapidly, and the problems undertaken have been suggested almost wholly by considerations arising in agriculture and medical practice.

In the second place, bacteriology, at least so far as the parasitic forms are concerned, is essentially a study of two realms, that of the parasite and that of the host, of two organizations, widely different, acting upon one another and entering into complex, reciprocal relations. The older departments of biology do not present such a complicated aspect. Thus anatomy or morphology has, at least until very recently, dealt with structure and development without considering the relation of the individual to its environment. That was relegated to physiology and pathology. With the bacteria the morphologic aspect dropped nearly out of sight because of the difficulty encountered in analyzing structures so minute and relatively simple. Even the classification gradually evolved, as more and more forms were examined, is at present very largely a physiologic one, the characters being based on the action which the bacteria exert upon the medium in which they multiply.

Then again, there was no ulterior interest in the study of bacteria as such, which is a strong impulse in many other departments of biologic science. It is what bacteria do, rather than what they are, that commanded attention, since our interest centres in the host rather than in the parasite. This tendency manifested itself in a peculiar way. As soon as bacteria could be handled in pure culture, the study prosecuted most actively was how most quickly to destroy them. Disinfection, sterilization, and all agents which act destructively upon bacteria were diligently sought for. The first impulse of the youthful branch of bacteriology was thus to destroy, rather than to study and analyze. When, some years later, the anti-bodies were discovered, the rush toward the bactericidal serums was equally manifest.

Bacteriology in its scientific form was thus ushered into existence largely by medical men who had definite practical ends in view. It presented from its beginnings a dual aspect for study, and its chief aim from the first was the destruction of one of the elements, the parasite. Slowly, however, the more impartial study of host and parasite in their mutual relation began to take root, and to-day there is scarcely a department of physical, chemic, and biologic science which does not have some share in the unfolding of this complex relation existing between plant and animal life, on the one hand, and the micro-organisms acting as parasites, on the other. As a result of this

rather unique state of affairs, bacteriology is not a self-contained, well-defined field of work, but one greatly subdivided by aims and methods of study. A realm as large as that of micro-organisms may well claim attention in many workshops of science.

The short time at my disposal does not permit a wide survey of the field of bacteriology, and I have deemed it best to discuss in a general way the parasitism of bacteria and to outline the probable results of any attempts of medical and sanitary science to modify this parasitism. In undertaking this task I have adopted the somewhat discredited method of presenting actual hypotheses, partly new, partly old, in a new dress. These furnish a definite point of attack, and are better suited for discussion than any presentation which boxed the compass with the views already well known.

Infectious diseases have frequently been portrayed as a battle between two organisms, the host on the one hand, the parasite on the other. There are few diseases, even among those not strictly infectious in character, in which this battle does not go on at some stage, and in which the activity of bacteria may be ignored. For some years the analysis of this warfare has been the chief problem of bacteriology and pathology. What are the weapons of offense and defense on either side? Are the weapons simple or complex? Are they changed as the struggle progresses to suit the immediate state of the battle? Do the combatants themselves change during long or short periods of time, and does the character of the disease change as a consequence? Is the behavior of parasites, when posing for us in the culture-tube, different from that in the animal body? These and other queries may easily be read into the special literature of the last decade.

To realize the great complexity of this struggle we need but to review the gross facts of disease which express themselves in epidemics, on the one hand, in individual disease, on the other. We meet all gradations of severity, from rapid death to a mild transient disturbance, from a disease lasting hours to one lasting fifteen or twenty years, or even longer. Even the simplest generalizations concerning such a varied phenomenon must necessarily be subject to many exceptions, and perhaps gross inaccuracies. This is evident from the heated discussions which have been waged over the humoral and cellular phenomena, the antitoxic and bactericidal forces of the blood, and the phagocytic activities of certain cells, each party to the discussion claiming, at least for a time, that the opponent had no case. Though the brilliant researches of Metchnikoff and Ehrlich, and the fundamental discovery of Behring and Kitasato, have to a certain degree exposed the mechanism of warfare, the exposure is only fragmentary, and the hypothetic reconstructions based on it are leading as usual to further controversy. We do know that no two species of micro-organisms carry on the warfare just alike, and that the same parasite

finds a somewhat different situation in every host attacked. The problem of the immediate future is to determine where the brilliant discoveries of Metchnikoff, Nuttall, Behring, Bordet, Ehrlich, and others belong in the life of each microbe, and to construct for each disease the exact nature of the contest.

In the following pages I do not intend to enter into any discussion concerning the intimate life of bacteria, but simply to point out certain biologic problems which seem to lie on the surface, as it were, and which illustrate the close relation existing between bacteriology and general biology. They have suggested themselves to me from the comparative standpoint, one up to the present but poorly cultivated in medical science.

The researches of Roux, Kitasato, and Behring, Van Ermengen and others, have shown that certain species of bacteria secrete toxins during their vegetative period. These toxins are soluble in the mediums in which these species multiply. Besides these physiologically well-defined poisons, there are others which are closely linked to the body substance of the bacteria, and which have become familiar to us in such well-known substances as tuberculin and mallein. According to the theory of R. Pfeiffer, this second class of poisons is liberated only by the disintegration of the bacteria, and the intoxication of the host, due to its destructive action on the bacilli, is a kind of post-mortem effect of the parasites. Other bodies, the so-called lysins, which act destructively upon red and white corpuscles, have also been demonstrated by Van de Velde and by Ehrlich and his pupils, but their significance in disease is not yet clear.

In the host, on the other hand, during the multiplication of microorganisms, there appear bodies known as anti-bodies, which have aroused the greatest interest. They neutralize the soluble toxins, agglutinate the invading bacteria and disintegrate them. They also precipitate or coagulate albuminous bodies. Their action is specific, being directed toward the invaders. These are the main weapons which thus far have been found. Are there other offensive and defensive bodies? What course do the bacteria pursue in the presence of the gradually accumulating anti-bodies of the host? Do they forge new weapons or not?

Professor W. H. Welch in his Huxley lecture presented the theory that the mechanism of the production of anti-bodies on the part of the invaded host was set in operation by the micro-organisms as well, and that various tissue poisons might have their origin in overproduced bacterial receptors thrown off under special stimulation by host substances. This theory implies that bacteria may not unfold all their activities in the culture-tube, and that the latter give us no reliable clue as to their behavior in the living body.

On this point we may perhaps get some light by a consideration of

the plasticity of micro-organisms. It has long been known that the pathogenic power of bacteria is reduced gradually in artificial cultures. It is also well known that by a series of inoculations, or passages through animals, the virulence may be restored, and even raised above the natural level. Bacteria have been gradually accustomed to originally destructive doses of poisons in culture-fluids. Very recently it has been shown that they may be gradually trained to multiply in strongly bactericidal serums and to refuse to be clumped in strongly agglutinating serums.

These adaptations persist for a certain time, and are transmitted for a limited period, even in culture. In other words, the modifications are more or less gradually acquired and gradually lost. The same is true of the anti-bodies of the host. The antitoxin circulates in the blood of the horse long after the stimulation by toxins has ceased. In the immunized animal the agglutinating properties do not disappear at once. I am, therefore, inclined to believe that the bacterium freshly removed from its usual environment will, at least for a time, exercise all its functions, provided the special nutritive substances which may be needed to carry on those functions are present.

The theory of Professor Welch would then resolve itself into a question of nutrition. In the body of the host there are certain substances which give rise to special toxins when acted upon by special bacteria. If we could offer these special substances to freshly isolated bacteria, there is no reason why the assumed toxin should not be formed. We must, therefore, take into account two possibilities, the adaptation of microbes to originally destructive agencies, and the production of poisons from specific substances elaborated by the host.

I have entered into this much of detail concerning the mutual relation of micro-organisms and host, in order to make clear the hypothesis, which, it seems to me, accounts very well for the general phenomenon of infection. It is that the tendency of all invading micro-organisms in their evolution toward a more highly parasitic state is to act solely on the defensive while securing opportunity for multiplication and escape to another host. By tendency I mean a general slow movement through long periods of time. The following data are in its favor:

(1) The production of diffusible toxins survives parasitism indefinitely, and is readily brought about in cultures.

(2) Where toxin-producing bacteria have become adapted to a definite species, as in diphtheria, the toxin itself acts upon a number of different species. In other words, the parasitic relation is far more specialized than the chief pathogenic product.

(3) No strictly invasive bacteria have yet been found producing diffusible toxins which appear to be of any real significance in the disease process.

(4) Those which produce such toxins are not strictly invasive bacteria.

(5) The injury due to invasive bacteria is known to be due to the disintegration of bacteria and the setting free of poisons locked up in the bodies of the microbes.

(6) Pathogenic bacteria manifest less biochemic activity than the related saprophytic forms.

(7) The hemolytic and leukocidic toxins of bacterial filtrates may be due to autolysis of the bacteria. Jordan has shown that hemolysis is, at least in part, due to a change in the reaction of the culture-fluid.

According to this hypothesis, micro-organisms, in slowly adapting themselves to the parasitic habit, would gradually eliminate active toxin production and other aggressive weapons as of little use, and strengthen whatever defensive mechanisms they may accidentally possess the rudiments of. If these are capable of marked development, we may expect such types of disease as tuberculosis, leprosy, glanders, and syphilis, in which the parasitic habit is carried to a high state of perfection. If their mechanisms of defense are not capable of much development, they will soon be destroyed, or else become adapted to live upon the skin, and especially the mucous membrane, as opportunists and occasional disease producers,

In this adaptation the possession of somatic poisons set free during disintegration may play an important part. They may give rise to just sufficient toxin to produce a local protecting nidus of necrotic tissue, until the time for escape to some other host arrives. This assumption is supported by the fact that diseases of some duration are usually focal in character. The micro-organisms multiply only in certain foci, which sooner or later become evident as the visible seat of disease.

It may be claimed that defensive and offensive methods are practically the same, and that it is simply a play upon words to make any distinction between them. But reflection will convince us that offensive methods mean direct injury, whereas defensive methods simply mean a neutralization of the offensive weapons or else a condition which is invulnerable to them, such as an envelope made of a special substance.

According to Ehrlich and his pupils, the anti-bodies which appear in the course of disease are not new bodies, but overproductions of bodies present in minute quantities normally. The parasitic microbe is thus at the very beginning of the invasion confronted with these bodies. At the termination of the disease there are no new bodies present, but the anti-bodies are on hand in relative abundance. The situation which the invader has to face is thus qualitatively the same at the beginning and at the end of the attack. How does he meet it by defensive methods?

Three possible fates await the invaders: (1) They are largely destroyed within the body; (2) they are excreted, or discharged through various channels; (3) they remain indefinitely in the body after the disease is over, to be eventually destroyed or eliminated.

That the micro-organisms are largely destroyed within the body in the course of the disease is not open to dispute; this class is of no special significance to us. Of most importance are those that escape to continue their life-cycle in another subject. The mechanism of elimination is of vital importance to the parasite. It assumes many forms, and is admirably adapted in the various specific diseases to perpetuate the existence of the species.

The survival of the microbes after the disease is over may be explained partly on the ground that in nearly all diseases some of the microbes pass their final stage near the surface of the skin, or mucous membrane, or in organs in direct or in indirect contact with the outer air, so that escape outward is readily effected through destruction of tissue, and hence protection from the bactericidal forces of living tissue. The small number which in some types of disease remain alive for some time after the disease process has subsided may also be inclosed in small foci of necrotic tissue, and thus escape destruction temporarily.

I am inclined to believe, however, that among the problems of the future will be the elucidation of still another mechanism for the protection and escape of the micro-organism. It is highly probable that in a certain number of species of bacteria, after the active vegetative stage a latent stage follows, during which the parasite which has escaped destruction provides itself with some protective envelope which also aids it in its passage to a new host. This envelope, which may be some specific substance not recognizable with the microscope, or which may be represented by the capsules in some groups, may be a defensive body of the parasite stimulated to over-production by the anti-bodies of the host. This body also interferes with the metabolism of the microbe, and thus acts in the double capacity of stopping the disease and protecting the microbe at the same time. This hypothesis suggested itself to me while endeavoring to account for the peculiar behavior of tubercle bacilli under cultivation.

It is well known that tubercle bacilli from the diseased tissues of cattle grow very slowly, and then only upon certain culture-mediums, such as blood-serum. After several years of continuous cultivation they multiply vigorously in glycerin bouillon, and can hardly be distinguished in appearance from those human varieties of the bacillus which grow richly from the first or second transfer. There seemed to be no justification to assume that the bacillus had

completely changed its metabolism under artificial cultivation. The more rational hypothesis seemed to be the one which assumed the existence of some protective substance only slightly acted upon by the serum, not at all in glycerin bouillon, and therefore a hindrance to multiplication. After repeated transfers, this protective substance was slowly lost, either through a selection of bacilli, or absence of stimulation on the part of the host, or both causes combined, and the growth became as luxuriant as with the more saprophytic human varieties. It is obvious that each group or species of bacteria would have its own special protective device, depending upon original capacities of the species, which would be gradually developed in power and efficiency with the perfection of parasitic relations.

The formation of protective or defensive coverings, the strengthening or modification of the cell-wall, or the secretion of defensive fluids, would account for certain phenomena which are familiar to bacteriologists much better than the current theory which bases parasitism exclusively upon toxin production, active or passive.

In cultures we should expect a loss of power to form protective substances because the anti-bodies are absent. Hence the universal tendency toward the reduction and final loss of virulence, with apparently the metabolic and vegetative activities unchanged, and the frequently observed regaining of virulence by passages through series of animals.

In the evolution of parasitic bacteria I assume, then, that though the function of toxin production may have been the entering wedge toward a parasitic existence, there is a progressive loss of this function as of little use to the parasite after it has once acquired a foothold, for the action of toxins at a distance from the focus of multiplication does not aid the parasite, while it may destroy the host. In other words, with the invasion of the tissues of the latter it became necessary for the invader to concentrate its powers in its immediate vicinity, and for this purpose those poisons set free by the disintegration of the parasite may be of use in protecting the focus where the younger forms are, by necrosis of tissue, plugging of vessels, etc., and thereby keeping away the bactericidal forces until the bacteria have accumulated sufficient protective power to subsist in a latent condition, and are ready to be discharged outward. With the loss of active toxin production according to this hypothesis, and the loss of other, now useless, metabolic activities, there goes hand in hand a strengthening of the defensive functions. This strengthening I interpret as the gradual development of certain substances which the non-immune host is unable to act upon, or at most only in a slight degree. This substance, which, as it were, shoves itself between the parasite and the common



bactericidal forces of the body, bears the specific pathogenic character of the microbe. It is the substance which, according to the nomenclature of Ehrlich, calls forth the amboceptor from the resources of the host to combine with it, and thus open the way for the usual bactericidal forces or complements according to Ehrlich. The existence of this specific protective body will account for the varied resistance of animals to the same micro-organism and the relative difficulty to induce immunity. The more difficulty the body has in producing the amboceptor, the greater the difficulty in acquiring immunity.

In the departments of preventive and therapeutic medicine, the isolation of this protective substance apart from the body toxins would be of prime importance in combating disease by inducing individual resistance. In fact, the theory that the so-called immunizing and disease-producing substances are separate is not new, but has been presented under various forms. The tendency to give up the toxic extracts of bacteria, and use the latter in their entirety in immunization, pays tribute to these unknown bodies. The most prominent example of this change was the abandonment by Koch of the old tuberculin, a boiled extract, and the utilization of the entire tubercle bacilli, ground and uninjured by heat, in the production of immunity in tuberculosis.

The foregoing hypothesis, that the tendency of microbes in perfecting the parasitic habit is to act solely on the defensive, is to a certain degree supported by a phenomenon of considerable biologic importance, which I wish to discuss very briefly.

If we examine the statistics of the various infectious diseases we are struck with the relatively low mortality of most of them. There are few highly fatal plagues now known. To be sure, the mortality of many infectious diseases is regarded as formidable by sanitarians, but if we disengage ourselves from the humane view for the moment, and take the biologic standpoint, we will agree that the relatively high mortality of 25 per cent to 50 per cent indicates a very decided preponderance of the resisting powers of the human race. The odds are always against the invading microbe. This state of affairs appears for the moment to contradict the results of experimental bacteriology, which teach us that the virulence of microbes may be more or less rapidly raised by repeated passages through susceptible animals, or even through those which possess considerable resistance. The accustoming of bacteria to antiseptics, bactericidal and agglutinative serums, has already been mentioned. With this capacity for adapting themselves to the defensive mechanisms of the host, why should not the infectious diseases become more, rather than less, virulent? What is it that keeps their virulence on a low level? This problem has occupied my attention for

a number of years, but only recently did a fairly satisfactory explanation present itself. Before entering upon it I have still one other phase of the problem to consider.

Of a given number of races of the same species of bacteria, the one which becomes parasitic on a given host species is not necessarily the most virulent for that species. This phenomenon impressed itself upon me during the study of a number of races of the bacillus of *Septicemia hemorrhagica*, or, more familiarly, rabbit septicemia. Races of this species have been found very widely distributed among mammals and birds. Epizoötics due to it have been described as occurring among cattle, carabao, game, swine, rabbits, guinea-pigs, fowls, geese, etc. It lives in the upper air-passages of many domestic animals in health.

The rabbit may be successfully inoculated with any of these races. Some are very virulent, for the merest scratch of the skin inoculated with them will result in death within twenty-four hours. But the rabbit is not attacked spontaneously by them, although they are ubiquitous. The race which has fastened itself upon the rabbit is one of a very low degree of virulence for that animal. Similarly the highly virulent tubercle bacillus of cattle is encountered only occasionally in man, although the opportunities for a transfer from cattle to man are very good.

On first thought, it would seem to us that the most virulent race would be the one to crowd out any less virulent races and finally to predominate. But comparative pathology shows us that the contrary may be true.

The explanation for these apparently discordant facts readily flows from a consideration of the life-history of parasitic micro-organisms. This briefly consists of three phases, the entry into the host, the temporary multiplication therein, and lastly, the escape to another host. Each step in this life-cycle must be carefully and deliberately worked out in the evolution of parasitic organisms, and each demands a special mechanism adapted to the purpose. One step is as important as the other. The parasite must find an unguarded entry, or one which yields readily to its efforts. It must have a means of defense within the body, and it must finally reach the exterior to enter a fresh subject.

As a result of these needs, each micro-organism producing disease has one or several avenues of entry and escape. In some of the protozoa there is but one avenue, and this is highly specialized and is through the body of some insect. Among the bacteria the channels of escape are less highly developed, and there may be several. As a rule, the microbe adapts itself eventually to a locus more or less in direct contact with the exterior, and in some instances the loci of entry, multiplication, and exit have coincided. If we think

over the various infectious diseases of man and animals, of which we have any definite information, we shall be surprised to find in how many the points of attack are in organs or tissues in direct communication with the exterior. In the most common type of tuberculosis, pulmonary consumption, the process is almost wholly limited to the respiratory organs. In typhoid fever the process is to a large degree carried on in the intestinal wall. In dysentery and cholera it is wholly so. Even in the very protracted disease of leprosy, the skin is the chief seat of the disease, while the discharge of bacilli from the ulcers of the nose is the rule in the tuberculous type. In that exquisitely parasitic, highly specialized group of micro-organisms producing the eruptive diseases, the final process is carried on in the skin. In these diseases the mechanism of escape is the most perfect.

On the other hand, among the spore-bearing pathogenic bacteria the means of escape is uncertain. Thus the anthrax bacillus betrays its saprophytic nature, as pointed out by Koch many years ago, in its inability to produce spores within the body. Were it not for the accidental discharges of blood from the mucous surfaces and the operations of man, the bacillus might not escape at all to sporulate. Similar conditions obtain for the bacillus of tetanus and of Rauschbrand. Both produce disease probably in an accidental manner, and not as progressive parasites. Their continued existence is assured by vegetation and spore formation outside of the body, and it is highly probable that the species would continue to exist if they did not attack animal life, and that their incursions into the body are of no use to them. On the other hand, all attempts to demonstrate the production of spores in bacteria whose existence depends largely or wholly upon parasitism have thus far failed. The spore is evidently poorly fitted to parasitism, and is replaced by other devices of more adaptability.

The mechanisms of invasion and escape bear a distinct relation to the pathogenic power or virulence. It is safe to assume that those varieties or species no matter how virulent, will be eventually destroyed if these mechanisms are imperfect. In fact, the more virulent the microbe, the more rapid the death as a result of invasion, the less the opportunity for escape. Hence there will be a selection in favor of those varieties which vegetate whence they can escape. The surviving varieties would gradually lose their highly virulent invasive qualities and adapt themselves more particularly to the conditions surrounding invasion and escape. That some such process of selection has been going on in the past seems the simplest explanation of the relatively low mortality of infectious diseases. These individuals or races of microbes which invaded the host too rapidly and caused death would be destroyed in favor of those

which vegetated more slowly and in tissues permitting escape of the microbe after a certain time.

We may now return to the rabbit septicemia bacillus. The reason why the most virulent type of this group does not pass to rabbits is due to the fact that there is no satisfactory mechanism of entry and escape. This presupposes a lesion, a wound as a place of entry, and the excretion and transfer into a wound in another animal. In the rabbit this difficulty is worked out in the way usual with this bacillus. The microbe adapts itself to vegetate upon the mucous membrane of the upper air-passages. Under certain conditions it invades the lungs, pleural and pericardial, more rarely the peritoneal cavity, producing pneumonia and extensive exudates on the serous membranes, and causing death. The disease of the thoracic organs evidently follows some predisposing cause, which enables the bacillus to make a temporary invasion from the mucous membrane. This incursion into the body is not essential to the life of the race. In fact, a little reflection will show that the bacteria which invaded are not likely to be transmitted, whereas those on the mucosa are readily handed down from old to young. The virulence of the bacillus is thus kept on a low level, so low that subcutaneous inoculation of pure cultures produces merely a local lesion. This type of disease is quite different from that produced by inoculation with highly virulent races. These multiply rapidly in the blood throughout the body.

We can now appreciate Pasteur's failure to exterminate the rabbits of Australia. He believed that with races of this bacillus on hand which destroy life very quickly, all that is necessary is to start the disease among rabbits, and it will tend to spread. The stricken rabbit with its blood full of germs does not offer the means for inoculating a second, and so the virulent race perishes.

We can understand, furthermore, why the bacteria associated with definite diseases in animals produce a diseased condition with difficulty after inoculation. The virulence of the specifically adapted microbe is of a relatively low order, and in the production of epizootics various conditions must be realized which assist the micro-organism. The careful analysis of these conditions will form one of the great problems of pathology in the immediate future.

The phenomenon of the elimination of the most virulent races and the establishment of parasitic races of less invasive power I have portrayed in the simplest terms. But it is probably much more complex. The parasite, to be successful, must also stand in a definite relation to the tissue through which it enters. It is quite probable that the race of rabbit septicemia bacilli of high virulence would not be able to maintain itself in the mucus of the upper air-passages. This ability to multiply in certain places is evidently an acquisition which gives the particular race its specific character. Without doubt the bovine

tubercle bacillus, though of great virulence, does not possess the specific power of entering the human body, or, it may be, of maintaining itself after entry in certain tissues, such as the lymph-nodes, except under certain accidental, favoring conditions not yet understood. Perhaps the process of cultivating vaccine virus in the skin has deprived it of the capacity for entering through the respiratory tract, and has converted it into a purely inoculable virus.

In the study of pathogenic bacteria the relative ease with which pure cultures may be obtained from the blood and other organs only accessible by way of the blood has made this a favorite way of obtaining such cultures. But it may be asked whether we are not in this way obtaining bacteria of maximum virulence. May not the non-agglutinability of some typhoid bacilli immediately after isolation be accounted for in this way? In general, the bacteria thus obtained can differ but little from the type, as they are all recently descended from a single bacillus, or a very few which caused the infection. It is different in the so-called passages through series of animals in which the usual portals of entry and exit are circumvented and the bacteria injected into the body and withdrawn therefrom directly. As a result of such passages many species of bacteria have been made more virulent, and Pasteur was able to modify greatly the unknown virus of rabies.

Besides the maintenance of virulence, and its occasional augmentation, a slow decline to complete loss of virulence may be looked for under conditions abnormal for the microbe. This probably goes on where the bacteria multiply, partly or wholly protected from bactericidal influences. The bacilli of tuberculosis, which multiply in cavities of the lungs or in muco-pus of the air-tubes in chronic cases, must be regarded as degenerating in virulence. And we actually encounter races varying considerably in pathogenic power. In the throats of well persons, or those who had diphtheria months ago, bacilli without any power of toxin production, but with all the other characters of genuine diphtheria bacilli, are occasionally encountered.

During the elimination of the more virulent races of micro-organisms, there goes on as well a gradual weeding-out of the most susceptible hosts. In a state of nature in which medical science plays no part, there must occur a slight rise in the resistance of individuals, due to selection, and perhaps acquired immunity, which meets the decline of virulence on the part of microbes until a certain norm or equilibrium between the two has been established. This equilibrium is different for every different species of micro-organism, and is disturbed by any changes affecting the condition of the host or the means of transmission of the parasite. One result of the operation of this law is the low mortality of endemic as compared with epidemic diseases. Certain animal diseases, while confined to the enzoötic territory, cause

only occasional, sporadic disease, but as soon as they are carried beyond this territory, epizootics of high mortality may result. Climate in some cases enters as an important factor, but the most important, perhaps, is the slight elevation in virulence brought about by a more highly resistant host. The most susceptible animals are weeded out, and the rest strengthened by non-fatal attacks. The virulence of the microbe rises slightly to maintain the equilibrium. In passing into a hitherto unmolested territory, the disease rises to the level of an epizootic until an equilibrium has been established.

The same is true of human diseases, among which smallpox is a conspicuous example. The great pandemics of influenza, which seem to travel from east to west every one or two decades, soon give way to sporadic cases, and the careful work of many bacteriologists would indicate that the influenza bacilli found at present have fallen to the level of secondary invaders, and are parasites of the respiratory tract in many affections.

As pathogenic micro-organisms differ not only in the degree of parasitism attained, but also in their essential nature, a great variety of diseases is the result. In a crude way they may be arranged into three classes:

(1) Micro-organisms which live upon the skin and the mucous membranes, and invade the body only when lesions exist in these structures, or where the general resistance is impaired.

(2) Micro-organisms which appear only occasionally from some unknown but permanent focus. They produce epidemics often highly fatal, but they are successfully pushed back, because the strain cannot readily adapt itself to the new conditions.

(3) Micro-organisms which are most highly adapted for a parasitic existence, and which produce diseases of a relatively fixed type.

As regards the first class, the conditions under which they produce disease rise more and more into prominence. The factor microbe becomes almost secondary to other factors. Many of our most common diseases obey certain meteorologic laws. Thus diphtheria and pneumonia are chiefly winter diseases, because the conditions of throat and lungs which favor them are largely due to cold weather, or, we might say, the cold weather acting upon an indoor sedentary population, or one subjected to untoward influences, injures the respiratory tract. Some microbes of this class depend upon the preparation made for them by others. Thus the exanthematous diseases, such as scarlatina and smallpox, are frequently associated with or followed by the invasion of streptococci, and the majority of deaths are due to such secondary invasion. The streptococci live upon the mucous membranes, and whenever the proper opportunity comes they invade more vital territory. This group of bacteria is the frequent cause of death in chronic diseases. Some years ago Professor

Flexner pointed this out, and denominated the invasion as a terminal infection. I think that they may also be appropriately styled the parasites of the diseased state.

Among the second group we may place such diseases as Asiatic cholera and the bubonic plague. The origin of the first is unknown. The definite host of the second is probably the rat.

Among the third class we have such groups of diseases as tuberculosis, leprosy, syphilis, and glanders, on the one hand, and the eruptive diseases, on the other. The former are very chronic, protracted, the latter acute, rapid in their course. In the eruptive diseases the infection seems to depend solely upon the specific susceptibility of the individual, and immunity is easily brought about by protective inoculation.

In tuberculosis and leprosy the mode of infection is evidently very different from that of the group just mentioned. Prolonged exposure, as in family life, seems necessary to successful infection, and even then many exposed individuals escape. In tuberculosis, heredity plays a very prominent part in the eyes of the physician, because the disease appears to propagate itself in families. This is probably due to the necessity for more intimate association and repeated exposure in order that the disease might appear. Here the disease is long drawn out, the parasite may become in a sense individualized, and the attack upon a new host may have to be made repeatedly. With these highly parasitic forms the necessity for a frequent transfer to another host is slight. In leprosy, the disease may last fifteen years to twenty years, and then death ensues, usually as a result of the attack of the secondary invaders.

From the biologic standpoint which I have endeavored to present, we may conceive of all highly pathogenic bacteria as incompletely adapted parasites, or parasites which have escaped from their customary environment into another in which they are struggling to adapt themselves, and to establish some equilibrium between themselves and their host. The less complete the adaptation, the more virulent the disease produced. The final outcome is a harmless parasitism, or some well-established disease of little or no fatality, unless other parasites complicate the invasion. The logical inference to be drawn from the theory of a slowly progressive parasitism would be that in the long run mortality from infectious diseases would be greatly reduced through the operation of natural causes. But morbidity would not be diminished, possibly greatly increased, by the wider and wider diffusion of these parasites, or potential disease producers. The few still highly mortal plagues would eventually settle down to sporadic infections, or else disappear wholly because of adverse conditions to which they cannot adapt themselves.

In this mutual adaptation of micro-organism to host there is, how-

ever, nothing to hinder a rise in virulence in place of the gradual decline, if proper conditions exist. In fact, it is not very difficult to furnish adequate explanations for the recrudescence and activities of many diseases to-day, though the natural tendencies are toward a decline in virulence. In the more or less rapid changes in our environment due to industrial and social movements the natural equilibrium between host and parasite established for a given climate, locality, and race or nationality is often seriously disturbed and epidemics of hitherto sporadic diseases result. Typhoid fever will serve as one illustration of my thesis. It is ordinarily a sporadic infection, passing from the sick to the well by direct contact. Our knowledge that the infection of this and other diseases is contained in the discharges of the sick, and a growing sense of cleanliness, led years ago to the large systems of sewerage, which have made a crowded city life possible. But the removal of sewage from our immediate surroundings was the beginning of new trouble. The sewage was led into water-courses from which drinking-water came. Hence the great epidemics in place of sporadic disease. The direct transmission of the parasite on a small scale was largely checked, but the indirect transmission greatly favored. The dweller in cities with unprotected water-supply is still further endangered by the fact that the typhoid bacilli returned in the water may represent more virulent varieties than those handed down by his ancestors in rural communities. The motley population brought together by migrations from all parts of the globe bring the various races of bacilli with them to be redistributed on a large scale.

Conditions may even create diseases artificially. Thus in childbirth, the physician through want of cleanliness may in his examination actually inoculate a wounded surface with streptococci or other septic bacteria. In a hospital badly managed, such germs may be made to pass artificially through a series of individuals, and their virulence raised. In nature this could not take place, because there would be no physician. Hence the transfer would not take place. The history of maternity hospitals before the period of asepsis in surgery is a sufficient proof for the theory advanced. Hospital erysipelas and hospital gangrene were diseases artificially bred. With the introduction of the principle of asepsis in medicine and surgery, the artificially created diseases were destroyed, because the transportation facilities of the bacteria were cut off.

These illustrations indicate that so-called natural law does not stand in the way of our having highly virulent types of disease if we are ignorant enough to cultivate them. The micro-organism is sufficiently plastic to shape itself for an upward as well as a downward movement. Among the most formidable of the obstacles toward a steady decline of mortality is the continual movement of individuals and masses from one part of the world to another, whereby the partly



adapted parasites become planted as it were into new soil and the original equilibrium destroyed. These various races of disease germs become widely disseminated by so-called germ-carriers, and epidemics here and there light up their unseen paths. Fortunately for us, the conditions under which these micro-organisms may establish themselves are in many cases so complex that they cannot be realized. It is highly probable that the bubonic plague cannot get a foothold or maintain itself among us, while Asiatic cholera might have a better chance, through our still greatly unsatisfactory water-supplies. Many tropical diseases would fail to take root in our climate. The mysterious rise and disappearance of leprosy in the Middle Ages has astonished many students of epidemiology. Possibly some slight bias of the micro-organism may have accomplished what seems almost a miracle. Perhaps the right race or variety, once introduced, may repeat the history of the Middle Ages in our day or in that of the coming generation.

Another obstacle to the amelioration of infectious diseases is the rapid change going on in the habits of individuals and the ferment in our conceptions of health and well-being, which are continually upsetting any established equilibrium and making us more resistant to some diseases, more susceptible to others. Of great interest is the effect upon the human race of the assiduous care of those afflicted with certain chronic diseases which is just now expressing itself in the establishment of sanatoriums for the cure of the tuberculous. If this movement should gain great headway, there may be a race of immunes gradually developed who may be able to stand the untoward conditions of indoor city life much better than the naturally robust and physically superior who have no so-called hereditary taint.

Of still greater interest is the vast vaccination experiment to whose beneficent influence the century just past bears ample testimony. The vaccinated individual is either wholly immune, or else the disease contracted after exposure is abortive, and the eruptive stage does not come to full development or maturity. The excretion of the infecting organism is thereby greatly interfered with, and it is not improbable that in the mildest cases it may not reach that maturity necessary for the successful infection of others. In view of the adaptability of micro-organisms in general, it is not beyond the range of possibility that a variety of the smallpox organism may through a chain of accidents arise as a result of successive passages through partly protected individuals. To-day it seems fairly well established that a single vaccination in infancy is not an adequate protection during life, and at least one nation — a nation which not only cultivates but consistently utilizes science — prescribes two vaccinations as necessary to complete protection. Whether in the days of Jenner repeated vaccinations were deemed necessary I have not been able to

verify; but we may assume without immediate fear of experimental contradiction that a century of incomplete protection may have worked some changes in the smallpox organism. In any case, it is obvious that our thesis implies, in addition to the natural decline of virulence, also a gradual rise in virulence whenever the resistance of susceptible individuals is raised on a very large scale. Either the micro-organism, if a true parasite, will perish, or else it will augment its invasive powers to meet those of its host.

Another problem has been created for the diphtheria bacillus by the extensive use of diphtheria antitoxin. Will the thorough protection of one group of human beings lead to the decline or to the increase in virulence of the diphtheria bacillus circulating among the individuals of this group? What effect will the transfer of such bacilli to unprotected groups have? These and similar queries may be answered not many years hence, for a generation of microbes represents a very short space of time.

It may not be out of place to call attention here to the bearing of my thesis upon the recent attempts to utilize parasitism in ridding us of undesirable or noxious animals. In bacteriology there have been attempts to destroy field-mice and rats with certain species of bacteria. In entomology, parasitism is such a familiar phenomenon that it has been seized upon on a number of occasions to destroy otherwise unassailable insect pests.

Leaving out of consideration the presumptive dangers of introducing new species into a locality or country, which must always be taken into consideration, although they may be of no significance, we have to consider the chances of success as compared with the cost of introducing and maintaining the parasites. In any event, we need not expect a destruction of the noxious species, for that is not the end of parasitism. A reduction in numbers is all that need be looked for. The new parasite will probably fail to become acclimated at first, and it may be necessary to reintroduce it for a number of years. During this period some few may become adapted to their environment, and continue as parasites. Whether the equilibrium finally established will be of economic value, must be observed rather than predicted. In bacteriologic experiments of this kind the continued vigorous activity of the bacteria from year to year need hardly be expected. The disease will either die out or continue on a low level of mortality, in accordance with the general laws I have detailed, unless bacteria whose destructive powers are maintained and carefully gauged in the laboratory are distributed at definite intervals.

In conclusion, I will simply call attention to another problem affecting the future well-being of mankind, the possibility of new infectious diseases arising in the flux and change incidental to human progress. We have assumed that the capacity for a parasitic existence probably

depends on some original offensive power of the microbe which it accidentally possessed, such as toxin production, or the presence of intracellular toxins combined with defensive powers. These, possessed independently of the host, were probably the entering wedges to be further developed or dropped, according to necessity. It is more than probable that all species of bacteria which possess these rudimentary invasive powers have already availed themselves of the opportunity to become parasites of animal life on the one hand, of vegetable life on the other, and that no startlingly new diseases will arise from saprophytic forms.

Subsidiary problems there are, however, concerning the modifications and readaptations of the parasitic forms already in existence. These may be grouped under two heads:

(1) The transfer and adaptation of parasites from one host species to another.

(2) The increase of invasive properties of parasites of the same host.

Are there any new diseases likely to appear as a result of the successful adaptation of parasites of higher animals to the human subject? This is a legitimate question, though difficult to discuss, for want of material at present. Among the more important possibilities I will simply mention the bovine tubercle bacillus and the hog-cholera group of bacteria. The larger number of parasites on animals are so specialized, however, their receptor apparatus, according to Ehrlich, may have been so curtailed, that parasitism on a relatively distant species may be impossible.

As regards the second problem, that microbes may gain in invasive power on the same host, the principle I have endeavored to establish would stand in the way of any rise in virulence, because the most invasive forms of a varying species would have the least chance for transmission. Whatever increase in disease-producing power may be acquired must be gained under special conditions, one of which is association with other microbes. Thus, if we could conceive of the same streptococcus, originally an inhabitant of the normal throat, as passing on account of some series of accidents through the bodies of a number of scarlatina patients, this streptococcus might thereby rise temporarily to the level of a serious menace to the throats and perhaps other organs of relatively healthy people.

Again, certain microbes, like *B. coli*, the pneumococcus and meningococcus, may, by living upon catarrhal mucous membranes, and passed from case to case, acquire enough temporary pathogenic power to cause localized epidemics under favorable conditions. Any advantage thus gained would soon be sacrificed, and the microbe return to the normal condition, unless a satisfactory mechanism of transmission could be established.

It will be seen that there are many problems before the bacteriologist, problems which have something akin to those of the student of races, varieties, and species among higher forms of life. These problems must be attacked with the same patience and pertinacity that were exercised by Mendel, Darwin, De Vries, and many others in the effort to trace the rise of new species.

In dealing with the great problems of pathogenesis and parasitism as applied to the micro-organisms in such a summary and hasty manner, and in endeavoring to trace the law of a declining virulence (and hence mortality) and an advancing parasitism, I may have left some doubts in the reader's mind concerning the ultimate value of medicine, preventive and curative, in controlling these diseases, since it might be assumed, according to the hypotheses presented, that they would take care of themselves. This impression will, I think, be dispelled by a little further development of the ideas presented.

The social and industrial development of the human race is continually leading to disturbances of equilibrium in nature, one of whose direct or indirect manifestations is augmentation of disease. In order to avoid this calamity, or reduce its force as much as possible, we must make special compensations or sacrifices to restore or maintain the normal balance. The more clearly the kind of compensatory action required is foreseen, the more promptly it is put into effect, the less disease there will be. It is the true function of medical science to discover and put into effect those compensatory movements which will counterbalance the temporary ill effects of what, for want of a more illuminating term, we call human progress.

It is largely through the phenomenon of parasitism that nature attempts to restore the equilibrium, and in this micro-organisms play the most important part. As soon as the individual falls below a certain level he may become the prey of a microscopic, or even an ultra-microscopic world. Hence the importance of bacteriology in medical science. Much has already been done in determining ways and means for the counterbalancing of the ravages of this microscopic world, but science cannot rise above natural law. It must work through it. The optimism of the world frequently places science above natural law and believes it capable of correcting any and all excesses of individuals and races. We may be certain that it will never be able to eliminate the factor of parasitism. Its most important work will continue to be to analyze this factor into its minutest details and to devise means by which this analysis may be made useful in turning aside or at least in deadening the shock of disease.

## SHORT PAPER

PROFESSOR FREDERICK P. GORHAM, of Brown University, presented a paper to this Section on "The Production of Light by Bacteria," in which were set forth both the importance of the study of photogenic bacteria and the various species which have thus far been discovered.



**SECTION G — ANIMAL MORPHOLOGY**





## SECTION G—ANIMAL MORPHOLOGY

---

(Hall 2, September 21, 10 a. m.)

CHAIRMAN: DR. LELAND O. HOWARD, Department of Agriculture, Washington, D. C.

SPEAKERS: PROFESSOR CHARLES B. DAVENPORT, University of Chicago.  
PROFESSOR ALFRED GIARD, The Sorbonne, Paris.

SECRETARY: PROFESSOR C. H. HERRICK, Dennison University.

---

THE Chairman of the Section of Animal Morphology, Dr. Leland O. Howard, of the United States Department of Agriculture, in calling the Section to order, briefly spoke of the enormous progress in research in animal morphology during the past decade, and congratulated the Section upon its good fortune in having as its principal speakers such representative workers in this branch of science from Europe and from America. He spoke of the wide range of the investigations which have been conducted for many years by Professor Alfred Giard, and mentioned especially the fact that among European zoölogists Professor Giard is probably the best informed concerning the investigations of American workers. His interest in American investigations, and his reviews and comments upon American publications, have endeared him to American biologists, while his own brilliant investigations have commanded our respect.

The work of Professor C. B. Davenport, the Chairman stated, was too well known to the Section to need any comment from him. His admirable work, and his acknowledged leadership of a new and important school of investigators, are generally acknowledged, and his recent appointment as Director of the Carnegie Institution Station for Experimental Evolution, at Cold Spring Harbor, is the latest recognition of this fact.

# ANIMAL MORPHOLOGY IN ITS RELATION TO OTHER SCIENCES

BY CHARLES BENEDICT DAVENPORT

[**Charles Benedict Davenport**, Director of the Station for Experimental Evolution, Carnegie Institution of Washington. b. June 1, 1866, Stamford, Connecticut. S.B. Polytechnic Institute of Brooklyn, 1886; A.B. Harvard University, 1889; Ph.D. *ibid.* 1892. Assistant in Zoölogy, Harvard University, 1887-91; Instructor in Zoölogy, *ibid.* 1891-99; Assistant Professor of Zoölogy, University of Chicago, 1899-1901; Associate Professor of Zoölogy, *ibid.* 1901-1904; Director of the Biological Laboratory of the Brooklyn Institute of Arts and Sciences, since 1898. Member of the American Academy of Arts and Sciences; American Association for the Advancement of Science; Société Zoölogique de France; Allgemeine Entomologische Gesellschaft, etc. Author of *Experimental Morphology*; *Statistical Methods*; and other works and monographs on zoölogy.]

IN the system of classification adopted by the organizers of this Congress the science of animal morphology is apparently to be defined so as to exclude comparative anatomy. I take it, consequently, that it is intended to include only the broader problems connected with the form of animals, — such as the phylogenetic evolution of form, the embryological development of form, and the restoration of the mutilated form, — in general, the form-producing and form-maintaining factors.

Expressed in this way the relations of animal morphology become more evident; and clearly the first and most intimate of these relations is with the morphology of plants. The separation of animal morphology from plant morphology in the department of biology, while according with a division of the subject found to-day in our universities, is, I think, not an ideal condition. For the form-producing and the form-maintaining factors are, at bottom, the same in all organisms. The problem of what factors have worked to determine whether a fish or a man shall have such and such a form is identical with that of the determination of the form of a fern or an oak. Little by little the morphologists that deal with the broader aspects of their science are being forced to face the absurdity of its division on the basis of the material studied. In cytology it is found that the maturation of the germ-cells, the fertilization of the egg- and cell-divisions, are identical processes in the two "kingdoms."<sup>1</sup> To admit a plant cytology and an animal cytology is only less absurd than to admit a mammalian cytology, an avian cytology, and a reptilian cytology.

What is true of cytology is true of the other branches of morpho-

<sup>1</sup> The most recent and best general work on cytology is that of E. B. Wilson, *The Cell in Development and Inheritance*, 2d edition, New York, 1901.

logy, such as embryology in its broadest sense, the phenomena of regeneration and regulation in organisms,<sup>1</sup> and especially the evolutionary history of specific forms. While in taxonomy we must continue to have botanists and zoölogists, as we shall continue to have ornithologists, entomologists, etc., yet outside of the purely descriptive subsiences I would the gulf between botanists and zoölogists were annihilated, and that we had biologists separated rather in regard to *subjects*, and university chairs, journals and societies devoted to evolution, cytology, ontogenetic processes, and form regulation, without regard to the systematic position of the material studied. Then we might hope to advance a subject instead of mulling over endless descriptive details.

We have next to consider the relations of morphology to form evolution, or phylogeny. Before we can consider how a new form arises, we must clear the field by seeking some element of form. The mass of material in the organic, like that in the inorganic world, early led to an attempt at the classification of these materials in both biology and chemistry. In chemistry a certain number of kinds of materials have in course of time been catalogued and are called substances, each of which has its particular *molecular* composition. In biology, likewise, many thousand kinds of organisms have been catalogued, and these are called species, each made up of particular sorts of *individuals*. Chemistry has gone a step farther in its analysis of non-living matter, and recognized that the different molecules are made up of diverse combinations of a relatively small number of units called atoms. To-day biology has to recognize that its individuals are likewise diverse combinations of units — relatively very numerous — which, following De Vries,<sup>2</sup> we call unit characters, or we may use the simpler name of “characteristics.” Characteristics are thus to individuals what atoms are to molecules. As the qualities and behavior of molecules are determined by their constituent atoms, so the essence of the individuals of any species is determined by its constituent characteristics. And as we may construct new substances at will by making new combinations of atoms, so we may produce new species at will by making new combinations of characteristics. The making of new combinations in molecules or species is a useful work, but it is not evolution. Evolution in the non-organic or the organic world is first achieved when we can make new atoms or new characteristics, as the case may be.

This conception of species, which has arisen during the present

<sup>1</sup> See T. H. Morgan, *Regeneration*, New York, 1901.

<sup>2</sup> Compare De Vries: *Die Mutationstheorie*, “Die *Eigenschaften* der Organismen aus scharf von einander unterschiedenen *Einheiten* aufgebaut sind.” Bd. 1, p. 3, Leipzig, 1901.

decade, has its germ in the work of Mendel,<sup>1</sup> and, in consequence of the stimulating researches of De Vries,<sup>2</sup> Correns,<sup>3</sup> Tschermak,<sup>4</sup> Bateson,<sup>5</sup> and others,<sup>6</sup> has developed into a stately doctrine, a doctrine which bids fair to revolutionize biology as the atomic theory did chemistry. It adds at once a new dignity and interest to morphology as well as to the description of species, or taxonomy. In describing the form of an animal we are enumerating its qualities. Many of these are directly the unit characters of the species; others are composite and may be analyzed, by appropriate methods of breeding, into the elemental characteristics.

I may illustrate this by reference to domesticated poultry,<sup>7</sup> to which I am now paying some attention. It is impossible to enumerate all of the characteristics of poultry, but the following are some of the most striking:

Size: Large and dwarf, which are exemplified in the Asiatic breeds and the bantams.

Colors: Black; buff or red; white; brown (in the female), the male being often bronze, green, black, yellow and white; barred

<sup>1</sup> Mendel's work was first published in *Verhandl. naturf. Verein in Brünn, Abhandlungen*, iv, 1865. Published 1866. A translation in English is given by W. Bateson, *Mendel's Principles of Heredity*, Cambridge [England], 1902.

<sup>2</sup> De Vries (*Sur la loi de disjonction des hybrides, Comptes rend. d'Académie des Sciences*, Paris, cxxx, 845-847, 1900), and C. Correns (*G. Mendel's Regel über das Verhalten der Nachkommenschaft der Rassenbastarde, Ber. Deut. Bot. Ges.* xviii, 158-168, 1900) rediscovered Mendel's paper simultaneously.

H. de Vries, *Ueber erbungleiche Kreuzungen, Ber. Deut. Bot. Ges.* xviii, 435-443 (1900); *Sur les unités des caractères spécifiques et leur application à l'étude des hybrides, Rev. gén. de Botanique*, xii, 257 (1900); *Die Mutationstheorie*, Bd. II (1903).

<sup>3</sup> C. G. Correns, *Ueber Leukoyen-Bastarde, Zur Kenntniss der Grenzen der Mendel'schen Regeln, Botan. Centralbl.* lxxxiv, p. 97 (1900); *Ueber Bastarde zwischen Rassen von Zea Mays, Ber. Deut. Bot. Ges.* xix, 211 (1901); *Bastarde zwischen Maisrassen, Bibliotheca Botanica*, Heft 53 (1901); *Ueber Bastardirungs-Versuche mit Mirabilis-Sippen, Ber. Deut. Bot. Ges.* xx, 594-608 (1903).

<sup>4</sup> T. E. Tschermak, *Ueber künstliche Kreuzung bei Pisum sativum, Zeitschr. f. d. Landwirthsch. Versuchswesen*, III, 465-555 (1900); *Weitere Beiträge über Verschiedenwerthigkeit der Merkmale bei Kreuzung von Erbsen und Bohnen, ibid.* iv, 641 ff. (1901); *Ueber Züchtung neuer Getreiderassen mittelst künstlicher Kreuzung, ibid.* iv, 1029. *Die Theorie der Kryptomerie und des Kryptohybridismus, Beihefte z. Bot. Centralbl.* xvi, 25 pp. (1903); *Weitere Kreuzungsstudien an Erbsen, Zeitschrift f. d. Landwirth-Versuchswesen in Oesterr.* 106 pp. (1904).

<sup>5</sup> W. Bateson and E. R. Saunders, *Experimental Studies in the Physiology of Heredity, Reports to Evolution Committee of the Royal Society of London*, I, 160 pp. (1902).

<sup>6</sup> A few important papers may be cited: W. E. Castle and G. M. Allen, *The Heredity of Albinism, Proceedings of the American Academy of Arts and Sciences*, xxxviii, 601-622 (1903); W. E. Castle, *Heredity of Coat Characters in Guinea Pigs and Rabbits. Papers of the Station for Experimental Evolution*, no. 1 (Carnegie Institution of Washington, 1905); C. C. Hurst, *Experiments in the Heredity of Peas, Journal of the Royal Horticultural Society of London*, xxviii, 483-494 (1904); L. Cuénot, *L'Hérédité de la pigmentation chez les souris, Arch. de Zool. expér.* x, notes, 27-30 (1902), *ibid.* I, notes, 33-41 (1903); *ibid.* II, notes, 45-56 (1904).

<sup>7</sup> Extensive books have been written on the different races of poultry. The following are the most important of those in English: W. B. Tegetmeier, *The Poultry Book*, London, Routledge, 1867; L. Wright, *The New Book of Poultry*, London, Cassell & Co., 1902; *The Poultry Book*, New York, Doubleday, Page & Co.

(as in the Plymouth Rock) and spangled (having centre of feather of different color from periphery).

Comb: Single, pea, rose (flat, covered with tubercles, like a file), walnut; replaced by crest.

Legs: Feathered, featherless; black, blue, yellow, horn-color.

Body-shape: Short and chunky; tall and slender.

Now the various varieties of fowl are made up of various combinations of these characters. Thus we may have Plymouth Rocks which, instead of having bars, are pure white, or all buff; or the single comb may be replaced by a rose comb (when they are called Wyandottes); the usually clear legs may be feathered; and, finally, they may be "bantamized."

Any desired characteristic in the whole catalogue of poultry characteristics might be engrafted upon an original Plymouth Rock stock. We might put on it the crest of the Polish fowl or the twisted feathers of the frizzle, or the loose barbs of the silky, or the taillessness of the rumpless, or the long tail-feathers of the Japanese long-tailed fowl. All this is, of course, possible because of the cross-fertility of the races having these different characteristics. By similar procedure we might make a white, blue-eyed, deaf, long-haired, tailless, seven-toed cat; engraft the horns of the Dorset sheep upon the hornless Southdown; add the fecundity of the two-nipped horned Dorset to the multi-nipped condition of Dr. Alexander Graham Bell's flock.<sup>1</sup> We might expect, after some experience, to do this with the same certainty that we can get calcium chloride and carbonic acid out of a mixture of hydrochloric acid and marble.

The bearing of this illustration, I repeat, is to show us that characteristics of species are entities, not a little of whose interest lies in the question of their origin in each case. When we know how such characteristics arise, then we may call them forth at will, and so determine the evolution of organic form. For the present it is sufficient that by the acquisition of new characteristics new species have arisen from preceding ones.

This assertion is justified by the examination of any extensive synopsis of species. Take, for example, De Bormans's synopsis of Forficulidæ in *Das Tierreich*.<sup>2</sup> Take any synoptic key at random. *Apterygida japonica* has two large tubercles at the end of the abdomen. *Apterygida allipes* has four small ones. *Anisolabis xenia* differs from *A. littorea* by slightly smaller size, and especially by having two teeth in the forceps in the male, or three in the female, instead of none at all. I do not mean to assert that species have arisen *only*

<sup>1</sup> Bell has given an account of his flock in *Science*, ix, 637, May 5, 1899, and *Science*, xix, 767-768, May 13, 1904. He has also published privately (1904) a catalogue of his sheep.

<sup>2</sup> De Bormans, A., and H. Krauss, 1900, *Das Tierreich*, 11 Lief. *Forficulidæ and Hemimeridæ*, Berlin, xvi + 142 pp.

by an addition or subtraction of characteristics, but this is a common method. Very often we find one characteristic being replaced by another. Thus in Lepidoptera one species may differ from another in the replacement of red by yellow; or one earthworm will differ from another by having the sexual openings in different segments. We have no reason for thinking that these characteristics are not integral entities as much as those distinguishing domestic races. The modern morphologist, therefore, with the significance of characteristics in mind, must appreciate that in enumerating these characteristics he is enumerating the steps of evolution.

The relations of morphology to embryology are so intimate that the latter is commonly reckoned a subdivision of the former. Certainly the interpretation of the adult form depends on a knowledge of its development. "In terms of the ancient riddle," says Bateson (*Nature*, vol. LXX, p. 412), in his recent address as president of the section of zoölogy in the British Association, "in terms of the ancient riddle, we must reply that the owl's egg existed before the owl, and if we hesitate about the owl we may be sure about the bantam." The characteristics of the adult form are implicit in the fertilized egg, and are determined by the *Anlagen* of the characteristics wrapped up in that egg. We know now that upon the symmetry of the egg and of the successive cleavages often, if not typically, the symmetry of the adult form depends,<sup>1</sup> and that to the lack of symmetry of cleavage in gasteropods their lack of symmetry is probably to be referred.<sup>2</sup> In the successive cleavages definite organ-tracts are marked off,<sup>3</sup> and still later the epidermal organs, such as hair, feathers, and scales, — the bearers of the more evident heredity characteristics, — are laid down in regular lines, radiating often from single points or groups of cells,<sup>4</sup> thus simplifying the problem of

<sup>1</sup> H. E. Crampton, 1894, *Reversal of Cleavage in a Sinistral Gasteropod*, *Annals of New York Academy of Science*, VIII, 167-170.

<sup>2</sup> E. G. Conklin, *The Embryology of Crepidula*, *Journal of Morphology*, XIII, 1-210, April, 1897.

<sup>3</sup> Compare the results of H. E. Crampton, *Experimental Studies in Gasteropod Development*, *Archiv für Entwicklungsmechanik*, III, 1-19 (1896), in which the removal of an early cleavage cell led to a corresponding defect in the larva. Even more striking are the results of E. G. Conklin with ascidians, *Organ-Forming Substances on the Eggs of Ascidians*, *Biological Bulletin*, VIII, 205-230, March, 1905, who finds organ-tracts forming in the uncleft egg.

<sup>4</sup> That metamericly repeated organs are laid down from definite bands of cells, sometimes originating in "pole-cells," has long been known, through the studies of Hatschek and of Whitman, *Contribution to the History of the Germ-Layers in Clepsine*, *Journal of Morphology*, I, 108-179 (1887). Compare also the following: E. B. Wilson, *The Embryology of the Earthworm*, *Journal of Morphology*, III, 388-450 (1899); E. B. Wilson, *The Origin of the Mesoblast-Bands in Annelida*, *Journal of Morphology*, IV, 205-219; W. M. Wheeler, *Neuroblasts in the Arthropod Embryo*, *Journal of Morphology*, IV, 337-344. That multiple organs of other sorts are laid down in lines appears for feathers from the work of Nitzsch, *Pterylography* (1867), translated by P. L. Slater, Ray Society; and for hairs, J. C. H. de Meijere, *Ueber die Haare der Säugethiere, insbesondere über ihre Anordnung*, *Morphologische Jahrbuch*, XXI, 312-424.

inheritance of peculiarities of plumage or coat color by referring them back to transmission through particular cells or cell-groups. It has thus been possible to show that all the numerous dorsal appendages of the nudibranch mollusk *Eolis* are derived from material split off in a regular manner and at regular intervals from a group of cells lying in the tail-end of the developing animal.<sup>1</sup> Thus the interpretation of the mechanism of transmission of qualities is first gained from a study of embryology.

A second way in which embryology has been regarded as indispensable to morphology is in the light it has thrown on homology. By homology — the will-o'-the-wisp of morphology — is meant such a similarity of unlike things in different species as would justify their receiving the same name. And one of the strongest grounds of a homology is similarity of origin regardless of function or even ultimate anatomical connections. The search for homologies has led to the idealization of the "type," and this, more than anything else, has blinded morphologists to the facts of variation and evolution. When, however, twenty-two vertebræ in place of twenty-one can nonplus the seeker after homology, its ethereal nature is sufficiently indicated.<sup>2</sup> Homology may, indeed, exist between normal types, but the abnormal or pathological is often beyond homology, and yet just the abnormal is, paradoxical as it may sound, the important for evolution.

As we study an organism's form, we see that it is not made up merely of a great number of characteristics, but that these characteristics are, on the whole, such as enable the animal to thrive in its environment. We are struck by their "adaptive" nature.

I am well aware that twenty years or so ago this side of morphology — the side, namely, of the accounting for an organism's form on the ground of use — was little cultivated. Morphology had for its aim the discovery of the interrelation of parts in the individual organism and the homology of parts in different individuals or species, and if it sought to go farther it indulged only in speculative inferences as to the probable function of the parts. On the whole, the student's attention was directed towards connections of organs and his natural inquiry as to use was stifled. Some one said that function varies while the form persists.<sup>3</sup> This phrase became a dogma, and function was considered a matter too trivial for consideration. Homology was the study for men of science; analogy was for the dilettanti. Morphologists should have been warned by cases like the whale, whose teeth cannot be homologized with those

<sup>1</sup> C. B. Davenport, *Studies in Morphogenesis*, I, *On the Development of the Cerata in æolis*, *Bulletin of the Museum of Comparative Zoölogy*, Harvard College, xxiv, 141-148, 1893.

<sup>2</sup> See W. Bateson, *Materials for the Study of Variation*, 28-33 (1894).

<sup>3</sup> Sometimes called "Dohrn's Law."

of other mammals, and not have underrated the limitations of homology nor the importance of the study of adaptations. Only within the last few years have we come to recognize that every organ is more than a homologue: it is also a successful experiment with the environment.

The existence of that relation between form and environment which we call adaptation has been recognized for centuries, yet its full significance is still obscure. The prevailing theory (of Darwin) assumes that a change in environment precedes any change in form and that adaptation is, therefore, necessarily achieved by a change in the mean of the form to meet the changed demands of the new environment. This theory may, indeed, be said to be the natural outcome of the morphological doctrine of fundamental fixity of type. The type could be bent to meet new conditions, but could receive nothing new nor suffer loss of parts. I find that in the pre-Darwinian epoch Prichard<sup>1</sup> suggested that the Creator made the various species and placed them in habitats for which their structure fitted them. We see in this suggestion translated into modern terms the germ of a very different theory of adaptation from the prevailing one. I expressed this nearly two years ago about as follows:<sup>2</sup> "The world contains numberless kinds of habitats or environmental complexes capable of supporting organisms. The number of kinds of organisms is very great; each lives in a habitat consonant with its structure." Each species is being widely dispersed, while, at the same time, it is varying or mutating. By chance, some variants of the species get into an environment worse fitted for them; others into one better fitted. "Those that get into the worse environment cannot compete with the species already present; those that get into a habitat that completely accords with their organization will probably thrive, and may make room for themselves, even as the English sparrow has made room for itself in this country. This process may go on until the species is found only in the environment or environments suited to its organization. As Darwinism is called the survival of the fittest organisms, so this may be called the theory of segregation in the fittest environment."

The principle that animals are found in habitats for which their

<sup>1</sup> J. C. Prichard, *Physical History of Mankind*, 3d ed., 1836-37, vol. I, p. 96: "The various tribes of organized beings were originally placed by the Creator in certain regions, for which they are by their nature peculiarly adapted." I owe this reference to F. Darwin's *More Letters of Charles Darwin*, vol. I, p. 45, New York, Appleton.

<sup>2</sup> *The Animal Ecology of the Cold Spring Sand Spit, with remarks on the Theory of Adaptation*, *The Decennial Publications of the University of Chicago*. Preprint dated Jan. 1, 1903. This was written in the autumn of 1902. The sentences quoted are on page 21. The same idea is worked out in my paper, *The Collembola of Cold Spring Beach, with special reference to the movements of the Poduridæ*, *Cold Spring Harbor Monographs*, II, pp. 24, 25, July, 1903. In T. H. Morgan's book, *Evolution and Adaptation*, this view is adopted. This book was published in November, 1903.



structure fits them, and not elsewhere, points to the close relations existing between morphology and geography. We find the animals of the seashore, such as sponges, hydro- and anthozoa, and tunicates, to be largely sessile, and, in consequence, of the radiate type of structure. This sessile habit makes it possible for them to maintain their hold on the rocks from which the beating waves tend to tear them. Those which are not actually permanently attached have means enabling them to cling closely to the rocks; such are the echinoderms, the mollusks, many annelids and crustaceans. The animals of the surface of the sea, such as siphonophores, ctenophores, jelly-fishes and larvæ, are without such clinging organs; they include species whose organization permits them only to float or swim at or near the surface. The deep sea could have been populated more readily, so far as proximity goes, from the surface organisms than from those of the shore-line; but only the latter offered the structural features consonant with life at the sea-bottom, and so the deep sea became populated thence. In the swift-flowing rivers we find powerful swimmers or animals that can hold fast to the bed of the stream and in ponds, we find those species which have some means of preserving their continuity in time of drought. In caves<sup>1</sup> we get not any forms which happen to be washed into them, but only darkness-, moisture-, and contact-lovers. In deserts whole groups of animals are absent, only those occurring with thickest skin, — least apt to lose water by transpiration, — such as certain snakes, lizards, and hard-shelled beetles.<sup>2</sup> In general, in studying the geographical distribution of animals in environments presenting extreme conditions we find that they clearly have been selected from groups presenting the most favorable characteristics. All of this indicates that, often at least, the already existing morphological conditions have determined the fitness of a species to cope with the environment — morphological characteristics have determined geographical and climatic distributions.

Morphology as the science of form is often contrasted with physiology, the science of function. Yet between the two is the closest possible relation, because an organ implies a function, and every morphological characteristic has a corresponding physiological characteristic. As physiological characteristics are transmissible in the same way as morphological, we may think of any individual as being made up of such functional characteristics, just as a molecule is made

<sup>1</sup> Compare C. H. Eigenmann, *Cave Animals: Their Character, Origin, and their Evidence for or against the Transmission of Acquired Characters*, *Proceedings of American Association for the Advancement of Science*, Forty-eighth Meeting (1899), p. 255. Also P. C. K. Absolan, *Einige Bemerkungen über mährische Höhlenfauna*, *Zoologische Anzeiger*, xxiii, 1-6 (1900). For a popular account of our caves and their fauna, see W. S. Blatchley, *Gleanings from Nature*, pp. 99-178 (1899).

<sup>2</sup> For a delightful and accurate general account of the animals of our native deserts, see John C. Van Dyke, *The Desert*, New York, 1901.

up of atoms, and in the transfer from one race or species of a set of morphological characteristics, we transfer likewise the corresponding set of physiological characteristics. Thus, to return to poultry, we find the rate of growth, the age at maturity, the egg-production, the brooding instinct, and the resistance to disease, to be characteristics of various races, and it is quite possible to combine such characteristics — in so far as they are not incompatible — in various ways. Thus we have poultry that mature early, lay many eggs, and are not broody — of these the white Leghorn is a good example. Or, we may have poultry that grow large, mature late, lay throughout the winter, and are very broody — such are the Cochins. This similarity in capacity for making combinations which we see between physiological and morphological characteristics proves their close kinship and the unscientific nature of the division which would relegate their study to distinct sciences.

What is true of domesticated races is true also of wild species. Biology has suffered from the circumstance that species have been studied almost exclusively from dead specimens. Attention is focused on proportions in the dimensions of bones, on number of spines, on antennal joints, on shell-markings, and so on, and we seem to have overlooked entirely the fact that all these characters constitute only one face of the shield. The structural descriptions of the systematist give us a no more adequate idea of the characteristics of species than does the sight of this exposition on a Sunday, when all wheels are stopped and only the form, beautiful and grand as it is, remains, give us an adequate idea of it. And so in the study of species we cannot understand the form characteristics without considering also the function characteristics. I may illustrate this by some studies which Miss Smallwood<sup>1</sup> has been making at Cold Spring Harbor. She started with a species of Amphipoda — *Talorchestia longicornis* — that lives on the beach where it is rarely covered by the tide. After studying its form and behavior for several months she investigated a second species of the same family of *Orchestidæ*, *Orchestia palustris*, that lives on the salt marsh to the limit of the highest tides. After studying this for some weeks with respect to behavior correlated with structure, she has begun on still a third species of the same family, *Alochrestes*, which is a typical aquatic organism. The instructive thing that comes out of her studies is that in just the same way as these species differ in structural characteristics they differ in functional characteristics, and the two kinds of differences go hand in hand, and they have to be studied together to be fully intelligible.

In still another way are the dynamical and static characteristics

<sup>1</sup> Mabel E. Smallwood, *The Beach Flea, Talorchestia longicornis, Cold Spring Harbor Monographs*, 1, May, 1903. Compare also her paper, *The Salt Marsh Amphipod, Orchestia palustris, Cold Spring Harbor Monographs*, 3, March, 1905.

bound together, for every form or part has not merely a form or function, but a development, and development is a dynamical process. A decade or two ago embryological development was regarded as a purely morphological subject, as a series of stages, and little attention was paid to the causes that produce the stages and the succession of organs. During the last decade, however, partly under the stimulus of physiologists who have entered the field of embryology, its dynamical problems have been studied also by morphologists. As a result of the researches of Loeb, Driesch, Herbst, E. B. Wilson, Morgan, and many others, we have come to recognize that the egg is organized, — cytoplasm as well as nucleus, — and that it exhibits varying degrees of organization in different cases. Sometimes it seems as though every part of the egg was totipotent, as in the medusæ; in other cases, the different parts of the cytoplasm seem told off to develop into particular and definite organs, as in some mollusks. We have learned, further, that at every stage new organs are called forth and their development directed by stimuli proceeding from already existing organs.<sup>1</sup>

Moreover, it has been found that even adult structures are dependent upon external conditions for their form. It appears that peculiar functioning may alter the form of internal organs, as has been demonstrated in the case of a ship's trimmer and of a cobbler by Lane,<sup>2</sup> and as a vast number of pathological cases testify, such as the alteration of the arrangement of plates in the spongy tissue in the head of the femur,<sup>3</sup> and the functional hypertrophy of the other kidney after the loss of one. Morphologists have been forced to realize that form and structure cannot be dealt with aside from function and behavior. Every part of the living body is a sensitive, responding part whose sensitiveness determines structure. This is seen particularly well when the body is mutilated or a part removed; then begins the wonderful process of regeneration or regulation by which, under control (in the higher animals) of the nervous system, the lost parts are in many cases restored. In truth, the work of the morphologist has extended into the realm of the form-developing and form-maintaining factors, and this is a physiological realm.

From these experiences I conclude that the morphologist who studies form characteristics only is too narrow. *Characteristics* in their two-

<sup>1</sup> The literature on this subject is extensive; recent résumés are given in E. B. Wilson's *The Cell in Development and Inheritance*, 2d ed., 1903; also, T. H. Morgan's *Regeneration*, New York, 1902. Read also E. B. Wilson, *The Problem of Development, Science*, XXI, 281-294, Feb. 24, 1905.

<sup>2</sup> Lane's papers were published in the *English Journal of Anatomy and Physiology*, fifteen or twenty years ago.

<sup>3</sup> On the architecture of the spongy tissue of the head of the femur, see H. Meyer, *Archiv für Anatomie u. Physiologie*, 1869; J. Wolff, *Virchow's Archiv für pathol. Anat.* L (1870) and LXI (1874); also Roux, *Gesammelte Abhandlungen*, and Roux, *Der Kampf der Theile im Organismus*, Leipzig, p. 27, 1881.

fold aspect of form and function should be the object of his investigations — their difference in allied species, their integrity, their behavior in breeding, their phylogenetic origin, their embryological development, and their maintenance in the adult.

Morphology has relations with sciences quite outside of biology. I have already insisted that the problems of form and structure are also physiological problems, but in last analysis they are, I think, problems of physics and chemistry. For myself, I have no doubt that we shall some day be able to prove that each characteristic of an organism depends upon a specific substance in the germ-cell, and we may hope by altering this substance experimentally to change the corresponding characteristic. Such a change is mutation, and mutation in last analysis, as De Vries maintains, depends upon external conditions.

Apart from this it is certain that the physiological processes involved in the individual's characteristics are modifiable, and, indeed, controlled by physical agents in the environment.<sup>1</sup> Thus it has been possible to show that certain salts play special rôles in the development of particular organs or characteristics (Herbst). Loeb, indeed, has shown that regeneration of hydroids does not occur in the absence of potassium. We know, likewise, that iron is necessary to the formation of the chromatin of the nucleus.

The physical conditions have likewise an influence in morphogenesis. The rate of development is controlled within limits by temperature; the number and position of stomata and of leaves by light and moisture; the number and form of plant hairs by moisture; the position of branches and leaves on a stem by gravity; the formation of a hydranth in a hydroid stock by light. So evident is this dependence of morphogenesis upon physical agents that two individuals of the same family develop alike only under the same conditions of environment.

There remain to be considered the relations of morphology to the queen of the sciences, — to mathematics. Until recent years little relation has been recognized, and this I attribute to the fact that few naturalists have a type of mind that attracts them to mathematics. They have usually been led to their science through a love of nature, — a passion that belongs rather to the poetic type of mind than to the severely precise mathematical. And so I find that, even to-day, when the bearing of mathematics on morphological problems cannot be overlooked, few morphologists take an interest in the subject of biometry by which the two sciences are connected.<sup>2</sup>

<sup>1</sup> References to the literature on this general subject up to five or seven years ago will be found in my *Experimental Morphology*, New York, vol. I, 1897; vol. II, 1899.

<sup>2</sup> For references on biometric subjects I may be permitted to refer to my *Statistical Methods*, 2d ed., New York, 1904, which includes also a summary of results.

The fact that few morphologists have a taste for mathematics cannot stay the inevitable trend of the science toward greater precision of expression and toward mathematical analysis. Until recent years characteristics have been described only in the crude language of adjectives and adverbs — where greater precision is necessary, quantitative expression is inevitable. So we have seen during the past ten years the rise of biometry and its application to many morphological problems. Biometry had its beginning in the suggestive investigation of Galton; its great development in the last ten years has been due, above all, to the tremendous activity of Karl Pearson and the workers he has gathered about him. By the aid of efficient methods of analysis we are able to state quantitatively not only the mean value of any measurable characteristic, but also the degree of its variability and the closeness of associated variability of two interdependent organs. Moreover, it is possible to study the nature of the variability exhibited by any characteristic in any homogeneous lot of individuals and to draw an inference from the nature of this variability — as exhibited in the variation polygon — concerning the condition of the characteristic in question in the given race. A person of experience can tell from a glance at the variation polygon whether the race is in a condition of equilibrium so far as this characteristic goes, or whether it is breaking up into several forms, or is, perhaps, evolving into some other condition. The quantitative expression gives a means of measuring change of the mode from epoch to epoch which Weldon used in studying the crabs at Plymouth, and which enabled him to demonstrate a progressive change in form. It gives also a means of measuring the alteration of an organ in different environments, and so of estimating the effects of changed external conditions. Thus it has been shown that the modal number of ray flowers in the ox-eye daisy depends upon the conditions of nutrition in the soil; the chela of the male crab, *Eupagurus*, is relatively smaller in deep water; the mud-snails, *Nassa*, of brackish water are depauperate.

Again, mathematical methods have given us a measure of the correlation between organs, so that, the exact relation between human stature and the length of a long bone being known, the stature of extinct races may be calculated from a collection of disinterred femurs. Pearson has been able to show that there is no correlation between shape or size of the head and intelligence, and to demonstrate the efficiency of vaccination and the non-inheritableness of cancer. The opinion that various bodily characteristics are bound together has been substantiated by studies in the correlation of all sorts of organs in plants and animals and the degree of this correlation measured. This

There is also one journal devoted exclusively to biometry, *Biometrika*, published in London and edited by Pearson, Weldon, and Davenport, with the advice of Francis Galton.

index of correlation measures the degree of morphological kinship or of physiological interdependence. Symmetry gains a quantitative expression, and it is interesting to find that originally non-symmetrical organs which have secondarily gained antimeric relations — as in animals that habitually lie on one side — gain a very high index of correlation. Thus I find in the scallops (*Pecten*), which are lamelli-branches that have come to lie on the right side, the index of correlation between the dorso-ventral and antero-posterior diameters is 97 per cent, whereas the correlation between the breadths of the right and left valves is only 86 per cent. As heredity is only one phase of correlation, the inheritance of characteristics can, by the new methods, be exactly measured. It is demonstrated that there is such a thing as prepotency of one parent, and that heredity is weakened by change of sex. It is shown that mental and physiological characteristics are inherited exactly like morphological characteristics: and that the relationship between the leaves of a branch or the zoöids of a colony is like that between brothers of a family. We learn that all inheritance is not all of one kind; that certain characteristics, like stature and skin color, blend in the offspring; while others, like the coat color in mice, refuse to blend, and may be inherited according to Mendel's law.

By mathematical analysis the selection of particular characteristics, or those of a particular degree of development, has been demonstrated, and the exact effect of the selection process upon the frequency polygon has been made clear. Extreme variants are often annihilated, although in other cases the position of the mode is shifted. Finally, through quantitative studies the existence of local races has been clearly proved — the degree of their differentiation and its dependence on environmental conditions has been measured. It has been shown that a characteristic does not remain the same in all localities and under all conditions, but may become slightly altered. This fact speaks strongly for the contention that new species may in some cases have arisen by the summation of infinitesimal differences — that not all evolution is by mutation.

In concluding this address I am impressed by the fact that to-day any science ramifies in all directions toward every other. There can be no doubt that the most fruitful work in any science is to be done in the border-line between it and some other science. There is another corollary to this close interweaving of the sciences, and that is that the existing classifications have become antiquated. Our university departments, our societies, and our journals still, for the most part, draw the old lines. Yet the true work of science has, I apprehend, overleaped the barriers of these classifications, and the best workers will in the immediate future be no longer botanists, or zoölogists, or chemists, or mathematicians, but will be interested in particular sub-

jects, — in following some favorable lead into the unknown. The embryologist who is interested in processes, the cytologist who is interested in the fertilization of the egg, will feel free to work on any material, whether plants or animals or crystals or colloidal mixtures — and by any methods that seem likely to be of aid to him. And I hope to live to see the day when our now overgrown zoölogical and botanical societies shall languish while groups of men devoted to a common subject and investigating it with the most diverse material will meet together to discuss results of common interest. When a subject no longer demands vigorous investigation, and the centre of activity is shifted elsewhere, I should like to see the old associations abandoned and new ones formed to advance the newly risen problems. Our large societies are a hindrance, I sometimes think, rather than a means of advancement to science. We want smaller meetings with more acute interest. And, finally, I cannot but remark on the vastness of the preliminary training which the present ramifications of every science make necessary. Research in the fields between the old sciences has rewards for the investigator, but he who would reap those rewards must prepare himself through years devoted to gaining the mastery of many sciences.

# THE PRESENT TENDENCIES OF MORPHOLOGY AND ITS RELATIONS TO THE OTHER SCIENCES

BY ALFRED MATHIEU GIARD

(Translated from the French by Robert M. Yerkes, Harvard University)

[Alfred Mathieu Giard, Professor of Zoölogy (Evolution), at The Sorbonne, University of Paris; Member of the French Institute. b. Valenciennes, France, August 8, 1846. B.L. 1864; B.S. 1869; Student at Superior Normal School, 1867-70; Licenciante in Mathematical Sciences, 1869; Licenciante in Physical Sciences, 1867; Licenciante in Natural Sciences, 1869; Doctor of Natural Sciences of the Faculty of Sciences, Paris, 1872. Professor of Zoölogy of the Faculty of Sciences at Lille, 1873-87; Professor of Natural History of the Faculty of Medicine at Lille, 1876-87; Master of Conferences of Zoölogy at the Superior Normal School, 1887-89; Professor of Zoölogy of the Faculty of Sciences, Paris, 1890. Member of Academy of Sciences; President of the Society of Biology; President of the French Association for the Advancement of Science, 1905; Former President of the Entomologic Society of France; Member of Academies of Brussels, St. Petersburg, Prague; Academy of Natural Science of Philadelphia; Linnean Society of London, etc., etc. Author and Editor of *Scientific Bulletin of France and Belgium*; *Studies from the Maritime Zoölogic Station at Wimereux*; *Researches on the Synascidie*; *Controversies upon Transformism*, etc., etc.]

ALMOST forty years ago, on the occasion of a great international manifestation of human thought such as this in which we are convened at the present moment, in his report concerning the progress of physiology<sup>1</sup> presented to the Universal Exposition of Paris in 1867, the illustrious Claude Bernard tried to show that the sciences should be separated into two classes: one, including astronomy and the natural sciences, sciences of *contemplation and observation*, which should tend only toward the prevision of facts; the other, in which he placed physics, chemistry, and physiology, which alone, he said, are the *explanatory, active, and nature-conquering sciences*.

This kind of contrast established between the sciences of nature, to the laws of which we submit passively, and those in which the activity of man intervenes is the reiterated but considerably improved expression of the opinion of the philosophers of the seventeenth century, especially of Thomas Hobbes, who in his book, the *Leviathan*, expressed it in these terms: "The Register of *Knowledge of Fact* is called *History*. Whereof there be two sorts; one called *Naturall History*; which is the History of such Facts, or Effects of Nature, as have no Dependance on Mans Will; Such as are the Histories of *Metalls, Plants, Animals, Regions*, and the like. The other is *Civill History*; which is the History of the Voluntary Actions of men in Common-wealths."

<sup>1</sup> Claude Bernard, *Rapport sur le progrès de la Physiologie générale en France* (1867), p. 132, and *Revue des cours scientifiques* (1869), p. 135 et passim.



In conceding to the sciences of nature the power to predict facts, Claude Bernard gave them, at least in appearance, a very wide range; for what constitutes the essence of a science, as had been recognized already by Locke, is prevision of the future, and one may repeat with W. Ostwald, "The greatest leaders of man have been those who saw most clearly into the future."<sup>1</sup>

But if we seek to understand better the thought of the great French physiologist, we soon realize that the rôle of contemplative observer attributed by him to the morphologist is very modest in comparison with the far more exalted part which he proposes to reserve for the sciences called experimental or nature-conquering.

It is to these the duty comes at the same time to foresee the events at will and to create them at need: for the observer considers phenomena in the state in which nature offers them to him; the experimenter causes them to appear under the condition of which he is master. The naturalist is a describer; the physiologist is a creator.

Debatable at the time it was advanced, and, in fact, soon debated by men of great ability, the division of the sciences proposed by Claude Bernard was not able to resist the progress of ideas, so rapid at the close of the nineteenth century.

It rested in great part upon a misunderstanding of the conception of the word experience, to which we saw fit to give, as we shall see later on, a less restricted significance than that of the school of Magendie and of certain physiologists to-day.

Furthermore, to those who may desire to see in this discussion something besides a question of a word and a change of labels, it will be easy to reply directly by the history of the conquests due to morphological studies since the middle of the last century.

Especially in the new and so little known domain of cytology can it not be said that all that we know concerning the fundamental question of cell-division is the fruit of the efforts of the morphologists, that the methods employed by the histologists to elucidate the problem of cell-division go far beyond simple observation, and that they have required as much persevering ingenuity, as much technical skill and accessory knowledge, as any experiment in pure physiology involves?

The triumph of the doctrines of Lamarck and Darwin, the splendid intellectual movement aroused even as early as 1857 by the publication of the *Origin of Species*, the controversies of all sorts aroused by the theory of modified descent, soon began to overthrow the views of naturalists and to assign a new significance to mor-

<sup>1</sup> Wilhelm Ostwald, *The Relation of Biology and the Neighboring Sciences* (University of California Publications, *Physiology*, vol. 1, p. 15, Oct., 1903).

phological researches, as to the work assignable to other branches of biology.

Natural history was able in its turn to aspire to the title, explanatory and nature-conquering science. And if this transformation of opinion does not occur more promptly and more nearly simultaneously in all countries of high scientific culture, the fault is largely that of the naturalists themselves, for their obstinacy in preserving ancient dogmas, for their defiance of valuable ideas for which the authors have been ignored at first in their own country.

So long as biologists obstinately support the view of Cuvier and of R. Owen that vegetable and animal species are immutable and that the supreme end of science is classification, it is evident that the history of living beings can be only the exact description of their external form and of their internal structure in the adult and in the larval states, the comparison of these forms and of these structures, the study of the habits, that is to say, the relations of the organisms among themselves and to the environment, the distribution of these organisms over the surface of the earth considered as the result of caprice or of the intelligence of an omnipotent Creator. Outside of their practical applications (the utilization by man of animal or vegetable products), natural history yet can give enjoyments similar to those that we experience at the sight of an object of art, of a kind, however, of which the technique escapes us, and of which the results remain for us an inexplicable enigma.

But the point of view changes entirely, if in the place of considering creation in a static state as a whole, thenceforth immutable, we consider it from the dynamic point of view; if we no longer study the *natura naturata*, but the *natura naturans*, in seeking to discover the relationships of living beings, and to unravel the complicated processes by which forms and organisms are determined and related to one another; if we cease to admire devotedly the harmonies of animals and vegetables either among themselves or with the surroundings which environ them, and to hold to the childish finality of which Bernardin de St. Pierre has given us the most perfect expression; if, in a word, we abandon the anthropocentric method in order to seek to explain how these harmonies gradually became established or modified as the conditions of the environment in which they were realized were being established or modified.

Even as early, as 1877 at the congress of German physicians and naturalists which met that year at Munich, one of the first and most ardent protagonists of the Darwinian doctrine, Ernest Haeckel, could proclaim with entire justice: "By the theory of descent, biology in general, and especially zoölogy and systematic botany, are truly

raised to the rank of natural history, a title of honor which they have borne for a long time, but which they merit only in our day. If these same sciences still are often designated, and that even officially as descriptive natural sciences in contrast with the explanatory sciences, this proves that a false idea exists even at present of their true significance. Since the natural system of organisms is regarded as the expression of their genealogical tree, taxonomy, so dry in its descriptions, makes a most vital place in the history of the genealogy of classes and of species.”<sup>1</sup>

A still more important consequence resulted from these new conceptions. The theory of descent introduced into the biological sciences a unity of view, a community of end, which established among them the closest relations of mutual dependence and suppressed all futile questions of supremacy or of precedence. Indeed, whatever were the methods employed, deduction or induction, observation or experiment, anatomy, physiology, ethnology, geonomy, taxonomy, paleontology, all these parts of a whole thenceforth indivisible should tend to the realization of the same programme: to retrace in a manner as exact and as complete as possible the history of the manifestations of life upon our planet, while leaving to the metaphysicians and to the poets the business of seeking the earliest origins or of celebrating the finalities.

A hasty glance will permit us to appreciate what results have already been obtained by this concourse of converging efforts and what hopes we may conceive for the future, when, extending its frontiers, biology shall benefit by the progress of science, with which thus far it has had only too distant relations. Thus, while the old branches of morphology rejuvenated and vivified will cover themselves with a new foliation, we shall see develop about her new branches swollen with an abundant and vigorous sap: cytology, promorphology, tectology, experimental morphology (or the creation of forms by the action of primary factors), genesiology, biometry, etc.

But the very fact of the direct dependence of these different parts of the science, their mutual interferences, the complex of causes which have presided at their birth and over their evolution, frequently render this exposition difficult and at times perhaps obscure.

I may be permitted to excuse myself in advance and to claim all the indulgence of my audience if I have not always succeeded in finding the *lucidus ordo* that the Latin poet claims. You will kindly excuse me also for often having given a dogmatic and aphor-

<sup>1</sup> E. Haeckel, *The Theory of Evolution in its Relations with Natural Philosophy*, Congress of German Naturalists in Munich (*Revue Scientifique*, December 8, 1877, p. 531).

istic form to the propositions for all of which the evidence is perhaps not sufficient. A more complete demonstration would have required the lengthiness that I have insisted on avoiding. My conviction, too decisively and perhaps too strongly expressed, is based in every case upon mature reflection and upon the experience of long years of study.

Certainly the change of orientation introduced into the natural sciences by the transformation theory does not detract from the positive value of the results previously acquired by the purely descriptive method, and we cannot overlook the materials slowly accumulated by our predecessors. We can continue to proclaim accord in this matter with Cuvier: "La détermination précise des espèces et de leurs caractères distinctifs fait la première base sur laquelle toutes les recherches de l'histoire naturelle doivent être fondées; les observations les plus curieuses, les vues les plus nouvelles perdent presque tout leur mérite quand elles sont dépourvues de cet appui; et malgré l'aridité de ce genre de travail, c'est par là que doivent commencer tous ceux qui se proposent d'arriver à des résultats solides."

A great number of naturalists devoted to the systematic study of morphology received the idea of the variability of species with mistrust, thinking that this idea undermines the principles upon which their science of predilection rests. Events have not been slow in proving that these fears were chimerical. In order to demonstrate scientifically the reality of variations often very slight at first, it was necessary to be more precise than formerly, and sometimes even to give minute descriptions of the forms under discussion. The preservation of types in collections and museums, their graphic representation and their careful comparison with related species became more and more prominent, and certainly the advances of systematic natural history have been strongly stimulated by the disputes of the partisans and the adversaries of the theory of descent.

The study of new forms, the search for intermediate types, abnormalities, mutations, local varieties, no longer have as their sole purpose the satisfaction of a vague feeling of curiosity. The knowledge of slight modifications of structure, of slight steps in normal morphology, have become precious elements for the construction of phylogenetic trees.

Natural classification, instead of being a subjective entity, variable with the conceptions peculiar to each systematist, is now presented to the mind as an objective reality: the genealogical history of living beings of which we can already conceive a general plan, very imperfect undoubtedly, but for the establishment of which all later discoveries should coöperate.

The works of specification have a higher end, a rôle not only of description but also of prediction and origination; they rise a step in the scale of human knowledge. Their interest then becomes much more important.

And this interest is not limited to the science of beings actually living, it extends to the study of extinct forms hidden, in a petrified state, in the depths of the earth.

Paleontology opens before us as a gigantic collection of archives, and despite the regrettable gaps which the future undoubtedly will more and more fill up, it furnishes us the most precious documents for the retracing of the ancestral lines of plants, of animals, and of man himself. Veritable *médailles de la création*, the fossils enable us to reconstruct upon firm foundations the natural history of living beings in the exact sense of the word by methods analogous to those that brought into use history, properly so-called, as the sociologists and philosophers understand it.

From this moment paleontology forms with zoölogy an indissoluble whole and these two divisions of morphology reciprocally furnish coöperation. But zoölogy is incomplete. Despite the efforts of generations which preceded us we are still far from knowing all the living beings which actually exist on the surface of the earth. Paleontology has given us only very rare indications, if we consider the great number of organisms which have disappeared without leaving permanent traces (protoplasmic beings which lack a skeleton or which have a slightly resistant skeleton, etc.), especially if we think of the difficult and rarely realized conditions which were necessary to assure the fossilization and the preservation of animals through all the vicissitudes of the earth's surface. Many of these gaps in the morphological series are in course of disappearing or will disappear little by little, thanks to the more effective methods of investigation which we possess, thanks also to the progress of physical geography and to the more intensive study of the countries thus far unexplored.

Geonomy, or the study of geographical distribution, also, is greatly illuminated and simplified by the doctrines of transformation. The actual distribution of animals and plants should no longer be considered as the result of chance or of a directive principle which replaces the old creations by new ones just as one sees the scene change in the theatre each time the curtain rises.

A causal connection exists between the past and the present. Paleontology indicates to us those portions of the earth in which we should seek forms with archaic characters, and geonomy in turn enables us to divine the changes of the earth's surface and reveals to us the distant causes for the suppression of animals which have already disappeared.

But still more than geonomy, a new science or rather an exceedingly rapid development of a too much neglected branch of the science of morphology, should soon remedy the inevitable insufficiency of the actual zoölogical principles and of our paleontological knowledge.

So long as the naturalists were content to catalogue and to compare among themselves, after the fashion of a collector of arms or of objects of art, some of the many forms whose astonishing variety they admire as the fruit of the inexhaustible imagination of an infinitely ingenious Creator, it was to the adult states especially, considered as perfect, that they directed their attention. It was of little importance to them to know how the objects of their favorite passion were formed. With the exception of some rare precursors (Aristotle in antiquity, Malpighi, Swammerdam, Harvey, C. F. Wolff in a more recent period) the majority of biologists were not interested in the study of development.

Even to-day, moreover, we find among the systematists a sort of vestige of this state of mind. Among a thousand entomologists how many are there who have the least interest in the collecting of caterpillars or the larvæ of insects? Of a hundred ornithologists how many deign to admit the nests or the young of birds into their collections?

It is not the least service that the theory of evolution has rendered to biology that it has shown the importance and the necessity of embryological studies.

It is only fair to recognize that the ground was prepared by the simultaneous development of other collateral branches of science, and especially by the progress of micrography and the advent of the cellular theory.

However, we have the right to maintain that it is especially to a desire to **verify** in a new way the ideas of Lamarck and of Darwin that we must attribute the abundance and the perfection of embryological investigations pursued after J. Müller and von Baer, by Gegenbaur, Haeckel, Leuckart, Huxley, Loeven, Van Beneden, Agassiz, and others.

By its continuity, by the dependence of its successive phases, by the causal nexus which determines them and the relations among themselves, the development of larvæ and of embryos, or in modern language, the ontogenetic series of embryological stages is marvelously fitted to illustrate the theory of modified descent by examples which afford convincing evidence.

Undoubtedly even before the publication of the works of Darwin and the beautiful group of embryological monographs, of which we are about to speak, Serres had foreseen, by a kind of divination of genius, the fruitful idea of the transitory repetition in indi-

vidual development of the forms which are permanently realized in the actual zoölogical series. But this idea could not be fully understood and bear all its fruits until it was completed and solidly demonstrated by Fritz Müller in his admirable little book *Für Darwin*.

From that time the triple parallelism existing between the zoölogical series, the ontogenetic series and the paleontological series, appeared as a necessary consequence of the phylogenetic kinship of animals, and as the evident interpretation of their genealogical relations. Furthermore, as should happen in the application of all serious theories, the apparent exceptions due to abbreviations or to falsifications of ontogenetic evolution may be foreseen and explained partly by the principles of the Darwinian doctrine: natural selection and the struggle for existence.

It is then with good reason that the principle of Serres and of Fritz Müller has been called by Haeckel the fundamental biogenetic law, if we give to this word law the meaning that we ordinarily give it in experimental sciences, that of a general formula susceptible of sufficient verification and permitting us indefinitely to predict new facts. Rich in the works of Daubenton, of Haller, of Camper, of Pallas, of Vicq d'Azyr, comparative anatomy seemed to have received from the genius of Cuvier forever indestructible foundations.

It could not escape, however, from the renovating action of evolutionary ideas. The problems that it always had in view, the questions that it apparently had answered, soon reappeared in improved forms; Huxley, Gegenbaur, Leuckart were not slow to show us in what direction definite solution was to be sought.

The pretended law of the correlation of forms (Cuvier), the principle of connections (Et. Geoffroy Saint-Hilaire), that of the balancing of organs, the idea of the degeneration of types (de Blainville), the notion of rudimentary organs, etc., instead of being simple empirical formulas, became the synthetic expression of real and necessary relations between organisms related by consanguinity, and if they had not already been firmly established inductively, these conceptions could have been deduced as the necessary corollaries of the genealogical kinship of living beings.

If we turn to the memoirs of the period and to the famous discussion between Cuvier and Et. Geoffroy Saint-Hilaire concerning the unity of organic structure, a discussion in which Goethe followed the Peripatetics with so much passion that he concentrated the strength of his mind upon it to the neglect of the political revolution which occupied every one in 1830, we recognize with astonishment that neither the one nor the other of the illustrious adversaries appreciated the much greater significance the debate would have

acquired if it had taken account of the ideas that Lamarck had already supported for twenty years in the midst of the most general indifference of naturalists and philosophers.

It appears, indeed, from numerous passages of the *Philosophie anatomique*, that Et. Geoffroy Saint-Hilaire himself saw in the unity of the plan of organization merely the expression of an ideal kinship and that he attempted to explain it, as has often been done more recently, by a comparison with the successive products of human architecture destined for similar uses.<sup>1</sup>

From the philosophic point of view, then, there was not an abyss between Cuvier and Geoffroy. Both were creationists, but while Cuvier admitted the plurality of types (realized at least to the number of four by the Creator), Et. Geoffroy Saint-Hilaire considered the entire animal kingdom as the manifestation of a new unique thought developed according to an invariable plan in its chief lines, modifiable only in details.

We appreciate, without the necessity of insistence on the advantage, what light is cast upon this question of the plan of organization by the theory of modified descent and the study of progressive adaptations of living beings to conditions which vary according to time and place.

We appreciate also the precise and profound meaning which attaches to the previously vague notions of analogy and homology, the more recent ones of homomorphy and homophyly, etc.

The convergence of forms under the influence of ethological factors (pelagic life, parasitic life, etc.) ceased to hide the true affinities and little by little caused the factitious groups introduced by what we might call the *idola ethologica* to disappear from the purified classification.

The *idola tectologica* were more difficult to eliminate. The idea

<sup>1</sup> Here are a few very significant lines on the subject by Geoffroy: "Des rapports que j'aperçois entre des matériaux, lesquels reviennent les mêmes pour composer les animaux, de ces données qui produisent une certaine ressemblance chez tous les êtres, tant à l'intérieur qu'à l'extérieur, j'arrive à une déduction, à une idée générale qui comprend toutes ces coïncidences; et si je les embrasse et les exprime sous la forme et le nom d'unité d'organisation, je ne me propose par là que de traduire ma pensée en un langage simple et précis; mais d'ailleurs je me garde bien de dire ce que j'ignore, qu'une chose serait faite avec intention à cause d'une autre? En définitive, je me crois, dans ces conclusions, aussi fondés en raison que si, voyant d'ensemble les nombreux édifices d'une grande ville et me restreignant aux points communs que leur imposent les conditions de leurs existences, j'en venais à réfléchir sur les principes de l'art architectural, sur l'uniformité de structure et d'emploi d'un autre grand nombre d'édifices. Une maison n'est point faite en vue d'une autre; mais toutes peuvent être ramenées intellectuellement à l'unité de composition, chacune étant le produit de matériaux identiques, fer, bois, plâtre . . . de même qu'à l'unité des fonctions, puisque l'objet des toutes est également de servir d'habitation aux hommes . . ."

Et plus loin: "Toute composition organique est la répétition d'une autre, sans être de fait produite par le développement et les transformations successives d'un même noyau. Ainsi il n'arrive à personne de croire qu'un palais ait d'abord été une humble cabane, qu'on aurait étendue pour en faire une maison, puis un hôtel, puis un édifice royal. (Et. Geoffroy Saint-Hilaire, *Philosophie anatomique*.)



of organic type, so important as we have come to see, has been obscured for a long time by the imperfection of our knowledge concerning individuality or rather concerning individualities of different orders. Among the composite animals especially, such as the sponges, the hydroids, the bryozoa, the synascidians, we have for a long time attributed an exaggerated taxonomic value to the cormogenesis, that is, to the mode of grouping of the individuals, while neglecting the real relations of kinship that the anatomy of these individuals reveals. It is not the least service rendered by E. Haeckel to biological science that he first attempted to fix the rules of this branch of morphology, which is like the architectonics of living beings and which has been called tectology. Especially among the metazoa, the tectological idea of the person, that is to say, of the original diblastic being (gastrula) which constitutes the most common mode of individuality, is an acquisition of inestimable value.

Foreseen by de Blainville and by Huxley, who deduced it from purely anatomical considerations, this idea was clearly established by Haeckel as early as 1872, thanks especially to the admirable embryological investigations of Alexander Kowalevsky, investigations which proved the existence of the gastrula larva in all the groups of multicellular animals in which the development is explicit.

Despite the recent attacks to which it has been subjected, the theory of the gastrula, properly understood, is established as surely as that of the homology of the blastodermal layers which is the immediate consequence of it.

The rational application of the principle of Fritz Müller is sufficient to account for the difficulties offered by certain condensed or cœnogenetic developments and the objections presented by some authors who often hold to that which they have studied in only a very small number of types (sometimes one unique type), chosen by reason of practical convenience and without regard to the disturbances of ethological factors to which these types were subjected.

The idea of an original form common to species but often profoundly modified by the influence of environment renders evident the folly of basing comparisons upon promorphology solely — that kind of crystallography or geometry of living beings.

Such groups as those of the *Radiaria* or *Radiata*, the *Bilateralia*, etc., are purely artificial and inspired solely by the *idola promorphologica*.

The truth remains, however, that it would be very desirable to pursue further than has been done at the present time the promorphological studies of which Haeckel has furnished the basis in his admirable general morphology. In this respect, as in many others, morphology is directly dependent on geometry and mechanics. There

is material for numerous problems of very vital interest for those who do not wish to content themselves with the easy but childish solution of final causes.

“Voir venir les choses,” Savigny has said, “est la meilleure façon de les observer.” Morphology, in brilliantly illuminating comparative anatomy, makes possible the rectification of numerous errors of taxonomy and the better appreciation of the value of different taxonomic groupings. But at the same time that they aided in the advancement of normal morphology, embryological studies, extended to abnormal forms of development, demonstrated the great influence of the science of monstrosities or teratology. Soon, thanks to the patient investigations of Dareste and to the abilities of Chabry and W. Roux in the artificial production of animals, teratology became an experimental science, and it was from that time easy to understand how in intervening in a more or less constant manner at different periods of ontogeny the cosmical or biological factors have gradually been able to modify the larval forms and indirectly the adult forms of living beings.

As a result of the science of the habits and relations of living beings either among themselves or with the cosmical environment, ethology or bionomy, somewhat neglected since the time when Réaumur, De Geer, etc., cultivated it with so much success, gains a new interest and offers to every biologist a collection of experiments prepared by nature and of which it is necessary only to interpret the results.

Is it not remarkable indeed to see the bionomy of the adult modify the development of the embryo so profoundly as sometimes to hide, in the course of evolution, the affinity which exists among related forms?

Does not the vegetable or animal diet of a mammal, for example, follow as a consequence primarily of the state of perfection at birth and also of the abbreviation of the embryological processes, since the young are not sufficiently protected by their parents, whose rapid movements in search of nourishment or for the avoidance of an enemy they must follow?

The animals which are fixed in the adult state, and especially parasites, which early establish themselves upon the host and never leave it, necessarily have an explicit development, and the motile larvæ are provided with organs of sense which permit them to choose with care the resting-place where the greater part of their existence will pass. On the contrary, in pelagic beings, which early in life are exposed to a thousand dangers, there would be every reason why the progeny should be protected by direct, rapid and cœnogenetic development or be trusted to a strange nurse, as is the case with the copepods of the group *Monstrillidæ*. Even evolutionary phenomena as complicated as those in the *Coleopteran*, *Meloides*, under the name of hypermetamorphosis, become easy of explanation if we view them in their

relation to bionomic conditions and as a necessary consequence of the life which their ancestors had to lead.

Not less interesting, it seems to me, are the embryological peculiarities that I have brought together under the name "*poecilogonie*." Two beings belonging to the same species as like as possible in the adult stage, so much alike sometimes that the eye of the best-trained specialist cannot detect the least difference between them, may present in the series of their ontogenetic stages and even in the ovarian form very marked differences, if their embryonic bionomy is not the same; if, for example, the environment has not the same chemical composition or if the season of development is different, or yet again if the biological conditions vary with the cosmic surroundings in the different habitats of a widely dispersed species, whence the terms *poecilogonie géographique*, *poecilogonie saisonnière*, etc.

What is more astonishing than these curious experiments of morphology realized by nature, which I have formerly discussed under the name of parasitic castration? And however mysterious the modifying action of the indirect *gonotome* may be to us, is it not very instructive from the morphodynamic point of view to see this parasite, by action at a distance upon a host of determined sex, cause the appearance of the characters of the opposite sex even when these characters will have no value for the animal which possesses them? Finally, this notion of a morphological complex constituted by the host and its parasite acquires primary importance when we relate these parasitic complexes to the unstable biological equilibrium of homophysical or heterophysical complexes in more or less permanent equilibrium, realized either in the galls or in symbiotic forms such as the lichens, plants with mycorrhiza, etc.

At most the notion of complexes of different beings associated in harmonious symbiosis is only a generalization of what we observe in all multicellular organisms in the course of their evolution.

As early as the middle of the eighteenth century C. Fred. Wolff had established upon a firm basis the theory of epigenesis. He showed that living beings do not develop, as had been thought, at the expense of a preformed rudiment, growing much as the image of an object enlarges when examined successively with glasses of gradually increasing powers of magnification.

The different organs of an animal are formations of a relative autonomy which work together in the construction of a whole whose equilibrium is not preëstablished and whose plan may sometimes be modified during the course of construction.

It is well understood that in respect to reciprocal dependence the different systems of organs vary considerably. Sometimes this dependence is very close, as when the appropriate functions of the organs are themselves very closely united, respiration and circu-

lation, for example. It can be much less close when it acts with reference to parts adapted to very distinct rôles, organs of locomotion and the digestive apparatus, or better the tegumentary system and the skeleton, etc.

But the independence is especially great if we consider on the one hand the organs which subserve the life of the individual and on the other those which are destined to insure the perpetuation of the species.

The soma and the gonads, to employ modern expressions which designate these two totalities, are in a certain sense two organisms, which are juxtaposed or incased the one in the other, whose development may proceed very unequally, although any modification effected in one has in general an influence upon the other.

It is because of their reliance upon this notion fundamentally exact, but exaggerated and enveloped with a metaphysical atmosphere, that the partisans of the ancient theory of evolution (pre-existence and germinal localization, preformation of the embryo) have for a long time struggled against the ideas of C. F. Wolff.

In following the same line of thought more recently, A. Weismann has sought to construct his well-known theories upon the assumption of the non-transmissibility of acquired characters.

Finally, it is the same consideration which, when extended to the first phases of embryology, to different cellules of the morula and even to different regions of the unsegmented egg, has served as the basis of the mosaic theory of W. Roux, which has since been so ingeniously modified by E. B. Wilson.

While adhering to the strict observation of facts easiest to verify, we shall call only that epigenesis which, in revealing to us the possibility of a vital concurrence between the organs and even between the plastids which constitute multicellular beings, permits us to explain easily all the complex facts of evolutionary polymorphism; progenesis, *néoténie*, *dissogonie*, *poecilogonie*, and in general the curious peculiarities of development that since Chamisso and Steenstrup we have grouped under the very improper name of alternate generations or of geneagenesis (de Quatrefages).

There is thus established a vast array of information which is sufficiently extended to constitute to-day a new branch of morphology which we may call genesiology.

The object of genesiology is the study, both descriptive and experimental, of different evolutionary modes.

In the preceding pages we have at different times spoken of experiments and of the experimental method in a sense different from that which is often given to these words by the physiologists of the old school. This is the place perhaps to indicate the manner in which we understand the introduction of experimentation into the morpholog-

ical sciences and the results which may follow for the later development of these sciences.

An experiment always necessitates the preliminary analysis of the phenomena by which the fact that one wishes to observe and if possible to measure is conditioned. It assumes a hypothetical solution of which it will show the reality or the non-existence. Every experiment is then preceded by an induction and followed by one or more observations. The experimental method is always, as Chevreul called it, a method *a posteriori*.

Experiment creates nothing; it has precisely the same value and the same logical significance as the proof of a mathematical operation.

For an experiment it is not necessary to demand, as some seem to believe, a complicated plan, a richly equipped laboratory and costly apparatus.

It is necessary indeed not to confound the precise measure of a phenomenon which often is obtained by the aid of very delicate instruments with the pure and simple establishment of a causal relation between one fact and the other facts which determine it, an establishment which is the basis of the experiment itself. Even if the fact were accidental, as the fall of the apple before the eyes of Newton, its determination may nevertheless become an experiment. And it is only the mind of the observer which will give it this character.

Das ist ja was den Menschen zieret  
 Und dazu ward ihm der Verstand  
 Dasz im innern Herzen spüret  
 Was er erschafft mit seiner Hand.

Where the unscientific person sees without interpreting and takes a purely contemplative attitude, the naturalist worthy of the name supplies the supposition of voluntary acts the action of whose factors he wishes to study.

An animal receives in the hunt or by some other accident a ball in the left side of the neck; the right side is paralyzed. If the fact is well determined and freed from all cause of error its voluntary reproduction in the laboratory would be only the verification of an experiment already realized.

Not only does nature at present offer us, as we have said, numerous experiments, many of which are very difficult to repeat, but we may also say that paleontology furnishes us experimental data of incalculable value. The arguments which it furnishes to transformational morphology are not, as is sometimes pretended, purely conjectural; the degree of certainty that they possess is not inferior to that in astronomy or in the other divisions of the physical sciences whose objects are partly inaccessible to us.

Hilgendorf and Hyatt studied the different layers of the tertiary lake of Steinheim in Wurtemberg. They recognized that certain forms of *Planorbis* differing little among themselves in the deep layers (the oldest)<sup>1</sup> are separated little by little from one another, and finally, in the most recent layers, constitute species as reliable as any of those described in this genus of mollusks.<sup>2</sup> Is this a work of pure contemplation and description? Is it not manifest that the authors have reconstructed in their thought a gigantic experiment, and if they have not in their power the complete determination of this experiment, do they not at least possess sufficient elements to infer the evolution of the forms without determining the factors of this evolution other than the time-factor, the action of which is unexceptionable in this instance?

Clearer and still more evident and in any case more in line with current ideas is the application of the experiment in the study of the Lamarckian or primary factors of evolution (cosmical factors, ethnological, etc.)<sup>3</sup>

Indeed it is especially by a return to the ideas of Lamarck that transformationism should cause morphology to progress more rapidly in the experimental path.

Certainly the conceptions of Darwin were in many respects justified by experiment, even in the strictest sense of the word, and Darwin has proved it himself by his beautiful investigations concerning self- and cross-fertilization and concerning climbing plants and carnivorous plants, etc. But it is necessary to recognize how many experimental verifications relative to natural selection, to heredity, demand conditions rarely realized, a length of time which renders them easy of accomplishment only by a group of persons (societies of scholars), or necessitate large resources which most investigators cannot command.

Apart from some brilliant exceptions concerning whom we shall have occasion to speak later, the disciples of Darwin who have followed most closely the tendencies of their master have understood experimentation in the very large sense that we give to this word as applied to a great number of investigations relative to secondary factors.

The importance of the study of primary factors in evolution did not escape Darwin, but, excellent observer though he was, he was

<sup>1</sup> The four oldest forms were the uncertain varieties of the same species: *Planorbis laevis*.

<sup>2</sup> *The Genesis of the Tertiary Species of Planorbis at Steinheim*, Proceedings of the Boston Society of Natural History, 1880; and *Transformations of Planorbis at Steinheim*, *American Naturalist*, 1882, p. 441; also Stearns, *Proceedings of the Academy of Natural Sciences*, Philadelphia, 1881.

<sup>3</sup> To convince us of this, it is only necessary to examine the two beautiful volumes recently published by C. B. Davenport under the title, *Experimental Morphology* (New York, 1897-99), in which we shall find an excellent résumé of what has thus far been attempted in the study of the primary factors.

undoubtedly dismayed by the complexity of the rôle of these factors and did not attempt to disentangle the mechanisms which give rise to the numberless variations of living beings.

These variations exist. He indicates them, and, without referring them to their immediate causes, attempts first of all to show that they may be so determined as to constitute races, then new species.

Darwin had read Malthus; he recognized the law of a division of labor borrowed by H. Milne-Edwards from political economy; he found that the method of the sociologists was good, and that in a science which was complicated and still young, as was biology, one might employ the methods in use equally in meteorology, in statistics, etc., in resting upon the law of great numbers without seeking to discover distant causes and to penetrate to the essence of the phenomena.

Thus he showed the importance of selection for the fixing of acquired characters when they offered some utility in the life-struggle and thus assured the survival of their possessor through a better adaptation.

But he did not seek to establish in each particular case the exact determination of the appearance of indifferent or advantageous varieties. Perhaps he was deterred from this path by the failure of his eminent predecessor, Lamarck, in the energetic effort which he had made to explain in terms of surrounding conditions (acting directly or indirectly by the creation of new needs) the gradual modifications of living beings and the transformation of species.

We must not forget, also, that at the outset of the nineteenth century, and even at the moment when the *Origin of Species* appeared, the state of the physical and chemical sciences did not permit of successful approach to most of the problems of external physiology, the search for the solution of which had been important: chemical investigations determining variations of color, the influence of different kinds of radiations, the morphogenic action of saline solutions, of osmosis, etc.

However satisfactory they may have been for the mind, and despite the enormous progress that they had wrought in morphology, the ideas of Darwin began to appear insufficient; we may even believe for a moment that the exaggerations of some of the disciples of the master merely compromised the triumph of the doctrine and led thought back toward the finalistic explanation of the ancients, now learnedly resuscitated under the name of neovitalism. The words natural selection, mimicry, convergence, heredity, and others like them, which in the thought of Darwin had only a provisional value, became for the philosophers and even for

certain biologists, convenient formulas which served to mask the ignorance in which we most frequently find ourselves in regard to the immediate cause of variation.

Nevertheless, when in 1880 he published his very suggestive little book, *Die Existenzbedingungen der Thiere*, Carl Semper already attempted to lead back the naturalists to the study of primary factors. To the experiments of rare precursors concerning the morphogenic influence of change of alimentary regimen (Hunter, Edmondstone), of the modifications of salinity of the water (Smankevitch), of heat, of light, etc., he added original researches concerning the best conditions for crossing and for the reproduction of *Limnaea*, and especially he brought together into a volume which, although limited, was very complete in its content for the period, an enormous mass of biological observations, many of which have exactly the same demonstrative value as the best laboratory experiments. Since then, investigations of this sort have been undertaken with enthusiasm on many sides and especially in America. The impulse is given and we may rest assured that the movement will increase in force as the parallel advances of physics and chemistry permit of the application of greater precision in these studies and of access to certain questions which up to the present seemed inaccessible.

The opening-up of new scientific fields such as physical chemistry and bio-chemistry will soon furnish us means for taking up successfully the work which Lamarck was able to trace only in its general outline.

The dependence of morphology in its relation to the physical and chemical sciences is still more manifest in that branch, so new and so full of promise, which we know under the name of cytology.

Although the cellular theory, already sketched by Malpighi, had been completely formulated by Raspail (1835) and by Schleiden (1838) for plants, then by Schwann (1839) for animals; although Virchow about the middle of the last century had proclaimed his celebrated aphorism *omnis cellula e cellula*, it is only during the last twenty years that cellular morphology and cytology have attained a wonderful development, thanks to the investigations of Van Beneden, of Strasburger, and of a brilliant group of young biologists.

The history of this magnificent structure, its general plan and its details, have been very exactly retraced in a work already classical, *The Cell in Development and Inheritance*, published as early as 1896 by E. B. Wilson, one of the able investigators who with O. and R. Hertwig, Boveri, Maupas, Guignard, etc., have most actively contributed to its construction. But how laboriously this difficult work has been prepared by the numerous improvements



of microscopical technique due to Leydig, Ranvier, to Max Schultze, to Flemming, etc.

And these improvements in their turn have been made possible of attainment by the advances of chemistry and especially of the chemistry of dyes (the anilin dyes in particular). Despite the empirical and crude way in which we make use of each new conquest of the physical and chemical sciences, despite the existence of methods, which are still imperfect, such as those of Golgi, of Cajal, and of Apathy, what morphologist would be blind enough to deny the importance of the new data which we owe to technical processes of which the theory is very often unknown to us? But chemistry has rendered us services not less important in enabling us to penetrate into the finer structure of the chromatin substance and of the albuminoids in general. In this fruitful way, which Robin had already attempted, but which has been opened to us by Schutzenberger and by Kossel, cytological morphology will certainly find the key to many of the enigmas which arrest it at the present time. And what progress shall we not be able to attain through the chemistry of colloids of which our present chemistry is, in a fashion, only a special case.

That cytological morphology should be contributed to equally and in large measure by physics and especially by optics, is too evident to be necessary to insist upon. I desire only incidentally to make a remark which will show what influence scientific studies which are very dissimilar in appearance may have upon one another.

There is no doubt that the perfecting of micrographic apparatus, and especially of immersion objectives, has been due in such large measure to the desire of the constructors to satisfy a clientele which is special and sufficiently large in certain countries, namely the collectors of diatoms, that these amateurs, sometimes unjustly disdained by those who wish to establish air-tight partitions between scholars of different orders, have indirectly rendered great service to pure histologists and to those who study the most delicate problems of cytology and of cytogeny.

The bacteriologists, while aiming at a very different and much more practical goal, have contributed still more than the diatomists to the perfecting of our micrographic equipment in extending to a new class of investigators, the pathologists and clinicians, the daily use of the microscope.

And in this domain of pathological anatomy we again see produced these very fruitful interactions with the science which more especially interests us. The study of tumors, cellular teratology, at the same time that it is illuminated by the facts of normal cytology, furnishes us with very suggestive views concerning the signi-

ficance of chromatin reduction and of its unexpected connections with the new phenomena of the first embryological phases (Borel, Moore, and Farmer).

The idea of phagocytosis, studied by Haeckel in the biology of the protozoa, by Rouget in the examination of the leucocytes of the blood, increased in value and importantly developed by Metchnikoff, who made many applications of it in the domain of pathology, has come by a most fortunate turn of events to elucidate certain of the most obscure of the morphological phenomena of embryology, the cœnogenetic processes of ovogenesis and of metamorphosis.

For a long time the introduction of the mathematical sciences in the domain of morphology has been regarded with suspicion; it seemed dangerous indeed to wish to bind by very simple formulæ facts so complex as those studied by zoölogists and botanists.

Little by little, however, the necessity of determining by precise measures the extent of variations due to primary factors and of seeking to find the laws of these variations has made itself felt. Among the first Delboeuf attempted not without success the application of algebra to the problem of the formation of races. But it is especially to Galton and to his school that the most important of the works of mathematical biology and biometry are due.

Whatever be the character to which we give our attention, if we consider a great number of specimens of a given species we recognize that the individual variations (continuous or fluctuating variations) of this character, numerically expressed, do not exceed two extreme limits which are reached by a very small number of the individuals. Between these two extremes there is a constant mean variation with the greatest number of observed specimens. It results, that if we take as abscissa the lines which represent the extent of the fluctuations and as ordinates the distances corresponding to the number of individuals which present a certain fluctuation, we obtain a curve which Quetelet called a binomial and which is in reality only a curve of probable error. We also often give to these curves the name Galton's curves, because of the very extended use that this eminent biologist made of them in the study of the question of heredity.

By artificial selection breeders and horticulturists succeed in displacing more or less rapidly the apices of the Galtonian curves and in directing fluctuation in the way they desire. Natural selection does not operate otherwise for the modification of the form of species and it is to this action that Darwin attributed in great part the transformation of species.

Wallace, more especially, considered selection as the sole factor determining the evolution of living beings.

It was reserved for Hugo de Vries to show through long and delicate cultural experiments, the exaggeration into which the immoderate

disciples of Darwin (Romanes, Weismann) had fallen.<sup>1</sup> Guided by his earlier studies concerning the Galtonian curves and impressed with the constancy of certain forms, such as the species described by the botanist Jordan, whose origin was difficult to explain by fluctuations, De Vries supposed that after periods of relative fixity during which they are subject only to fluctuating variations, living beings may pass through shorter periods when their forms are abruptly modified in different directions by discontinuous changes.

Biologists clearly recognized this kind of variation in what they call sports. De Vries has called them mutations and he has shown the importance of mutability especially in the study of a biannual plant, *Oenothera Lamarckiana*, an American species introduced into Europe, especially into many localities of the Low Countries. From 1880 to 1899 each year De Vries has planted in the botanical garden at Amsterdam from 15,000 to 20,000 seeds of this plant. Besides thousands of normal individuals, his cultures have produced seven new types, represented each year by a variable number of individuals and capable of reproducing themselves by seed with great regularity. Among the 50,000 *Oenothera* plants that he has observed during ten years De Vries has counted 800 that might legitimately be called *Oenothera Lamarckiana*, but which are divided as we have just said into seven groups, to which it was fitting to give the systematic value of subspecies, as the botanists would not have failed to do if these plants had been found in the fields where their origin was not known.

A great number of biologists have believed that they found in the splendid studies of De Vries unanswerable arguments against the theory of selection. It is impossible for me to share their opinion. I should say even that in examining the question closely and in penetrating to the bottom of the matter, it is impossible for me to find in the theory of mutations anything except a useful complement of the Lamarckian and Darwinian doctrine of continuous variation.

As the economist Bastiat has said, in all complex phenomena where multiple causes intervene in different ways, there is that which we see and there is also that which we do not see.

What we see in a mutation is the abrupt and sudden appearance of a character which did not previously exist, but this character is only the sudden manifestation of a state which has been prepared very slowly in the ancestors of the individuals in which it appeared. In order to obtain a chemical reaction, in order to cause the color of a liquid to change, it is often necessary to add the reagent drop by drop, until an instant when all at once the reaction occurs and the new color appears. The mutation is the result of a new state of equilibrium in the varying organism. All the individuals in which this new equilibrium appears are in a different state internally from that of their

<sup>1</sup> H. de Vries, *Die Mutationstheorie*, Leipzig, 1901-03.

ancestors, they are in internal fluctuation and it is this that we do not see.<sup>1</sup>

If modifications should be produced in the veins of an insect's wing, for example, it is impossible that these modifications should express themselves otherwise than by a new mechanical disposition constituting in relation to the preceding a sudden variation in the disposition of the cells and of the veins. In the same way, the appearance of a new vertebra or of a new metamere in an animal whose metamerism was fixed could occur only in discontinuous fashion and not by infinitesimal fractions of a vertebra or of a metamere. The fact that mutations always appear in limited number (seven in the case of *Ænothera Lamarckiana*) shows clearly that a certain number of positions of equilibrium are in question, among which there are no realizable morphological transitions, and of which some seem difficult to obtain. Of the seven species of *Ænothera*, a single one, *Ænothera gigas*, has proved robust. The others are for the most part very weak, and demand much care in order to flower and to mature their seed. Often, indeed, there are only two possible equilibriums; this is true in the case of dimorphism or ditaxies of colors, to use the language of Couagne, so common in plants, in mollusks, in the lepidoptera, etc.

In reality, as I wrote a dozen years ago, while fluctuations may be compared to gradual oscillations from one side to another of a mean position, mutations represent so many states of stable equilibrium among which continuous passage cannot be established. The intermediate forms of these states of equilibrium are not explicitly realized because they do not correspond to sufficiently stable states. The following trivial comparison will serve to render my thought easier of apprehension: we cannot rise a half or any fraction of a step of a stair. In such cases progress is necessarily discontinuous, or, what amounts to the same, is manifested only in a discontinuous manner. But we cannot adduce from these facts any argument against the formation of species by natural selections; there is all the more reason why it is not necessary to seek the unique and complete solution of the very complex problems of transformation.<sup>2</sup>

<sup>1</sup> A botanist whose original researches concerning variation in plants have not attracted sufficient attention, A. T. Carrière, made an ingenious comparison in this connection:

"Nous pouvons," he says, "afin de nous représenter le double effet, l'effet lent et l'effet brusque sous lequel se montre le dimorphisme (ce que nous appellions aujourd'hui une mutation ditaxique) supposer une horloge à secondes dont on ne verrait que le cadran. Dans ce cas, l'effet continu mais lent, nous serait représenté par le balancier, qui, bien que nous ne le voyions pas, ne s'arrête cependant jamais, et l'effet brusque ou intermittent par chaque saut que feraient les aiguilles, saut qui est la résultante d'une action incessante tellement lente qu'elle n'est point appréciable à nos sens et qui ne se manifeste d'une manière sensible que lorsqu'il y a une certaine quantité de force accumulée." A. Carrière, *Production et fixation des variétés dans les végétaux*, Revue horticole, note 42, p. 71, Paris, 1868.

<sup>2</sup> A. Giard, *Sur un exemplaire de Pterodela pedicularia L. à nervation doublement anormale*, Actes de la Société Scientifique du Chili, iv, p. 21, 1895.

Besides, as Darwin has never denied the existence and the importance of mutations, which he called single variations, so from his side De Vries has never sought to destroy the theory of selection.

Instead of operating slowly upon fluctuating individuals, it acts upon species in process of formation. The struggle for existence exists among mutations and among the forms from which they proceed, as W. Hubrecht has very correctly observed in the clear analysis that he has recently given of the ideas of his compatriot: "Far from having undermined Darwin's Darwinism, De Vries has completed, purified, and simplified it," and only those think otherwise who combat Darwinism for other than scientific reasons, and at the bottom of their hearts wish much evil to the demonstrations of De Vries and to all other possible forms of the theory of evolution.<sup>1</sup>

Another interesting application of mathematics to the morphological sciences is presented by the study of hybrid forms. The laws of Mendel, recently verified by De Vries, Tschermak, Bateson, etc., carry the calculus of probability to the furthest limit. It will be useless to insist longer upon the numerous and important problems relating to morphological heredity whose solution depends on the rational study of numerical data which are as numerous as possible.

From all of these considerations we deduce at present a conclusion of remarkable generality; to wit, that the natural laws of evolution seem to enter into the movement toward physical laws which has manifested itself for some time. They assume more and more the character of static laws. Thus guided by the conducting line of the theory of descent, subjected to the precise measure of a perfect mathematical exactness, and controlled at each instant by the experimental method, morphology each day becomes more the explanatory science *par excellence* of the world of organized beings. Morphological phenomena are the translation, the tangible expression, the perceivable criterion of physiological experiments, and the latter borrow all their interest from the morphological manifestations which they engender.

In connection with breeding and horticulture the morphologist becomes in truth a creator. He is still more so when, in calling up and grouping in thought the conditions under which living beings are successively formed in the course of centuries, he perceives the causal nexus which connects the new forms with those which have

<sup>1</sup> "I have purposely insisted on these points, because here and there a tendency seems to prevail to look upon Darwin's views upon the origin of species as unsatisfactory and obsolete and to proclaim the necessity of replacing them by broad new hypotheses with which the name of De Vries should be coupled. These tendencies are in great favor with those that bear a grudge to the so-called Darwinism for other than scientific reasons, and who in their innermost hearts would at the same time like to see a similar fate reserved for De Vries's demonstrations, and even for the whole theory of evolution." A. A. W. Hubrecht, *Hugo de Vries's Theory of Mutations (The Popular Science Monthly, July, 1904, p. 212)*.

preceded them, and foresees to a certain extent the transformations, undoubtedly less extended, which the forms, still possessed at present of a certain plasticity, will undergo in the future.

At all events, in pretending that the morphologist plays the rôle of creator, we do not intend to affirm that he could, as the adversaries of the evolutionary theory have sometimes demanded with ridiculous unreasonableness, transform *hic et nunc* one animal species into another species through a simple modification of food and medium, and, for example, produce the ox from the sheep by placing the latter for some generations in especially favorable conditions. Such a result would be the negation of the Darwinian doctrine itself, which, we know, makes great use of modifications accumulated by heredity and irrevocably fixed in definitely established organisms.

What the morphologist is able to attempt, and what in fact he does attempt, is to discover and to analyze the small variations which are determined by primary factors, and to determine thus how by a slow summation these variations, at first insignificant, are united to give origin, either by a continuous or by an apparently discontinuous process, to the much more evident characters which separate species.

I do not dare even to believe, with some bold pioneers of modern science, that the most perfect knowledge of the auto-regulation of organisms will perhaps permit us to modify these auto-mechanisms and to obtain thus a rapid variation of animals and plants.<sup>1</sup>

After a series of innumerable transformations of which it is sometimes possible to discover some traces in the form of fossil impressions in the depths of the earth, the majority of living beings have arrived at a relatively stable state of equilibrium. They have exhausted the possibilities of what I have called their plastic potential, they are able to effect only feeble oscillations about a mean position, and no considerable change in the ethological conditions, in general, can be compensated for by a new arrangement of regulative reaction.

And even for those which still have a reserve of plasmatic elasticity sufficient to permit of new adaptations, we must not forget that they can develop only in a certain number of well-defined directions, and that we must always bear in mind two essential facts which regulate the transformations which are hereafter possible:

<sup>1</sup> "So far as I am aware no one has yet found a method of bringing about a rapid variation in animals or plants. I am inclined to believe that this failure is at least partly due to the existence of mechanisms of regularisation. . . . We again meet with two possibilities: we shall either succeed by a series of continued slight changes in one and the same form in bringing about a large transformation from the original form, or we shall obtain the result that in each form the possibility of evolution is limited, and that at a certain point the constancy of a species is reached." J. Loeb, *The Limitation of Biological Research* (University of California publications, *Physiology*, vol. 1, no. 5, Oct. 1903).

first, the indestructibility of the past; second, the irreversibility of evolution.

It is there, we may say in passing, that all the difficulty of the question of spontaneous generation or abiogenesis lies. If by a miracle we should happen to produce from non-living material as simple a living being as can be imagined, this new being would certainly be different from all actually existing species, for the latter have a past that the other would not have, and they bear in their organism, which may be as rudimentary as we choose, traces of all action to which their ancestors have been subjected.

We may even infer that the hypothetical monads whose formation we might bring about by abiogenesis would differ from those which have originated at other times by the same process. Besides the fact that the environmental conditions in which they appeared would necessarily be different, the complexes of organic materials which would serve in their formation also would have their history, and everything leads us to think that the properties of inanimate bodies, as those of living beings, are to a certain extent functions of their antecedents.

Thus is explained why even to-day there exist very old living forms which are not developed because they no longer have available plastic potential, and which would perish before they would undergo transformation.

Thus is explained why it is vain to hope through special environmental conditions to raise relatively inferior forms of life to a higher level, and why it is useless to seek to modify physically or morally in a desirable sense races which are considered rightly or wrongly as relatively inferior, but in any case otherwise differentiated. Evolution is not reversible, and we cannot by any process cause a living being to return toward the point at which it was separated from its original phylum in order to make it follow a different way from that which it had at first taken.<sup>1</sup>

But the limits imposed upon our science by nature should not hinder us from admiring its grandeur and from noting its prodigious development.

It is never necessary to doubt progress. It is almost thirty years since, in the course of a lesson on the first phases of development of the animal egg, I said, not without regret: "La Morphodynamique

<sup>1</sup> The generality of the pœcilogonic process shows the instability of evolution. For according to Brillouin, irreversibility is introduced into rational mechanics with instability. Irreversibility, which is the almost universal character of natural phenomena realized in finite time, is by no means an objection to mechanical explanation (mechanics of the nineteenth century or the more general mechanics which caused us to discover electromagnetism) of the physical-chemical world. Wherever we actually introduce it in order to come to an issue in a numerical theory, of viscosity or of friction, a most profound analysis will cause the recognition and study of the instability of molecular equilibrium. (Marcel Brillouin, *Notices sur les travaux scientifiques*, pp. 19-20, 1904.)

soupçonnée par Lamarck, à peine abordée par quelques rares biologistes, est un territoire scientifique que la plupart des naturalistes de nos jours ne verront que comme Moïse vit la Terre promise seulement de loin, et sans pouvoir y entrer." <sup>1</sup>

My hopes have been greatly surpassed by reality. Under the name of embryological mechanics (*Entwicklungsmechanik*), and of biomechanics, of biometry, etc., the new fields toward which I directed my course of scientific exploration at the beginning of my career have been partly recognized and opened up by young and able investigators. Scientific progress follows a geometrical progression, of which the ratio increases unceasingly. As a river, with its impetuous waters increased by the contributions of numerous tributaries whose synthesis it effects, morphology majestically deploys its course, and the delicious æsthetic experience that the contemplation of living beings procures us is the least recompense of of our troubles and of our persevering efforts.

For the realization of a work of art, what anonymous collaborators come to the assistance of a painter or a sculptor! The artisan who weaves the canvas, the quarryman who furnishes the stone, have their share of merit in the final result, and we owe them also a share of the recognition. It is the same in our sciences of nature. where each day brings an increasing solidarity among all the workers. The different branches of biology are united among themselves, as we have seen, by multiple and intertwining bonds, and a special branch such as morphology depends not only on the progress of neighboring branches, but also on the development of other sciences, even those which are apparently most distant.

Specialization, which perforce becomes more and more intense, also renders the more desirable synthetic efforts and the coördination of results.

Let us hope, then, that in the near future a collective organization may replace the anarchical state which exists at present, and which uselessly absorbs so much activity which might be better employed in bringing the various sciences into a hierarchy and directing them toward a common end. Scientific solidarity should be the preface and the model of social solidarity.

<sup>1</sup> A. Giard, *Cours de Zoologie (Bull. sc. Fr. et Belg., t. VIII, p. 258)*, 1876.



## SHORT PAPERS

PROFESSOR C. JUDSON HERRICK read a paper for DR. C. S. HERRICK of Granville, Ohio, on the "The Dynamic Character of Morphology."

The speaker said in part: There is a price which any organism must pay for a high degree of specialization in a single direction. The liver fluke of the sheep depends for the perpetuation of its species upon a series of complicated adjustments to various environments, the failure of any one of which is fatal. Such cases of extreme adaptation are usually found only on the terminal twigs of the phyletic tree, and it has come to be a biological truism that the main line of evolutionary advance passes through the generalized types.

Perhaps something similar holds true for scientific disciplines. There is certainly danger that extreme development of any specialty may cut it off from the vital relations with environing fields upon which its continued existence depends, and the elaboration of a "pure morphology" is certainly not exempt from such a danger.

But we have only to be true to our own traditions to enable us to retain our place in the growing axis of biological progress. Anatomy, out of which morphology grew up, belongs to the most static group of the descriptive sciences. But morphology is not the description of form; it is the explanation of form, and from its inception has been quickened by genetic and functional motives.

Morphology is one of the most dynamic of all the sciences; from the start it has been morphogenesis, and the key to the problems of structure is *behavior*. To draw another illustration from my own specialty, comparative neurology and comparative psychology have joined hands in wedlock from which we trust there is henceforth no divorce, and we trust not without hope of offspring.

So long as morphologists have sufficient breadth of view to assimilate the relevant data from all other sciences, there is small danger of our science becoming specialized to death, however minute may be the subdivision of our problems and however extreme may be the refinements of our methods. But isolate morphology, and it will perish.

The present problem of our specialty, therefore (if we may single out one as preëminent), is, as it always has been, *the relation of morphology to other sciences*.

PROFESSOR J. G. NEEDHAM, of Lake Forest University, presented a paper on "The Contribution of Animal Morphology to Education," in which the speaker said in part:

Two phenomena of great importance accompanied the early development of animal morphology:

- (1) The general recognition of the principle of evolution.
- (2) The general introduction of the laboratory method in zoölogy.

The first profoundly affected every department of human knowledge: the second profoundly influenced the development of every branch of biological science.

These were the necessary — not accidental, nor even incidental — accompaniments of the development of animal morphology: for when the theory of natural selection offered the first satisfactory explanation of a possible method of evolution zoölogists were quick to recognize that the facts of the structure and development of animals offered a ready means of testing its validity. The distinguished comparative anatomists of the first half of the nineteenth century, and the rising school of embryologists, had prepared the way: and the early morphologist found

at hand structural data of great diversity and in great abundance, awaiting a new interpretation. They took the "natural system" of the old comparative anatomists, and breathed into it the breath of life. In so far as it was natural its naturalness lay not in association of like forms, but in kinship. Homology came to have a new significance, and phylogeny and ontogeny came to the fore; and enormously productive researches began into the correspondence in development of race and individuals. It is not too much to claim that the general and prompt acceptance of the idea of evolution is due primarily to the work of morphologists.

That which belongs to general intellectual culture of the race belongs to the curricula of the schools. Among the early morphologists were some eminent educators, who were not slow to recognize the great pedagogic value of the materials in their hands. They were the first among zoölogists to reduce their materials to satisfactory pedagogic form. While perhaps they did not create the laboratory method in zoölogy, they made it general. While other phases of zoölogy are likely to receive, and are worthy of more attention than they receive at present, the materials of morphology will always be of the highest general pedagogic value because they so well illustrate the commoner phenomena of evolution, division of labor, specialization, progressive and retrogressive development, redundancy and reduction of parts, parallelisms and divergent lines of development, etc. To me it seems doubtful if these phenomena, which belong to evolution in every field of knowledge, are demonstrable in any other field with such definiteness and economy of time and satisfaction as in this one. Therein lies the chief pedagogic utility of the materials of morphology.

SECTION H — EMBRYOLOGY



## SECTION H — EMBRYOLOGY

---

*(Hall 9, September 23, 3 p. m.)*

CHAIRMAN: PROFESSOR SIMON H. GAGE, Cornell University.  
SPEAKERS: PROFESSOR OSKAR HERTWIG, University of Berlin.  
          PROFESSOR WILLIAM K. BROOKS, Johns Hopkins University.  
SECRETARY: PROFESSOR T. G. LEE, University of Minnesota.

---

THE Chairman of the Section of Embryology was Professor Simon H. Gage, of Cornell University, who opened the Section with the following remarks:

“In this great International Congress of Arts and Science, it is peculiarly fitting that one of its sections should be devoted to embryology, that branch of biology which has to do with the unfolding and development of the egg into a complex and independent organism. We are fortunate in having for our chief speakers men — one from the old world and one from our own country — who have taken a leading part in our generation in discovering and expounding the processes and laws of development and the relations of organisms from parent to offspring in an endless chain.”

# ADVANCES AND PROBLEMS IN THE STUDY OF GENERATION AND INHERITANCE

BY OSKAR HERTWIG

(Translated from the German by Dr. Thomas Stotesbury Githens, Philadelphia.)

[Oskar Hertwig, Regular Professor of General Anatomy and History of Evolution since 1888; and Director of the Anatomical-biological Institute since 1888, University of Berlin. b. Friedburg, Hessen, April 21, 1849. Student of Medicine, Jena, 1868; Zurich, 1869; Jena, 1870; Bonn, 1871-72; M.D. Bonn, 1872; Ph.D. Bononiensis, 1888. Privy Councilor of Medicine, 1897; Regular Professor of Human Anatomy and Director of Anatomical Institute, Jena, 1881-88. Member of the Physio-Medical Society, Erlangen; Royal Academy of Science, Berlin; Academy of Sciences, Munich, Stockholm, Copenhagen; and many other scientific and learned societies. Author of *Text-Book of the History of Evolution of Man and of Vertebrates*; *The Elements of the Science of Evolution*; *Timely and Disputed Questions of Biology*; and numerous other works and memoirs on anatomy.]

FROM the time of Greek science until our own day, no other problem has interested the scientific investigator as much as that of animal development. Still after many centuries, difficulties remain that appear insurmountable to human powers. This is especially true of the secret problem of generation. In earlier centuries, the old anatomists with their incomplete methods of investigation could not win true knowledge, which, however, they sought to replace by hypotheses, which were generally without permanent value, and sprang from the earth like mushrooms. At the end of the seventeenth century more than 300 could be enumerated, and when the famous physiologist Haller brought together the work of several centuries, in his great handbook of physiology, he commenced the chapter on generation with the complaint, which was certainly justified at that time, "Ingratissimum opus, scribere de iis, quae multis a natura circumiectis tenebris velata, sensuum luci inaccessa hominum agitantur opinionibus."

The century of natural sciences, the nineteenth century, was the first to lay a scientific basis for the study of generation, as well as for that of so many branches of natural science. Since then such great advances have been made, that if Haller should, in our day, begin again to write the chapter on generation, he would certainly term it, in contrast to the year 1746, an "opus gratissimum."

For is it not a pleasant task to follow the way in which the torch of science has constantly more brightly illumined a realm, which for many centuries was looked upon as one of the most hidden; also how, on the successfully trodden way, the new discoveries have, with certainty and regularity, been crystallized around the already determined truth? Therefore, I may surely count upon a general interest

when I give a comprehensive sketch of the position and problems of our present development in the realm of generation.

The theme corresponds also to the general programme of the Board of Managers of this Congress. It is their object to show, in the great series of addresses which lie before us, a proof of the inseparable connection of all branches of science. Our theme will show us, step by step, how botanists and zoölogists, students of the Protista, anatomists and physiologists, work hand in hand when they investigate the general basic truths of their various sciences in the realm of generation, as here, every step forward in one of these immediately assists each of the others. The goal of truth, for which we seek from various starting-points, is the great science of life, biology, to whose investigation the separate ways lead. In another connection still, we shall see how the development of biology is dependent, in more than one connection, upon the development of other sciences, especially of physics and chemistry, and thus forms an integral limb in the regular development of the great tree of knowledge. To give a convincing example of this natural connection, the most important discoveries which biology has made in the last hundred years were made possible, in great part, by the development of physics. Consider the advance in physical optics, and the technic connected therewith, which through Abbé's labors gave us the compound microscope, that wonderful instrument already brought to the highest perfection and destined to overcome, in the rapid course of conquest, the new world of the smaller micro-organisms. Embryological investigation, especially, was seen to take a great spring forward the moment physiologic knowledge showed that animals are built up of smaller individuals, the cells, and thus are nothing more than communities of innumerable, socially connected, elementary organisms. Embryology is indebted to the students of plant anatomy for the impulse toward this new study which is built upon the knowledge of the construction and origin of plants, based upon Schleiden's teaching. For, standing upon Schleiden's shoulders, Schwann has shown the dominion of the cell theory in the animal body.

At this time the study of generation received its first scientific basis. The beginning of individual life, the egg itself, is a cell, as Schwann had already conjectured. The spermatozoa also, which in the time of Johann Müller were frequently looked upon as parasitic organisms in the seminal fluid, comparable to infusoria, were soon explained by Kölliker as elementary parts of the animal, as they too arise from cells. Thus the organism reproduces new individuals of its own sort by loosing from their bonds single cells, as sexual products, which may begin an independent life in a new process of development. While until now the progress came from the botanical side, animal embryology, on the contrary, now began to have a fruit-

ful influence on the study of generation in plants. The question which next pressed itself upon the embryologist was: Why must the egg, that the young being may develop from it, first experience the effect of the semen? Why must it, except in the rare cases of virgin generation, be fertilized? This matter still remained a problem which actively demanded a solution. Ordinarily the process was explained by saying that the egg, in order to begin development and to divide, needed an external stimulus, and that this stimulus to development was a chemical process arising either from the seminal fluid or from the spermatozoa.

Some investigators who endeavored to observe fertilization in suitable objects, believed that they were able to see under the microscope that some of the numerous spermatozoa which surrounded the ovum forced their way in, dissolved, and mixing with the yolk, acted as the fertilizing agent. For a time the question as to the penetration of the spermatozoa in the egg was the burning question of the day in science. What value was laid upon the observation of a spermatozoön inside the yolk-sac, may readily be seen from the fact that Barry, as well as Nelson, Keber, and Meissner, called together a congress of professors and doctors in order to show them the discovery, and to permit them to see the proof for themselves.

The state of the knowledge of generation up to the year 1875, Wundt has expressed as follows in his text-book of physiology: "The important condition for fertilization is, in all probability, the penetration of the spermatozoa into the egg contents, which may be shown in the various classes of vertebrates. After the spermatozoa have penetrated into the egg they rapidly lose their mobility and dissolve themselves in the yolk. We do not possess a theory, or even a plausible hypothesis, concerning the nature of the process, by which after their penetration into the yolk they provoke in this the process of development."

With the year 1875, a new stage begins in the study of generation. At that time I was fortunate enough during a long sojourn for study at the Bay of Villafranca to determine more accurately the process of fertilization, in an extraordinarily favorable object, the egg of the ordinary sea-urchin, *Toxopneustes lividus*.<sup>1</sup> As in the sea-urchin the

<sup>1</sup> My investigations on the first stages of development in the egg of the sea-urchin began Easter, 1875, in Ajaccio, where I studied especially the changes in the division of the egg. At that time, however, I did not succeed in observing the process of fertilization, although my attention was directed toward it. I first succeeded when I went from Corsica to Villafranca, with my brother (who was making a study of *Radiolaria*) and there continued my investigations for some time. When, therefore, Bölsche, in the first volume of his encyclopædia *Men of Our Time*, p. 228, writes: "Oscar Hertwig made in Ajaccio the discovery of the act of fertilization in the sea-urchin which will form for a long time a turning-point in the history of our knowledge of the sexual act of generation, thus of one of the deepest mysteries of all nature," the name of the place Ajaccio should be replaced by Villafranca.



sexes are separate, and as the eggs which almost the whole year through may be found in the mature condition are small and transparent, it is here an easy task to observe the artificial fertilization on the object-glass and under the microscope. The complete transparency of the egg permits, even with extreme magnification, the most minute processes to be observed during life. That which has already been discovered can be controlled and more accurately determined in many details in preserved material.

Thus the important points of the process of fertilization could be explained and later positively determined by me and the numerous investigators who have since then occupied themselves with the *Echinodermata* (Diagram I).




DIAGRAM I. The fertilization process in the ovum of *Toxopneustes lividus*.

FIG. 1. The mature egg at the moment of fertilization. Of the numerous spermatozoa one has already penetrated the egg at a point which is determined by the "reception eminence." In the spermatozoön the head (*k*), the middle piece (*m*), and the terminal filament may be distinguished. The egg-nucleus (*eik*).

FIG. 2. The egg a few minutes later has excreted the yolk-sac (*Membrana vitellina*). The head and the middle piece have separated from the terminal filament, which has disappeared, and have changed into the male pro-nucleus (*sk*) and the centrosome (*c*). The latter is surrounded by protoplasmic rays. The distance between the sperm-nucleus and the egg-nucleus has lessened.

FIG. 3. A few minutes later. The egg- and sperm-nuclei have approached one another in the centre of the ovum. The originally simple centrosome has divided in two. The protoplasmic rays around the two nuclei have become larger.

FIG. 4. The egg- and sperm-nuclei lie against one another and have become flattened at the place of contact. The centrosomes are arranged on opposite sides of the nuclei. The protoplasmic rays have spread themselves out over the entire yolk.

After the mixing of the sexual products, numerous spermatozoa approach the egg-cell by a swinging motion of their tails, but only one penetrates, if the egg is normal and capable of life (Fig. 1, *k* and *m*). The point of penetration is known to be a small conical process, the reception eminence (*Empfängnis Hügel*), which extends from the egg-surface toward the closest spermatozoon. To others, entrance is immediately made impossible by the fact that the egg at once excretes a fine but impenetrable skin, the *membrana vitellina*, largely as a protection against this.<sup>1</sup>

The internal fertilization process immediately follows the external. Of the three parts which, as is well known, may be distinguished in the spermatozoon, the head, the middle piece, and the contractile terminal filament, the last is thrown off and has no more importance in the process. The head, on the contrary, which was formed from the nucleus of the spermatozoon-forming cell, and which contains the chromatin (Fig. 1, *k*, and Fig. 2, *sk*), begins to change into a small round vesicle which I have called the seed or sperm-nucleus, and which by the absorption of juice from the protoplasm begins slowly to increase in size (Figs. 3 and 4, *sk*). The middle piece (Fig. 1, *m*) contains a tiny cell-organ, the much-studied centrosome (Fig. 2, *c*), which in spite of its extreme minuteness plays a striking and important rôle in the division of the nucleus. It moves in front of the sperm-nucleus, and its position in the living cell is easily recognizable, because in its neighborhood, evidently as a result of a stimulus proceeding from it, the protoplasm arranges itself in radial bands in a figure like iron-filings around the pole of a magnet.

Interesting phenomena begin now, in rapid succession, to fix the eye of the observer. The original nucleus of the egg and the newly introduced sperm-nucleus draw mutually together and move with increasing rapidity through the yolk toward one another (Figs. 2, 3, and 4). The sperm-nucleus (*sk*) which is constantly preceded by the radiance with the centrosome (*c*) included therein, changes its place more quickly than the egg-nucleus. Soon the two meet in the middle of the egg (Fig. 3), where they are inclosed by a common radiance which has now extended over the entire yolk. They lie against one another, becoming flattened on the contact surfaces, and then lose their separation from one another with the formation of a common nuclear sac. Egg- and sperm-nucleus are thus united to form a common egg-nucleus in which the chromatin of the male and female sexual cells is contained. At this point the internal process of fertilization may be looked upon as concluded.

Two or more nuclei in the egg-cell were already described several

<sup>1</sup> The formation of the *Empfängnis Hügel* was first observed by Fol, when, in connection with my experiments, he made a very thorough study of the fertilization process in *Echinodermata* (*Recherches sur la fécondation et le commencement de l'hénogénie*, Genf, 1879).

times before 1875 in different objects (mollusks, nematodes) by Warneck (*Ueber die Bildung und Entwickelung des Embryos bei Gastropoden*, *Bull. de la soc. des. Natur. de Moscou*, vol. XXIII), Bütschli (*Studien über die ersten Entwicklungsvorgänge der Eizelle*, 1876), and Auerbach (*Organologische Studien*, vol. II, 1874), and their coalescence with one another was observed. It, however, occurred to no one to see in this coalescence of egg- and sperm-nuclei the process of fertilization. The nuclei were looked upon as new formations (vacuoles) in the egg whose nucleus had been lost. Bütschli believed that the germinal vesicle was completely thrown off. Auerbach thought it was dissolved by karyolysis. Thus it was taught that when seminal bodies penetrated into the egg-cell, they were destroyed by complete solution.

Born is therefore wrong when he states in an article which appeared in 1898 (*Anatom. Anzeiger*, vol. 14, no. 9), "Auerbach has given the modern study of fertilization its lasting basis. It should never be forgotten that this service belongs to Auerbach alone."

Auerbach was far away from the correct interpretation of the phenomena. He knew only that through the coalescence of two nuclei which arose as vacuoles in the yolk at opposite ends of the egg, material differences, individual mistakes in composition, between the two halves, were adjusted. According to his conception, "The necessity for the whole complex of phenomena is caused by the special peculiarity of the fertilized Nematode eggs, namely, by their elongated shape and by the peculiar condition during the act of fertilization by which the eggs forcing themselves through a narrow canal offer at first only their anterior polar region to the zoöspersms."

Otherwise, Auerbach has expressed himself very correctly as to the relation between his and my investigations in speaking of my work (*Jenaer Literatur Zeitung*, dritter Jahrgang, 1876, no. 101, p. 107). After a short reference to the contents, he remarks: "These observations confirm, as the author explains, as regards the conjugation of two nuclei of independent origin in the egg, those of the writer, but vary from these in that the author ascribes to the two nuclei not merely, as the present writer, a slight qualitative difference caused by fertilization, and does not look upon them merely as new formations, but rather sees in one the morphological remainder of the egg-nucleus, in the other that of the sperm-cell. It is evident that if, in the further development of the subject, the results won by the author should be confirmed, a new light will be thrown upon the fertilization process, the aim of which would be accordingly a conjugation of the nuclei of a male and female sexual cell." Hensen was among the first to value correctly the importance of the theory of fertilization proposed by me. In his article "The Physiology of Generation," in Hermann's *Handbuch der Physiologie*, vol. VI, part 2, p. 126, he remarks: "This conception of fertilization must be looked upon as a fortunate

one. It deepens our knowledge of the process of fertilization because it adds to the previously considered chemical and physical elements the morphological element which is so important in the phenomena of life and inheritance by showing that the essential substance has a definite form. Also the new experiences with regard to the important rôle which the nucleus plays in cell-division, as well as for the study of fertilization, come into play, and at the same time the formation of the polar bodies as a preparatory stage for the conjugation of the nuclei is explained in a far better way than was previously possible."

On the basis of these observations fertilization may be looked upon as union between two different cells which arise from a male and a female individual. The essential in this process is evidently the union or, to use the expression of Weismann, the amphimixis of the egg and sperm-nuclei. That this is a general law of biologic nature is now doubted by none. For fertilization is the same process in all classes of animals as in the *Echinodermata*. Many of these, such as *Calenterata* and *Vermes*, as *Tunicata* and *Mollusca*, as *Crustacea* and *Insecta*, have been investigated by various scientists. The numerous *Vertebrata*, in which the process has been followed, *Mammalia*, *Reptilia*, and *Amphibia*, *Cyclostomen* and *Amphioxus*, all show the same process.

The discovery of the fertilization process in animals has immediately brought about similar discoveries in the plant kingdom. The fertilization of *Phænerogamia*, previously studied without result by many investigators, was now quickly explained by Strasburger. Our knowledge in this and other points was completed by Guignard, Nawashin, and others. We now know that the pollen grain, which is analogous to the spermatozoön of animals, carries into the egg-cell of the ovary a sperm-nucleus which combines with the egg-nucleus. The correspondence is even greater in the *Cryptogamia*, as here externally the vegetable spermatozoid is very similar to the animal spermatozoön, and fertilization proceeds in a similar way. Even among the lowest organisms, *Infusoria*, *Rhizopoda*, *Flagellata*, *Algae*, and *Fungi*, the process of fertilization is seen to be the same.

By this natural law of sexual generation, which is now so surely founded and based upon a complete series of observations, the old discussion which once played so great a rôle in the history of the sciences and engaged for a long time the naturalists and philosophers, the strife between the Ovists and the Animalculists, has been decided.

From the sixteenth to the eighteenth century the dogma of preformation ruled: the doctrine that the embryo of a being was built up of the same organs and parts as the parent, and thus was nothing less than an extraordinarily minute reproduction of it. Most scientists (Swammerdam, Harvey, Spallazani, Bonnet, Haller) looked upon the egg as the preformed embryo, as may be seen from the well-

known saying, "omne vivum ex ovo." But when Leeuwenhoek, during his microscopic discoveries, found the spermatozoa, the thought occurred to him that the worm-like bodies in the semen which moved independently, and thereby showed a certain resemblance to the lowest organisms, should be more properly considered as the miniature beings. He, therefore, proposed the hypothesis that the spermatozoa penetrated into the egg during fertilization in order that the latter might serve them as a suitable nourishment for their future growth. No less a person than Leibnitz accepted this hypothesis.

Strangely enough, in both hypotheses, which appear to be excluded together with the dogma of preformation, a seed of truth seems to be hidden. For, as is easily seen from our present standpoint, both egg and sperm take an equal part in the formation of the new being. Both are cells, one of which represents the properties of the female, the other the properties of the male progenitors. Both unite to produce a mixed product, which has inherited the peculiarities of both parents.

Here we see again how the development of scientific views in the realm of embryology is dependent upon the contemporary development of all science. We can appreciate the fact that the old scientists could not understand the process of generation, because at that time the lack of microscopic assistance hid from them the conception of the elementary construction of the organisms.

The thought of the union of two organisms into a new unit could not occur to the adherents of the preformation theory, for if embryos are already miniature beings composed of many organs, how could it be possible that they should unite in pairs to form a single individual, and at the same time their organs and tissues flow together into one?

For us who know that the germs are merely cells separated from their parents, thus similar to simple elementary organisms, the conception of an amphimixis has no such difficulty, and for us it is now a determined fact. We can follow under the microscope the union of a male and a female cell and even the union of their component parts, especially their nuclei and the substances contained therein. With the knowledge of amphimixis the phenomenon that children may resemble both their parents, a fact for which scientists until the nineteenth century could give no logical explanation, is brought within our understanding. They resemble both, because they are formed from a union of the substance of the father and mother; in other words, from a paternal and a maternal element.

At this point the problem of generation and fertilization passes over into the most difficult of all problems, the problem of inheritance. However, before we approach this more closely, it will be well to make ourselves familiar with the series of phenomena which stand in the closest relation to the problems of generation and inheritance

and also belong to the most important discoveries of modern biology. Here also the discoveries for which we must thank, in the first place, zoölogists and embryologists, have reacted favorably upon the investigations of botanists.

The older zoölogists, Fritz Müller, Loven, and others, had already noticed that from the egg-cells of the most distant classes of animals two minute spheres of protoplasm were thrown off, a short time before or during fertilization (Diagram III, Figs. 3, 4, 5,  $pz^1$ ,  $pz^2p$ ). These were called the polar bodies, because at the place of their extrusion from the ovum the first plane of segmentation began. Their importance remained an enigma. Many scientists believed that they constituted an excretion by the extrusion of which the egg purified itself of useless substances, before the beginning of its further development. Then Bütschli observed that the nucleus of the unfertilized egg is concerned in the formation of the polar bodies, that it projects from the surface of the yolk in the form of a nuclear spindle, which, as he believed, is then extruded in the form of the polar bodies. This was a great advance, but combined with an error with regard to the entire meaning of the process which soon after was rightly determined by Giard and myself. For more accurate investigation showed us that the polar bodies were not formed by extrusion, but by two true divisions which followed immediately upon one another, and that in the second division half of the spindle and of the chromosomes remained behind in the egg, and here became the nucleus of the mature egg. The process only differed from an ordinary cell-division in that the parts were so unequal in size. The polar bodies should, therefore, better be denoted polar cells.

For what reason and to what end, we may ask, are these two insignificant polar cells formed with such great regularity in the entire animal kingdom? On this also light was soon thrown by the accurate study of an extremely favorable object for investigation, the egg of the horse roundworm, *Ascaris megalocephala*, which has been as productive of results in the study of the process of fertilization as the egg of the *Echinodermata*. Its invaluable advantage consists in the fact that it gives us a deeper insight into the relation of that substance which plays the most important rôle in the division of the nucleus, namely, the chromatin.

Of the chromatin we know by investigations which are among the most brilliant of the histological advances of the last decennium (see Diagram II, showing nuclear and cell division) that the chromatin at the beginning of the nuclear division is changed into a long convoluted chromatin thread, and that this in the second phase (Fig. 2) breaks up by cross-segmentation into a very definite number of segments or chromosomes (*ch*) which arrange themselves in the middle of the nuclear spindle (Fig. 3, *sp*) to a symmetrical figure,




DIAGRAM II. Six stages of cell-division and nuclear division (*Karyokinesis*).

FIG. 1. The first stage. Cell in the resting spherical form, showing a nucleus and one centrosome (c). The nucleus shows a network of lineine with threads and granules of chromatin (ch).

FIG. 2. Second stage. During the preparation for division (pro phase) the chromatin has drawn together into a thread which has immediately broken up into four pieces (chromosomes). The centrosome (c) of Fig. 1 has divided, and between the two parts a spindle has arisen.

FIG. 3. Third stage. The spherical nucleus has dissolved. The two centrosomes of Fig. 2 are more widely separated and the spindle between them has become much larger. The four chromosomes (ch of Fig. 2) have arranged themselves symmetrically in the middle of the spindle to form the mother star.

FIG. 4. Fourth stage. The four chromosomes of the spindle have split longitudinally each into two daughter chromosomes (ch<sup>1</sup> and ch<sup>2</sup>).

FIG. 5. Fifth stage. The daughter chromosomes which arose by longitudinal splitting have separated further and further from one another toward the opposite ends of the lengthening spindle (formation of two daughter stars). The cell begins to segment in the middle.

FIG. 6. Sixth stage. The segmentation has become complete, and the mother cell is thereby divided in half. In each daughter cell a spherical daughter nucleus, which contains the chromatic substance of four daughter chromosomes (ch), has arisen from half of the spindle. By each daughter nucleus (k) lies a centrosome (c).

the mother star. Each chromosome then begins to split longitudinally into two identical parts, the two daughter chromosomes (Figs. 3, 4, 5, *ch*). We are justified in seeing in this the true task of the complicated nuclear division, as the two halves now move away from one another toward the opposite ends of the nuclear spindle (Fig. 5, *ch*<sup>1</sup> and *ch*<sup>2</sup>) and form the two daughter stars, which after the division of the cell in two parts form in each the basis of a daughter nucleus. These promptly return to the spherical form.

Extended comparative observations in the most widely separated classes of animals have demonstrated a definite numerical law in the chromosomes. It states: In all cells of an animal or plant species the same number of chromosomes always arise during a division of the nucleus. In one species four, in another twelve or sixteen or twenty-four, etc. The number of chromosomes is four only in one variety of *Ascaris*. For this reason, and because the few chromosomes are at the same time of very considerable size, the eggs of the horse roundworm are of great advantage for studies in the question which now concerns us.

These remarks with regard to the phenomena of nuclear division must first be made, in order to understand the progress which has been brought about by the study of *Ascaris* eggs in the remarkable investigations of van Beneden, which immediately followed the excellent work of Boveri.

Two fundamental facts were discovered concerning the behavior of the chromatin in the *Ascaris* egg (Diagram III). One of these facts concerns the process of fertilization. Egg- and sperm-nuclei (Fig. 5, *eik* and *sk*) remain, in the egg of *Ascaris*, separated from one another for several days, and prepare themselves separately for the formation of the first karyokinetic spindle. From the chromatin network, chromosomes arise in the way described above, two in the egg-nucleus (Fig. 5, *wch*), two in the sperm-nucleus (*mch*). We can thus easily follow their fortune in the further stages of division, and determine that of the four chromosomes of the nuclear spindle, two arise from the egg-nucleus, two from the sperm-nucleus. When the chromosomes split longitudinally, in the stage of the mother star, we see their products, the daughter chromosomes, separate from each other, in the way described above (Fig. 7, *wch* and *mch*), to form the daughter stars, and finally enter into the formation of the daughter nuclei of the two new cells. In this case incontrovertible proof has been brought that in the first division of the fertilized egg an equal amount of chromatin from the egg-nucleus and the sperm-nucleus is brought to each of the daughter nuclei.

This process apparently repeats itself in every later division, so that finally the nucleus of every tissue cell is composed of equal amounts of chromatin of maternal and paternal origin, which has






DIAGRAM III. The process of fertilization, the formation of polar cells and the first division of an egg of *Ascaris megalocephala bivalems*.

FIG. 1. The egg at the moment of fertilization. It shows still a spherical nucleus (*kb*) in which the chromatic substance is arranged in two groups of four (tetrads, *ch*). The spermatozoon, shaped like a tailed sphere, has pressed halfway into the egg. Its nucleus (*k*) is composed of two chromosomes.

FIG. 2. From the spherical nucleus a spindle with two tetrads has arisen (*ch*). The spermatozoon (*s*) has pressed into the middle of the egg.

FIG. 3. At the animal pole of the egg, where the spindle lay in Fig. 2, the first polar cell (*pz1*) has been formed by budding. It receives from each tetrad of the spindle two chromosomes connected in pairs (a dyad), while the other two chromosome pairs (*ch*) remain behind in the egg with the half spindle (*sp*). The spermatozoon (*sk*) begins to dissolve, except the nucleus, which begins to become spherical.

FIG. 4. In the same way as the first the second polar cell is formed by budding (*pz2*). From each of the pairs of chromosomes (Fig. 3, *ch*) of the previous stage, a chromosome comes to live in the second polar cell, while the other remains behind in the egg and forms the egg-nucleus (*eik*), which then contains two chromosomes, as does the spermatozoon (*sk*).

FIG. 5. Egg- and sperm-nuclei approach each other until they touch, but do not unite. In order to distinguish their chromosomes those of the egg-nucleus are drawn as a white circle (*wch*), those of the sperm-nucleus as a black circle (*mch*), as was done in the previous Figs. 1 to 4.

FIG. 6. Egg- and sperm-nuclei have together formed a spindle of whose four chromosomes half (*wch*) arise from the egg-nucleus, the other half (*mch*) from the sperm-nucleus. The polar cells, as in Figs. 7 and 8, have been omitted.




FIG. 7. The female and male chromosomes of Fig. 6 have divided longitudinally and separated from each other in two groups of daughter chromosomes: (*sp*) spindle; (*c*) centrosome.

FIG. 8. The two halves of the egg contain daughter nuclei, half of whose chromosomes arise from the egg-nucleus, half from the sperm-nucleus.

been constantly increasing by growth. Of course the equal division cannot be determined later by direct observation, as is the case in the first division, but after what we know of the nature of nuclear division this view may be considered in the highest degree probable.

Still more important is the second fact determined on the *Ascaris* egg. The chromosomes of the egg- and sperm-nuclei are an exception to the above-mentioned numerical law. Whereas in *Ascaris megalocephala bivalens* four chromosomes always arise from the resting nucleus, only half as many, that is, two, occur in the egg- and in the sperm-nuclei (Figs. 4, 5, *eik* and *sk*). How is this exception from the numerical law to be explained? How is it brought about? A very accurate study of the method of origin of the polar cells, as is possible in *Ascaris*, gives a satisfactory explanation.

Some time before the origin of the polar cells remarkable changes occur in the contents of the nucleus which justify the great consideration which they have received, and which have been the object of extended investigation. In this variety of *Ascaris* four long threads arise from the chromatin network and split longitudinally into double threads before the height of karyokinesis, the usual time of splitting. These threads immediately place themselves across each other, and thus produce, while gradually becoming shorter, a tetrad of chromosomes, a stage which has been shown in the development of many species of animals. When now the nucleus dissolves and the first polar spindle is formed from its contents, the eight chromosomes arrange themselves in the middle, in two tetrad groups. Later each tetrad group, of the first polar spindle, separates into two groups of chromosomes, connected in pairs (Fig. 3), or in other words, each tetrad divides in two dyads, of which one passes into the first polar cell (*pzl*), the other passes into the egg.

And now there occurs a second striking variation from the usual process of nuclear and cell-division. While otherwise, after division, the nuclear substance always passes for a time into the spherical resting state, here it immediately prepares itself for a second division, which leads to the cutting-off of a second polar cell. The half of the first polar spindle remaining in the egg (Fig. 3, *sp*) immediately enlarges itself into a second complete spindle, in whose middle the two dyads lie. These immediately separate into their individual elements, of which two are taken up into the second polar cell (Fig. 4, *pz*<sup>2</sup>), and two remain in the egg, and here form the basis of the egg-nucleus. Thus of the entire chromatin mass of the egg-nucleus which was divided into eight chromosomes, the mature egg only contains the fourth part, that is, from each of the two tetrads only one single chromosome (Fig. 4, *eik*, *ch*). Instead of once, as in usual cell-division, the chromatin has been divided twice by two polar divisions; in other words, it has been quartered. Therefore, the egg-nucleus only contains half as much chromatin as the nucleus of an ordinary tissue-cell or an embryonal cell. Immediately after each division, it is, to a certain extent, only half a nucleus, and as such is an exception to the numerical law of chromosomes. Weismann has called the whole process, by which is effected the reduction of the nuclear mass and the number of chromosomes to half, a "reduction division."

As the sperm-nucleus in *Ascaris* only possesses half the number of chromosomes of a normal nucleus, the conclusion may be drawn, that in it also a reduction must have occurred, as occurs in the egg by the formation of the polar cells. By such consideration, I was led to seek for a corresponding process in the formation of sperm, which premise showed itself as correct.<sup>1</sup>

As an accurate comparison of the egg- and sperm-formation in *Ascaris* shows, there exists in the two a complete parallel, which may be followed into the smallest detail. The unripe egg with a spherical nucleus, the egg mother cell or ovocyte (Diagram III, Fig. 1), corresponds to the sperm mother cell or spermatocyte (Diagram IV, Fig. 1), as each undergoes a reduction by the formation of polar cells. Also the chromatin arranges itself in the nucleus in this extremely characteristic way which is observed nowhere except in sexual cells in two groups of four each (Diagram IV, Fig. 1 *ch*.)

<sup>1</sup> Even before my investigation Platner determined by a study of the process of sperm-formation in *Lepidoptera* and *Pulmonata* a reduction process in the sperm-nuclei, although in a less striking and less comparative way. He drew the conclusion "the spermatocytes correspond to the ova. In both cases a reduction of the chromatic substance to a quarter of its original quantity occurs, while a second division follows immediately on the first without a period of rest between." (Platner, *On the Meaning of the Polar Bodies*, *Biologisches Centralblatt*, vol. VIII, p. 193, 1889, and *Contributions to the Knowledge of the Cells and their Division*, *Arch. für mikrosk. Anat.*, vol. XXXIII, 1889.)

Then the sperm mother cell is split up by two divisions, which follow upon one another without a resting stage being interposed, first into two daughter cells (Fig. IV), and immediately by a second division which causes the actual reduction into four granddaughter cells of equal size. By these processes, each of the two tetrad groups (Fig. 2, *ch*, and Fig. 3) divide into two pairs of chromosomes, which are shared by the two daughter cells (Fig. 4). Then each pair of chromosomes (Fig. 5, *ch*) falls again into its individual elements, which are taken up by the granddaughter cells (Fig. 7). These, therefore, contain, as does the mature egg and the polar cells, only a single chromosome from each tetrad group, altogether only two (Figs. 7, 8). Their nuclei are, therefore, reduced to half-nuclei.

Many will have asked, what aim this noteworthy reduction of the chromatin, which constitutes the important process of egg- and sperm-ripening, may have. The explanation is easily seen if we consider, in connection with the chromatin reduction, the succeeding fertilization, and consider that by this a second nucleus is brought into the egg, which combines with the egg-nucleus and thus doubles its chromatin mass. Thus from two half-nuclei a complete nucleus is again formed, from which then arise all the nuclear generations of the new being. Thus ripening and fertilization of the egg stand to one another in a supplemental relation. That fertilization is needed to replace the chromatin reduction may be proved by a consideration.

As the numerical law of the chromosomes has taught us, chromatin is a substance which shows a tendency to be constant in a given species, not only in relation to its mass, but also in regard to the number of chromosomes in which it splits during karyokinesis. Thus it is a substance which after cell-division increases to the double and is then halved by division, etc. If we now consider that the process of reduction did not occur, then by fertilization two complete nuclei would be united, and the result would be a doubling of the chromatin, in relation to the normal. By every new sexual generation the same process would be repeated, and thus in the course of generations a summation of nuclear substance would be brought about, which in a short time would lead to such a lack of relation between it and the protoplasm, that the contents of a cell would no longer have room for it.

Led by similar considerations we may say: By the reduction which precedes fertilization the summation of the nuclear mass and the number of chromosomes to the double and multiple which is normal for the species under consideration, is hindered in the simplest way possible.

Thus, the phenomenon of reduction is a general biologic law of the greatest value. What has been observed in one species of animal

has gradually been confirmed in numberless other cases, in vertebrates and invertebrates. And time and again that which we have already seen has been repeated. These discoveries of the embryologists placed new problems before the botanist, which he immediately seized and solved. In the sharper position of the question which was now possible, phenomena were gradually observed in the *Phænerogamia* and *Cryptogamia*, which, although not so easily explained as in the animal kingdom, showed that, in the development of the vegetable sexual products, a reduction process by nuclear divisions following close upon one another, also occurred. Even in *Infusoria* and different sorts of lower unicellular organisms, corresponding processes have been observed.

We have reached in the realm of the study of generation a position which has been attained to the same degree in the study of very few of the other complicated phenomena of life. We can unite many facts in a few general laws which possess value for the entire organized world and for which we can use the expression "law" with the same justification and in the same sense as physicists and chemists in their determinations of law-abiding phenomena of lifeless nature. In a few decennaries discoveries have been made, which, supplementing each other, have been connected with each other, and have deepened in an unsuspected way our knowledge of generation.

And as the middle point of these discoveries there stands a well-characterized substance, which is contained in a small amount in the nucleus of every cell, and whose striking changes during cell-division have drawn upon it the attention of biologists, the chromatin. That this wonderful substance must have a great importance in the life of the cell is hardly to be doubted after the foregoing experiences. Let us attempt to penetrate somewhat deeper into its importance. We are hereby brought back to the important problem of inheritance upon which I already touched in connection with the demonstration of fertilization, but had retained for later mention. If the egg- and sperm-cell conveys to the new being the properties of the father and mother, how does it come about, we may ask, that these share in the process to such an unequal degree, as the egg gives to the new being one hundred or one thousand times more substance than the insignificant spermatozoön? Naegeli, in his book *Concerning the Mechano-Physiologic Theory of Generation*, which is very rich in ideas, has attempted to answer the question by theoretic discussion, by the view that the sexual cells consist of different substances, which possess a different value for the inheritance of parental characteristics. The important sort he designates idioplasm.

Idioplasm is a purely hypothetical conception, for Naegeli himself

has not stated what substance in the cell is actually the idioplasm. A real basis must therefore first be won by empiric investigation. This occurred contemporaneously and independently by Strasburger and myself; Weismann, Kölliker, and others soon followed.<sup>1</sup>

Proceeding from the facts of karyokinesis, of fertilization and maturation, I concluded that the substance of the nucleus, and here, especially the chromatin, corresponded to the idioplasm of Naegeli. Three important considerations appeared to me to point in this direction.

*First:* The chromatin is the only substance known to us which occurs in exactly equal amount in the sperm- and egg-cells. As a proof I will recall briefly the already mentioned brilliant discovery of van Beneden, according to which the egg- and sperm-nuclei of *Ascaris megalcephala bivalens* contain the same number of chromosomes, that is, two, which are of equal size.

*Second:* the fact that the chromatin is the only substance which passes over in equal quantity from the mother cell to the daughter cell, after it has doubled its volume by nourishment and growth. The complicated process of karyokinesis evidently serves only for this purpose. The arrangement of the chromatin particles in threads, the division of the chromosomes longitudinally, the distribution of their split halves toward the poles of the spindle, and the equal distribution in the daughter cells.

Thus, this substance, in which rests the peculiarity of the organism, is carried down from one cell generation to the next as a valuable inheritance, and thereby is the principle by which every cell of the organism is "idioplasmatically enabled," as Naegeli expresses it, to become the germ of a new individual. Here also numerous phenomena of generation and regeneration find their explanation. For in many plants and lower animals we see that actually almost every small cell complex separated from the rest of the organism is able to reproduce the whole. From the root-cells of a plant, buds may form, to reproduce the aërial part, and from the stem-root, cells may develop, as is seen in slips. This is because, in cells, which during the course of development have adapted themselves for a certain function, the deposits contained in their inherited mass are still slumbering, and may be newly awakened and forced into a definite development.

*Thirdly and finally,* we may base our opinion upon the chromatin reduction. I might denote this as a proof of the justification of the theory. Without having known of the finer processes which occur during the formation of the polar cells, Naegeli had already

<sup>1</sup> I have given the different historical and critical opinions, in regard to the theory of fertilization and inheritance, in my article *Comparison of Egg and Sperm Formation in Nematoda*, *Arch. für mikrosk. Anat.*, vol. xxxvi, pp. 77-127, 1890, and in *Zeit. und Streitfragen der Biologie*, vol. 1, p. 16, 1894.




DIAGRAM IV. Spermatogenesis, or development of the seminal bodies from the seminal mother cells (spermatocytes) in *Ascaris megalocephala bivalens*.

FIG. 1. Seminal mother cell with a nucleus (*k*) in which two tetrads (*ch*) have formed. Centrosome (*c*) with rays.

FIG. 2. Seminal mother cell from the nucleus of which a spindle (*sp*) with two tetrads has developed. Centrosome (*c*).

FIG. 3. Spindle in which each tetrad has divided into paired chromosomes (dyads).

FIG. 4. The seminal mother cell is divided into daughter cells (*tz*) each of which incloses a spindle with two pairs of chromosomes (dyads) (*ch*). The centrosome (*c*) has divided into two daughter centrosomes between which a small new spindle is formed.

FIG. 5. The new spindle (*sp*) in each daughter cell has enlarged and included the two pairs of chromosomes (*ch*<sup>1</sup> and *ch*<sup>2</sup>).

FIG. 6. In each spindle the pairs of chromosomes have separated from one another and approached the poles of the spindle.

FIG. 7. The two seminal daughter cells have divided into four granddaughter cells (*ez*), each of which includes only two chromosomes (one element of the tetrad of Fig. 1) and one centrosome.

FIG. 8. The two chromosomes of the granddaughter cells (*ez*) have flattened against each other eventually to form one small, compact, spherical nucleus (*k*).

FIG. 9. Each granddaughter cell changes into a seminal body (*sp*) conical in shape. Nucleus (*k*).

shown the necessity of a reduction process from purely theoretic considerations. He said: "If, in every propagation by fertilization, the volume of the idioplasm, however constituted, doubles itself, the idioplasm body would be so much increased, after several generations, that it could no longer find room in a spermatozoön. It is thus absolutely necessary that indigenous propagation the union of the parental idioplasm bodies occur without causing, by the united mass, a corresponding increasing growth of this material."

The process suspected by Naegeli was soon after discovered in the development of the polar cells, which, however, were first explained in another way by their discoverer himself, Ed. van Beneden, and were first recognized by Weismann as the process by which a summation of the parental mass as a result of fertilization was prevented. Weismann agrees with Naegeli that reduction was so certainly required by theoretic considerations that the process by which this occurred must be found if it were not contained in already known facts. I, however, doubt as little as does Weismann that the reduction of the idioplasm, which is theoretically demanded, occurs by the formation of polar cells.

When one fact thus agrees with another, which is very rare in this way in biologic processes, we may certainly say, in spite of the objections raised by several investigators, that the idioplasm of Naegeli is found in the chromatin of the cell-nucleus, and that this hypothesis is adapted in a high degree to serve as a starting-point and leading star.

How many questions whose solutions in part we are already beginning to determine, which in part wait upon the future, force themselves upon the investigator!

Does an actual penetration of the two idioplasms occur during the union of the egg- and sperm-nuclei, or do they remain alongside of one another, temporarily or permanently? and in corresponding way, how does the reduction process act? To how many questions, again, the origin of female and male sex and the generation of bastards gives rise! May we find a morphological basis by the study of the sexual production of bastards for the law of Mendel, which has been confirmed in great part by recent investigations of Tschermak, Correnz, and De Vries on bastards?

And what a perspective the following consideration opens! If the chromatin is the substance by which the peculiarity of each organism is determined, it must be of somewhat different composition in each of the numberless organized species. In the insignificant mass of an egg-nucleus, or a sperm-nucleus in the head of a spermatozoön, only visible under the microscope, the numberless peculiarities by which one species is separated from another are compressed in their elementary forms. Will human intelligence



ever succeed in penetrating into this world of the smallest organic differences, which are now invisible to us? Will, in the future, the means of investigation of the biologists, perhaps the discovery of a more powerful microscope and the mastery of the same, increase the circle of vision of our successors as much as was done by the discovery and mastery of the compound microscope?

Or, will the chemist succeed in so increasing his knowledge of the nature of proteid bodies that we may expect valuable conclusions in regard to the nature and difference of idioplasm, that is, the chromatin substance, from this direction? Who will dare to determine where, and how far away, a limit may be set to the possibility of human knowledge?

Far, far away lies in any case the goal, shimmering before us in the distance. For its attainment the individual branches of natural science, from to-day on, must have united themselves, by extension of their borders, to a great united science of nature, as the leading spirits are now trying to consummate. For the investigator who will busy himself with this deepest problem of life must unite in one person biologist, chemist, and physicist, and must master the depths of each of these sciences.

In looking so far into the future, with its unlimited possibilities, we may well repeat the words with which our great teacher, Carl Ernst von Baer concluded the preface to his *Embryology of Animals*: "Until then there will still be a prize for many. The palm, however, will be carried off by that fortunate one for whom it is reserved to refer the active power of the animal body to the general laws of life of the world whole. The tree from which his cradle will be fashioned is not yet planted."

## INDIVIDUAL DEVELOPMENT AND ANCESTRAL DEVELOPMENT

BY WILLIAM KEITH BROOKS

[William Keith Brooks, Henry Walters Professor of Zoölogy, Johns Hopkins University. b. Cleveland, Ohio, March 25, 1848. A.B. Williams College; LL.D. *ibid.*; Ph.D. Harvard College; LL.D. Hobart College. Associate Professor and Professor, Johns Hopkins University, since 1877. Member of the National Academy of Sciences; American Academy of Science; American Philosophical Society. Author of *Foundations of Zoölogy*; *Scientific Results of the Voyage of H.M.S. Challenger*. Editor of *Memoirs of Biological Laboratory*, Johns Hopkins University.]

NEAR the end of the last century, zoölogists of a speculative turn were asking whether the changes that make up the history of species are induced by the external world, or are inherent in germ-cells and the living beings that arise from them. We had been told by Haeckel that the inheritance of acquired characters is a necessary axiom of the monistic creed, and, by Weismann, that acquired characters never are, and never can be, inherited, because the architecture of germ-plasm forbids.

So the dispute went on, in the good old *a priori* way, with no sign of any end except an armed truce, until wise and prudent zoölogists resolved to stop disputing and get to work.

One of the fruits of this resolution was a wonderful series of observations and experiments upon the behavior of eggs and embryos under abnormal conditions, the results of which are so instructive, and so full of food for reflection, that they mark an epoch in the history of embryology, making one of its most notable chapters. In so far, the resolution to cease from arguing, and to get to work, has been altogether good, although one need read but little in the current literature of embryology to find that we have not succeeded in laying aside speculative questions. Many embryologists are now asking whether the cell-differentiation which takes place during individual development is inherent in eggs or their chromatin, or induced by the interaction between the constituents of the egg, and between cell and cell, and between the developing embryo and the external world.

The dispute that was laid aside as vain and idle was whether the development of species is inherent or acquired. The new question is whether individual development is innate or superadded; but the distinction is only a verbal one because that which is true of individuals is also true of them when considered collectively.

Some embryologists tell us that each cell that enters into the composition of a multicellular organism is a complete representative of the species, having the same constitution and the same significance

in inheritance as the fertilized egg; that each cell has the constitution which is characteristic of the species; that it might, under proper conditions, have become a germ-cell, or any one of the various cells of the body, because the substance of inheritance is transmitted equally to all cells.

According to another view, a germ-cell is the only complete and independent representative of the species, since the substance of inheritance is held to be contained, in its completeness, in no cells except those that are predestined to produce new organisms, while the ordinary tissue-cells are held to be absolutely and inevitably out of the line of descent to future generations, because they contain only so much of the substance of inheritance as is necessary for transmitting the hereditary characteristics of these cells and their predestined descendants.

I believe that a little study of the word inheritance will show us an easy way out of these paradoxes, and I do not believe I could make a better use of my hour, or one that would do more to promote research in embryology, than to point out how far the dispute is a verbal one. So far as the word is used inductively, it means the resemblance of child to parent, of descendants to ancestors, while the difference between child and parent is called variation. These words are also used, metaphorically, to designate the cause or the explanation of the resemblances and differences between descendants and ancestors, just as gravitation is used metaphorically to designate that which makes things gravitate, and geotropism that which makes roots grow downwards, and selection that which brings about survival in the struggle for existence. In what I have to say, I shall restrict myself to the inductive meaning of these words, for I know that your minds and your words are so free from the bonds of metaphysics that you know we accomplish nothing by asserting that heredity makes beings inherit, or that variation makes them vary, or that selection selects.

Let us, therefore, consider the word inheritance as a term to designate the resemblance between parent and child. You all know that while the descendant does, on the average, resemble its ancestors and collateral relatives more than it resembles anything else in nature, it is never identical with them. We say, in our careless way, that organisms exhibit specific identity behind, or in spite of, their individuality, when we mean that, while they resemble their parents, they are different from them. This diversity in unity is true of all natural objects, but it is most notable and impressive in familiar living beings, in our friends and acquaintances, in our dogs and horses, and in the plants that we tend with our own hands. We may think of the casual stranger on the street, or the unknown citizen of Timbuctoo, or the stalks in the corn-field that we pass in the train,

as representatives of species, and nothing more, but all the living beings that we know practically, we know as individual members of their kind. We may, for our own purposes, and in our minds, consider their kinship apart from their individuality, but this does not show that they are separable in fact. Living beings do not exhibit unity and diversity, but unity in diversity. These are not two facts, but one, and the separation is in our minds, or our words, and not in nature. The delight of intimate acquaintance with animals is due to the inseparableness of their specific unity from their individuality, and our attempts to separate, in our minds, what is not separable in fact, lead us to two narrow and partial views of the facts, two crude and imperfect mental concepts, neither of which corresponds to anything in nature.

All this is familiar, but I ask you to reflect upon it; to decide for yourselves whether it does not mean that inheritance, or resemblance to ancestors, and variation, or difference from ancestors, are only imperfect mental concepts, crude ideas, and not facts; whether the fact is not the individuality in kinship of living beings. Each of you must answer this simple question for himself. I cannot regard them as facts, since they seem to me to be only imperfect ideas of facts; mental states which we have reached by fixing our attention upon a partial and uncritical view of our sensations and perceptions, to the neglect of that which has not interested us nor seemed to concern us.

If you agree with me that resemblance to ancestors does not exist in nature apart from individuality or difference from ancestors, that inheritance is not a fact, but only an imperfect idea of a fact, admitting of correction and improvement by comparison with nature, and in no other way, — if you agree to this, what becomes of the notion of a substance of inheritance? There is, no doubt, a material equivalent for every idea, but the material equivalent for the notion of a substance of inheritance is in the brain of the speculative philosopher, and not in germ-cells. St. Paul says faith is the substance of things hoped for, the evidence for things not seen, but in science the evidence for things not seen is to be sought by using our eyes, and I can discover no basis for the notion of a substance of inheritance except faith, because inheritance seems to me to be a term to designate a narrow and imperfect view of facts, and not itself a fact.

I hope you will not accuse me of opposing the scientific study of inheritance and variation, for nothing is farther from my thoughts. The resemblances and differences between ancestors and descendants are as worthy of study as arithmetic, which has been of inestimable value to mankind, although there is, in nature, no quantity without quality. We cannot make any progress in natural knowledge without fixing our attention upon some narrow and imperfect view of nature, to the temporary neglect of that which does not interest us, but things

do not cease to be because we ignore them. The paradoxes into which the biologists fall, in their efforts to locate the substance of inheritance, remind me of the perplexity of the school-boy, who, having tried to add together six cows and nine horses and four apples, wonders whether the result is horses or cows or apples. If he were to attribute the virtue of arithmetic to a substance of numeration, and to wonder whether it resides in apples or in cows, he would be still more like those who speculate about the location of the substance of inheritance.

If you choose to declare that my contention that inheritance is not a fact is a metaphysical subtilty, I cannot help it. Call me a metaphysician if you will. Hard words cannot hurt me, nor need they scare me. But may it not be the speculative zoölogist, who hunts in germ-cells and in chromatin for the material support of the imperfection of his ideas, who is the real metaphysician, and not I, who plead for nothing but the correction of our judgment, and its reduction to exactness, by comparison with nature?

Some embryologists tell us that all the cells that enter into the structure of a multicellular organism are inherently identical with each other, and with the fertilized egg, in their constitution, and in the possibilities of their development. Each, we are told, might have replaced any other if it had been exposed to the same conditions, and might have become a germ-cell under proper conditions. According to this view, cell-division is always division into parts that are identical with each other, and with the cell that gave rise to them, and it is only because they are exposed to different conditions that cells become specialized and differentiated during development, and not because there is any inherent difference between them. According to this way of looking at individual development, any attempt to account for it by the imaginary architecture of the germ or of its chromatin is idle, because the architecture of the organism does not exist in the germ, since it is the resultant of the reciprocal interaction between the germ and the developing embryo with the conditions of their existence. You will permit me to say that, with certain qualifications and reservations, this view of the nature of individual development commends itself to me as a step in the right direction. The correlation between the normal development of one part of the body and the development of other parts is a familiar fact. The changes that take place in the habits and the plumage of certain birds, as the reproductive organs become functional on the approach of the breeding-season, are known to all, as is also the arrest of these changes when the reproductive organs are removed or aborted by disease. The awakening of the body into full and rounded perfection which comes with the functional maturity of the reproductive organs is so notable in our most familiar mammals that it has come to be regarded as the typical illustration of the correlation between de-

velopmental changes in one part of the body and similar changes in other parts, although this is, no doubt, an important factor in all development. Other well-known facts, such as the development of a bud into a leaf-shoot under certain conditions, and into a flower-shoot under others, lend support to the doctrine that there is a correlation between the history of each cell and its interactions with other cells, but the doctrine that cell-division is always division into like parts, and that it is the internal environment of each cell that calls out one of its possibilities and leaves the others latent, is not in itself an answer to the question why, as the egg develops into an embryo, its cells find themselves in a little world of their own making, which is so much like that in which their ancestors developed that the end-product is an individual fitted for the normal life of its kind.

This seems to me to be the real problem of embryology. The external world of a hen's egg in an incubator is the same as that of the duck's egg beside it. So far as the duckling and the chick owe their fitness for the world into which they are to be born to mechanical conditions, they must owe it to conditions which they find within the egg, or make there for themselves, through their own activity as living beings. So far as the nutritive and chemical changes that go on in the hen's egg, the effects of gravity and pressure, of the interaction of cell and cell, of organ and organ, are more like those under which ancestral hens developed than they are like those under which ancestral ducks developed, this must be due to a characteristic difference between the interactions of a chick and those of a duck. While it is, no doubt, in the interaction between the living organism and the world around it that life consists, this does not, in itself, tell us why the internal environment of the cells of the developing chick is so much like that of ancestral embryos that the end-product is fitted for the life of fowls.

The hypothesis we are considering is inadequate in so far as it fails to consider the truth that the development of the chick, or that of the human infant, or that of any other organism, is a preparation for a test that is to come later, in the struggle of life: since the most significant fact in the reciprocal interaction between the developing organism and its environment is that it is a preparation for its interaction, at a later period, with an environment of competitors and enemies. So far as the origin of an individual organism, fitted for the state of life into which it is to be born, is in question, the orderly unfolding, by the interaction between a germ and its internal environment, of all the stages which made up the ancestral environment for epigenetic development, in due succession and order, seems to be more like evolution than epigenesis, unless, indeed, there is something in this interaction which we have not yet considered. Unless we can find

an epigenetic explanation of the specific constitution with which the germ begins its development, I do not see how we can account for the facts of individual development from the standpoint of epigenesis.

The hypothesis we have been considering has much to commend it, and it is, no doubt, a step in the right direction. Inasmuch as it emphasizes the familiar truth, so often forgotten by speculative zoölogists, that a living being is no metaphysical abstraction, no self-sustaining, self-sufficient entity, no thing in itself, but a natural body in a natural world, of which it is a part, and with which it is in continual reciprocal interaction, — so far as it carries our vagrant minds back from metaphysics to this great scientific truth, — it seems to me to be altogether good; for the amount of idle speculation which has sprung from neglect of this truth is appalling. I ask your attention to it because I shall have more to say about it. It has been a familiar thought with me for nearly thirty years, not because of any originality of my own, but because I learned it from the study of the *Origin of Species*. I have lost sight of it now and then, amid the paradoxes and perplexities of speculative biology, but I have found them to vanish like mist before the wind so soon as I recalled it; so I ask you to bear in mind, at least for the rest of my hour, that a living being is no self-sufficient whole, but a natural body which is part of a natural world, and that this truth is no metaphysical subtilty, but a fact.

So far as it insists upon, and is based upon, this important truth, the hypothesis we have been considering seems to me to be sound and valuable. Inasmuch as it fails to consider the truth that individual development is a preparation for the struggle of life, it seems to me to be only a partial and imperfect account of individual development.

It is not the only view that has advocates. You know what a prominent place in literature the doctrine of germ-plasm has held. According to this doctrine, individual development is the unfolding of the organization that preëxists in the germ. With qualifications which need not detain us, it is the doctrine that the species resides, in its completeness, in no cells except germ-cells, and that differentiation is due to the differential distribution of the substance of inheritance, each cell being held to receive only so much of this substance as bears its hereditary qualities and those of its predestined descendants. So far as it deals with individual development, its essential feature is the definitiveness of cell-division, for it is based upon the opinion that the ordinary tissue-cells are utterly and completely cut off from posterity because no cell except a germ-cell contains all the hereditary qualities of the species.

I shall not discuss this doctrine in detail, because it seems to me to arise from neglect of the truth that neither a germ-cell nor any other

cell is a self-sufficient whole, and because I cannot conceive how a new species can arise if this view is well founded. As is a tissue-cell to a germ-cell, so is a germ-cell to ancestral germ-cells. If tissue-cells are out of the line of descent to new generations, and predestined for their parts in individual history, so must germ-cells be predestined for their parts in ancestral history, and out of the line of descent to anything strictly new; but the notion that the conduct of the breeder of carrier-pigeons and fantails and tumblers was predestined in the germ-plasm of the rock pigeon carries Calvinism to giddy heights that I cannot scale.

Other zoölogists tell us that, since the germ-cell is formed by a process which may be regarded as modified fission, it is fundamentally symmetrical with the body that produced it, and its axes and poles coincident with those of the parent, so that it is practically equivalent to a complete organism from the first, so far as its stereometry or promorphology is in question. This doctrine may, perhaps, rest on a basis of fact, but it gives no account of the stereometry of the parent.

Others, who agree that the organism is a unit, a complete whole, a specific being, from the egg onwards, assert that, while cellular differentiation may enable us to infer organization, it is a serious error to regard it as the measure, or the means, of organization; that the egg is young organism, and not a mere germ that is to become an organism; that there is no qualitative or essential difference between an unicellular and a multicellular organism, between an unicellular germ and the being that arises from it; and that, while complexity increases as development progresses, division into cells is not the means, but only the indication of its progress. There seems to me to be a basis of truth for this doctrine also, but when its advocates tell us that the species is contained in the hen's egg as completely as it is in the hen, their words seem to me to be meaningless, because I have learned from Darwin that the species is neither in the egg nor in the hen, since it is in that reciprocal interaction between the living being and the world around it which I have learned to call the struggle for existence.

Thus the current literature of embryology brings us back to the question we had agreed to lay aside, whether development is inherent in the egg or induced by the conditions of its life.

It may interest you to know what an old question this is. More than two hundred and fifty years ago, that great man of science, William Harvey, declared his intention to "seek the truth regarding the following difficult question: Which and what principle is it whence motion and generation proceed? Whether is that which, in the egg, is cause, artificer, and principle of generation, innate or superadded? Whether is that which transfers an egg into a pullet inherent or acquired? In truth," says he, "there is no proposition more magnificent to



investigate, or more useful to ascertain, than this: How are all things formed by an univocal agent? How does the like ever generate its like? Why may not the thoughts and opinions now prevalent many years hence return again, after an intermediate period of neglect?"

Summing up the results of his investigation of this magnificent proposition, which occupied him for many years, he says: "It appears clear from my history that the generation of the chick from the egg is the result of epigenesis, and that all its parts are not fashioned simultaneously, but emerge in their due succession and order. For the part that was at first soft and fleshy, afterwards, without any change in the matter of nutrition, becomes a nerve, a ligament, a tendon; what was a simple membrane becomes an investing tunic; what had been cartilage is afterwards found to be a spinous process of bone, all variously diversified out of the same similar (homogeneous) material."

It is more than two hundred and fifty years since this proof was given that, so far as it is discoverable by our senses, individual development is epigenesis, or new formation, and not the unfolding of the preëxistent; yet, dissatisfied with facts, we go on hunting, with what we call our mind's eye, for an invisible substance of inheritance, holding that development must be evolution in essence, however epigenetic it may appear to sense.

If I venture, at this late day, to point out that ancestral development may be as epigenetic, from beginning to end, as individual development, and that the species for which we are seeking is not, and cannot be, in the germ, I do so because this proof is neither new nor original with me. It is so old that many "up-to-date" zoölogists tell us it is antiquated, abandoned, no longer worthy the attention of advanced thinkers.

According to this view, the species is not in chromatin, nor in germ-cells, nor in differentiated cells, nor in living beings at any stage of existence, nor in the conditions of existence, because it is in that reciprocal interaction between the organism and the rest of the natural world which has been called the struggle for existence. Neither the stability of species nor the mutability of species is in living beings, because it is through extermination in the struggle of life that the type is kept true to its kind, and also through this struggle that it becomes changed.

You will note that it is as great an error to locate species in the external world as it is to locate it in germ-plasm. It neither exists in the organism nor in the external world, because it is in the reciprocal interaction between the two. The biological types, of which those who call themselves statistical biologists tell us, are neither external standards to which living beings approach and from which

they recede by variation, nor are they standards fixed in living beings by inheritance.

No two objects, alive or dead, ever are exactly alike, and as we all know that life is a struggle, and admit the diversity of nature, neither the stability of species nor the mutability of species is anything more than we might expect. Inheritance and variation are not two things, but two imperfect views of a single process, for the difference between them is neither in living beings nor in any external standard of extermination, because it is in the interaction between each living being and its competitors and enemies and sources of food and other necessities of life. It would be idle to seek, within the germ, or in the conditions of its existence, for a principle of inheritance, or for the cause of variation, because species is in the interaction between the organism and its environment.

The specific stability of a growing embryo is no more separable from its individuality than the height of a man is separable from the man. We can think of the height of men without thinking of the men, and we can tabulate statures and treat them by statistical methods, but, while we may, for some purpose that we have in view, withdraw our attention from the men, each height still remains the height of an individual and particular man. So, too, we may tabulate the differences between animals without thinking of their kinship, or we may tabulate their resemblances without thinking of their individuality, but this is no more reason for thinking inheritance and variation are two things than for thinking a man and his stature are two things, or for thinking the head of a man is anything else than a man's head.

Individual dogs are more like other dogs than they are like anything else in nature, and yet one dog is different from another. Is there any reason for thinking the case of cells is any different? Daughter cells may be different, even when they are more like each other than they are like any other cell. The difference between homologous twins and ordinary twins, or puppies of the same litter, shows that germ-cells are not identical, and this is shown, still more clearly, by experiments like those of Mendel. The fact that cells are different is no more proof that they are specifically differentiated than the difference between dogs is proof that the races of dogs were foreordained.

Cell-division may be neither integral nor differential, for the sameness, or kinship, of cells is not philosophical or abstract identity, but practical equivalence in the economy of the organism. When we say two cells are the same in substance, I cannot discover that we mean anything more than our meaning when we say the report of a conversation is the same in substance as the original conversation.

Cell-differentiation is neither inherent in germ-cells nor induced by the conditions of existence, because it is in the reciprocal interaction between them. They who seek it in germ-cells or in chromatin forget that these are not self-sufficient entities, but parts of the natural world. They who seek it in the conditions of existence forget, or fail to perceive, that development is a preparation for a test that is to come later in the struggle of life.

The reciprocal interactions that are characteristic of normal development are of a very peculiar sort. They are not merely actions and reactions, but responses or answers, and I ask you to consider what this word means, because experimentalists often content themselves with a very imperfect concept of its meaning.

If I kick a dog, his actions are not ordinary reactions. They are preparations for meeting the further violence of which the kick is a warning. Events do not take place anyhow and at random in nature. They are so related to each other that each is a sign of others that may be expected in course of nature, and for which scientific knowledge helps us to prepare, but it is the preparation, and not consciousness of it, that is useful. When a chick hears the warning cry of the hen it runs to her for protection from the threatened danger, although it may not know the source of danger, nor even what danger is. There is a relation, external to the chick, between the warning cry and threatened danger, and the effect upon its bodily machinery of the warning is an act which is suited for escaping the danger of which the warning is the sign. Since the danger is not discoverable in the structure of the chick, experimentalists are apt to ignore this characteristic of responses, that which makes them responses and not ordinary reactions; but neither the warning cry nor the danger is to be found in the chick, yet the stimulants which bring about vital responses are thought worthy of study. The ability of the chick to make responses does not restrain it from aimless or injurious acts. Its fitness is not abstract or metaphysical, but practical. It may escape danger by means of its mother's warning, or it may be drawn into danger by an imitation of it, but the bird that falls into the net of the fowler is blotted out of history. Natural selection is not an agent who does things, but a general word for formulating the struggle of each individual for existence, and the survival of the fittest. There is nothing general or abstract in this struggle, for it is preëminently private and particular. We speak of *the* struggle for existence; but my struggle has not been like yours, and *the* struggle for existence is only a formula. Species have come about according to but not because of or by means of the principle of the survival of the fittest, for a formula can do nothing. The fitness of living beings is not ideal or abstract, but private and particular. We say an animal is

fitted for its place in nature, although it is clear that the fitness is not in the organism, but in its interaction with its environment. It is dependent and relative fitness, for an external change may make unfit what before was fit.


So far as the development of an embryo is a preparation for the struggle of life, it is like the preparation of the kicked dog for further violence. This struggle is in no way incompatible with the generation of sports and mutations and monsters and abortions and failures, but it is incompatible with the survival of those that fail in the battle of life.

What is true of development as a whole is also true of its successive stages. So far as the interaction between each cell and the internal conditions of its existence is a response to or a preparation for the next step in development, by changes of the same general character as those that take place in the reproductive organs of the bird and modify its plumage, and so far as the sum of these changes fits the embryo for the state of life into which it is to be born, it may survive and have descendants, but the embryo that does not follow substantially the same course of development as its allies is cut off from history.

Since the germ-cells produced by an organism are, on the average, more like those that produced it than like any other germ-cell, they tend to follow a course of development which is practically but not exactly the same. Since the struggle for existence is no philosophical abstraction, no generalization, but a practical matter of personal experience it does not depend, in any way, upon the causes or upon the origin of the differences between the organism that survives and the one that fails. It is therefore perfectly compatible with the evidence that the germ-cells and the other cells of the body are practically alike, and that the differences between them are not inherent, but relative to and dependent upon the conditions of their existence; nor is there any incompatibility between it and belief that all cells and all organisms are practically so much alike that a new animal kingdom might arise, in course of time, from a germ-cell of any modern organism.

So far as the germ-cell from which the new being arises, and the cells that compose the tissues and organs of its parents, and the germ-cells from which the parents arose, are practically alike, and so far as the development of the new organism goes on under conditions which are practically the same, on the average, as those under which parents developed, the resemblance of child to parent, which theories of heredity attempt to explain, is neither more nor less than we might expect, and there is no problem, because all experience teaches that similar bodies act and react in the same way under similar conditions.

The doctrine that individual development is due to the reciprocal interaction between the embryo and its internal environment is inadequate, but when it is joined to the doctrine that ancestral development is due to the reciprocal interaction between the living being and its environment of competitors and enemies, it seems to me to give an outline of an epigenetic account of both individual development and ancestral development: an outline which it will require generations of investigators to expand and perfect. In view of this, is it not time to have done with the pre-Darwinian metaphysical notion of species as something that resides in living beings and is handed down by a substance of inheritance?



SECTION I—COMPARATIVE ANATOMY





## SECTION I — COMPARATIVE ANATOMY

---

(Hall 2, September 24, 3 p. m.)

CHAIRMAN: PROFESSOR JAMES P. McMURRICH, University of Michigan.

SPEAKERS: PROFESSOR WILLIAM E. RITTER, University of California.

PROFESSOR YVES DELAGE, The Sorbonne; Member of the Institute of France.

SECRETARY: PROFESSOR HENRY B. WARD, University of Nebraska.

---

### THE PLACE OF COMPARATIVE ANATOMY IN GENERAL BIOLOGY

BY WILLIAM EMERSON RITTER,

[William Emerson Ritter, Professor of Zoölogy, University of California; Director of San Diego Marine Biological Laboratory. b. November 19, 1856, Columbia County, Wisconsin. B.S. University of California; A.M., Ph.D., Harvard University; Post-graduate, Cooper Medical College, University of California; Harvard University; University of Liverpool; Zoölogical Station, Naples. Successively Instructor, Assistant, and Associate Professor of Biology, University of California, 1891-1901. Member of California Academy of Sciences; Washington Academy of Sciences; National Geographical Society; American Association for the Advancement of Science, etc. Editor of Zoölogical Publications, University of California. Author of numerous papers on morphology and general zoölogy.]

ANY science is far along on its road of progress when it has clearly defined and correlated its problems, and laid firm hold on the methods by which these may be most effectively worked at. By its problems, I do not mean its few largest, most nearly ultimate ones alone, but as well its numerous lesser ones. And by its methods I have not in mind its laboratory processes only; but as well its intellectual methods, its ways of handling data, of applying principles, and especially its attitudes of mind.

Biology regarded as *a science*, rather than as composed of numerous more or less closely related but still independent sciences, is rather far behind the other physical sciences when looked at from this point of view. Its rearward position is the inevitable consequence of the prodigious complexity of the biological field, and of the recency with which it has come into possession of its great unifying generalizations; and I do not advert to its status with the least suggestion of derogation from the splendor of its achievements, but to emphasize the wisdom of having an occasional "round-up," as we Westerners would call it, like the present, from our many so widely scattered grazing-grounds. The daily work of the cytologist and the paleontologist, for example, are so wide apart that these

co-workers are ever prone to forget that they in reality belong to the same fold.

Just here I must take exception to the notion, too widely current, and sanctioned by the place given paleontology in the arrangement of departments and sections for this Congress, that the science of extinct animals and plants belongs to geology rather than to biology. Whatever else paleontology may be, it is first and foremost a department of biology, and is one of its most distinctive and important departments. And while I am in the business of criticising the programme, I must mention another matter, less, however, in the way of fault-finding than for defining or explaining my own attitude toward the topic to which I am assigned. In the division of Biology we have sections of Embryology and Comparative Anatomy. This is in accord with the best views and the best practice; but from my standpoint it is impossible to separate the two, and I cannot consent to discuss the relation of comparative anatomy to biology, and limit myself to the narrower understanding of the term; *i. e.*, to the conception that it has to do with adult structure alone. I must treat it as extending to the later stages of development at least.

It may be remarked here that I do not count myself a professional comparative anatomist, but rather a zoölogist. My working interests are about as follows: comparative anatomy, in the sense above indicated, as furnishing the tools; and general biology as furnishing the standpoint and larger motive for my profession as a zoölogist.

As a final preliminary to my task proper, I must preach a little. This I do with reluctance, because for preaching, except by those called and ordained to the business, I have little taste. But the need being urgent, and the occasion opportune, I proceed, with at least a show of boldness, to preach. The theme of my sermon is a plea for greater catholicity of spirit among biologists. Would that we might never again have hurled at us throne utterances, as it were, on the all-sufficiency of such and such a new method of research; or of the utter uselessness of such and such an old method; or, again, on the all-absorbing importance of some newly found problem, and the unimportance, even insipidity, of other old problems. True, the biological domain is boundless, and the workers in it are human, and hence narrowly limited in power of individual accomplishment. But limitation in strength does not necessarily mean smallness of spirit.

Let not the guilt be on our heads (and by *our* I do not mean the other fellows') of dissuading beginners from going into some particular line of work, embryology or histology, for example, because "it is dead," or there is "nothing more in it." And don't let us cocaine

the ambition of a fellow worker in morphology or taxonomy, for example, by such questions as "who cares for such matters?" Attitudes of mind like this do harm, lots of harm. They harm individuals, and they harm science. They are off the same piece with *pathies* in medicine; and "pathies" are bad everywhere. Scientific work done in the "pathy" spirit is pretty sure to be top-heavy and lop-sided; and the scientific man who cultivates a piece of scientific ground in this spirit is quite sure to run off and leave it for some other new piece before he has really found what it will produce. It seems as though we American biologists are rather more given to fashion in our scientific tastes than are those of other nations, though the frailty is by no means a national trait. Think how the phylogeny fashion prevailed a decade and a half ago, and note how strange and alone one looks now who dares be found busying himself with questions in this field. One might about as well be seen at an evening ball in a Norfolk jacket as to venture to touch a question of phylogeny in the presence of an up-to-date biological company. And yet who would soberly contend that problems in this field are without importance, or are all solved, or are insoluble? And the so-called morphological method, why had it such vogue some years ago, and why is it so ignored now? What has become of cell-lineage? Have all the extremely interesting questions that were attracting so much good work a few brief years ago been settled? Why do we hear only an occasional voice from this realm now? How long will it be before the field of regeneration, now so bustling with life, shall be as lone as the temples of Pæstum? Judging from history, long before its problems have been solved. How long will biometry remain in its present high favor? Let us sincerely hope that it will for many and many a decade; while, however, we must expect, relying on history as a guide, that it will soon have to take its place in the garret with the many other out-of-date garments.<sup>1</sup> The burden of my complaining is not at all that we strike out on new lines of work and new methods, and this with enthusiasm and vigor; but that we do this with too much narrowness, with too much contempt for the older problems and methods, and, above all, that we go off and leave them for still newer things before they have been thoroughly tried out. Not only breadth of training, but as well breadth of spirit, is an imperative demand in any science. With benediction on the preached word, we may turn now to comparative anatomy.

One can hardly take up seriously such a question as that of the place comparative anatomy holds *now*, and in the future is likely

<sup>1</sup> Since my arrival in St. Louis, I have been told by an American acquaintance recently returned from Europe that a well-known leader of a school opened a few months ago is expressing the view that "biology ought to be fumigated of statistical method."

to hold in biology, without turning an eye searchingly to the past. If this be done, one's general conclusions cannot escape being largely influenced by what he finds there. When it is found, for example, how many of the largest, most securely established discoveries and generalizations in biology have been reached through comparative anatomy primarily, the general notion becomes strong that the subsidiary science, that in the past has contributed so largely to progress, will continue to be potent in the future. The presumption, at least, this way is strong. It is not my office to review history here, but a few instances will be allowable as giving cogency to the present point. The discovery of the circulation of the blood is usually and justly regarded as a physiological one; yet it is noteworthy that, although Harvey made abundant use of both the experimental and the quantitative methods of research, he still almost always speaks of himself as an anatomist; and the great store he placed on comparative studies is well known. "Had anatomists only been as conversant with the dissection of the lower animals as they are with that of the human body," he says, "the matters that have hitherto kept them in a perplexity of doubt would, in my opinion, have freed them from every kind of difficulty." And the thoroughgoing way in which his practice accorded with his theory, both in his studies on the circulation and on generation, is well known to all familiar with his work.

To Malpighi more than to any earlier biologist belongs the honor of having recognized some of the fundamentally unifying phenomena and principles of the living world as a whole. This he did, more than in any other way, through his comparative researches on plants and animals, particularly on marine animals, during the years of his incumbency of a chair of medicine in the University of Messina.

The true interpretation of fossils, begun by the Dane, Nicholas Stensen, a man remarkable, even in a period so remarkable as that of the mid-seventeenth century, and carried to such brilliant fruition by Cuvier, was, you will recall, strictly a matter of application of the data and principles of comparative anatomy. So one might go on almost indefinitely, instancing epochal advances largely contributed to by comparative anatomy, in aspects of biology not themselves usually counted as belonging to anatomy at all.

The first point of significance of comparative anatomy for biology I am going to notice is that of its value as a discipline, or, more strictly for my present aim, as furnishing a point of view. Be it noted that the biological habit of mind, or point of view, whatever be the phrase that best expresses it, is, as all will agree, essential to healthy enthusiasm and sound accomplishment in biological research; and that this must come through training in and the cul-

tivation of the various provinces of biology. Biology is indeed a science, though only from the point of view of its fundamental principles and ideas, not from the point of view of the materials which it furnishes to be actually worked upon. One cannot be a biologist practically, excepting through some of its subdivisions. Now in my opinion there is no single sub-science of the whole biological realm that contains in itself so many of the elements fitted for giving the biological point of view as comparative anatomy. And it seems to me that particularly now, when so much importance is rightly being placed on the experimental and statistical methods of research, it needs to be strongly emphasized that as a method or instrument of research it is the fact of *comparison* that has given and ever must give anatomy its great significance. Right here is one of the points at which my plea for catholicity comes strongly to the front. Some workers in fields recently become so full of promise and so enticing are actually assuring us, in the morning glow of their day of promise, that the comparative method is impotent, and that the future of biology is committed wholly to these new methods! It is assuring, however, to note that a distinguished leader in one at least of the new schools does not hesitate to condemn this sort of thing in harsher terms than I have felt like using.

I would especially mention the importance of comparative anatomy in the preliminary training of medical students. If there be any biologist above all others for whom the biological point of view is of consequence to the general good, that one is the physician. But if the physician is to attain this point of view, he must do it by some other route than his strictly medical studies. It cannot be reached by the study of any single kind of organism. In the main, then, the preliminary training of the prospective medical student must be relied on for gaining the desired end. This is not the place to discuss the matter, but I have reached the conviction that in the United States, at least, that part of the preliminary training of medical students which pertains to the higher vertebrates is, in a majority of our universities, defective. I believe we are drilling on the single type, mammal, too exclusively, and to the sacrifice of what would be practicable and of much greater value in the comparative anatomy of higher vertebrates, the mammals particularly.

The place of comparative anatomy in biology that may stand second in our presentation is that of its significance for systematic zoölogy; or, in the restricted way in which I shall be obliged to treat this head, its significance for determining affinities of the *larger groups of animals*. There can be no doubt that some of the most important, though at the same time most difficult, of biological

problems are here. It is probable, too, that fruitless theory has reached its climax in this field. That paleontology is the court of final appeal here for every case that can be carried before it there is no question. Since, however, a class of cases is ever on hand that can never be taken to this court, I propose to make these the centre of consideration, with the understanding, though, that most of the general conclusions set forth have application more or less strictly to other cases as well. I have in mind the problems of the relationships between the primary divisions of the animal kingdom.

It is well to remind those disposed to value lightly efforts to trace phylogenies through morphology and embryology that if we are ever to know the interrelationships of the primary subdivisions of animals, the knowledge will have to be gained from these sources. A well-known paleontologist has lately remarked that "Perhaps the most disappointing element in paleontological results thus far is the lack of all information concerning the origin of the great subkingdoms, or phyla, of animals." (Woodward, 1898.) These results, or rather lack of results, ought not to be counted against paleontology, for, as we now see, paleontology should never have been held responsible for this task: That science is, of course, able to say almost nothing about extinct animals that did not possess hard, imperishable parts. Now, looked at comprehensively, the evidence of paleontology, morphology, and of embryology concur in support of the belief that the phyla of the animal kingdom all had their origin in ancestors *much simpler and smaller than any representatives of these at present known to us*; in ancestors so small and simple, in fact, that preservable *hard parts had not yet arisen*. A well-established skeleton, even of a simple type, must be regarded as always marking a comparatively advanced state of evolution. Thus, even such simple representatives of the coelenterata as *Dyctorema* or *Diplograptus* of Hall from the Silurian must be supposed to have but gradually acquired a sufficiently chitinous hydrotheca to enable them to leave even such remains of them as we have; and consequently, that they must have had a long line of ancestors about which paleontology can never expect to get much direct information. Similarly with the actinozoa, all the evidence we have, both from comparative anatomy and from embryology, leads to the unequivocal conclusion that the coral-producing members of the class acquired the skeleton now so characteristic of them only after a long evolutionary course. Or consider the mollusca. Whichever of the two prevailing theories of the origin of the phylum be favored, constant and characteristic as is the shell, and early as is its appearance in ontogeny, there is no possibility of its being a really primitive structure. In other words, the evolutionary career

of the phylum was a long one before this character was acquired. If the turbellaria-like ancestry be the theory advocated, then the evidence from comparative anatomy is positive that the shell is a comparatively recent acquisition. On the other hand, if the trochophore theory be defended, the interpretation of the shell, so well stated by Korsheldt and Heider (1900, vol. iv, p. 323), would unquestionably have to be adopted. "The very early rise of this organ (the shell gland), which may in a few cases be found even before the trochophore form fully develops, must be regarded as a shifting back to an early period of the embryonic development of this feature, which was only a recent acquisition."

So we might go through nearly the whole list of the fundamental types of animal organization and show the extreme improbability, if not the impossibility, that their earliest ancestry will ever be accessible to the paleontologist.<sup>1</sup> This view is of course only the rigorous application of the "Law of the Unspecialized," apparently first definitely formulated by Professor E. D. Cope. That this principle has not been sufficiently recognized at all times by morphologists there is no doubt. The effort to make out the transformation of a *Limulus*-like arthropod into a marsipobranch-like vertebrate can but be regarded as one of the most extreme cases of disregard of the principle.

It may be held as practically certain that *paleontology will never be able, by direct discovery, to bridge the gaps between any of the phyla of animals*. All it will be able to do in this direction will have to be by inference, and when resort is had to this method, paleontology is worse off than comparative anatomy, since the range of its available data for any particular problem is less. The paleontologist must rest his case on the testimony of a single organ system, the skeletal, while the morphologist has at his command all the systems of organs. True it is that frequently the testimony of the different systems is so conflicting that the difficulty of balancing it up and deciding just what the total signifies is exceedingly great; and in such cases the morphologist is somewhat prone to feel that he has too much, or, rather, too many kinds of evidence; that he could do better could he be rid of some of his facts. But, of course, the paleontologist's seeming advantage here is of a perilous sort. It is similar to that of the systematist's, whose species of plants or animals are beyond question so long as he does not have too many to fit into his descriptions. Since, then, it is by the morphological

<sup>1</sup> I do not forget in this connection the extremely interesting observations made in recent years on fossil remains of soft tissues, as for example, of medusæ (Walcott) and of striated muscles (Dean, 1902). It is, however, hardly conceivable that remains of this sort will ever be found in sufficient abundance and condition of preservation to make them of real importance in the solution of phylogenic problems.

and ontogenetic routes, or not at all, that we must make the passage from phylum to phylum, we are bound to do the best we can with the data we have.

One experienced with some of the problems in this field, and likewise acquainted with its literature, must be impressed by the lack of general guiding principles of procedure; and especially by the lack of criteria for estimating the value of evidence. Several biologists have felt this, and have made praiseworthy attempts to fill the needs. Among these should be especially mentioned Gegenbaur, Cope, Dohrn, E. B. Wilson, Montgomery, and Gaskell. I desire to devote some attention to this topic. The time being so limited as to make it impossible to treat it with any measure of fullness, I merely pick out some of the points that seem to me of most immediate importance for the present state of progress, and tendencies without special regard to their logical order or their coherence.

(a) My first point is one of professional delimitation, and attitude of mind, rather than of general biological principles. I state it thus: *We must cease to be embryologists as distinguished from anatomists* when it comes to any particular problem of affinities between groups of animals. Montgomery (1902, p. 225) has recently said: "As to which of these methods is the more correct has been and probably will continue to be a question of dispute. The comparative anatomists maintain one side, the embryologists another, and probably because the former are less conversant with the facts of embryology, and the latter with the facts of adult structure." I suppose this statement of the present attitude of embryologists and anatomists toward one another is true; and I am absolutely sure that so long as it is, we shall not touch solid ground for our general conclusions. What I would insist on is that there is no sufficient reason why it should be so.

True, no one can compass in his personal investigations the whole range of both embryology and comparative anatomy, but that is in no wise essential. All that is necessary is to redraw our lines of specialization. Instead of drawing them *around masses of facts* and *through problems*, as is so frequently done, they must be drawn *around problems*, and *through*, if necessary, *masses of data*. There is no reason why a zoölogist should come to what he would regard as a final opinion on the relationship, for example, of the mollusca and annelida without having himself examined with equal thoroughness the facts of both anatomy and embryology bearing upon the question.

Having reached a position where we might use the facts of development and adult structure with equal facility and equal favor, we should certainly find that in nearly every problem of phylogeny,



development must be relied on for light in certain places, whereas adult structure will be the safer guide in others. Fifteen years ago Gegenbaur said, speaking as a comparative anatomist: "Ohne die Kenntniss des letzteren [*i. e.*, adult structure] wie die Anatomie ihren darstellt, würde die Ontogenie sich auf gleichem Wege befinden, wie der Wanderer der sein Ziel nicht kennt."

More recently Driesch, and still later E. B. Wilson, O. Hertwig, and others, coming at the matter from the embryological side, have insisted upon the importance of what Driesch has aptly styled the prospective value of parts of even the very early embryo, in questions of homogeny. With the common truth underlying these two formulations firmly grasped; and with the principles of developmental mechanics thoroughly applied to embryology and comparative anatomy alike, through both experiment and the study of nature's own experimenting, one might confidently predict good progress for the future in deepening insight into the past evolutionary career of the animal world.

My remaining points, more than the first, are attempts to state certain general biological principles that may serve as more or less reliable guides in handling isolated cases. I earnestly hope, however, to avoid the misfortune of being understood to suppose that I have discovered any laws that run on by some mysterious power all their own, bending the incidents of animal structure to their own ends, whether or no. All, of course, I am attempting is to formulate the concordant results of numerous widely separated observations. If there is anybody in the world who has reason to be skeptical of the invariableness of laws in the realm of living things, it is the zoölogist.

(b) My second point, then, has to do with what was called by Cope the "Law of the Unspecialized;" and also with the law or principle of change of function, first brought into prominence by Dohrn. It may be stated thus: *The probability that an organ or part in one group of animals has arisen from another in another group by change of function, is inversely proportional to the degree of specialization of the supposed ancestral organ or part.*

I cannot but believe that had this generalization been clearly before the minds of several zoölogists who have in recent years advanced theories as to the origin of various groups of animals, they would never have become sponsors for views with which they now stand credited. One may instance Dohrn's attempt to derive the vertebrate copulatory organs from annelid gills; and any number of Gaskell's laborious efforts to show that the various organs of the vertebrate have been derived from organs highly specialized for *wholly different functions*, in the supposed arthropod ancestor. The rôle of comparative anatomy in applying this principle is obvious. Grade of specialization can, of course, only be tested by consider-

ing *adult structure*. And while the indispensability of comparative anatomy is clear, it is well to note again how causal morphology would join hands with comparative anatomy here. To recur to the example of the supposed origin of the copulatory organs from gills: Due consideration for the functional demands of these two sorts of organs would lead to recognition of the extreme unlikelihood of the transformation of the latter into the former.

(c) My third effort at a guiding generalization takes the following form of statement: In attempting to find the origin of a given type of animal organization *foremost attention should be given to the organs and parts most characteristic of the type, since the discovery of the origin of these would be most decisive for the origin of the type itself*. Thus, could the view be fully established that mammalian hair originated from epidermal sense buds like those found in amphibia, this would be the strongest sort of evidence in favor of the view that the ancestry of the mammals runs back to the amphibia. Again, this principle would dictate that search for the origin of the mollusca should be particularly promising in investigations on the phylogeny of the mantle, and the shell gland. It would seem as though this principle is so obvious that it should have elicited the regard of every student who inquires into the relationships of larger groups, at least; yet it is surprising to find how largely it has been neglected. Theories of the origin of the chordata, for example, are, several of them, almost wholly wanting in any serious attempt to find how one of the very most characteristic things in the chordate type of organization, viz., the axial skeleton, arose. Of course a corollary to this principle would be that organs and parts merely occasional and incidental within a given group (unless they can be proven to be rudiments) can have but slight significance for the affinities of groups as wholes. Thus it is really surprising that an investigator with the store of learning that Gaskell possesses should have so nearly set at naught his own theory by a complete disregard of the principle. This author supposes, and goes to great pains to prove, that the tubular muscles of ammocoetes are derived from the veno-pericardial muscles of limulus and scorpions. And he tells us this is "the strongest argument in favor of my theory." In a word, the strongest argument Gaskell has in support of his view as to the origin of one of the largest, most distinctly circumscribed phyla of the animal kingdom, rests on an obscure group of muscles found only in the larva of one small division of this phylum!

The importance of comparative anatomy for the application of this principle is likewise obvious enough. It must be the chief reliance for determining the constancy of a part through a series of animals.

(d) The fourth and last principle that I here present is one

which, while it belongs mainly to the province of comparative anatomy and embryology, laps farther over into the field of developmental mechanics than any of the others noticed. I may say, too, that I have found less suggestion of it in the writings of other zoölogists than I have of the preceding ones. I state it as follows: The reliability of an organ or part as evidence of genetic relationship is *directly proportional to the unlikelihood of its having arisen independently within the limits of the groups of animals being compared*; and the test of unlikelihood of di- or polyphyletic origin of a part is the *number of more or less distinct elements that enter into its composition*; or, what amounts to about the same thing, *the complexity of the part*. To illustrate: Were paleontology to discover structures in Silurian strata, one kind of which would be allowed by all to resemble closely mammalian hair, and another kind as closely to resemble avian feathers; and should there be an entire absence of direct evidence as to the creatures these structures belonged to, the feather-like structures would furnish stronger presumption of the existence of birds in Silurian times than would the hair-like structures of the existence of mammals in the same epoch; and this on the strength of the evidence itself, and without appealing to any collateral considerations, like, for example, the fact that the general course of evolution makes it probable that birds originated earlier than mammals. The stronger probability attaching to feathers would be due to the much greater complexity of feathers than of hairs, this making it less likely that feathers should have arisen more than once. Or, again, the complexity of the ambulacral system of echinoderms diminishes the probability that such a system would have been elaborated more than once, and consequently its presence in any sort of an animal, however generally unlike any known echinoderm, would still be strong evidence of kinship with the echinoderms.

Inadequate as has been my treatment of the rôle of comparative anatomy in the investigation of problems of affinity, still less adequately am I able to deal with its significance for other groups of problems. Its relation to the various aspects of experimental zoölogy, for instance, is intimate and vital. The best thing I can say in this connection is that, were it my office to prescribe the qualification that should be exacted of all who would go into experimental morphology, for one thing I should insist upon thorough familiarity with Roux's *Problems, Methods, and Scope of Developmental Mechanics*, which introduced his *Archiv* to the biological world; and further, I would exact unqualified accord to that portion, at least, of the essay that sets forth the author's views concerning the relation of developmental mechanics to the several older biological disciplines.

Certain it is that nothing fuller of promise has come into biological science for many years than the set of tendencies in ideas and methods of investigation that have crystallized into the expression "developmental mechanics." It has sometimes seemed to me, though, that the alternative term, causal morphology, would have been more fortunate. The kernel of the thing is, as I understand it, search after the causes of the form of organisms; or really causes of morphogenesis.

Now where does anatomy come in here? Why, in the first place, it is anatomy, is n't it, that shows us what it is we are seeking the cause of? A rather important preliminary to explaining a thing is to know what we are going to explain. Anatomy, then, in the first place, is the source of supply, so to speak, of the very problems developmental mechanics proposes to solve. But has anatomy exhausted its usefulness in this direction when it has handed out the raw material of a lot of problems? By no means. The moment anatomy becomes seriously comparative, that moment it is on the threshold of causal morphology; for as soon as parts obviously homogeneous, but with *considerable differences*, are recognized in different groups of animals, a *differential* in the producing cause of the common part must almost of necessity be assumed by the observer; and since this differential will usually be closer at hand, so to speak, than the cause itself, it is pretty sure to stimulate inquiry as to what the cause has been. And even this much, general and vague though the effort may be, is undoubtedly on the high-road of search after causes of animal form. To illustrate: One's knowledge of the anatomy of the human limbs, let us say, may be complete; but the causes that have produced these limbs are so complicated and obscure, that even were he, as a human anatomist pure and simple, to raise the question of how they came to take the form they have, the absence of even a starting-point for an answer would be apt to prevent an effort in this direction. But now let this anatomist add to his knowledge an acquaintance with the structure of the limbs of, say, a spider monkey. He could hardly escape recognizing that the difference between the limbs of the two animals is connected causally with the different uses to which they are put by their respective possessors. In other words, the cause of the *difference* in limb structure, being relatively near by and simple, can hardly escape him. He is *forced*, almost, by comparative anatomy, into the way of causal morphology, or developmental mechanics. But we must recognize that observation, however extensive and painstaking, and however faithfully and thoroughly it be coupled with comparison, and with reflection on the causal efficiency of function, of correlation, of conditions of development, etc., must always still fall short of direct proof of

the cause of the form. Conclusions from this method must usually be presumptive. Hence we must wherever possible call experimentation to our aid, for this is preëminently the method that yields evidence direct and immediate. But here again we must recognize limitations. Undoubtedly there is a wide range of form and structure that lies wholly beyond the reach of direct experimentation. How, for example, can we hope to touch, except perhaps indirectly and from afar, such a problem as that of the phylogeny of mammalian teeth? It is quite possible that experiments on the developing teeth might be made, as, for example, by depriving the embryo of salts necessary to tooth substance; or by artificially altering the pressure on the incipient teeth in some of the marsupials whose embryonic life is largely extra-uterine. But with all the necessary complexities of manipulation, and with the wide scope of inference that would be necessary to determine the bearings of the results of such experiments, I do not see that this method can be expected to yield results for the problem as trustworthy as those that may be looked for from comparative embryology. And the same thing must, it seems, be true of very many problems presented by the higher animals especially.

I should like, did time permit, to say something on the part comparative anatomy must play in the, to me, wonderfully enticing field of animal ecology. But I must forbear.

I may state the essence of this paper thus: From the point of view of its *problems* rather than of its *materials* and *methods of research*, the great biological field is indeed one. Its essential unity can be realized and preserved, and these problems most effectually worked at, by drawing the lines of specialization around *problems* rather than around *masses of facts*. By this procedure we should be led to appraise more justly methods and facts, and should be compelled to see the necessity of employing any and all of these that might help us on our way. Comparative anatomy ever has held, and ever must hold, both for its methods and its substance, a place of foremost importance in biological research. It, along with embryology, which indeed it must include so far as concerns later stages of development, is one of the surest passports of training to the biological point of view.

It is of primary importance in furnishing and applying criteria of the value of evidence in problems of affinity, of phylogeny, and hence of classification.

It is, in both its methods and substance, of great importance to Developmental Mechanics.

# COMPARATIVE ANATOMY AND THE FOUNDATIONS OF MORPHOLOGY

BY YVES DELAGE

(Translated from the French by Robert M. Yerkes, Harvard University)

[Yves Delage, Member of the French Institute, Professor of Comparative Zoölogy, Anatomy, and Physiology, University of Paris (Sorbonne), since 1889; Director of the Maritime Zoölogic Station at Roscoff. b. Avignon, France, May 13, 1854. M.D. Faculty of Paris, 1880; N.S.D. *ibid.* 1881; Officer of Academy, 1883; Officer of Public Instruction, 1889; Chevalier of the Legion of Honor, 1894; Laureate of the French Institute, Grand Prize in Physical Sciences, 1881; Laureate of the Anthropological Society of Paris, Broca Prize, 1898. Tutor at the Lyceum of La Rochelle, 1874; Instructor of Zoölogy at the Faculty of Sciences of Paris, 1878; Master of Conferences, *ibid.* 1882; Professor of the Faculty of Sciences of Caen, and Director of the Maritime Zoölogic Station at Luc-sur-mer, 1883; Member of Geneva Institute; Imperial Society of Naturalists of Moscow; Imperial Academy of Medicine, St. Petersburg; President of the Zoölogical Society of France; British Council for the Advancement of Science, Imperial Academy of Sciences, St. Petersburg; Imperial Society of Naturalists, St. Petersburg; Royal Society of Microscopy of London. Author of *The Structure of Protoplasm and the Theories on Heredity and the Great Problems of General Biology*; *Treatise on Concrete Zoölogy*, with E. Herouard; *The Biologic Year: An Annual Account of the Labors in General Biology* (one volume a year since 1897).]

LIKE those of nearly all branches of knowledge, the first rudiments of comparative anatomy are as old as man himself. Ever since he has been able to reflect and observe, even before he knew how to speak, man has carried on the study of the majority of the sciences or of their applications. He studied astronomy the day he noticed that the sun rose each morning at a point on the horizon and that it set each night at an opposite point, and that he could expect the repetition on following days of the same phenomenon; he studied arithmetic as soon as he could count the warriors of his tribe and the sheep of his flock; geometry when he could draw the boundary of a circle by means of a cord attached to a stake; physics when he succeeded in lighting a fire by striking two flints or by rubbing together two pieces of wood; chemistry, and of the most delicate kind, the first time he raised bread-dough with sour dough of the preceding day. In the same way he began comparative anatomy when he gave the same name to similar parts of different beings, when he called the extremities of the horse as well as of the dog, "feet." All the general terms of anatomy, such as head, tail, horns, hair, liver, heart, etc., have for their preliminary condition data of comparative anatomy, defaced and intuitive if you please, but clear and positive nevertheless.

This kind of rudimentary comparative anatomy, which has for its basis a collection of resemblances of such a nature, recognizable

off-hand without intellectual effort, has not progressed since ancient times, and persons who have not made a special study of them are, in this respect, at about the same stage as our ancestors of old.

Comparative anatomy could but slowly depart from this intuitive phase. In order to become a true science, it was obliged to wait until another science from which it borrows its materials for study, zoöatomy, was established. For the latter is a science which does not impose itself upon the attention of man. By reason of its utilitarian character, human anatomy, "anthropotomy," was studied first, by medical men, and zoöatomy only by chance, for the sake of the aid it was able to furnish to anthropotomy by comparison of the structure of man with that of animals. On that account zoöatomy has wrongly been called comparative anatomy, and even in our day some people still consider comparative anatomy as being only the anatomy of animals compared with that of man; they confound it with zoöatomy, which conception is most inaccurate.

True comparative anatomy has for its first object the presentation in another grouping of the facts of zoöatomy and the comparison of them among themselves.

Zoöatomy describes the arrangement and structure of all the organs in each animal, and passes in review successively all animals; it gives a complete and concrete picture of the organization of each one. Comparative anatomy studies in all animals successively the position and structure of a given organ, and proceeds thus successively with all the organs; it gives a complete but abstract picture of the constitution of each one throughout the animal kingdom. It is, therefore, not creative; it only points out from another point of view the facts which zoöatomy has already made known. In that sense it is not, properly speaking, a science. It is not, however, less useful, and one is wrong to slight it on the pretext that it has not an independent personality in the general tableau of the sciences. It enlarges the views of the anatomists, determines a multitude of ideas, points out new aspects of things. It is the necessary complement of zoöatomy, and no one may be a perfect anatomist, if, after having studied zoöatomy, he does not review from the standpoint of comparative anatomy the ideas acquired in that study in order to study them anew.

This first object of comparative anatomy is not considered by anatomists as the most important, or as that to which this science owes the high dignity with which they invest it. It pursues another aim more elevated and more difficult to attain, but also more meritorious: the discovery of general laws which may be deduced from the comparative study of the structure of animals. There comparative anatomy is creative, for zoöatomy alone could not pretend

to the discovery of these laws; it becomes a true science having its own object. It remains dependent upon zoöotomy for the materials which it borrows therefrom, but it is no longer content with retouching, with rearranging its facts; it draws from them new conclusions.

Here, as everywhere in biology, these so-called laws cannot be considered as directive principles, as active forces, but only as general propositions summarizing a large number of the facts of observation. The following are the most important of these propositions:

*Law of connections.* If we compare the characteristics which the same organ presents in a more or less extended series of animals, we perceive that these characteristics are more or less variable according to their nature: color and form are in general very much so, structure, the relations of contiguity, are fairly so; but there is one which is almost invariable, and that is connection, or, in other words, the relations of continuity. For example, the pelvic fins of fishes called jugulars are greatly displaced, since they are carried in front of the pectoral fins, but the nerves and arteries which they receive are given off, nevertheless, from a point situated behind that from which the nerves and arteries of the pectoral fins start; the lungs of serpents elongate to form cylinders which are placed one behind the other, the posterior far towards the rear of the body in a region very different from that which it occupies in other animals; but their point of insertion in the pharynx, the glottis, remains unchanged; the statocysts of lamellibranchs are situated in the foot, far from the place which they occupy among the other mollusks, where they are near the cerebral nervous centres, but their nerve connects them with that centre, a direct emanation of which they therefore remain. This principle of connection is equivalent to considering organs as attached at a fixed point, which is their place of origin, by an elastic cord, which allows them to make all changes of place without losing their connection with the fixed point. This cord is a thread of Ariadne which permits regaining the point of departure despite the most distant migrations. In tracing back these organs among all animals to the place of origin which their connections indicate, an important share of their differences is made to disappear, and their comparison is made clear. This is the principle of Geoffroy Saint-Hilaire.

*Principle of the balancing of organs.* It is well known that the relative development of organs in the body is very different among different animals. Geoffroy Saint-Hilaire remarked that, when one organ attains an excessive development, one or more of the others suffers a corresponding atrophy. This principle results from the fact that the necessities of nutrition do not allow a number of organs



to function at the same time with an activity greater than the average. If certain ones have a very great activity, they develop beyond measure, but, correlatively, others become relatively inert and atrophy.

*Principle of coördination or of correlation.* As far down as life is possible, there is every necessity that organs and their functions should be bound together among themselves by mutual relations, in a manner analogous to the wheels of a mechanism. Thus it is that the elk could not carry the enormous weight of his antlers unless the muscles of his neck had undergone a considerable development. Other correlations, without resulting from physiological necessities quite as rigorous, appear like the expression of very general provisions. For instance, mammals which have hoofs are herbivorous and have a large and flat maxillary condyle, and teeth with a large crown striated with a crest of enamel, in order to triturate plants as if between millstones; carnivores, on the contrary, which have large canines, have a transverse condyle and a foot with five digits provided with nails. It follows that it is possible, to a certain extent, and sometimes with remarkable precision, to deduce the formation of certain parts by that of certain others; seeing the canine tooth of a lion, the hoof of a horse, the antlers of an elk, we may divine the transverse condyle and the clawed foot of the first, the flat condyle and molar teeth of the second, the powerful cervical muscles and the cervical vertebræ with high apophyses of the third. It is to Cuvier that we owe this principle and its chief applications, and the same author's principle of the *subordination of characteristics* is but another expression of the same view.

*Principle of the division of labor.* The general functions which organisms must fulfill in order to live and reproduce their kind are the same from one end to the other of the scale of beings. Simple creatures which occupy the bottom of the scale fulfill their functions almost without organs. The substance which constitutes their bodies, protoplasm, possesses the rudiments of all the indispensable properties; it assimilates and excretes, it feels, it moves, it divides. As we mount towards organisms more and more perfect, we perceive that the progressive perfecting has for its foundation the formation of special organs more and more differentiated, better and better fitted to accomplish in a more perfect manner a special work, and less and less capable of performing multiple functions. Thus the motile and nervous functions are divided between two very different elements, the muscle-cell, possessing an energetic and rapid contractility, but insensible, and the nerve-cell, incapable of energetic movement, but well suited to receive impressions and to transform them into motor impulses.

This principle, brought to light and developed with much skill by H. Milne-Edwards, belongs as much to comparative physiology as to comparative anatomy. It is very general, and is verified among all living beings, both animals and plants. Certain facts are in a way corollaries of it. Thus, organs, even those which are specialized with reference to a given function, may be numerous among lower beings, and have a tendency as soon as and in proportion as an organism perfects itself, to be reduced to a pair, or even to one. Thus the locomotor members, so numerous in the annelids and myriopods are reduced to four pairs in the arachnids, to three among the insects, to two in the vertebrates, and to one pair in man.

*Principle of the change of functions.* This principle, due under this name to A. Dohrn, to whom also we owe the demonstration of numerous applications of it, had been clearly formulated by H. Milne-Edwards under the name of the *principle of physiological borrowing*. He points out that when a new function becomes established, it at first borrows its organs from parts already existing, which change their functions to those to which the modifications correlative with the change have made the organs exactly appropriate. Examples of this are innumerable. One might cite the pectoral fin of the whale, which is only its anterior limb transformed; the poison-gland of the viper, which is a salivary gland; the copulatory appendages of the crab, which are modified abdominal feet.

It is evident that for the establishment of the majority of these laws comparative anatomy calls upon comparative physiology, and it is even noticeable that the most suggestive laws, those of Milne-Edwards, for example, are more physiological than anatomical.

There is, however, one last principle which comes wholly from anatomy, and which is proving itself more rich in consequences than all the others united. It may be remarked, in fact, that the number of these general principles is very limited, and it seems as if there were not many more to be discovered. If it were limited, therefore, to the second object, comparative anatomy in having acquired the dignity of a science, properly speaking, could not be considered a very fertile science.

The principle to which I allude is the following:

*Principle of the uniform constitution of animals.* A glance at the organization of beings suffices to show that their structure presents striking resemblances. All mammals have mammary glands and hair, all birds have feathers and wings, all vertebrates have limbs and a bony skeleton, the majority of animals have a stomach, an intestine, a mouth and an anus, muscles for motion, a nervous system to control these muscles, sense-organs often quite comparable, a circulatory apparatus, etc.

This principle is an idea the acquisition of which goes back to the

most remote times. Aristotle formulated it clearly. Nevertheless, it has been established scientifically, with the necessary details, for the first time by E. Geoffroy Saint-Hilaire, under the name of the *principle of analogy*.

Extending over the whole of the animal kingdom, it is true only for very general and very vague structures. If we go into details, we find important divergences, and it is only by forcing and falsifying comparisons that we can succeed in establishing apparent analogies between organizations thoroughly unlike. The nervous system of a mollusk has almost no resemblance to that of a vertebrate; the organization of a sea-urchin has almost nothing in common with that of an ascidian; the olfactory organ of a crab does not resemble in any possible way that of a mammal.

It is not the same, however, if, in place of extending the comparison to the whole of the animal kingdom, we limit it to a small number of large groups. It is the merit of Cuvier that he established these groups by means of comparative anatomy; they are the phyla of the animal kingdom.

In any one phylum the organization of all the beings which compose it is truly very similar, and if there are differences, real, various, and profound, they are not incapable of reduction.

This principle furnishes to comparative anatomy a third object; it points out a third aim more elevated than the first two, and more difficult to attain. Here not only does comparative anatomy become an independent science because of this object, but it opens to research an unlimited field. It is no longer, as in its first aspect, the simple complement of another science; it is no longer, as in its second aspect, a science limited to the discovery of some rare general principles; it acquires a new dignity, and it presents itself as so vast that its study will never be achieved.

This third aim of comparative anatomy is the comparison of all the beings belonging to the same type, it is the search for the fundamental conformity under the divergences of detail.

This fundamental conformity makes it possible to conceive for each phylum a type of structure from which is derived, as a modification of the type, the structure of each of the forms constituting the phylum.

If all the organisms of the same phylum are derived from a single type, the organs of each one of them are derived from the organs of the type. Therefore, whatever may be the differences presented by corresponding organs of two members of the phylum, these differences are secondary, accidental, subordinate to a fundamental conformity, and the organs, representing the same organ of the type, represent one another and are homologous.

The chief and the highest aim, therefore, of comparative anatomy

becomes the search for homologies. The science of homologies, or morphology, is considered the essential part of comparative anatomy, at once the noblest and the most fruitful.

In the comparison of organs of different beings, Geoffroy Saint-Hilaire and his contemporaries took into account all the characteristics, physiological as well as anatomical. Thus they were not afraid to compare the lungs of mammals with the gills of fishes. To R. Owen is due the credit of distinguishing between physiological and anatomical characteristics; he pointed out that the former furnish only superficial analogies, while the latter form the true basis of homology. Thus the wing of an insect and the wing of a bird are analogous as being organs of flight, but they are by no means homologues, having an essentially different structure, since the wing of a bird is the homologue of the arm of man, for we find in it, in modified form but with similar arrangement, the bones of the arm, the forearm, and the hand, and a goodly number of muscles which serve to move it.

It is evident, then, that morphology depends entirely upon the idea of an animal type. The solution, therefore, of morphological problems depends upon the idea of a uniformity in the structure of beings and upon the significance of types.

Now these conceptions vary. The Deists, and therefore Aristotle, explain uniformity of structure by unity of plan. A creative God created species, and by an act of his will constructed them according to a uniform plan, varying only in details and in the application of its fundamental facts.

The aim of comparative anatomy is to discover this plan, either by the study of animals or by rethinking the thought of God.

Others, in a conception more or less pantheistic, attribute to nature what the preceding had made proceed directly from God. There is still a plan, but an unconscious one, or rather a model, a type, an immaterial entity, unrealized, but which yet controls the realization of real forms as the laws of nature direct the phenomena which are subject to them.

This type is understood in two ways. According to one, it is a prototype, the original form, of which real beings are gradual improvements; according to the other, it is an archetype, the perfect form, of which existing creatures are the repeated models, infinitely various, but always degraded, degenerate.

The aim of comparative anatomy is to find this type and to determine how nearly real forms approach to it.

This conception of types, apparently less childish than that of the unity of plan, has been in fact more troublesome; for, because of its greater philosophical attraction, it has seduced more and higher intellects and has directed their efforts towards an end not less chimerical.

The introduction into biology of the concept of descent has produced an important change: the ideal prototype has become an objective reality in the form of the *ancestral type*. It is certain that two given forms, if, at least, they are not too different from one another, have common ancestors, of which the latest is that one from which they differ least. This latest ancestor is the material prototype from which they have both really been derived. The organs of the ancestor have truly become the organs of the two derived forms as far as we may consider as one and the same thing the organs of one being and the almost identical ones of its immediate descendant. We, then, have the right to say that from the phylogenetic point of view the organs of the later forms represent those of the ancestor, and that those of their organs which represent the same organ of the ancestor represent those of one another. The idea of representation gains body and becomes a reality, and morphology, which is the science of representations, becomes a positive science.

The aim of morphology therefore becomes precise and more positive. It consists in determining homologies, considering as homologues those organs which in the ancestor were represented by a common rudiment.

Morphology, then, has phylogeny as its basis. But phylogeny is not a science of direct observation; it is constructed inductively from the facts of comparative anatomy, of paleontology, and of comparative embryology.

The theme of morphology is, then, as follows: to compare organs which we suppose may be homologues and which belong to two different species, to determine by comparative observations, anatomical, paleontological, and embryological, not all of the characteristics of the ancestor of the two species, which is the aim of pure phylogeny, but the typical constitution of that organ in the common ancestor, and to see whether the two organs have surely been derived from the ancestral type. In that case they are called homologous, whatever may be their differences; in the contrary case they are not homologous, whatever may be their resemblances.

This is the matter in its brutal clearness.

Let us take an example: what, in the foot of the ox, is the homologue of the hoof of the horse? The answer is not evident. A philosopher of nature could well conceive an archetype according to which the whole of the foot of the ox corresponds to the hoof of the horse. But the anatomist dissects these parts and finds only one digit in the foot of the horse while he finds two in that of the ox. The embryologist sees the five digits of the unguiculates shown at first in the horse and the ox; digit number one disappears first, afterwards numbers two and five; the ox preserves three and four; in the horse number four disappears in its turn, leaving only the middle

digit, number three. He supposes, therefore, that the ancestors have undergone this progressive reduction. Paleontology when consulted shows effectively that such has been the case, and finally we conclude that the hoof of the horse corresponds to the inner hoof of the ox because they both correspond to digit number three of a five-toed ancestor.

In this order of things, the difference in the method of procedure between those who take observation for their guide and those who, confining themselves only to the powers of the mind, seek to think again the thought of God in order to divine the secrets of nature, is not without analogy to that which is manifested in the science of etymology. During a certain epoch the attempt was made to divine etymologies according to phonetic resemblances and the meaning of roots freely interpreted. What is the etymology of *savage*? We look and find *soli vagus*, one who wanders alone, the savage living more solitary than civilized man. Any other resemblance equally happy could furnish a different etymology of the same value. But when we set ourselves to study the embryology of words, that is to say, the real history of their successive modifications, we find that *savage* comes from *sauve*; *la sauve*, in the ancient tongue, is a forest, and the name comes from *sylva*, so that *sauvage* comes from *sylvaticus*. This is perhaps less pretty than *soli vagus*, but it has the advantage of being true.

To be just, we must remark that the search for homologies by means of observation is not the exclusive advantage of the partisans of descent.

If the transformists more often call to their aid paleontology and embryology, there is there only a difference in the habitual orientation of thought, and not at all an inherent necessity for a difference in the point of view. The deist could equally well seek in paleontology and embryology indications of the thought of the Creator, and the philosopher of nature could as well look there for the applications of the laws of nature by which he hopes to remount to the archetype. For the former, at least, there are examples. And it is probable that if the transformist idea had never been born, deists and natural philosophers would have come nevertheless to look to paleontology and embryology for the facts capable of demonstrating their opinions.

This extension of the field of comparative anatomy, which borders on morphology, or the science of homologies between similar organs of different beings, is not the last.

Anatomists have dreamed of comparing among themselves not only the organs of different beings, but also the organs of the same being which present a certain similarity, and to seek among them for homologies. To these last have been given the name of general

homologies, in opposition to those which we have examined above and which are the special homologies.

Thus we have been asked if the occipital bone is homologous to the vertebræ, the humerus to the femur, the hand to the foot, etc.

For the partisans of the theories of unity of plan, of prototype, or of archetype, the problem of the general homologies does not differ essentially from that of the special homologies. Unity of plan may manifest itself as well in the parts of the same creature as in different creatures. The prototype or the archetype may be conceived as having the hand identical with the foot and the occipital formed like a vertebra. For the partisans of modern ideas, the matter is a little more difficult, for there is no ancestral type in which respectively the hand and foot, the leg and the arm, the occipital and the vertebræ, are represented by single structures, so that the problem for the transformists appears quite as subjective a one as for the philosophers who preceded them. The transformists have succeeded, moreover, in giving to the solution of the problem a certain objectivity, reasoning in the following manner: if the occipital were formed exactly like a vertebra, the foot like the hand, the femur like the humerus, we should not hesitate to consider them as homologous, just as we do not contest the homology of the vertebræ among themselves. If, then, in descending the scale of beings by means of comparative anatomy, if in constructing phylogeny by means of paleontology and embryology, we find beings or stages where those parts which we are comparing are more and more similar among themselves, even to the point of being identical, we should have the right to homologize them; otherwise, not. Thus we have come to recognize that the occipital is not a vertebra, and that the homologue of the tibia is, in the forearm, the radius, although in a superficial examination it would appear to be the ulna, as some anatomists, experts in their science, too, have drawn and described it.

Since we have now shown what comparative anatomy is according to generally admitted ideas and under its three aspects, namely: the presentation of zoötomical ideas in an arrangement facilitating the comparison of organs, the search for the laws of organization, and the search for homologies, we must now go more deeply into our subject and examine the bearing of comparative anatomy, the value of its results, and the solidity of its conceptions.

As far as the first two aspects of comparative anatomy are concerned, we have little to add to what we have already said.

We must recognize that in so far as comparative anatomy limits itself to presenting zoötomical facts in another order, it is not a true, independent science, neither in its foundations nor in its results; it is nevertheless extremely useful, indispensable even in furnishing not only to the student, but also to the scholar, a larger view of things,

a greater variety of points of view, permitting more general conceptions.

When it searches for the laws of organization, comparative anatomy, although remaining tributary to zoöatomy and a little to physiology for the facts of which it makes use, becomes more independent because of its aim, but it continues to be a narrow, limited science, since the number of general principles which it strives to discover is very limited.

In the search for homologies, comparative anatomy allies itself with embryology and paleontology; thus it gains all its amplitude from the importance and the infinite number of problems upon which it borders. In elevating and enlarging itself, however, does it still maintain its solidity?

Two organs are homologous, we have said, when they are derived from the same organ or rudiment in their common ancestor, but that ancestor is in no case precisely known. When the homology to be sought is easy, one may often determine by induction the ancestral character from which are derived the characters to be compared. Thus, although the common ancestor of the dog and the cat is not known, we may affirm that it had a tail, and that this tail has become the tail of the dog along one line of descent and that of the cat along another; and that, consequently, the tails of the dog and the cat are homologous. This renders no service, however, for the organs are so similar that their homology is evident without any reasoning.

But if one asks what is in man the homologue of the pineal eye of the lizard, the matter is more delicate. The common ancestor of man and of the lizard is not known; we cannot infer anything certain relative to the first appearance of the pineal eye; so the question remains unanswered.

And this is almost constantly the case. Thus, when phylogeny furnishes the required response, the question is solved in advance; again, when the question is difficult, phylogeny remains mute.

We must, then, lower its pretensions, and in place of phylogeny, whose responses would be certain if we only knew them, but which we do not know, we must turn to ontogeny.

The latter also gives answers, not without value, but which are indirect and necessitate an induction into which error may glide. We admit, in general, that when organs are represented at some stage of ontogenesis by very similar rudiments, these organs are homologous, however dissimilar they may be in the adult; and, inversely, that they are not homologous, however similar they may be in the adult, if they are represented in ontogenesis by dissimilar rudiments.

If ontogenesis were a faithful copy of phylogenesis, this reasoning



would be admissible. But it is not, and the deviations from the parallelism of ontogenesis and phylogenesis are not recognizable by sure signs.

The examples in proof of this assertion are not rare. Here is one: when the larva of the echinoderms metamorphoses into the definitive form, sometimes it retains the mouth, which is merely displaced by passing to the left side; sometimes the mouth closes and a new mouth breaks through on the left side. From the ontogenetic point of view the mouths are not homologous in the two cases; the homologue of the mouth of one of the forms is, in the other, an imperforate point of the surface of the body.

Is it necessary, then, to say that in two species of starfish, the adults of which present the two cases given above, *Asterina gibbosa* and *Asterias glacialis*, for example, animals as like one another as are the cat and the dog, the two mouths are not homologous, that the representative of the mouth of *Asterias glacialis* is such or such imperforate point on the edge of the disk of *Asterina*?<sup>1</sup>

It seems from all the evidence that the common ancestor of *Asterias* and of *Asterina* had the normal mouth of a starfish, and that this mouth has become the mouth of *Asterias*, on the one hand, and of *Asterina*, on the other, so that phylogenetically the mouths of *Asterias* and *Asterina* are homologous, although ontogenetically they are not. Nevertheless, some morphologists, ready for anything, do not fear to reject this common-sense conclusion, and to declare that the mouth of *Asterias* and that of *Asterina* are not homologous.

But on the other hand many morphologists reject that conclusion, and in other cases, otherwise entirely similar, all agree to take the reverse of that fashion of reasoning.

Among the insects, the embryo shows at the beginning of its development an invagination which appears exactly like that which in the majority of other animals (including the other arthropods) gives rise to the primitive gastric cavity. If it became that cavity, we would not fail to homologize it with the archenteron, but since it develops into something entirely different, the mesoderm, we pass in silence over this homology, thus making an exception to our established principles.

Why do we make such an exception to our principles? Because, in spite of our professions of faith, we do not take as a criterion ontogenesis alone as a copy of phylogenesis. When the ontogenetic homology is too strongly opposed to a certain intimate sense of homology which we have within us, we lay it aside, passing it over

<sup>1</sup> In the same way we refuse to recognize as similar the general body-cavities of two animals, in spite of resemblances which render them almost identical, when one arises as an enterocoel and the other as a schizocoel.

in silence in order not to avow to ourselves the contradictions of our logic. And what is this intimate sense of homology which directs us thus? It is nothing less than the remains of the old concept of the archetype which slumbers in us and wakes occasionally.

When, in two allied forms (the instance is found in the mollusks), the blastopore becomes in one the mouth, in the other the anus (*Paludina*), we might conclude that the mouth of the one is the homologue of the anus of the other. We do not, however, and we are right. But this proves that we do not hold to the criterion which we have erected in our statement of homologies. We abandon ontogenesis, and take for our guide connections and structure, that is, the same characteristics which we declared entirely insufficient to determine homologies if they were not corroborated by development.

After phylogenesis and ontogenesis, it is to connections that we attach the most importance in determining homologies, and very often we content ourselves with them as a criterion. This confidence in connections has its reason for existence in the fact that we know that organs modify more easily their relations of vicinity than their relations of continuity. But it is not wholly founded on observation; it proceeds in part from the conception of an archetype with which our minds are imbued, and from the fact that we conceive more easily of the derivation of that archetype by the stretching and displacement of organs, elastic and pliable after the manner of gutta-percha, than by the transposition of masses in the way one treats the first draught of a wax model.

We must not forget, in fact, that in ontogenesis the mesodermal masses change place thus *in toto*, without maintaining any relation with their place of origin, and that even invaginations, infoldings, detach themselves and become free in order to go and plant themselves elsewhere (imaginal disks of insects, enterocelic vesicles of the echinoderms, urinary bladder of the vertebrates which becomes detached from the intestine and opens with the ureters, etc.)

Thus, the criterion of homology which, in order to be objective, ought to remain wholly phylogenetic, is almost never so, and it borrows, according to the case, from ontogenesis and from anatomy. And according to the case, sometimes we accept the conclusions to which we are led, although they may seem to clash with the most reasonable comparisons, sometimes we reject them for the same reason.

It must be remarked, in fact, that when the criterion ceases to be directly or indirectly phylogenetic, it ceases to be concrete. That kind of material continuity between the organs of the ancestors and similar organs of the descendants which exists in phylogenetic homologies disappears in anatomical homologies.

When two organs whose phylogeny is unknown resemble one another in certain anatomical characteristics and differ in certain others, if we affirm their homology, that is to say, if we subordinate their differences to their resemblances, we do so only by comparison with an entirely subjective type to which we refer them.

In the construction of this subjective type we have no other guides than certain anatomical characteristics, so that our premises and our conclusions are one and the same thing; in other words, we make a vicious circle.

For example, when we homologize the endostyle of the ascidians with the thyroid gland of *Ammocetes* and the other vertebrates, we presuppose a common phylogenetic origin for these organs, but since we know nothing whatever of this common ancestor, in reality we conceive of an abstract form in which the endostyle and the thyroid are replaced by one and the same rudiment from which we suppose that these organs are derived.

This abstract form is nothing else than the archetype of the natural philosophers, more refined, more certified, fashioned more by observation, but not less subjective.

The fact is more striking in what concerns general homologies.

No one disputes the homology of the rudimentary mammary gland of man with that of woman. Nevertheless that homology could not in any way be based on phylogenesis. It has been interpreted as a mark of a primitive hermaphroditism, but that opinion is untenable, since the ancestors of man had ceased to be hermaphrodite millions of generations before they were provided with these glands. Here, then, the homology is founded *solely* upon the unconscious conception of an archetype common to male and female based upon anatomical resemblances without any possible phylogenetic significance.

In the vertebral theory of the cranium we do exactly the reverse. We conclude from anatomical and embryological observations that without doubt no ancestor of the vertebrates had a cranium composed of true vertebræ identical with those of the backbone, and we go on from there to declare that no part of the skull, not even the occipital, is homologous to a vertebra.

If, however, the occipital, although developing by the localized ossification of a cartilaginous cranium continued by the addition of a membrane bone, were found to be identical in form with a vertebra of the backbone, would we deny that homology? We should have the right, but we should fall into the same exaggeration as in the case of *Asterias* and *Asterina*.

There is no use in insisting further upon having the right to conclude that the criterion of homology is nothing absolute. We announce our pretension of borrowing that criterion from phylogeny;

as a matter of fact, that furnishes us nothing certain, and we turn to ontogeny and to anatomy, granting more value to one kind of argument or to the other, according to the case, without any fixed rule. In fact, we bring together all that we know concerning the organs whose homology is in dispute, and we proclaim homology when we find between these organs a sufficient conformity of characteristics. In general, we interpose the condition that this homology shall not oppose the idea, very vague, very hypothetical, very individual, which we may have concerning the phylogenetic derivation of the organs under consideration; but in many cases we forget this, and are guided by the unavowed conception of an abstract type constructed according to anatomical characteristics of every order.

The foundations of homology are a mixture in varying proportions of comparative anatomy studied profoundly, of paleontological data too often incomplete, and of a hypothetical phylogeny, together with a dose, not to be overlooked, of that mysticism with which natural philosophers constructed their archetype.

This formula may appear a little irreverent to the devotees of morphology; it is just, nevertheless. If we go to the bottom of things, we must recognize this fact: to homologize is simply to compare, to establish resemblances and differences in characteristics, and to proclaim that these are casual, secondary, while those are fundamental.

Now, there is nothing more delicate than pronouncing upon the comparative dignity of characteristics. There is a question of the orientation of ideas, dependent upon time and place, a question of mode of which it is prudent to be suspicious.

When R. Owen distinguished in the determination of homologies physiological characteristics from anatomical, and established the difference between analogies and homologies, he rendered a real service, for there is always an advantage in not confounding things which are distinct; but it is less certain that he did a good thing when he gave the precedence to homology over analogy in the comparison of characters, for it has led to an exaggerated disdain of physiological characteristics.

When we proclaim an homology like that of the lungs of mammals with the swimming-bladder of fishes, for example, we assume a grave and sententious tone, as if we were filled with a feeling of our own merit in announcing a fundamental truth which remains hidden in a superficial examination. If, on the contrary, we announce an analogy, we take a tone light, and almost a little contemptuous, in order to set off well the small value of a wholly superficial resemblance in which we must not place too much confidence.

Is this right?

Is not this subordination of propriety to substance an effect of the influence which the materialistic conception of the universe exercises upon our minds? Will our sons continue to think thus if the energetic conception, quite as reasonable as the other, if not more so, comes to outweigh it? And we ourselves, should we also be on the affirmative side if we were the spiritual sons of other natural philosophers, who had placed in the first rank in their conceptions not organs, but functions, who had conceived of beings as having to accomplish a series of physiological actions, the nature of the organs by which they accomplish them being of subordinate interest?

Perhaps in that case we should be more struck by the fact that the gill of the fish and the lung of the mammal both serve for respiration than by the difference in their structure and in their material origin.

Is there not also more interest in seeing two organs, otherwise very different both in structure and in phylogenetic origin, coming, under the influence of the necessity to realize functions and by the action of similar surrounding conditions, to have functional and structural resemblances at times astonishing, than in establishing the fact that two organs different in structure have a similar embryonic or phylogenetic origin?

Is the convergence of analogous organs less worthy of respect than the homogeneity of homologous organs?

Here are a fish and an octopus. We admit, rightly, without doubt, that they have not a common phyletic origin, or, at least, that their community of origin, if it exists, dates from a stage when their special organs were not differentiated. They both have an eye which, in spite of certain differences, presents a conformity of structure really striking. In spite of their difference of origin and their absence of relationships, the two protoplasms which constitute the fertilized egg of the octopus and that of the fish both develop a specialized organ, an eye, which is remarkably similar in both. In the two phyletic series of the octopus and the fish, under the influence of a fundamental conformity of the substances constituting the organism and of a similar reaction to the analogous surrounding conditions, there are formed these two eyes, which are almost identical, although they are not related.

Examples of this kind are numerous. Here is another quite as striking. Many forms belonging to the groups of the mollusks, of the cœlenterates and the worms have special organs of equilibration, statocysts, consisting of a heavy mass sustained by sensitive hairs arising from the epithelial lining of a vesicle. The crustaceans have on their antennules statocysts notably different in structure. Only one, *Mysis*, has statocysts very similar to those of the mol-

lusks, not on the antennules, but on the telson. This situation prevents our homologizing them with the antennular statocysts of the other crustaceans, and the difference in phyletic origin prevents homologizing them with those of the mollusks, the worms, or the cœlenterates. Is not a fundamental conformity so profound, between organs phylogenetically distinct, quite as remarkable a thing as the resemblance of origin revealed by embryology between two organs the structure and functions of which are very different?

Is it right, then, to place the latter in the holy tabernacle of homologies in order to prostrate ourselves before it, while we relegate the former to the despised chaos of analogies?

But, some one says, comparisons must nevertheless have a sanction, and homologies must be distinguished from analogies.

That may be, but there is no need to sacrifice the one to the other.

Let us return to the case of *Asterias* and *Asterina*.

When we have proved and noted that the mouth of the one does not proceed from the same point of the larva as does that of the other, we have given to embryology all that it has a right to claim, and it is only just to render to anatomy what it has a right to demand in declaring that in all other respects the mouth of *Asterias* and that of *Asterina* are identical.

In the presence of these divergences, shall we clash with embryology in proclaiming an homology which it rejects, or torture anatomy in denying an homology which the latter claims? The simplest thing is to clash with or torture nothing by saying nothing.

Where is the necessity of formulating a general proposition which shall certainly be false on a certain side, when it is possible to separate it into two true propositions, in saying that the mouth of *Asterias* and that of *Asterina* are similar in all respects except that they are not homogenic.

But, some one says, that is what we do when we declare that the two mouths are not homologues, since by definition homology is nothing else than phyletic homogeny.

That would be true if we held scrupulously to that definition; but as a matter of fact, in the search for homologies we turn to all possible characteristics, even at times to physiological ones, forbidden though they are. We must many times reduce homology to the modest significance of homogeny.

Homology has become and will remain in biological language the mark of an important, fundamental resemblance, reducing to a subordinate and superficial significance and to a secondary interest whatever differences there may be.

There are words which are to ideas what infectious microbes are to the body. Such, in the science of evolution, are "tendencies of

nature," "hereditary propensity," "latent characteristics;" in comparative anatomy such are "organs representing one another." Like the phrase in physics, "horror of nature for a vacuum," they correspond to nothing real. Many agree to this, but that does not prevent us from continuing to bring them to the front as if they contained a positive explanation. The progress of ideas lessens their harmfulness, it does not destroy it.

If, instead of proclaiming that two organs are homologues, we should content ourselves with saying that they have the same embryonic rudiment, or similar connections, or a corresponding structure, and that this authorizes us in a certain measure to think that they come from the same rudiment in some ancestor more or less distant, we should say only what we have the right to say, and what would carry with it nothing difficult. It is not the same when we decree a decisive epithet implying that there is something important and fundamental in resemblances, while differences are accidental and subordinate.

There is, without our taking it into account, in this subordination of certain characteristics to others, a remnant of the mystical conception of the archetype. After having made the archetype objective in the ancestral type, most of the time we lose sight of it, and we give a fanciful reality to an entirely subjective type, a simple schematization of abstract ideas. We create mental images of types of organs, of types of structure indefinitely varied and divided up according to the needs of the moment, and we lose sight entirely of the idea of finding the realization of them in an ancestral form previously existing. In each instance we are ready to answer that we are taking the phylogenetic point of view, but most of the time it is not so, and if it should be necessary to sustain that pretension with good arguments, we should find none at all.

This tendency to schematization is not wholly bad. It aids the mind in grouping scattered facts in such a manner that one may consider them as derived one from the other according to simple rules. There is nothing inconvenient in conceiving of types of animals, types of organs, types of structure, as numerous, as varied, as one wishes. But this is so only on condition of never forgetting that they are creations of our minds, without any objectivity, destined only to facilitate intellectual operations. The morphological type must be considered only as an *instrument of thought*, and not as a mystic entity, more or less hidden, which we may by observation and study find again just as it is and not otherwise. We are at liberty to construct it, the only condition being that it shall be advantageous for study and that we shall never take it for anything else than it is.

There must always be present in our minds the fact that an homology is never absolute, that organs *represent* one another in certain

respects, relatively to certain categories of characters, and never wholly.

To homologize is to compare. Now, things are never so different that we cannot compare them, nor so similar that the comparison will not be false in some points. The tail of the dog represents almost identically that of the jackal, a little less so that of the ox, a little less that of the bird, a little less that of the serpent or of the fish; it does not represent that of the scorpion or the crayfish, but it would be an exaggeration to say that it has nothing in common with the last two. One comparison is always permissible. When Oken compares the vault of the skull to that of the heavens, there is this in his favor, that one, like the other, is a hollow hemisphere having inside it something which thinks. The mistake is made when we attempt to draw from such distant resemblances consequences more exact or more extended. The mistake is the same, in a lesser degree, when, after having homologized, for example, the radius with the tibia, we imagine, as some of us have a tendency to do, that there is not in one of these bones a single tuberosity or furrow which has not in some more or less hidden form its representative in the other.

What must we conclude from this study?

Comparative anatomy is a science which arranges, classifies, separates, brings together, groups, and labels information, reunites scattered facts under general formulas, compares, finds likenesses, differentiates, subordinates, makes a hierarchy of characters. It is the science of the study, the library, the museum. It borrows much from nature through zoötomý, paleontology, embryology, but it is through meditation that it puts its materials to work. It attempts at times to rise even to the explanation of phenomena, but always in an indirect way and without hope of verification *a posteriori*, in the way in which history explains politics.

It is not a laboratory science.

In that respect it is and it remains a science of the past.

The future, in biology, is for experimental researches, those where one puts on an apron, where one weighs, dissolves, corks up, heats, filters, distends, compresses, shakes, sections, cuts, electrolizes, etc., where one works with substances or with living beings which one submits to physical and chemical agencies or to conditions of life which cause them to vary in a methodical manner in order to produce modifications and thereby to discover, if possible, the causes of forms, of structures, and of their variations.

Does this mean that we must renounce comparative anatomy, and that this science, in which the Saint-Hilaires, Cuvier, J. Müller, Owen, Gegenbaur, and many others have become famous, has no further service to render? Certainly not. It continues to be indispensable to all of those who are engaged in biology in order to



diversify points of view, enlarge conceptions, coördinate information, in order to reduce to a small number of essential propositions the multitudes of scattered facts to which it gives a significance and which it causes to converge toward general principles, in order to permit unexpected and suggestive groupings, to show the chief bearing of ideas which seem commonplace or of resemblances apparently insignificant.

As a science explanatory of biological phenomena, it furnishes its share of ideas and facts, but it is not armed properly to solve problems, and allows itself to be distanced by experimental researches in cytology upon the sexual elements, in fecundation, parthenogenesis, ontogenesis, teratogenesis, the action of agents of every kind upon living beings in the diverse conditions of their biology, in heredity, variation, the acquisition of specific characters, and in the nervous functions, from the most elementary sensations up to instinct and to the highest manifestations of intelligence.

In certain works on paleontology the importance of diverse beings or groups of beings at different epochs is represented by the varying width of a band which traverses the successive stages of the geological epochs. If we should do the same in order to represent the relative importance of comparative anatomy in the different epochs of our history, we should have to figure it as a line of extreme thinness traversing the ancient epochs, suddenly becoming very large at the beginning of the last century, and retaining even to our day a respectable amplitude, which, however, does not seem destined to increase indefinitely in the future.

Experimental researches in biology meanwhile would take the form of a triangular band whose summit would be turned down towards the past epochs, while the base, growing larger and larger, will without doubt continue to enlarge during a length of time impossible to foresee and perhaps unlimited.

## SHORT PAPER

PROFESSOR GEORGE LEFEVRE, of the University of Missouri, read a paper before this Section on "Artificial Parthenogenesis in *Thalassema Mellita*," giving the results of his studies at the Laboratory of the United States Bureau of Fisheries at Beaufort, N. C., during the previous summer.

SECTION J — HUMAN ANATOMY



## SECTION J — HUMAN ANATOMY

---

(Hall 2, September 22, 3 p. m.)

CHAIRMAN: PROFESSOR GEORGE A. PIERSOL, University of Pennsylvania.

SPEAKERS: PROFESSOR WILHELM WALDEYER, University of Berlin.

PROFESSOR H. H. DONALDSON, University of Chicago.

SECRETARY: DR. R. J. TERRY, Washington University.

---

THE Chairman of the Section of Human Anatomy was Professor George A. Piersol, of the University of Pennsylvania, who opened the meeting by remarking:

“Those of us who have listened to the general addresses delivered during the earlier sessions of the work must have been impressed with the breadth and comprehensiveness of the acknowledged purposes of this Congress. These purposes have been not only to bring into touch the widely diverse divisions of science, but also to afford opportunities for exchange of thought between those concerned with problems more or less akin. For, with the ever-increasing mass of details that each year adds in all branches of knowledge, it becomes less and less probable that the single mind can master the minutiae of more than a limited domain.

“In recognition of the inevitable specialization that the development of science has brought, have been arranged the hundred and more sections of which our own — that of Human Anatomy — is one.

“Human anatomy represents one of the oldest biological specialties, for what more natural than that man’s complex organism should have early attracted searching inquiry? But specialization begets narrowness, and this, coupled with the potent influence of the long prevailing views regarding man’s assumed exceptional origin and place in nature, did much to retard the establishment of human anatomy upon the broad basis that it to-day enjoys.

The too often well-founded charges formerly made by our brothers, the zoölogists and comparative anatomists, that the human anatomist, ignoring morphological significance, failed to obtain a true perspective in his exclusive studies of man, are, happily, rapidly losing force, as on all sides has arisen a keen appreciation of the necessity and value of regarding man as a member of the great zoölogical family.

“Who shall estimate the stimulating influence of the broad-gauged men who enjoyed the golden age of opportunity during the last century and added so much of epoch-making significance? Among

the many, we recall the names of Johannes Müller, Hyrtl, Henle, and Luschka; of Sappey, Owen, Huxley, and Turner; and of our own great fellow countryman, Joseph Leidy. Two additional names of men to whom anatomy owes much must be mentioned: those of His, the sudden ending of whose productive life science even now mourns, and of Koelliker, — the Nestor of anatomy, — who, in spite of his more than fourscore years, still contributes to the science he has so long and brilliantly served.

“In keeping with the broad spirit of a great international exhibition was the happy inspiration to invite distinguished scientists from across the seas to participate in the sessions of this Congress. And it is particularly appropriate that this Section is to be addressed by an acknowledged leader in anatomy; one whose broad interests and many-sided accomplishments give to his words, written or spoken, an interest and authority universally recognized. I have the great pleasure of introducing Professor Waldeyer, of the University of Berlin.”







# THE RELATIONS OF ANATOMY TO OTHER SCIENCES

BY WILHELM WALDEYER

(Translated from the German by Dr. Thomas Stotesbury Githens, Philadelphia)

[**Heinrich Wilhelm Gottfried Waldeyer**, Professor of Anatomy, University of Berlin, since 1883. b. Hehlen, Brunswick, Germany, October 6, 1836. M.D., Ph.D., LL.D. Assistant at the Physiological Laboratories of Königsberg and Breslau, and Professor of Pathological Anatomy, University of Breslau, 1865-72; Professor of Human Normal Anatomy, University of Strassburg, 1872-83. Permanent Secretary of Royal Prussian Academy of Sciences; also member of fifty-seven academies and learned societies. **Author of** *Ovary and Egg*; *The Sex Cells*; *Topographical Anatomy of the Pelvic Organs*; and numerous other noted works and articles on anatomy.]

WHEN I attempt to treat correctly, according to the general programme, that branch of science which concerns itself with the study of the structure of our own bodies, let me first recall that here we must create something for life out of death. Even the most long-lived man passes over the stage of the world like a shadow-picture. He passes quickly away after a short instant of existence, "a walking shadow signifying nothing."

But if the life of the individual signifies nothing, the stream of living individuals which constantly flows over our planet shows in man the greatest, the most important, the most powerful being which the world has brought forth, and I place against the words of the great Briton, those of the great Grecian,

Πολλὰ τὰ δεινὰ κ'συδὲν ἀνθρώποι δεινότερον πέλει.

Thus we see that man does not hesitate, in his search for true knowledge of how life springs from death, to lay the hand of investigation even on his dead, in order to learn from them what he is. It has, indeed, cost him centuries of severe struggle, of the building-up of culture, before he attained this. Man has killed his kind without scruple in thousands, in millions, in billions; yes, has boasted of it, and has praised the act in songs and poems, and does still to this day; but before the blank, senseless corpse, the *memento mori*, he felt ashamed. The mutilation of corpses, when it has occurred, has always been severely judged. Even the fame of Achilles has not been increased by the fact that he dragged the corpse of Hector around the holy city. In earlier times the opening of bodies was looked upon as a desecration. This is why human anatomy, although placed among the most ancient studies, was first raised to the rank of a science when investigation of human bodies could be undertaken in increasing number, owing to the powerful efforts of educated men with a determined aim.

I may be permitted, in order to explain more clearly and better, on the one hand, what branches of human science have been assisted by anatomy, and on the other hand, which have furthered it, to give a short sketch of the principal epochs in the course of development of human anatomy.

I think we may distinguish three great divisions of this development. A first, pre-Galenic, which we may also designate in a certain sense as prehistoric, a second, the period of Galenic anatomy, and a third, the period of Vesalic anatomy, which extends until the time of Theodor Schwann and Johannes Müller, 1839, or, in round numbers, 1840. At that time begins the epoch in which we now are.

If I may briefly describe the first period, whose beginning is as unknown to us as that of the human race, anatomy consisted of a sum of unconnected facts concerning the inner and outer parts of the body, such as were obtained from immediate experience and from the observation of the body in its different motions. It was also obtained by the observation of wounds,—note the descriptions in Homer,—and from sacrifices of man and animals. The fact that the human race undoubtedly first appeared in the tropics and subtropics, and at first neither required nor used clothing, permitted observations to be easily made.

That which was so determined and handed down became, with increased culture, more and more the property of the priests, and of the physicians, who were generally of the priestly class. But what we can learn from the Assyrian excavations, from old Egyptian, old Chinese, old Japanese, old Thibetan, and old Indian literary and other monuments is not sufficient to display this historically. Therefore, I use the expression, "prehistoric," because in part their material is entirely false, and nowhere is a complete system brought together. It is merely "anatomic fragments" which we get to know. From them we can form no clear idea of the state of anatomic science of the time under consideration, or to what extent their medical therapeutics was influenced by their anatomic knowledge. There is, indeed, much in the papyri of Egypt and in the voluminous Indian and Chinese literature, but in the short sketch given here, I can only mention it in the above way.

In pre-Galenic times the anatomic knowledge of the Greeks appears to be more accurate. We possess statements that, already before the time of Hippocrates, dissections of human bodies were carried out, and we may assume that among the Indians and Egyptians this was also occasionally the case. We know, however, nothing more definite, and these dissections were certainly rarely performed with sufficient care or with the definite intention of obtaining clear anatomic knowledge. Otherwise, the writings which have come down to us would contain more facts.

The anatomic writings which are ascribed to Hippocrates contain many more facts, and these are much more correct; but, even from them it is plain to be seen that a systematic study of the corpse was not the basis of the facts contained in them. That dissections, especially for anatomic study, were carried out by the Hippocratic school, is open to strong doubt.

From this time on, the slowly collected anatomic data are increased by numerous physicians, philosophers, and naturalists, but even these advances can hardly be referred to systematic dissection of the body. It is especially striking that Aristotle, who had so much at his command, and whom we thank for so much in zoölogy and zoötomy, knew as little about the anatomy of man as is found in his writings.

The data obtained by Herophilus and Erasistratus, who lived between the middle of the fourth and the first third of the third century before Christ, seem to me to show that they were the first who made truly anatomic dissections on the human body. That they opened the body cavities of many corpses is certain, but I believe we may go further and say that they have dissected carefully.

Unfortunately, hardly anything of their writings is preserved, and just as little of Marinus, the precursor of Galen, whose twenty-volume anatomy has only been preserved in Galen's abstract, as have some facts concerning the advances of Herophilus and Erasistratus. Thus it appears to me to be justified to let this epoch reach to Galen.

Galen of Pergamos, who lived in the third century of the present era, was more student and compiler of extraordinary industry than original investigator, but nevertheless he must be placed at the apex of the second period of anatomic study, partly because he brought together everything which had been determined before his time, exercised critical judgment on it, and added to it his own investigations, which, however, were only obtained on animal material, especially apes; principally because the standard of anatomic science codified by him remained authoritative for all the cultured races for 1300 years and more. During all this time his work remained the authority, an almost unique example in the history of science.

Several causes coincide to explain this striking fact. One of these is, of course, the giant work which Galen performed. It seemed built to last for centuries. The principal reason is that man hesitated to lay hands on human bodies, and if in each century a few physicians rose above such thoughts, where could they find a place to carry on anatomic studies? Even a simple opening of the body, "obduction," was not permitted. There were no "Anatomic Institutes." These were reserved for a later epoch. If, occasionally,

the opportunity offered for the performance of an autopsy, the deviation found in one or a few cases was not sufficient to shake an authority as well founded as Galen's. For that, a material was required like that on which Vesalius worked, and a mind like his own to interpret it.

Andreas Vesalius (1515 to 1564, his period is usually given, although neither date is certain) and Gabriel Fallopius made a new departure in anatomy. They replaced uncertain data, mostly founded on chance observations and on animal dissections, by systematically arranged observations, based on methodical investigations of human bodies. I name Fallopius with Vesalius, not only because he immediately corrected many false ideas of the latter, but because he was one of the most accurate observers whom we find in anatomic literature, and therefore, in his short life (1523 to 1562) made so many discoveries in the realm of descriptive anatomy that he was equaled by no one before or since, and finally because we have received from him the first orderly attempt toward a general anatomy. As third among the founders of scientific anatomy, Eustachius of Rome, the contemporary of Vesalius, must be mentioned.

Even before the time of Vesalius, comparatively systematic autopsies on human bodies had been undertaken, especially in Italy, and even in a scientific way, and with the agreement of the government. This was the case in Bologna, Venice, Rome, Florence, Padua, and other places. Padua possessed as early as 1446 an anatomic theatre. Vesalius himself, born in Brussels, received the greater part of his anatomic education at Paris and Louvain. Thus we see that the final complete revolution was to some extent prepared for, as new periods always have their dawn.

From Johannes Müller and his pupil Schwann we must date the last period of the development of our knowledge. Men like Malpighi, Morgagni, William Harvey, Albrecht von Haller, and K. E. von Baer, have, indeed, carved lasting marks in the flourishing tree of our science by their brilliant discoveries and well-founded systematic compilation of contemporary anatomic studies, as well as by fruitful comparisons of the same, with allied sciences, but none of these had the same epoch-making influence as Müller and Schwann. The founding of the cell-doctrine by Schwann, 1839, which first made possible a scientific general anatomy and histology, was the most influential. At the same time, through the action of Müller's genius, another spirit was introduced into anatomic descriptions in general anatomy, as well as in embryology and comparative anatomy, of which the composition of Henle's text-book of systematic anatomy on the one hand, and Gegenbaur's work on the other, give proof. At the same time the text-books of histology and general anatomy, as well as those

of topographic anatomy, begin to be more numerous; also the special treatises on these subjects, and, finally, the searching investigation of specialists in the anatomy of certain regions begins at this time.

Human anatomy continues to develop itself more and more completely in all these directions up to our own day. We must recognize the branch of human anatomy, and limit ourselves to this branch according to the following scheme:

- (1) Descriptive anatomy of the human body.
- (2) Topographic anatomy of the human body.
- (3) General anatomy.
- (4) The anatomy of different ages of man from the first development until natural death caused by old age.
- (5) The anatomy of the human races in all these relations.

All these must receive scientific enlightenment from the general history of development, as well as from comparative anatomy of that branch of animals to which man belongs physically, the vertebrata.

I may be permitted to make here an explanatory observation. We must distinguish sharply, as is not always done, between general anatomy, histology, or the study of tissues, and microscopic anatomy. General anatomy is the most inclusive. Histology is only a small part of general anatomy, which also includes general morphology, the study of the form of the animal body, especially in connection with the vertebrata, as well as the general physical properties of the component parts of the human and animal body. Chemical considerations, of course, come in also. Microscopic anatomy is, on the contrary, an artificially created division which practical necessity has permitted to remain. It belongs to descriptive as well as to general anatomy, and has no sharp limits from descriptive anatomy as far as this can be determined by observation with the naked eye. With the same justification one might speak of a maceration anatomy, of a staining anatomy, of a dissection anatomy of a serial section anatomy. By the retention of the term microscopic anatomy we only satisfy a practical need. It must be clear to us that it remains description, whether the anatomy of the external form and relationships, for instance, of the human liver is depicted, and the form, color, and limits of the lobes is described, or whether the construction of these lobes from special liver cells, as the essential part and from a connective tissue framework with blood and lymph vessels, nerves and fine bile-ducts, is demonstrated and the details of their relations described.

This, in my opinion, is the way in which the realm and position of human anatomy in the plan of science must be considered.

In conformance with the task set before us, we must now determine to what causes and motives the development of human anatomy is due, and which sciences have assisted in its development.

We may divide the causes and motives into immediate and mediate. As far as we can tell, it was the needs of medicine and of the treatment of the sick which, in the most ancient times, gave origin to the investigation of the human body. I do not consider here the knowledge of the external form, which the simple observation and examination of the naked body and the necessity of naming the individual parts must give. Animal sacrifice and divination from sacrifices, still more human sacrifice and cannibalism, as well as the examination of large wounds and the natural attempt to bind them up, in order to stop hemorrhage and to replace dislocated limbs, as well as the occurrences during delivery and in many other connections, gave man from his first appearance on the earth an opportunity to attain anatomic knowledge. We find it among the primitive people of to-day, to the extent to which a people without script can attain. The oldest anatomic and medical writings which have come down to us show, already, a mass of facts obtained in the above way, which was perhaps greater than those in any other realm of biology at that time.

Knowledge developed more rapidly with the awakening of scientific medicine. At first it was naturally the requirements of practice, particularly those of surgery and obstetrics, which were the cause of development. The requirements of internal medicine were not felt until later. Much later, but with so much the greater energy, physiology, zoölogy, comparative anatomy, and human pathologic anatomy showed their effect. The last, as well as human physiology, is inconceivable without an accurate knowledge of human anatomy. Zoölogy, comparative anatomy, and embryology are not absolutely necessary to human anatomy, but none of these sciences can fully reach its goal without a knowledge of the most highly developed creation, man.

State medicine felt the need of caring for anatomy among the latest of the branches of medical instruction, but finally furthered anatomic study. At the same time jurisprudence comes into relation with anatomy, with animal as well as human.

In all of this connection, excepting that of jurisprudence, the biologic character which all have in common played a part. But even the purely mental sciences, especially philosophy, and in this, above all, psychology and the theory of perception, as well as the history and beginnings of philosophy, required a study of anatomy for their further development. The relations of the latter to psychology and the theory of perception, as well as to other branches of philosophy, first became striking when we began to penetrate more deeply into the finer anatomy of the brain. Here, in spite of books so numerous that one might fill libraries with them, we still stand in the first stage of our knowledge. The anatomy of the brain

is of little more use to philosophers than was the Galenic anatomy to the surgeons of that time. Philosophy will thus remain one of the factors which continually stimulate more detailed anatomic studies. We shall return to this later.

Manifold are the facts concerning human anatomy which are found in history and tradition. In the first place, the history of human anatomy is an important part of general history, especially of the history of education. To determine the history of anatomy requires a considerable knowledge of the subject. Illustrations of anatomic objects occur frequently among prehistoric remains. I will recall only votive tablets and relics. With an accurate knowledge of anatomy, many facts in the history can be rightly determined. The method introduced and developed by Welcker, His, and Kollmann, of reconstructing the head by placing skin and hair over the skull bone, can be of importance in the determination of the identity of a personality. Although we are now only at the beginning, I am convinced that we may expect much of value from this method.

The reconstruction of the head has, also, a relation to one of the most important non-medical contributors to anatomy, the fine arts. Since early times its requirements have given an impulse to the study of anatomy, especially to that of the external form and the anatomy of bodies in motion. We may, indeed, say that it was the artists who first developed and furthered the study of this branch of anatomy. I need only recall Leonardo da Vinci, Michael Angelo, Raphael Sanzio, and Albrecht Dürer. To this point also we shall return.

Finally, we may say, according to the proverb, "Homo sum, humani nihil a me alienum puto," that everything connected with man and with humanity requires a knowledge of the construction of the human body. We need not be surprised, therefore, if advances in the study of anatomy come from unforeseen and unexpected directions. I shall only mention here the great realm of sociology and personal hygiene.

Although these are the principal factors which have required a study of human anatomy, and which in the future will impel a progressive development and increase in the knowledge of the same, there is one factor which must not be left out of consideration, which is and will remain active in the development of all sciences, as well as of human anatomy. This is the great advance in the general condition of scientific and public life, as well as in the condition of the masses. Such advances may require a long preparation, but in a short period great advances and discoveries will occur, astonishing the people themselves. Thus, fortunate political conditions, political revolutions, and social changes, even fortunate wars, whose result is a long time of peace, may mean the beginning of a new period, as well for the

conqueror as for the conquered, accompanied by rapid development in all branches. All these things act as yeast upon the intellectual labors of a people. Can it be a mere coincidence that the first improvement of medical knowledge by the Hippocratic school occurred at the time of Pericles, that the Galenical school followed soon after the bloody time of the Roman emperors, that previously the development of anatomy in a high degree occurred in the short and bloody period of the Ptolemies, or finally, that the almost phenomenal blossoming of anatomy at the time of Vesalius, Eustachius, and Fallopius followed soon after the beginning of the Renaissance, the invention of printing, and the discovery of America? A wonderful period this was at the beginning of the sixteenth century!

Philosophy, the mother and starting-point of all sciences, in which they all come together, assisted materially in its development, not only because it placed new problems before anatomy, but because its recent conceptions and systems have affected the progress of anatomy and that of related sciences, to a degree hardly suspected by those who have accepted its ideas. The philosophy of Cartesius and the application of the inductive method by Francis Bacon, Bacon of Verulam, were, of course, not without an influence upon all natural sciences, as well as on the development of anatomic teaching.

But we should appear thankless, if we did not mention the valuable assistance which influential and sagacious men, be they rulers and statesmen, be they wealthy burghers, have given to the cause of anatomy. The Ptolemies, Medicis, many of the popes of the sixteenth century, the Hohenstaufens, Frederick II, and others have assisted by laws and regulations in the development of anatomy, at a time which was most difficult and unfavorable for the same. In this country, in which all sciences are advancing with an unexampled energy, a steadily increasing number of large-hearted citizens consider it their greatest honor to use their hard-earned wealth in the service of science.

Human anatomy has also received valuable aid from the founding of universities and other scientific institutions. If the problems may be mentioned which anatomy has still to solve, it will be shown that special grants for the same are among the most worthy objects for wealthy donations.

Our science, as all others, may hope for considerable advance from the coöperation of the academies and learned societies of the whole world, which has been brought about at the end of the century by the "Association of Academies." The first problem which was taken up by the Academies this year, the advancement of the study of the brain, is in large part anatomic. I cannot neglect referring in this place to the name of William His, who studied this problem



with all his mighty energy until his death, which occurred May 1 of this year,—praising him, and at the same time regretting that he could not survive the taking-up of this task by the Academies.

In addition to the medical sciences, which we have already mentioned among the mediate influences, other natural sciences have had an immediate influence upon the development of anatomy. If medical sciences must be mentioned here again, this is justified by the fact that surgery, internal medicine, obstetrics, and the many modern specialties, have had an immediate influence upon anatomy, by their careful investigations on the living and the comparison of healthy with diseased organs. They have discovered many new facts and shown others in the proper light, but this need not be gone into in detail here.

In addition to the medical branches, human anatomy must be especially indebted to botany and zoölogy; above all, however, to embryology and comparative anatomy. Botany helped especially in the first completion of general anatomy, above all, the study of the cells and tissues, and has advanced in this direction considerably farther than human and comparative anatomy. The cells themselves were first discovered by botanists, but this is easily understood, because the botanical objects are generally much easier to prepare, and especially to examine in the fresh state, than those of zoölogy and human anatomy.

Besides these, physics in all its branches, chemistry, and mathematics, have given much aid to the anatomists and will continue to do so.

It is, in the first instance, the estimation of mass, number, and weight whose improvement and refinement have always exercised a beneficial influence on anatomy. I shall mention here only the balances, the pelvimeter, the measuring-scale, the measuring-cylinder, the micrometer, the kinds of delicate counting-apparatus, the manometer and thermometer, and the apparatus for the determination of capillarity. We may also mention here the principal mechanical instruments of anatomists, knives, scissors, sounds, tubes, and syringes.

Especially interesting is the history of the microtome, which was first made use of by the before-mentioned anatomist of Leipzig, William His. In this case mechanics received a great furthering from anatomy, before which the problem of making an uninterrupted series of extremely thin sections of the most various objects was placed.

We could hardly believe, unless we were familiar with the subject, what difficulties were here to be overcome, and how much genius was required in the performance of this task, and we are still working at the problem.

When we compare the old anatomical apparatus of Leyser (or Lyser), which is described in his *Culter Anatomicus* with a complete anatomic armament of the present time, we see at a glance the great progress which has been made in this elementary part of technique. The great influence of the above-mentioned sciences is also shown in the material which we use to-day, improved steel, nickel-plated instruments, etc.

This influence is even more marked in the realm of optics. If we require any proof of the fact that one science can be helped by another, we have only to mention the relations of optics to human anatomy, and, of course, its relation to the other natural sciences.

No other agent has done more to illumine the obscure subject of the human body than has light, from the simplest arrangements for good illumination, by the correct disposition of windows in the dissecting-room, to the ultra-microscope and radioscopy or "Röntgography." Artificial illumination has made such extraordinary advances in our time that, especially with electric lighting, we can concentrate the light upon any given point and limit it as we will. Then we have the various mirrors, the vaginal speculum, which was known to the physicians of ancient Greece and Rome, the laryngeal mirror, whose fifty-year jubilee we celebrate to-day, the rhino-, pharyngo-, and cesophagoscopes, the otoscope, the cystoscope, and above all Helmholtz's brilliant discovery, the ophthalmoscope, whose latest stereoscopic modification by Dr. Thorner may be seen here in the German "Department of Education." All these discoveries have, in addition to their practical importance, been of the greatest service in the study of human anatomy, especially that of the living, and will still continue to be.

The electric light permits, by its endless adaptability, a large number of additional applications, especially for the illumination of body cavities and hollow organs. I will recall only the transillumination of the accessory sinuses of the nose.

From lenses and eyeglasses, among which are the dissection eyeglasses of Brücke, we pass to the simple and later to the compound microscope, one of the most important inventions which has ever been made or will ever be. How great the progress is which results every year in this special realm, is also shown here by the exhibition of the noted firm of Zeiss in Jena. Every step forward which is made here is of great benefit to human anatomy.

For anatomic study and the demonstration of new facts, we may mention the drawing apparatus, the projection apparatus, the episcopes, and epidiascopes, and above all, photography, whose future development we cannot yet foretell. With this discovery, France, which opened the way and has always led in the investiga-

tion of light, has made an advance which cannot be too highly valued.

As, in the starry heavens, the photographic plate shows us worlds which could have been recognized in no other way, so also the same plates show us finer details in the structure of the bodily tissues, which were only incompletely seen before. It fixes our eyes upon them, makes possible comparative observations, and makes much certain which otherwise would have remained doubtful.

Radioscopy stands above all others in its great value for descriptive and topographic anatomy. This it is which, in the truest sense of the word, has illumined the obscurity of the human body, and, in connection with photography, has been one of the most important advances, not only in anatomy, but in general medicine. Only a few years have passed since Röntgen, then living at Würzburg, made his overwhelming discovery, and the World's Fair Exhibit at St. Louis convinces us to-day of the extraordinary importance which it has won for medicine.

Physics and chemistry meet in the technique of injections, which are so important for the advancement of anatomy. The manufacture of a suitable apparatus, the syringe, in which also the air-pump plays a rôle, falls to mechanics, as do the thermometer and manometer, and, on the other hand, the production of a suitable material is aided by chemical studies. Since Ruysch of Holland, who was the first worker in this field, and his famous countryman, Swammerdam, Lieberkühn in Berlin, Hyrtl in Vienna, Thiersch, the surgeon of Leipzig, the optician Schöbl in Prague, the anatomist Teichmann in Krakau, Sappey in Paris, Taguchi in Tokio, Dalla Rosa in Vienna, and Gerota, who was at that time assistant at the Berlin Anatomic Institute, and is now professor at the University of Bukarest, have done great service in this field; those since Teichmann especially with the difficult injection of the lymph-vessels.

Teichmann prepared an injection-mass which is still the best for the rougher lymph- and blood-vessel injections. Sappey developed the mercury injection, which had been used by the older anatomists, *Monro*, *Mascagni*, *Cruikshank*, and *Fohmann*.<sup>6</sup> Taguchi and Dalla Rosa used Japanese and Chinese India-ink, which had previously been used by *von Recklinghausen* for the injection of large and small lymph-vessels. Gerota's injection-mass, devised a few years ago, and the syringe of his own construction, denote a marked advance in the technique of the injection of the smaller lymph-vessels, which has already made possible important advances in human anatomy.

These injections with soft masses were followed recently, in Berlin, by the injection of fluid metal masses, devised by *Wood* and *Rose*, which after hardening permit no more change of shape in the injected vessels or canals, and thus are of especial service in topo-

graphical anatomy. The method is also of value because Röntgen pictures of the vessels injected with metal can be taken, and thus we may determine their position without their being distended or stretched. Recently quicksilver injections, on account of their simpler technique, have been used a great deal for the taking of radiographs, but displacement and distortion are not excluded. Further study will determine what is best in each case.

The injections of the blood-vessels of human bones recently carried out by Lexer of Berlin, with a special technique, show that important advances may be daily expected, as these injections have shown certain points which were hitherto unknown to anatomy. Radiographs of the same may be seen here in the German "Department of Education."

A procedure which is closely related to injection is corrosion. I believe that corrosion following injections of metal was first carried out by Bidloo. Hyrtl was recognized as the master of this method, but in the hands of F. E. Schulze, Merkel, Schiefferdecker, Zondeck, and others, striking results have been obtained in the anatomy of the viscera, especially of the lungs and kidneys.

The various procedures which are proposed to conserve the material of human anatomy are more allied to chemistry. Here we may consider the preparation of bodies for dissection, the conservation of separate organs, the special methods of preparation, and finally those for exhibition purposes in museums. Thus we may here distinguish between a preparatory technique, a special technique, and a museum technique. We may add that these are different for macroscopic and microscopic anatomy. I cannot stop to mention all the points in which anatomy must be grateful to physics and chemistry in this connection, but shall only mention those which have been recently developed. For the conservation of objects for investigation the method of freezing has been used, especially in America. France, and especially Russia, have made us familiar with the technique of frozen sections, which was raised to its highest point by W. Braune.

Recently in America simple hardening in strong formalin solution has been used instead of freezing. I have seen here, with Professor Potter of the St. Louis University, especially fine formalin specimens and sections.

The use of chemical methods has advanced us materially in the art of macerating and bleaching bones. I will again recall in this connection the anatomist of Krakau, Ludwig Teichmann, my teacher in anatomy. The fibrillation procedure of Jacob Stilling of Strassburg, which promises good results in the preparation of brains, nerves, and muscles, also rests upon a chemical reaction.

The technique of microscopic anatomy may also be considered as

related to chemistry. We no longer stand upon the purely empiric basis which has existed since the introduction of carmine into the technique of staining by J. Gerlach of Erlangen, when we wish to determine the use of a new stain. Three procedures must be mentioned as especially valuable, the corrosion method of Carl Weigert of Frankfurt-on-the-Main, whose early death was deplored by all anatomists of this land, the staining *in vivo* of Ehrlich, who is also known all over America as an investigator of the first rank, and the method of Dr. Kaiserling, who assisted the German universities in arranging their exhibition here a few months ago, the method of preserving anatomic preparations so that they retain their natural colors for a period of time hitherto not thought possible. The exhibition of the Berlin Pathologic Institute will give everybody an opportunity of convincing themselves of the superiority of this method for normal, as well as pathologic, anatomy.

I can only refer in passing to the procedure of Golgi for the microscopic study of the central nervous system, and its recent improvement by S. Ramon y Cajal of Madrid, the method of Coccus, His, and von Recklinghausen, of impregnation with silver, that of J. Cohnheim, of impregnation with gold, and the osmic acid fixation method of Max Schultze. I may also mention that an encyclopedia of the technique of micro-anatomic methods has recently appeared in Berlin under the editorship of Rudolph Krause, which occupies a large quarto volume, and shows adequately how great an advance has been brought about in anatomic methods by the study of chemistry.

Of the art methods, that of taking casts is especially to be mentioned, which has been adapted to scientific purposes by W. His and by Born's method of modeling with wax plates. These not only serve for the obtaining of specimens for investigation, but also to clear up obscure topographical relationships, especially in embryonal anatomy and the form of certain cavities. A glance at the section of this exhibition where this is displayed will show what a great importance and high development the technique of taking casts has reached.

It may be mentioned that the relation of the fine arts to human anatomy was developed, to a high degree, many centuries ago. Illustrations for purposes of instruction were prepared by Henri de Mondville (about 1300), and we find some in the book of Berengarius da Carpi about 1500. The recent advance in anatomic illustrations, in books, and in atlases, is shown by all the journals, archives, and periodicals connected with the subject. It is also seen in our text-books, which have been prepared in great number in the United States, of which I will only mention the excellent topographical anatomy of Deaver, the classic work of W. Braune and Sappey on the same subject, and on the anatomy of the lymph-vessels, the recent atlases of

Toldt, Spalteholz, Brösike, Sobotta, O. Schultze, and above all, the anatomy of the human embryo by W. His. Some of these books, which are well adapted to show the influence of the recent improvement in the technique of illustrating on anatomic teaching, may be seen in the German "Department of Education."

Finally, I will merely touch upon the marked influence which the founding and continuing of special archives and journals and regular yearly reviews and yearly compilations have had upon anatomy, as well as upon all other sciences. I may also mention the societies for the study of anatomy (since 1886) and the *International Cyclopaedia of Literature* recently prepared by the London Royal Society. Anatomy must also be grateful to philology, as this has made possible the systematization of its extremely complicated nomenclature. The start in this direction was made in Germany at the suggestion of W. His. We may hope that in the same way an anatomic language which will be adapted to all people will develop and retain the interest of succeeding generations in scientific unity. I am of the opinion that this will only be possible by the historic method.

When we pass to the second part of our subject, the consideration of the influence and improvement which has been exercised by human anatomy upon other branches of art and science, we may dispose of it much more briefly, because the influence is generally reciprocal. We shall enumerate the branches concerned, as far as may appear desirable, and give examples here and there. It is not necessary to insist upon the great importance of anatomy to the other medical sciences. Following a noted saying, we may state "Anatomia est fundamentum medicinae." Before Richard Lower had discovered the course of the vagus nerve to the heart, there could be no thought of a physiology of the cardiac action, and Marcello Malpighi's discovery of the capillary blood-vessels set the keystone to Harvey's doctrine of the circulation of the blood. We know how important the determination of normal anatomic facts is for pathologic anatomy, and it is not in vain that our pathologic anatomists constantly turn to the study of normal anatomy. Men like Morgani and Rudolph Virchow, Cohnheim, Cornil, Marchand, Orth, von Recklinghausen, Carl Weigert, and others have clearly understood the importance of this close connection.

The problem of embryology could only be definitely determined when Karl Ernst von Baer, in the year 1817, discovered the mammalian ovum. The detailed investigations of human anatomy, which have been performed more carefully than those of any other animal, are of the greatest importance for comparative anatomy and zoology.

We may also see how more accurate anatomic knowledge has been of use to practical medicine, in the physical methods of investigation

in internal medicine, and in many other ways. How this has helped the latter may be seen by a reference to lumbar puncture, introduced by Quincke, which is constantly becoming more important, and which could only be performed after the detailed anatomic investigations of Axel Key and Gustav Retzius. This method has also brought about a long series of anatomic studies. That we may conclude with a more general example, let us recall what a mighty and beneficial influence on the development of internal medicine was exercised by Hermann Boerhaave, whose *Institutiones Medicae* and *Aphorismi de Cognoscendis et Curandis Morbis* rest entirely on an anatomic basis. We may also recall how great an influence was exercised by the memorable *Anatomie Générale* of François Xavier Bichat. Was not the cell-doctrine necessary, before a scientific bacteriology could develop? How carefully every obstetrician and gynecologist must study the human pelvis, and every new discovery which is made in this branch of human anatomy is of use in practice. The history of the last few years shows that much is yet to be learned. What can I say of surgery, in which anatomy must constantly watch over the course of the knife?

The great influence of anatomy on practical medicine is, however, shown most markedly in special branches, laryngology, rhinology, otology, neurology, urology, etc. When a physician wishes to devote himself to any of these branches, he first studies carefully the anatomy of the particular part. If he has forgotten this, he is forced to review it carefully unless he wishes to become a charlatan. The anatomists can instruct him on this point, and it is not necessary for me to speak more at length about it, in this country in which special branches are so strongly developed.

We need not prove that human anatomy forms an indispensable basis for anthropology, ethnology, and sociology. We need only recall the names of Blumenbach, R. Virchow, and Anders and Gustav Retzius, father and son.

Further study and advance in the knowledge of anatomy is also important for philosophy, especially for psychology. This stands to reason. The investigation of the brain is the task of human anatomy. The organ of thought must be investigated to its smallest details, and we may state without fear of contradiction that philosophic sciences will burst into renewed bloom, when anatomy and physiology have cleared up the dark and intricate labyrinth of the brain. Much that can now only be reached with effort, and is then hardly clear, will become comprehensible.

And now, last, not least, the fine arts. The representation of men, be it as a true and characteristic imitation, as a portrait, be it in historic paintings, in ideals, in caricatures, whether with the brush and pencil or with the knife and chisel, will always be the principal

task of the fine arts and demand its greatest powers. To give a picture exact in the smallest details, I might say a photographic representation of the human figure, is not the aim of art. It should much more give what is characteristic in the expression, in a portrait, as the position of the limb and the attitude of the body should stand in relation to the expression in painting, and, I may say, give the point to caricature. In order to illustrate the last point, tell the same joke to two different persons; one breaks forth spontaneously into hearty laughter, while the other laughs only in order not to seem discourteous.

I can give no better example of what photography may do for us, than the exhibition of persons walking, which are often shown in our illustrated journals. The photograph has exactly shown the phase of the step, at the moment of the exposure, and yet this reproduction is ugly and even ridiculous. The step as a whole is composed of a coördinated series of little motions, which we may analyze by instantaneous photography. When we arrange these "phase pictures" close to one another, by a special apparatus, the kinematograph, the natural movement of walking again appears. The artist must understand this. He must represent motions, in his figures, at the most characteristic time. Then their effect is natural, and they attract us. I see, in the fulfillment of this task, the anatomic side of the fine arts; and here anatomy has been of the greatest service to art, and with the development of methods will become still more so. Thus the artist must study human, and in certain cases animal, anatomy, as this gives a firm basis for the further study of the living body, in rest and in motion. From the naked figure we shall then pass to the clothed, and study the changes which are made in the position of the standing and moving figure by restricting garments. Thus are made the magnificent draped figures, in statues and paintings, which so please and surprise us. The observation and close imitation of nature, combined with idealistic modification of the same, is what we wonder at in masterpieces. Although the head of the Venus of Milo is treated somewhat conventionally, we cannot deny that the rest of the body lives, and we expect, every moment, the marble breast to stir with life. It is this, also, which attracts us to the masterpiece of Velasquez in Prado, "Las Lancas," and which causes us to gaze with wonder and sympathy at the motion and expression of the two principal figures. This is also shown in the portraits of this painter, perhaps the most noted of all artists, and also in the portraits of Holbein, Dürer, Raphael, and Rembrandt.

We find the same truth and comprehension of nature in the small and quiet figures of Meissonier and Millet, and we find it again in the marble statues of Hildebrand and Schaper, whose statue of Goethe, in the Berlin Zoölogical Garden, appears to me to be the



model of an idealized draped figure in a position of rest. It is not possible to reach the greatest perfection without careful anatomic studies, either on the dead or on the living. I am well aware that there have been good painters who have bothered little about anatomy; it is not anatomy alone which enables the artist to perform great works; but perhaps every one of those masters who has not been well trained in anatomy would have done better with a good anatomic knowledge. That which belongs to the artist, as such, can only be strengthened and refined by a careful study of anatomy. The before-mentioned great artists of the fifteenth century realized this perfectly, as is shown by the numerous anatomic studies which they have left. Fra Bartolommeo worked in the same way.

Thus we see that human anatomy receives much from her sister sciences and from the arts, and gives much to them, and what she gives is greater and more valuable than what she receives. This is because she is the basic science of all biology, because she has made the most highly organized being the subject of her studies. Besides, she has the advantage that she may be assisted by observation of one's self, as can no other branch of biology. We shall only comprehend the mechanism of the living body when our anatomy of the human central nervous system is further developed. Here we are still, as I have already mentioned, only at the beginning of our knowledge. Let us hope that interest in our investigations and methods will receive greater diffusion by the example of the founding of the academies of the world. Let us hope that the horror of the material of anatomists will disappear more and more from all classes of humanity, especially from the circle of the educated. We must attempt to reach the point where all assist with the good work. *Sapienti sat.*

## THE PROBLEMS IN HUMAN ANATOMY

BY HENRY HERBERT DONALDSON

[Henry Herbert Donaldson, Professor and head of the Department of Neurology, University of Chicago. b. 1857, Yonkers, New York. A.B. Yale College, 1879; Ph.D. Johns Hopkins University, 1885; Sheffield Scientific School, 1880; College of Physicians and Surgeons, New York, 1881. Fellow, Johns Hopkins University, 1881-83; Instructor in Biology, *ibid.* 1883-84; Associate in Psychology, *ibid.* 1887-88; Assistant Professor in Neurology, Clark University, 1889-92; Professor of Neurology, University of Chicago, 1892-96; Dean of the Ogden (Graduate) School of Science, *ibid.* 1892-98. Member of the American Psychological Association; American Neurological Association; American Physiological Society; American Statistical Association; American Society of Naturalists; Association of American Anatomists. Author of *Growth of the Brain.*]

For the solution of the problems presented to him, the anatomist is by no means limited in his technique to the scalpel or the microscope, but justly claims the right to use every aid to research which other departments of science are able to furnish. His position, therefore, in the scientific field is determined by the standpoint which he occupies and from which he regards animal structures, rather than by any special means and methods employed for their study.

By common consent anatomical material includes not only structures which may be easily dissected and studied with the unaided eye, but also those which tax the best powers of the microscope for their solution. But even within such wide limits the material that ordinarily comes to hand leaves much to be desired, and in elucidating this or that feature in the structures under examination, it is often found necessary to modify the physiological conditions under which these structures have been working, in the hopes that their appearance may be altered thereby, and so be more readily understood.

Taken in a broad way, this is the reason why the data of pathology and experimental morphology are so important for the development of anatomical thought, helping as they do in the solution of the problems connected with the finer structure of the animal body, just as embryology and teratology illuminate the gross morphological relations in the adult.

I am quite aware that in making the foregoing statements I have suggested more modes of investigation than are at present used in connection with man. But the anatomy of the human body in adult life forms in itself so limited a field that no investigator can possibly confine himself to this portion alone, and there is every reason for here treating the subject in the larger way. As we see

from the history of human anatomy, it was brought into the medical curriculum in response to the demands both of physiology and surgery, but gradually became most closely associated with the latter. For a long time its relative significance as a medical discipline was very great, because it represented the only real laboratory work which appeared in the training of the medical student. Indeed, a generation ago the exactness of anatomical methods was so lauded in comparison with the methods then commonly used in medicine, that anatomists came to scoff at the vagueness of their colleagues, while to-day, if we may be persuaded by some of our physiological friends, they have remained only to prey on the time of students who might be better employed. Although such a thrust may be readily parried, it is, nevertheless, necessary to admit that times are changed, and that as a laboratory exercise human anatomy is to-day outranked by several of the subjects in which the laboratory work permits a more precise formulation of problems and their more rapid and definite solution. However, it still retains, rightly enough, much of its former eminence.

Among the problems in human anatomy, there is, perhaps, none more important than the way in which it is to be presented to the five young gentlemen ranged around a subject in the somewhat trying atmosphere of the dissecting-room. Just what they may be expected to learn from such an experience would require some time to state. Certain it is that these beginning anatomists are almost all of them intending to become physicians, and some of them to become surgeons, and to this end they are building up a picture of the human body which will be useful to them in their profession. They are doing this by the aid of the best pedagogical means at their command, namely, the reinforcement of the ocular impressions by the contact and muscular sensations that come from the actual performance of the dissection itself. If previously they have had some experience in the dissection of the lower mammals, they will note at once the differences shown in the case of man, and if their embryology is at their command, it will be easy for them on suggestion or on their own initiative to appreciate how some of the peculiar relations between parts of the human body have been developed. Beyond this the information obtained is of the same order as that of the vocabulary of a language. The student gets a certain number of discrete pictures of the different parts of the body more or less clearly impressed upon his mind, and when he has occasion later to deal with these same parts, he has the advantage of finding himself in the presence of familiar structures. How far in this first experience the special groups of facts which are sometimes set apart under the head of surgical anatomy should be introduced, is a more or less open question. The present weight of opinion

demands that they should still be kept by themselves. Nevertheless, while the anatomical experience of the average medical student should rest on a broad scientific background, he should at the same time have a distinct appreciation of the eminently practical value of the information he is expected to acquire.

The question at once arises how the monotony of long-continued dissection can be relieved, and the student maintained in a condition of sufficient receptivity to make the work really worth while; for the acquisition of vocabularies has never been counted as one of the greater pleasures of life. There are several legitimate devices: in the first place, if it is possible, for the student to have near at hand a microscope which may now and then be used for the examination of the different tissues as they appear in the cadaver. This cross-reference between the gross and microscopic appearance will serve to bring into close connection with one another two classes of facts which are often separated to their disadvantage, and to revive the histological pictures which should be incorporated in gross structures, but which in most cases remain forever apart from them. On the other hand, a search for anomalies or variations serves to give both a reality and purposefulness to the work and to make a student feel that in return for the large amount of time necessarily required for his anatomical training, he is, in some small measure at least, contributing to the science. It is unavoidable, this expenditure of time, and absolutely necessary that the student should do these things with his own hands, in order to obtain the three-dimensional impression of the structure with which he deals.

In this connection just a word as to the way in which the beginner may be aided in the comprehension of his work. The excellent diagrams and pictures which are now used to illustrate the best anatomical text-books carry us as far as that means of assistance can probably go. Pedagogical experience points strongly, however, to the superior value of the three-dimensional model, and although such models are more difficult to collect, harder to care for, and require more space and caution in their use, they are so far superior to any other device, except an illustrative dissection itself, that the collection of them in connection with anatomical work becomes a moral obligation.

If we turn now to the wider uses which may be made of anatomical material as it usually appears in the dissecting-room, we find that a number of directors of laboratories have been utilizing this material for the accumulation of data in such a form that it may be later treated by statistical methods. Thus they have weighed and measured in different ways various parts of the cadaver, and in some cases determined the correlations between the organs or parts examined. It cannot be too strongly emphasized that the results

thus obtained are to be used only with the full appreciation of the fact that the material ordinarily available for examination in the dissecting-room belongs in all countries to a social group which contains the highest percentage of poorly developed and atypical individuals. The conclusions, therefore, that can be drawn from the investigations of this material must always be weighted by its peculiar nature. To illustrate what is here meant by the peculiar character of this material, we may take as an instance the bearing of the results obtained from material of this sort on the problem of the brain-weight in the community at large. It must be admitted that the figures which we have at our command for this measurement are, with the exception of one short list, derived from the study of individuals belonging to the least fortunate class in the community, and it is not fair, therefore, to carry over these data and apply them directly to the average citizen who is of the normal type and moderately successful in the general struggle for existence. From what has been said, it is plain that much of the work now being carried on in the dissecting-room comes very close to the lines which have been followed for years by the physical anthropologists; yet, because these have for the most part concerned themselves with the study of the skeleton, have limited their comparisons to the various races of men, and have developed no interest in surgery, they have for a long time stood apart, and only recently joined forces with the professional anatomists. This step has certainly been to the advantage of anatomy, and as one result of it, anatomical material not previously utilized will now be treated by statistical methods. But all the work to which reference has here been made is on the body after death. So manifest are the disadvantages arising from the conditions which are thus imposed that the necessity is felt on all sides of extending our observation as far as possible to the living individual. As an example of such an extension, we have the determination of the cranial capacity and brain-weight in the living subject which has resulted from the labor of Karl Pearson and his collaborators.<sup>1</sup> The methods which have been employed for this purpose are capable of giving as accurate results as are ordinarily obtained from post-mortem examinations, and, moreover, have the advantage of being applicable at any time to any group in the community which it is desired to investigate.

\* To redetermine, as far as possible, from studies on the living, all the relations which have been made out post-mortem, becomes a very immediate and important line of work.

But even under the general limitations which apply to the dissecting-room material, it is desirable to refine our knowledge of

<sup>1</sup> Pearson and collaborators, *Phil. Transactions* of the Royal Society, 1901.

the human body by classifying the subjects according to race, and thereby bringing into relief the slight anatomical differences that exist between the well-marked races of Europe and the races of other parts of the world. The history of anatomical differences due to sex lacks several chapters, and it is possible also to show the modifications of structure which come from the lifelong pursuit of certain handicrafts which call for peculiar positions of the body or for the unusual exercise of certain muscles; as, for example, the anatomy of a shoemaker.<sup>1</sup>

Such results as the one last mentioned have a direct bearing on the modifications of the human form which may be introduced by peculiarities of daily life and work, and bring anatomy into connection with the problems of sociology; while, on the other hand, both lines of work are contributory to the broader questions of zoölogical relationship and susceptibility to modification.

Yet when we have gained all the information which the scalpel can give, there still remains the whole field of finer anatomy, the extent of which it is so difficult to appreciate.

While recognizing that the human body may be regarded as a composite, formed by the fitting together of the series of systems, and while, in some instances, we have a more or less accurate notion of the way such a system appears, — as, for instance, in the case of the skeleton, — yet a much better understanding of the relation of the soft parts would follow an attempt to extend this method of presentation, and to construct phantoms of the body in the terms of its several systems in some way which would show us the system in question as an opaque structure in a body otherwise transparent. This is, of course, the final aim of the various corrosion methods, or those which depend on injection or differential coloration of structures which may be viewed in three dimensions.

When the vascular, lymphatic, nervous, and glandular systems can be thus exhibited for the entire body, or for the larger divisions of it, it will be possible to see the human form transparently, and to see it whole; a feat difficult to accomplish, but worthy of earnest endeavor. The development of such phantoms should serve to make more impressive the familiar fact that in many organs and systems the total structure is built up by a more or less simple repetition of unit complexes, as, for example, the liver by the hepatic lobule, the bones by Haversian systems, and the spinal cord by the neural segments.

If we pass now from the consideration of the systems of tissues to that of their structural elements, we enter the domain of his-

<sup>1</sup> Lane, W. A., *Journal of Anatomy and Physiology*, vols. XXI and XXII, 1887 and 1888.

tology and cytology. Starting with the differentiation of the tissues by means of empirical staining methods, investigators have gradually come to appreciate the chemical processes which underlie the various color reactions, and as we know now, there already exist methods for determining in the tissues several of the chemical elements, such as iron, phosphorus, etc., to say nothing of the more or less satisfactory identification of complex organic bodies by means of definite reactions. This being the case, it is possible to imagine representations of the body built up on the basis of these microchemical reactions, representations which would show it in the terms of iron or in the terms of phosphorus, thus yielding us an image which might be compared with that obtained by aid of the spectroscope when the picture of the object is taken by means of one out of the several wave-lengths of light which come from it.

The contemplation of the multitudinous opportunities for investigation and comparison which appear within this field lead us to pause and inquire what is properly the purpose of all this anatomical work; for without a strong guiding idea we are liable to repeat the errors of earlier generations, and merely accumulate observations, the bearing of which is so remote from the actual course of scientific progress that the investigations are mainly useful as a mental exercise for the individuals who conduct them. Anatomical results begin to have a real meaning only when correlated with physiology, and when we learn that a tissue with a certain structure is capable of performing given functions, we feel that we are really bringing our anatomy into touch with the life-processes. It is to aid in the accomplishment of this end that men devote their lives to anatomical work. With the variation that we find everywhere in organic structures, it should be and is possible to discover by comparison what variations in the structure of a tissue or a cell are accompanied by the best physiological responses. It is along this line that we must necessarily work in order to reach human life, either through medical practice or other avenues of approach, for in the end the object and purpose of all science is to ameliorate the unfavorable conditions which surround man, and in turn to produce a human individual more capable of resistance to disturbing influences, and better suited for the enjoyment of the world in which he lives.

Considering anatomical work with this thought in mind, the problems which it presents can be grouped according to their relative value and importance. The approach may be made from two sides. On the one hand it is, for example, extremely worth while to direct years of labor to the determination of the finer structure of living substance, because the more closely we approximate to a correct view of that structure, the more readily will our anatomy and physi-

ology run together, and the clearer will be the conception of the sort of structure which it will be most desirable to increase for the attainment of our final purpose. On the other hand, if we follow the path from the grosser to the finer anatomy, we are led to inquire whether there is any one part or system of the human body which at the present moment is specially worthy of attention. When we say that the nervous system is such a part, I think that even those who are not engaged in the study of it will admit that there are some grounds for the statement. The peculiar feature which sets the nervous system apart is the fact that its enlargement, both in the animal series and during the development of the individual, is in a very special way accompanied by changes in its physiological and psychological reactions. To be sure, we think of it as built up fundamentally by the union of a series of segments, but the relationship established between these segments becomes ultimately so much more important than the constituent units that in the end we find ourselves working with a single system of enormous complexity, rather than a series of discrete units; a state of affairs which is not paralleled in any other tissue. In addition to this, the nervous system as a whole is *par excellence* the master system of the body, and as such, the reactions of the organism are very largely an expression of its complexity. Indeed, within the different classes of vertebrates, the various species may be regarded as compound bodies composed of four fundamental tissues, and a species could well be defined by the quantitative relations found to exist between the nervous, muscular, connective, and epithelial constituents. Working from this standpoint, Dubois,<sup>1</sup> the Dutch anatomist, stimulated by the work of Snell,<sup>2</sup> has brought forward evidence for the view that when, within the same order, several species of mammals similar in form, but differing in size, are compared with one another, the weight of the brain is found to be closely correlated with the extension of the body surface, and by inference with the development of the afferent system of neurones. This view would seem to imply that in these cases there is the same density of innervation of each unit-area of skin; but the correctness of this inference can only be determined by the careful numerical study of the afferent system of the animals compared. It will appear, however, that under the conditions imposed the relative weight of the brain depends upon the fact that each unit-area of skin, represented by the nerves which supply it, calls for a correlated addition of elements to the central system, and thus the increase in one part is followed by a corresponding increase in the other. When, however, the large and small individuals within the same species

<sup>1</sup> Dubois, *Archiv für Anthropologie*, 1898.

<sup>2</sup> Snell, *Archiv für Psychiatrie und Nervenkrankheiten*, 1892.



are compared, it is found that the increase in the brain-weight follows quite another law, and that in this latter case it is relatively much less marked than in the former. This result at once suggests that the mechanism of the increase is dissimilar in the two cases. For the solution of the problems that are raised by such investigations as those just cited, we need to employ quantitative methods, and on this topic a word is here in place.

Microscopic anatomy and histology, like all the sciences, have passed through a series of phases which are as necessarily a part of their history as birth, growth, and maturity are a part of the life-history of a mammal. The microscope in its early days enabled Schwann to propound the fruitful theory that the tissues were composed of cells. A preliminary survey showed that these cells were different in their form and arrangement in the different parts of the body, and a still more careful examination with the aid of various dyes or solutions altering the tissues in a differential way gave the basis for yet finer distinctions. This phase in the development of the science, however, may be fairly compared with qualitative work in chemistry, where the object is to determine how many different substances are presented in the sample examined. Naturally, the next step is the introduction of quantitative methods, and we are, therefore, now using the methods of weighing, measuring, and counting for the purpose of rendering our notions more precise, and thereby facilitating accurate comparisons. When emphasizing this point, we do not, however, forget that hand in hand with this quantitative work the qualitative tests have been marvelously refined, and that these necessarily form the foundation for quantitative work, since all such work must deal with the elements or groups of elements which can be sharply defined, and the basis for their definition is given through qualitative studies. As progress is made along these lines, we appreciate more and more that it is of importance for us to know not only how much brain and how much spinal cord by weight normally belong to a given species of animal, but also the *quantitative relations* of the different groups and classes of elements which compose these parts. We are continually asking ourselves how far the range in gross weight of the central nervous system may be dependent on changes in the number of elements in the different divisions or localities, and how far dependent on the mere increase in the bulk of the individual units without any change either in their absolute number or relative size. Work along this line rests as we know on the neurone theory, that epoch-making generalization concerning the structure of the nervous system which was put forward by our honored colleague Professor Waldeyer.<sup>1</sup> Most of us are aware that, at the moment

<sup>1</sup> Waldeyer, *Deutsche medicinische Wochenschrift*, 1891.

this theory is the subject of lively and voluminous discussion, and that Nissl,<sup>1</sup> for example, urges the inadequacy of the conception on the ground that it does not account for the gray substance in the strict sense.

No one can fail to appreciate the very great importance of the satisfactory conclusion of the present dispute, and earnestly desire that we may obtain conclusive evidence on points involved; but how ever the question of the gray matter may be settled, the enormous importance of the neurone conception, and the value of it for the purposes of the microscopic analysis of the nervous system, will remain untouched, while our quantitative determinations, applied to the neurone as we now understand it, will still have a permanent value.

Returning to the questions which are raised by the previously mentioned investigations of Dubois, we require in the first instance to determine the number of neurones connecting the skin with the central nervous system, and to see how this number varies in the different species of mammals similar in form but unlike in size. There is only one animal, the white rat, on which as yet such studies have been made, so that the whole field lies practically open. Should we be able to get good numerical evidence in favor of the view that under the conditions named above the afferent system could be taken as an index of the size of the brain, it would show us at once that in the laying-down of the nervous system certain proportions were rather rigidly observed, and bring us to the next step, namely, the determination of the influences which control those proportions and the possibility of effecting an alteration in them. In the mean time, there is every reason to prepare for the application of these results to man, and although the programme here is simple enough to state, it will involve great labor to carry it through.

So far as the numerical relations in man are concerned, we have, through the work of Dr. Helen Thompson<sup>2</sup> an excellent estimate of the number of nerve-cell bodies in the human cortex, and through that of Dr. Ingbert,<sup>3</sup> a reliable count of the number of medullated nerve-fibres in the dorsal and ventral roots of the thirty-one pairs of spinal nerves of a man at maturity. It is easy to see, however, that we must get some notion of the amount of individual variation to which these relations are subject within the limits of one race and one sex before it is desirable to attempt to learn whether the difference in race or sex here plays an important rôle. It is to be anticipated, however, that the differences dependent upon race and sex will be comparatively slight, and especially so when contrasted

<sup>1</sup> Nissl, *Die Neuronenlehre und ihre Anhänger*, 1903.

<sup>2</sup> Thompson, *Journal of Comparative Neurology*, 1899.

<sup>3</sup> Ingbert, *Journal of Comparative Neurology*, 1903 and 1904.

with the differences which we may anticipate as existing between the adult and the child at birth. This aspect of the problem illustrates, in a concrete form, the sort of question which is raised by the anatomical study of the body during the period of growth. The embryologists have worked out the formation and early developmental history of the various organs and parts of the human body, but the study of the later fetal stages have been blocked by the scarcity of material, and the inconvenience of dealing with it. On the individual at birth, we have again more extensive observations, but for the period comprised between the first two years of life and the age of twenty our information is again scanty. The lower death-rate during this part of the life-cycle, as well as social influences, combine to keep material between these ages out of the dissecting-room. Here is an important part in the life-history of man which needs to be investigated along many lines, and during which it is most desirable to have a record of the changes in the nervous system expressed in quantitative terms. In the general problem which is here under discussion, our next step would be to enumerate in man at birth the medullated nerve-fibres in the roots of the spinal nerves. Such an enumeration will probably show us between birth and maturity a very large addition to the number of these fibres, but we still have to determine at what portion of the period, and according to what laws this addition takes place. At this point our observations on animals will assist us, and we should certainly look for the occurrence of greatest addition during the earlier part of the growing period.

Let us assume, then, that we have obtained results which show us the normal development of this portion of the nervous system between birth and maturity. These observations could be used as a standard. Once possessed of such a standard, we are prepared to determine variations in the nature of excesses or deficiencies, and in this instance the question of deficiencies is the one most easy to handle.

The studies of Dr. Hatai<sup>1</sup> on the partial starvation of white rats during the growing period show that very definite changes can be brought about in the nervous system when these animals are deprived of proteid food for several weeks. As a result of such treatment, the total weight of the nervous system is reduced much below that of the normal rat. Such a result, however, leaves two points still undetermined: (1) the general nature of the changes bringing about a diminution in weight, and (2) the parts of the system in which changes occur. In testing our animal material by quantitative methods, we should in the first instance direct attention to a possible decrease or arrest of growth in the afferent system of

<sup>1</sup> Hatai, *American Journal of Physiology*, 1904.

sensory nerves, and seek to determine whether the unfavorable conditions have not retarded the growth-process in this division of the nervous system. If the results of such observations are positive, we may expect to find a corresponding modification in man, when the human body during the period of growth is subjected to unfavorable conditions of a similar nature. As a matter of fact, such unfavorable conditions do exist in the crowded quarters of our larger cities, and it seems highly probable that we have there in progress examples of partial starvation quite comparable with the experiments conducted in the laboratory. Under these circumstances, it is important to discover in the case of our animals how far a subsequent return to normal food conditions will modify the anatomy of a nervous system which has been subjected to proteid starvation for some weeks. At present there are no observations which indicate whether or no recovery in the nervous system will take place, and it will probably require some time to reach a definite conclusion. The work necessary for a determination of the anatomical changes exhibited by the animals alone constitutes by no means a light task, since in order to obtain reliable results and to eliminate the factor of individual variation a series of individuals must be examined, and it requires a very definitely sustained interest to carry through the long line of enumerations necessary for such an investigation. The examination of the growth of the nervous system in animals subjected to definitely unfavorable conditions is, however, only one part of the work.

It will be necessary to contrast the changes there found with the effects of special feeding, care, and exercise in other groups, in order to see how far above the ordinary form the nervous system can be anatomically improved by any such treatment; and experiments in this direction are already being conducted by Dr. Slonaker. Of course, the results which have been obtained and may be obtained on the animals studied in this way should not be directly applied to the case of man, because it seems quite evident that the higher organization of man is responsible for his ability to resist to a remarkable degree the disturbing effects of an unfavorable environment. The impression is abroad that the reverse is the case, and that it is man who is more responsive to unfavorable surroundings. I believe, however, that this current view will prove to be incorrect, for the lower mammals at least, and that when we place such animals where the conditions for them are abnormal, their limited powers of adaptability lead them to be more seriously affected than are animals which are more complexly organized. If such is the case, variations of the same amount should not be expected to appear in man, but there is every reason to assume that the variations which do appear will be of the same general character,

and that we might look for them in the human nervous system where we find them in that of the rat. When it is possible to see how the anatomy of the nervous system may be altered during the post-natal growth-period, we shall be prepared to take up the problem of how it may be improved during embryonic and fetal life, and how the actual number of potential neurones is determined and their relative distribution controlled, and this should lead ultimately to the attempt to breed animals with improved nervous systems in which we shall know the nature of the improvement in considerable detail.

It may be urged that putting the problems in this way indicates a greater interest in the application to physiology of the anatomical results than in the results themselves. But I take it that the interest of a machinist in building a machine is to make the parts for one that will go, and that no less honor is due him for his painstaking care in determining the construction of the different parts and their right relations, because at the end of the operation he has devised something capable of doing work. Similarly it is possible that a man's interest from day to day shall be absorbed in the technique of anatomical science, and yet, it is nevertheless distinctly advantageous, if his anatomical observations bear on the performances of the living animal, and a final result is obtained which is the synthesis of research in two associated fields.

In drawing up the preceding outline, no one is more aware than the writer of the fact that problems connected with the nervous system have alone been considered. Without doubt those more interested in the other systems of the human body could duplicate for these the problems which have been suggested in connection with the nervous system, so that the account given above may be taken simply as an illustration of the sort of thing that seems worth doing. In presenting these illustrations it has been my purpose to indicate a standpoint from which the anatomical problems can be profitably regarded, and to draw attention to the use of quantitative methods in the study of anatomy, and especially as applied to the body during the period of active growth.

Yet perhaps the largest of our problems, and certainly one which appeals to all of us, is the ways and means for the solid advancement of our science. Alongside of the question of how we shall hand down to successive generations of students the facts already established, lies the still more fundamental problem of the best method of building-up the body of anatomical knowledge.

It is not my purpose to advocate as a means to this end the sharp separation of teaching from investigation. It is a rare man who can stand the strain of such a division, whether he chooses one or

the other, and there is, moreover, much to be said for such an arrangement as will bring the average student into a laboratory where he can himself see how research work is conducted. Yet it would be possible to name institutions in which the relative amount of time required for teaching as compared with that left free for investigation might with advantage be readjusted, and almost all of our educational institutions at the same time admittedly lack the funds and often the educational purpose, which would justify them in attempting to meet the various difficulties connected with anatomical investigations on a large scale. Yet no one questions the importance of striving for a more rapid advance. A response to this feeling finds its expression in the several research funds which are now available in this country and abroad for the endowment of investigation, and in the plan presented to the International Association of Academies, and, it should be added, largely due to the initiative of Professor Waldeyer, for the establishment in various countries of special institutes for the furtherance of research in embryology and neurology.

These two subjects were first selected owing to the peculiar difficulties of obtaining the needed material, and the great labor necessary to prepare the complete series of sections which are required in many cases. These conditions make it imperative that, if we would avoid large loss of labor and much vexation of spirit, the work in these lines should be coördinated, standards adopted, and the material of the laboratory, like the books of a library or the specimens in a museum, be available for the use of other investigators. Nothing, I believe, is further from the minds of those engaged in this plan than an attempt to produce anatomical results on a manufacturing scale. But the questions calling for solution in the fields here designated are so numerous that such an arrangement will merely mean a subdivision of labor in which each institute will take one of the larger problems and direct its main energies to the study of this, so conducting the work that it shall be correlated with that in progress elsewhere. The director of such an institute will be justified in extending his work through assistants just as far as he can carry the details of the different researches in progress, and thus knit them into one piece for the education of himself and his colleagues. When we pass beyond this limit, admittedly subject to wide individual variation, there is little to be gained, but the evils of excessive production, should they arise, carry within themselves the means of their own correction.


This step, which is assuredly about to be taken, should enable us in the future to do things in anatomy not heretofore possible, and when, some years hence, there is another gathering of scientific

men, with an aim and purpose similar to that of the present one, it is easy to predict that we shall be able to listen to a report on the important advances in anatomy arising from coördinated and coöperative work.





SECTION K — PHYSIOLOGY



## SECTION K — PHYSIOLOGY

---

(Hall 4, September 23, 10 a. m.)

CHAIRMAN: DR. S. J. METZER, New York.

SPEAKERS: PROFESSOR MAX VERWORN, University of Göttingen.

PROFESSOR WILLIAM H. HOWELL, Johns Hopkins University.

SECRETARY: DR. REID HUNT, Washington.

---

THE Chairman of the Section of Physiology was Dr. S. J. Metzger, of the Rockefeller Institute, New York City, who took for his introductory topic :

### THE DOMAIN OF PHYSIOLOGY AND ITS RELATION TO MEDICINE

PHYSIOLOGY is of medical parentage, was reared by medical men, and is still housed and fed by medical faculties. Yet it is medicine against which its frequent declaration of independence is directed. Medicine is a practical science, and is too inexact, and physiology wishes to be a pure, exact science. It, therefore, tries to keep aloof from medicine, and manifests a longing for association with, or, still better, for a reduction to, physics and chemistry. It urges, furthermore, that the affiliation with medicine binds physiology down to only one species of animal with intricate, complicated conditions, while it would be more beneficial to physiology if it would direct its energies toward a study of monocellular organisms where the conditions are so simple.

Permit me to discuss briefly the domain of physiology and the importance of its relations to medicine as they present themselves to my mind. There can be no doubt whatsoever that physiology has a perfectly legitimate object entirely of its own. Perhaps I may elucidate this statement in the following crude way. All natural phenomena impress us in two ways, — as matter and as force. The phenomena are either inanimate or animate. The studies of inanimate matter are to be found in mineralogy, crystallography in a part of chemistry, etc. The studies of the forces or energies of inanimate phenomena are carried on by physics and physical chemistry. In the fields of living phenomena, matter is studied by gross and minute anatomy and by descriptive zoölogy and botany, or, in short, by morphology. The studies of the forces, the energies, or the functions of living matter are the proper domain of physiology. Now this definition permits a few deductions. All these four divisions are bound, as sciences, to

have something in common in their methods of investigation; they must employ the inductive method, and must strive to reach in their results that degree of certainty which the nature of each individual science permits it to attain. But the four divisions differ greatly from one another; each one has its own subjects and laws and its own problems, which have to be solved by methods peculiarly adapted for each division. It is certainly clear to every one that it cannot be the essential task of animal morphology to reduce itself to mineralogy because it can be demonstrated that some anatomical objects contain lime and other mineral substances. It seems to me it ought to be also clear to every one that it cannot be the sole task, and not even the essential task, of physiology to reduce itself to physics and chemistry because some or many of the living phenomena are governed to some extent by known laws of physics and chemistry. Physiology has to study the functional side of life, and in the attempts to elucidate its complex phenomena it certainly has to employ also the known facts of physics and chemistry. But if we would confine the domain of physiology to such parts only which can be interpreted by the laws of physics and chemistry of to-day, we should have to give up nine hundred and ninety-nine out of a thousand of the phenomena of life as still inappropriate for physiological study. The four divisions of the natural sciences are closely interwoven, and each one can, of course, profit by the experience of the others. Boyle, Mayow, Priestley, Lavoisier, and others attempted to unravel the nature of oxygen, nitrogen, and carbon dioxide gas by the aid of experimental studies of the physiology of respiration. The physicist or the chemist employs any method which would help him to shed light upon his subject, but physics and chemistry have methods peculiar to themselves, and that is the secret of their great success. And so it should be with physiology. However, when physiology broke away from medicine, it ran into the arms of physics and chemistry, and is still largely there. The early successes which have attended the new venture, which, by the way, is the case with every new venture, led to the conception that this is the most desirable, the most natural union. An analysis, however, of the work in animal physiology in the last few decades will show the fact that the too great gravitation towards physics and chemistry prevented the development in many directions of a purely physiological character.

I contend that physiology is an independent science with a clear outline of its domain, but it ought to direct its declaration of independence not only towards medicine, but also towards such exact sciences as physics and chemistry.

As to the standard of precision and exactness to be required of physiology, let me say this. Certainly no physiological problem can be solved with that exactness, with that absolute reliability which is

now the standard for a good many problems in physics and chemistry. Above all, in the studies of the energies of life we lack the controlling factor of synthesis. If we can produce synthetically urea or sugars or other dead constituents of a dead or living body, we cannot yet make synthetically the smallest living organ of the smallest homunculus. But what of it? Each science has its own degree of attainable exactness. Physics and chemistry have one standard, and paleontology or geology is bound to have another standard of exactness. There is no one standard of exactness for all sciences. The scientific demand upon work in any science is to strive for that degree of exactness which is attainable in each specific field of investigation.

I contend, further, that physiology ought not and cannot be properly developed upon the basis of a morphological unit. We might just as well attempt to put up the mineral crystals as a basis for the study of physics.

I may say, further, that in my opinion the knowledge of vital energies would progress more rapidly if we were guided in our investigations by the view that the actual processes in the phenomena of life are of a very complex nature. The desire to reduce the multiplicity of phenomena to a few simple principles is a philosophical importation of a psychological origin. Certainly premature attempts to offer simple interpretations for complex phenomena have often been an obstacle for a further development of our knowledge of the actual processes.

Physiology, however, may take some useful hints from the other sciences. It may learn from such exact sciences as physics and chemistry that the exactness and dignity of a science do not suffer by coming into intimate contact with the necessities of daily life. On the contrary, we find that those chapters of physics and chemistry whose results found practical application are best developed. The contact of a science with life and its actual necessities works, on the one hand, as a stimulus to investigation, and, on the other hand, as a corrective against an indulgence in mere hobbies. The experimental method as such is no talisman against such scholastic degeneration. A study of the literature of the last few decades will show that physiology, too, could well stand such a corrective.

Physiology could also learn from morphology that a special attention to the human being does not necessarily lead to a neglect of the uniform study of the entire animal kingdom. The marvelous complete studies of gross and minute human anatomy, which was of such immense service to pathology and surgery, was in no way an obstacle to the brilliant development of the broad science of zoölogy.

There is, however, one difference between the studies of the energies of inanimate phenomena and the studies of the vital energies, to which I would like to call special attention. For physics there is only one kind of energies; they are all normal. If the physicist meets with

conditions which apparently do not agree with some established law, he does not transfer these conditions to a pathologist in physics for further investigation. On the contrary, he is only too glad to have such an opportunity; it usually leads to an elucidation of the old law, or, still better, an entirely new law might be discovered. When Kirchhoff was surprised by the apparently contradictory fact that by the addition of the yellow light of sodium to the sunlight the dark *D*-lines in the spectrum, instead of becoming lighter, became still darker, he did not turn away from the problem. On the contrary, he was glad of this opportunity; in fact, as he stated once, he was longing to meet such a complete contradiction. The result was the establishment of the law of the proportion between emission and absorption of light and the creation of the nearly new science of spectral analysis. Or, to quote a more recent instance, the exceptions to van 't Hoff's law of osmosis which were met with in salt solutions and which had been displayed by some as a proof against the validity of that law, served Arrhenius as a basis for the establishment of the far-reaching law of electrolytic dissociation. It is totally different, however, with physiology. Its domain is, as we saw above, the study of the functional side of living phenomena. Here, however, we find the artificial and unsound distinction between normal and abnormal functional phenomena. Physiology set up some laws; and if conditions appear which do not fit in with these laws, physiology declines to deal with them; it refers you to medicine. Are the laws governing the vital functions under pathological conditions actually different from those controlling the functions in health? Certainly not. The laws which physiology establishes must be capable of covering the functional phenomena in all conditions of life. The apparent exceptions in disease should serve in physiology, as in physics, to unravel the real nature of the laws governing the functions of living phenomena, whether they occur in health or in sickness. For instance, the processes occurring while the body is in a state of fever should give a clue to the understanding of the mechanism of the constancy of the elevated temperature of warm-blooded animals. Or the conditions prevailing when urine contains albumin should be seized as a means of studying the remarkable phenomenon in the normal urinary secretion, namely, that of all the endothelial cells of the body the kidney endothelia alone do not permit normally the passage of albumin. Or the conditions of the blood and the lung tissues in pneumonia could serve as an aid in studying the factors concerned in the formation of fibrin. And so on and so on in many thousand instances of daily occurrence. Some very important discoveries in physiology were thus recently brought to light through medical experience and by medical men, with hardly any aid from physiology. The anatomy of the cases of myxœdema and cretinism and the results of the complete removal of

the thyroid gland for goitre revealed the physiological importance of that ductless gland for which physiologists, with one single exception, had no interest. This discovery helped at the same time to establish and to introduce into physiology the far-reaching conception of internal secretion. Furthermore, the observation of Bouchard, Lanceriaux, and other medical men of the occurrence of a degeneration of the pancreas in cases of diabetes mellitus, led to the discovery, by two medical men, of the remarkable fact that the complete removal of the pancreas in dogs leads to diabetes. This discovery demonstrated at the same time the further principle that even glands with a distinct external secretion have besides a physiological importance for the body by virtue of their internal secretion. In the long list of workers on this subject we hardly find a single physiologist.

I could quote a good many more instances in which medical studies brought out important physiological facts and how physiology is slow to avail itself of such golden opportunities.

The physiologists are only too glad to meet with exceptions; the physiologists run away from them. Is there any well-founded justification for such a course in physiology? I believe none. I believe it is simply an erroneous position. It would lead me too far to attempt here a discussion of the causes which led to this position in physiology. But I say without hesitation that this position is deplorable, is harmful to physiology as well as to medicine. Animal experimentation is the essential method of developing physiology. Now, then, nature makes daily thousands of experiments upon man and beast, and physiology refuses to utilize them for its own elucidation. I feel quite sure that a study of the functional processes in pathology, or at least the systematic taking up of physiological problems indicated by pathological processes, by minds naturally endowed and properly trained for physiological studies, would greatly elucidate the proper sphere of physiology itself, and would at the same time be of incalculable value to pathology and medicine.

And medicine is greatly in need of such a physiology. I am afraid that the actual situation in medicine is not fully grasped, even by a great many of its enlightened disciples. To state the critical point in a few words: The actual disturbance in most of the diseases is primarily of a functional nature, but the essential part of the present knowledge in medicine is morphological in its character! This discrepancy is due to the uneven development of the sciences of medicine. When the empirical art of medicine awoke to the necessity of acquiring a scientific basis, it found ready for its disposal an already well-defined, precise anatomy, but only a vague, incoherent physiology. It set out and continued to work in the precise lines of anatomy, in which it attained a marvelous completeness. By this step, however, morphology became the dominant factor in medicine, and the definition

of a disease became inseparably coupled with that which was found in the body after it succumbed to the disease. When, at a later period, physiology also became a precise science, it broke away at the very onset of its regeneration from medicine; it wished to be exact, to be a pure science, and thus gained no influence upon pathology, which it refused to study. So it came about that medicine is made up of a complete knowledge of the anatomical conditions after death, of nearly a complete morphology of the symptoms of the disease during life, but of only a vague, makeshift mechanical interpretation of the functional disturbances during the actual course of the disease. The last decades have seen the birth and marvelous growth of the knowledge of the etiology of disease. Animal and vegetable invaders were recognized as the essential cause of many diseases. But the study of the functions of the body whose lot it is to grapple with the invaders received only a secondary attention, and that again essentially from morphological quarters. At the present time still more knowledge is being diligently added to the stores of medical wisdom. Chemistry has taken a powerful hand in the studies of physiology and pathology, and is attaining brilliant results. But we should not be misled. The studies are essentially morphological in their nature. It is physiological and pathological chemistry, and but very little chemical physiology and pathology. Even if the hopes of the new school of brilliant chemical investigators will, indeed, be realized, viz., that in a not far-off future they will know the structure of proteids and all their constituent bodies, it will be the knowledge of the proteids of the dead bodies, it will be a brilliant post-mortem chemistry. Living animal matter, however, is something else than dead proteids, as living plants are something else than carbohydrates, although the knowledge of the latter has already reached the ideal stage where some of them can be produced synthetically. No, a study of life, normal and abnormal, is essentially a study of energy, of function; of course, the knowledge of the underlying morphology, dead or living, is a prerequisite for such studies. And let me state right here that there seems to be a difference in the make-up of the human mind with regard to the different studies. Some are more apt and better endowed to grapple with the problems of energy; and others, again, have natural talents for the science of morphology. Only a few, however, have the good fortune of becoming educated in the lines of their natural endowments, and still fewer have the genius to work out their natural destinies against all odds, against all education and training. Now the men who did and who now do the original work in the medical sciences received their training in the studies of medicine, four fifths of which is profoundly developed, magnificent morphology. We cannot wonder, therefore, that most of the original contributions to the medical sciences are essentially of a morphological character. Even in the very



recent brilliant additional departments of medicine, in bacteriology and chemistry, the research work is, as already stated above, for the most part of a morphological stamp. It is true that a few men of genius in medicine, Cohnheim, for instance, broke their acquired chains and made an attempt to study pathology from a functional point of view. Such attempts, however, were not many, and their permanent influence is not extensive. What is now termed general pathology or even pathological physiology consists, in the first place, of a collection of histological, bacteriological, and chemical facts of a general but essentially of a morphological nature, including at the same time the applications of a few well-established physiological facts to pathology and a few results from direct experimentation in pathology. That is not a study of physiology under pathological conditions, and certainly not a study of general physiological laws which can be stimulated by and derived from a study of pathological processes. And it is just this kind of study which is missing, and which could be developed only by a purposeful and concerted action of the men who have a training in the study of the functional side of life, among whom there are surely many who have a natural endowment for such studies.

The following review of the present situation in medicine will show us the place left vacant by physiology, and the disastrous consequences. The studies of pathological anatomy extend over all divisions of medicine, are lucid and nearly complete. Diseases which are exclusively due to palpable anatomical changes are quite well understood. Their harmful effects are, for the most part, of a mechanical nature. In proportion as they are understood, these forms of disease become amenable to an efficient treatment; it is mechanical, it is surgery.

The studies of the etiology of diseases revealed and continue to reveal many of the foreign originators of disease, the animal and vegetable invaders of the living organism. This new and lucid knowledge led again to some effective measures in the treatment of diseases, it led to clear plans in preventive medicine, it gave means to the surgeon to enter with impunity into the interior of living organisms, and in a few instances it discovered actual remedies for non-surgical diseases.

But most diseases are something more than mechanical disturbances, or exclusively anatomical changes. There is, in the first place, that large group of so-called functional diseases which has no pathological anatomy, and for which clinicians have very little interest. But even those numerous diseases in which the post-mortem examination revealed distinct anatomical changes were only results of the advanced stage of the disease. The disease during life consisted primarily surely in disturbances of a functional character, in reactions to foreign causes, reactions of living energies, the physiology of which we have

possibly as yet not even an inkling of. The so-called organ physiology, which appears to the teachers of physiology to be so extensive that it can hardly be taught to students of medicine in one year's lectures, is of astonishingly modest assistance to the understanding of the actual processes of disease. For instance, in the present knowledge of the entire section of the diseases of the respiratory tract, physiology has hardly any share. The knowledge of the few physiological principles which are applied there can be acquired in one hour's instruction. The extensive knowledge in this chapter of pathology is essentially of a morphological nature. Do the functions of the involved organs take no part in these pathological processes? Most certainly they do; but we know too little of it, and the clinician passes over the gap with some makeshift mechanical explanations. The same is true in neurology; in fact, in nearly every chapter of internal medicine. It is impossible to dwell here on the particulars of our subject. What is the result? First-class clinicians employ their brilliant faculties in continually developing the morphology of diseases and their diagnosis. But treatment? There is either a nihilism pure and simple, or some sort of a symptomatic treatment is carried on with old or new drugs upon a purely empirical basis. Or there is a great deal of loose writing upon diet, air, water, psychotherapy, and the like, and a great deal of semi-popular discussion in international, national, and local meetings and popular prize essays on the best methods of treatment, — with a net result of only a very modest actual benefit for the poor patient, who, in addition to his affliction, has now to feel the tight grip of the modern health officer. There is no efficient treatment of internal diseases in any way comparable with the specific surgical treatment of mechanical diseases, no specific quelling, correcting, or curbing of primarily functional disorders. And there never will be such a specific functional therapy before there is a physiology which, like physics, will be only too glad to meet with many exceptions in order to understand properly all the rules by which the energies of all grades of living phenomena are guided.

# THE RELATION OF PHYSIOLOGY TO OTHER SCIENCES

BY MAX VERWORN

(Translated from the German by Dr. Thomas Stotesbury Githens, Philadelphia)

[Max Verworn, Professor of Physiology and Director of the Physiological Institute, University of Göttingen, since 1901. b. Berlin, Germany, November 4, 1863. Ph.D. Berlin, 1887; M.D. Jena, 1889. Assistant Instructor and Privat-docent in Physiology, University of Jena, 1891; Professor Extraordinary, *ibid.* 1895. Author of *Psycho-physiologische Protisten Studien*; *Allgemeine Physiologie*; and numerous other works and memoirs.]

WHAT is physiology? Ask any educated person, who does not belong to the narrow circle of naturalists and physicians, concerning physics and chemistry, concerning botany and zoölogy, concerning anatomy and pathology, even concerning psychology, and you will receive an intelligent answer. Ask him, however, concerning physiology, and he is generally unable to give any information. It is the peculiar fate of physiology that it is the least known of all the great branches of natural science, even among the educated classes.

I have often asked myself why this should be. Why do the educated classes lack a clear conception of physiology? We may here think of several reasons. To me, however, it appears that one cause is of especial importance, that is, the one-sided limitation of physiology to its own special problems.

For a long time the great general questions have been neglected by physiology, the questions which interest the masses. Hardly another branch of biology requires specialism as much as physiology, which, in each of its different branches, requires such various and manifold preparatory education that the individual investigator must generally limit his work to a single branch in order to make any advance in the short span of his life. This is why the work of physiologists is not understood among the masses. Its connection with the great problems is generally not clear to them.

This one-sided immersion in special problems has even led to an isolation of physiology among those sciences which originally stood nearest to it. Physiology was, at one time, closely amalgamated with anatomy and pathology, with zoölogy and botany, with physics and philosophy. Even since the scientific renaissance of the sixteenth century, physiology stood in the closest connection with all these branches until far into the nineteenth. For a century, however, this connection has become looser and looser, and toward the end of the preceding century physiology was al-

ready almost entirely isolated. Indeed the isolating differentiation began its destructive work, even in its own special realm. This was the time when, in Germany, Hoppe-Seyler's efforts were directed toward the separation of physiologic chemistry as a separate science. If he had succeeded, the individual branches of physiology itself would have lost sympathy with one another. This danger now appears to be past, although now and then a voice is still heard in favor of the separation of physiologic chemistry. But even without this, the whole development of physiology is a classic example of the constantly increasing tendency of the present day toward differentiation of special branches.

At a time when the expansion of separate branches has reached as extreme a degree as at present, at a time when the immersion in certain special questions threatens to result in a complete loss of relationship, and, in fact, has already partly succeeded, at such a time the need of compilation makes itself more and more felt. This has already been recognized in this country, in which the restricting fetters of tradition and historic development do not weigh so heavily as in the Old World. Compilation was, therefore, the word which has brought us together to-day. As concerns my own branch, I must greet this tendency with especial joy. Perhaps the spirit of union, which is felt here to-day, will succeed in reviving the natural relations which unite physiology with so many other sciences, to the mutual advantage of all branches and to the furthering of human knowledge.

If I attempt in the following to sketch briefly the manifold relations of physiology, I will turn my attention above all to those relationships from which we may expect in the future especial advantages for the further development of our knowledge.

The natural relationships between physiology and other sciences follow of necessity from the aim which the former follows. Physiology is the science of life. In this conception there is universal agreement. We may clothe this naked definition in different garments, but its germ remains always the same. The general aim of all physiologic investigation is the analysis of the phenomena of life. We may ask, however, what principle should physiologic investigation follow in this analysis; but in regard to this there has not always been universal agreement. Different periods and different investigators have given different opinions. We have varied often between purely mechanical and more mystical principles. First one, then the other, has ruled alone. At times the adherents of the first, at times those of the second have increased. After a long period, full of valuable results, in which the purely mechanic consideration of life-phenomena ruled, the pendulum has swung again, in the last decennium of the past century, toward

the side of mysticism. Certain investigators have felt that it was necessary to consider in scientific questions the tendency of the times, which in art and literature was toward mysticism. An attempt has even been made to revive the old doctrine of "life-power." This movement has ended in speculation and fantasy in the problem of development, which is not yet ready for experimental investigation. Among physiologists, whose daily experience brings immediately before their eyes the truthfulness of the mechanical conception, the mystical views have found no adherents. But especially in semi-scientific circles such words as "Vitalism" and "Neovitalism" have been considered the most modern in science and spread abroad with more energy than understanding. In opposition, the standpoint of scientific physiology is, to-day, completely clear.

In reality the matter is quite simple. The subject of investigation of physiologic experiment is the living organism. As naturalists, physiologists can only have the task of analyzing scientifically the phenomena of the living body. Only that which is perceptible is, however, accessible to scientific analysis, and nothing but perceptible objects can ever be the subject of scientific investigations. The general principles and laws of phenomena in the perceptible world are studied by physics and chemistry, and both have carried their knowledge to a high degree. The organism, as a perceptible object, must be subject to the general laws which rule the perceptible world, and, therefore, we cannot analyze the life-phenomena of organisms otherwise than according to the principles of physics and chemistry. Physiology is, in other words, the special physics and chemistry of organisms. As organisms are composed of the same elements which are found in the inorganic world, no other factors can apply than those which are seen in the inorganic world, and the special peculiarities of the organism can only be based upon the specific combination of physical and chemical phenomena, for physiologic analysis must finally go back to general principles, as only then is its task fulfilled. For mystic factors, not of a physical or chemical nature, there is no place in physiology; as they would not be comprehensible by human knowledge if they were not perceptible or with perceptible effects, and therefore would always remain hypothetical.

This standpoint has always given practical results. Everything which has ever been fixed by physiologic investigation has arisen from the practical application of this conception of physiology, as the physics and chemistry of the organism. "Life-power" has not made the slightest addition to the explanation of life-phenomena, in the entire development of physiology.

From the conception of physiology as the special physics and

chemistry of the organism, arises of itself the extremely close connection with these two general natural sciences. Physics and chemistry ascertain the general laws which rule the perceptible world, and physiology analyzes the action of these laws in the special system of the organism, as geology studies the activity and force of general physical and chemical principles in the special system of the planets, or mineralogy in the special system of crystals and minerals.

The organism is, therefore, for the physiologist, only a special case of a system, which he must analyze according to the general principles of physics and chemistry. Physiology, therefore, receives from physics and chemistry its general conception of the laws of phenomena in the physical world. The more deeply physics and chemistry penetrate into the knowledge of general laws, so much more deeply can the investigation of the phenomena of life proceed. Physiology is, in this relation, entirely dependent upon the development of physics and chemistry, and must follow their progress attentively. To-day this is especially important. The rapid development of the great mass of facts and theories, which have recently been united under the name of "physical chemistry," appears to be destined to unite these previously independent sciences to a uniform scientific branch. A number of theories of a general nature have already been proposed which must have a marked influence on the investigation of the phenomena of life. The effect of this great progress in the realm of physical chemistry is already beginning to be felt in physiology. The recent conceptions regarding the nature of solutions, the theory of ions, the conception of osmosis and diffusion and of electrochemical processes, the knowledge of the laws of chemical equalization and the effect of mass, and many other new ideas, are already beginning to have as fruitful an influence upon the investigation of the phenomena of life as a half-century ago the discovery of the laws of energy exercised.

But the conception and symbols of physics and chemistry will be still further developed, and will be materially changed, in the course of time. We live to-day in a period in which the well-proved symbols of physics and chemistry, hoary with age, such as the conception of matter, of atoms, and of force, begin to waver. New symbols, new allegories, new conceptions will come in their place. It would, therefore, be illogical to expect that physiology could solve all the phenomena of life without fail, by the present knowledge of physics and chemistry. It is still far away from this goal. Physics and chemistry cannot explain quite all of the simpler phenomena of the lifeless natural world, with their present symbols. But however the conceptions of physics and chemistry may change in the course of time, one fact remains: no other principles can come into play in the world of organisms than enter into that of lifeless

nature. Physiology can never be anything else than physics and chemistry, that is, the mechanics, of living beings.

It does not appear to be superfluous to warn here against one of the consequences which may occur from a short-sighted exaggeration of this conception of physiology. The aim of all the so-called exact sciences is, admittedly, the demonstration of laws in mathematical form. We occasionally meet with the view that, in the exact natural sciences, nothing shall be the object of investigation which cannot be measured according to mass and number. This conception is destined to hinder the development of scientific knowledge, as the first step toward the explanation of many phenomena can, in most cases, only be made by qualitative and not quantitative investigations. A weighing and measuring, a numerical demonstration, is often only possible after a certain number of qualitative communications have been made, and physics and chemistry have seldom arrived at great and accurate results without this pioneer work. In physiology the relationships are still more complex, as here we have to do with the most intricate system of processes which we know of in nature, and in large part the first work has yet to be done. Here, there is still less often the possibility of a determination according to mass and number, and, therefore, if we throw aside in hasty blindness the study of qualitative relationships, we cast away, ourselves, the place on which we must set our feet firmly before we can climb higher. Physiology must still leave a large place for qualitative investigation, although the ideal goal is mathematical demonstration of the processes in the living organism, from which we are still far removed. It would be extremely ridiculous to attempt to determine a definite method for physiologic investigation. All schemes will do harm. Every means, every method, must be welcomed, if we wish to make even a small step forward. Therefore, physiology is not merely limited to the methods of physics and chemistry, but will always seek after the peculiar methods which are required by its special problems, although the problem of physiological investigation is only the mechanical analysis of life.

Man is for man the most interesting object of study. No wonder that the analysis of life was begun directly upon man, without considering that he is the most complicated and most difficult of all objects. The beginnings of sciences are never systematic, as their methods, problems, and aims are only seen in the course of their development. Thus it was seen later that mechanical analysis of the phenomena of human life could only be reached by investigating and analyzing analogous phenomena in other living objects, in the simplest forms. Geniuses did this earlier, of course. Harvey, Leeuwenhoek, Swammerdam, Malpighi, Redi, and others, are among the

first of the comparative physiologists, although Johannes Müller and his contemporaries were the first to emphasize the necessity of comparative anatomy and of comparative methods in physiology. Physiology of man requires a physiology of animals.

Plant physiology developed itself independently as a necessity of botany, and this independence has remained almost complete, until very recent times. Each has made its way without much consideration of the other, but to-day they have many points of contact. Immersion in special problems, especially on the side of animal physiology, has, however, hindered general interest in its development. Only in recent times has the need of general physiological points of view succeeded in bringing the two branches closer to one another. The late but strong development of a general physiology, which, in contrast to special physiology of man, of animals, or of plants, sees its task in the analysis of the phenomena of life common to all organisms, is here the uniting band which previously was completely lacking.

The comparative method in physiology, as it flourished at the time of Johannes Müller, should have led sooner to the development of a general physiology, for it certainly pointed out the way toward it. But the great discoveries in the special branch of human physiology, which the second half of the preceding century brought forth, delivered the comparative method completely into oblivion, and the efforts in this direction were thus abruptly interrupted. At the same time were lost the relations of physiology to zoölogy, which before had been most intimate. Every one-sided development, however, experiences a modification, when it has reached a certain point, by a process which is to some extent automatic. The defect increases more and more, until finally, of itself, it impels this corrective process. This is what we see to-day. General physiology has suddenly begun to develop itself rapidly.

A renewed study of morphology supplied the impulse. The great discoveries of Schleiden and Schwann gave morphology a different appearance and could not remain without influence upon physiology. The construction of organisms from structural elements similar throughout, forced the conclusion that the processes which occur in the individual structural elements are merely the external life-phenomena of the organism. Thus, every physiologic problem must finally end in a study of the cell, and the cells, as the general structural element of living substance, attain an especial interest for physiology. The cell is the seat of the actual life-processes, which shows us life in its simplest form and includes in itself all the secrets of living substance. We must know what occurs in the cell, and study its general physiology.

But the life-phenomena of the different forms of cell show them-



selves not less manifold than those of the great, many-celled organisms. The general physiologic properties of cells must be recognized and be distinguished from the specific life-phenomena of separate cell-forms, and this is only possible by use of the comparative method. The different sorts of free living and tissue-building cell-forms, from the animal and plant kingdoms, became the objects of physiologic study, and a mass of general physiologic facts resulted from these investigations. The general physics and chemistry of the cell led us deeply into the knowledge of the general phenomena of life.

But we are only at the beginning. The new discoveries of physical chemistry give, for the analysis of cellular life, new points of view and new methods. The phenomena of assimilation and dissimilation, the facts of chemical balance, the disturbances of this balance by external factors, the inner automatic renewing of assimilation, the general effects of irritants, and many other phenomena of general physiology, begin more and more to lift their veils. New experiences stream toward general physiology, from the most various sources, which must crystallize themselves around the different parts of the system, after a firm nucleus of phenomena and facts has been determined to connect them. Thus the realm of general physiology grows larger and larger, and begins to break down the isolation of physiology among the biologic sciences. Let us guard the new branch of general physiology from being overtaken by the old fate of physiology, one-sided development. This is only to be avoided if we constantly keep before our eyes its great aim, the mechanical analysis of the general phenomena of life.

Before all, it is to be desired that general physiology may develop its own special problems as freely as possible, unhindered by attention to special problems and methods. The analysis of the general phenomena of life can easily lead to one-sided methods and one-sided points of view. Even the cellular investigations of general physiologic problems can degenerate selfishly. Here we must be sure to take into consideration the most varying cell-forms, and we must not merely consider individual cells, isolated as such, but also the general relationships and connections which arise from the communistic life of cells and the mutual influence of life-processes in the cell community. The investigation of the dependence of cell-life upon the surrounding life-conditions and the effect of every change of life-condition upon the life of the cell itself is of the greatest importance for the explanation of the immoderately complicated processes in the complex organism.

Also, in regard to methods, there must be no one-sidedness in general physiology. The great results of physical chemistry threaten general physiology with the danger of only working by that method.

That would be a mistake. We must not cast aside the old methods of chemical analysis and physical investigation. A science must not base its existence upon only one method, as a science only lives as a problem, and the problem of physiology requires the most manifold methods, according to the position of the question at the time. General physiology will only flourish as long as it retains the many-sidedness of its methods and its objects; but as long as it flourishes, so long will physiology retain its connection with the other biologic sciences, and at the same time form the connecting link between biology and mechanics.

In another direction, also, general physiology seems to be destined to act effectively in reviving old natural relationships, namely, in the realm of medicine. Physiology is one of the daughters of medicine. At first its existence depended on the needs of practical medicine, until Galen, whom we may call the father of scientific physiology, recognized clearly that the complete development of medicine is not possible, if it is not based on the phenomena of normal life. Physiology since his time has always retained more or less close relations to medicine, but has gradually developed itself to an independent science with its own aims. To-day we see the plainest expression of this historic relationship between physiology and medicine, in the fact that in most countries physiology in the universities belongs to the medical faculties.

The relationship between physiology and medicine has become now closer, now looser. In the last decennium of the past century it has become somewhat looser, but physiology has always retained its place in medical instruction. We find, even in old tradition, the view generally expressed that physiology is one of the bases of medical learning, but a view is now found among many that physiology is to a certain degree a luxury, a decorative element of medical science. If we examine the average well-educated practicing physician to determine what in reality is of use to him in his knowledge of physiologic phenomena, we find very little. A few indistinct impressions concerning the principal functions of the organs, and a few superficial chemical data which he has himself adapted "so as to make them of use in practice." That is all. Of the actual processes in the organs, tissues, and cells of the body, of the extremely close and important correlations of different parts which lie at the basis of the preservation of the entire mechanism, he has no idea. In order to reach this result a two or three semesters' study of physiology is not required. Actually physiology, apart perhaps from the branch of metabolism, has been overtaken by a certain isolation among the branches of medicine. Why is this?

Again we see the same cause. For a long time special subjects

have stood in the foreground of physiologic interest, which have little or nothing to do with practical medicine. What an immense extent the investigation of the production of electricity in muscles and nerves has reached, in the physiological laboratories and lectures, and what could and can practical medicine do with these things? What an exaggeration Ludwig's discovery of the graphic method for the representation of motions has called forth in the physiologic instruction of the physician? We have even heard the opinion expressed that only that which could be demonstrated graphically should be taught in physiology. Yes, many physicians believe that they must go to practice with a Marey's sphygmograph in their pocket. And of what use have all these sphygmograms and respiration curves been in modern practice? They have disappeared. The graphic pocket apparatus lies among the old rubbish. Practical medicine has cast aside the false exactness which was imposed upon it. Instead of these, it has itself created general physiologic conceptions. Our entire knowledge of the physiologic protection of the normal body against infection, our whole experience with regard to artificial and natural immunity, which plays so dominant a rôle in modern medicine, did not arise from physiologists. The enormous development of this whole branch of medicine shows plainly the need of medicine for physiology, and especially for basic and general physiologic conceptions.

It appears to me that general physiology may have a very stimulating effect upon the further development of our medical opinions. There is one branch of medicine with which physiology has the very closest relationship; that is, the teaching of stimuli and their effects.

It is really a very paradoxical phenomenon, that physiology has worked for centuries with various methods of stimulation in their largest as well as in their smallest relationships, without ever investigating systematically the general laws of the effects of stimuli, without even attempting a sharp and general definition of the meaning of stimulus. Only the more recent development of physiology has brought about a closer approach to this question, and has already extended the truth to a certain degree, although many important points still wait explanation. The study of the effects of stimuli, in a large number of the most different independent and tissue-forming cells, has here permitted a fairly definite determination of laws, and, above all, has permitted the sharp fixation of the general conception of stimulus. To-day we can define this, in its most general sense, as a change in the external influences which affect the existing condition of a living system. Thus, the effects of stimuli find their expression in a quan-

titative or qualitative change of the existing processes of life. The latter group of effects is less extended in the normal life of the adult organism, and until now has been least studied. It appears, however, as far as we can determine from an extensive analysis, only as a secondary result of primary stimulation of the first group. The great mass of stimuli in the course of the life of the normal organism only cause quantitative changes of phenomena already existing in the living system, *i. e.*, either an increase of the same (excitement), or a decrease (paralysis).

The analysis of the effects of stimulation has now gone much further. I must, however, limit myself to-day to the most general indications. I will only be able to show how extraordinarily important this analysis is for the basic question of medicine, — what is disease? Disease is nothing else than life under changed external relationships, *i. e.*, life under the influence of stimuli. Thus, pathology comes finally to be a study of the effect of stimuli, and it needs no argument to show that the physician cannot penetrate too deeply into the knowledge of the effects of stimulation and the laws governing them. Above all, medical diagnosis, which by many physicians is considered the most important part of medicine, requires a comprehensive knowledge of the laws of stimuli. The physician must ask himself at the sick bed, what part of the organism is primarily affected by a stimulus? Does the effect consist in a quantitative change, an excitement or paralysis, or in a qualitative change of the normal life-processes? How may this change of the affected part act upon neighboring or distant parts of the body, as a result of the correlation of all the elements in the body, and how will the entire vital mechanism of the organism be disturbed? Those are the fundamental questions which every physician must lay before himself in a given case, if he wishes to have a fitting conception of the disease. Only then can he use his therapeutic means effectually. But it is not necessary for me to emphasize that this analysis must proceed as far as the cells themselves. A greater than I, almost a century ago, demonstrated so convincingly this requirement of pathology, that our entire present-day medicine rests upon the basis of cellular pathology. Since the epoch-making work of Rudolph Virchow, cellular pathologic investigation has developed almost exclusively toward the side of morphology, not toward that of physiology. A picture of a microscopic preparation of the diseased part, beautifully colored, with red or blue nuclei, etc., floats before the eyes of the well-educated physician, at the sick-bed. It does not occur to him, however, that the cells which he sees in imagination are alive, and he overlooks completely the chemistry of healthy and diseased cells. This is the place where general cellular physiology must

come in, and here general physiology must come into the closest relation with medical diagnosis, if further progress and deeper knowledge are desired.

But therapeutics can, as little, do without an accurate knowledge of the effects of stimuli. The fundamental peculiarity of living substance, automatic regulation, is of the first importance for therapy, as Ewald Hering first showed clearly. If any stimulus has disturbed the balance of normal metabolism or kinetics, it restores itself immediately after the cessation of the stimulus, unless the latter has exceeded certain limits, in which case death results. The therapeutic test of the physician consists to a great degree in preventing the harmful effects of stimuli, for the organism cures itself. "Medicus curat, natura sanat." Naturally the use of any therapeutic measure requires the same profound knowledge of the phenomena of stimulation, for every therapeutic influence upon the organism is, essentially, a stimulus. And it is evident that the physician should only use stimuli whose effects he knows accurately, if he will effect a definite result of stimulation, for therapeutic purposes. For this reason pharmacology and toxicology, as well as therapy, base a large part of their usefulness on the phenomena and experiences of the physiology of stimulation. If they will proceed in a truly scientific manner, they must answer the same questions, and proceed in the same way, in the demonstration of the effects of medicaments and poisons, as that which was described in connection with diagnosis. Thus, in the whole realm of medicine, we are more and more forced to the necessity of the closest union with general physiology.

I might conclude here, but I feel that I should touch at least superficially a question which is much discussed to-day, that of the relation between physiology and psychology.

You will say, if physiology is the study of the phenomena of life, it must include psychic as well as physical phenomena, and psychology is thus nothing more than a branch of physiology. But the question is really not so simple; the psychic phenomena of any other organism are, of course, accessible to our mechanical analysis, but in the analysis of our own psychic phenomena we must put aside the principles and methods of physics and chemistry. Also, it has been shown that the chain of physical occurrences in the organism cannot undergo an interruption of continuity anywhere, not even in the brain. A physical process is always, and only, the result of another physical process, and the starting-point of a third. Thus there remains in the series of physical processes no place for any psychic link. We have, however, demonstrated that psychic processes only occur when definite physical conditions are fulfilled, so that the question concerning the relation of physiology to psych-

ology is in reality nothing more than the ancient problem of the relation between body and soul.

Since the beginning of human thought, man has striven to solve this problem, but one attempt after another has been shattered. At times it was thought that the solution had really been found, but the old problem was always found smiling scornfully from the other side. The alchemy of the Middle Ages busied itself with this question, as it attempted to prepare gold from baser metals. Time and again the yellow metal shone forth from the crucible, but finally it was always found to be nothing but golden pigment. Perhaps our efforts are like those of the alchemists, and all our straining is useless, because the problem cannot be solved; perhaps the problem is like those of ancient times, such as the squaring of the circle, or the discovery of perpetual motion, which are in reality not true problems. Perhaps what Mephistopheles says is true,

“ O glaube mir, der manche tausend Jahre  
An dieser harten Speise kaut,  
Dass von der Wiege bis zur Bahre,  
Kein Mensch den alten Sauerteig verdaut.”

Whence arises this conception of a dualistic relation of soul and body? We are accustomed to hearing Descartes mentioned as its source. I believe this is wrong. It is true that Descartes has most sharply defined dualism when he contrasted the body, as that which has dimensions, with the soul, as that which has not dimensions. But the concept is much older. We find it already in the philosophy of the ancients. It is not true that the dualism of body and soul is foreign to the thought of primitive man. On the contrary, the thought of a contrast between body and soul is very generally distributed among the primitive peoples of the earth, from Greenland to Tierra del Fuego; from the negroes of the tropics to the inhabitants of the South Sea. This shows that we have here to do with one of the most ancient thoughts of mankind.

The imaginative life of primitive peoples shows us plainly the origin of this dualistic conception. It is the sharp contrast between life and death, between waking and sleep, which led to the thought of a soul present in the body, a soul which may leave the body and again return to it, a soul which after death leads a shadowy existence as a spirit. This group of ideas, around which the entire spiritual life of primitive peoples revolves, has even developed into the conception of two distinct souls, in many of the Indian and Eskimo races. One of these, the perceptive spirit, which may occasionally during lifetime leave the body and enter other bodies, for instance in sleep and in dreams; the other spirit, which retains life, which passes away with the last breath, and, floating in the atmosphere, influences the fortunes of mankind, as a spirit.

“Zwei Seelen wohnen, ach, in meiner Brust ;  
Die eine will sich von der andern trennen.”

But are these reasons, which gave origin to the twofold, or even threefold division of human nature, still binding for us? I answer no. The contrast of body and soul exists not at all. It is a deception. If we prove anything that we know in the entire physical world, if we analyze any existing substance, we find nothing but a sum of impressions. Impressions are, however, psychic elements. Hume actually believed that there was nothing to our bodies, except merely impressions, and Kant drew his “Ding an sich” from this conception. This was pure hypothesis, and Kant himself understood that the “the thing itself,” must always be inaccessible to our knowledge, and that all knowledge must remain limited to our impressions. Why, then, should we conceive of such a mystic unknowable and objectless Something? It is completely unnecessary. If we analyze the world in a purely empiric manner, and discard, in a strictly scientific way, every hypothesis, we find no such dualism in the world. The entire world consists of psychic impressions, and nothing else is to be found anywhere.

We must accustom ourselves to this incontrovertible fact, which is becoming to-day more and more widespread. The world, then, appears completely uniform, and many of the difficulties disappear. There is not a division into material and psychic, parallel to one another. Here all is unity, a mighty sum of psychic impressions and their complexes; that is, the Psyche, that is, the world, and all scientific investigation consists in the analysis of its contents. The limits between science and psychology also disappear. We pursue the same method in both sciences; we analyze psychic complexes and lay down general laws; we do the same in physiology. As a special science it is thus limited to a special part of the entire corporeal world, to the complex of impressions, which we as organisms feel. Thus physiology is a part of psychology, as well as of natural science. For in the broadest sense psychology includes all science.

I am at the end. Many wanderers travel far away, seeking for truth. They spread themselves toward north and south, toward east and toward west. They wander through the world on painful, intricate paths. At the end, however, they all meet at their goal.

Thus it is with knowledge; however far they may be separated from one another, however specialized and differentiated they may be, as they penetrate more deeply, all sciences approach one another more and more closely. Finally, however, all the paths of investigation end, as their last goal, in the one great realm of psychology.

# PROBLEMS OF PHYSIOLOGY OF THE PRESENT TIME

BY WILLIAM HENRY HOWELL

[William Henry Howell, Professor of Physiology, Johns Hopkins University, and Dean of the Medical Department. b. February 20, 1860, Baltimore, Maryland. A.B. Johns Hopkins University, 1881; Ph.D. 1884; M.D. University of Michigan, 1890; LL.D. Trinity College, 1901; Post-graduate, Johns Hopkins University, 1881-84. Professor of Physiology and Histology, University of Michigan, 1889-92; Associate Professor of Physiology, Harvard University, 1892-93. Member of the National Academy of Sciences; the American Philosophical Society; the American Association for the Advancement of Science; American Physiological Society; American Society of Naturalists; Society for Experimental Biology and Medicine, etc. Editor of *The American Text-Book of Physiology*; *American Journal of Physiology*, etc.]

MOST of the masters in physiology have attempted in one way or another to lay before their fellow craftsmen their ideas concerning the right methods to be used in physiology, its natural boundaries, and its future development. We read these utterances sometimes with admiration, sometimes with doubt, but always with interest, and also, alas, with disappointment. For it has not been given to any of our saints or prophets to pierce very far into the uncertain future, and one seeks in vain for a fundamental thought or principle which shall illuminate the mystery of life. Our greatest men have, in fact, been wise enough to teach us by example rather than by precept; the chief lesson that one may learn from their lives and writings is that we must continue to investigate, to observe, and to experiment, and that in this way only can sure progress be made toward the goal of which we all dream. The time seems not yet ripe for the master-mind to gather the scattered data and mold them into great generalizations or laws such as have been achieved in other sciences. We must, perhaps, admit that the philosophical basis of physiology, its general principles and quantitative laws, have been borrowed in large part from other departments, and that the subject has not as yet fully repaid this indebtedness by contributions derived solely from its own resources. We have no names to which science as a whole owes as much as it does to Galileo, Lavoisier, Newton, Mayer and Joule, Darwin or Pasteur,<sup>1</sup> and since we may claim that our greatest physiologists rank with the first intellects of their age, their failure to penetrate farther into the causation of vital phenomena must be attributed to the intrinsic difficulties and complexity which the subject offers to the human mind. None of us can change this condition, and those who desire to forecast the future must be content, therefore, to view the subject from the standpoint of past experience and the

<sup>1</sup> While two of the names quoted have a right to be classed among physiologists (Lavoisier and Mayer), the contributions made by them which have been so fundamental to all sciences were in the departments of chemistry and physics.



history of other sciences whose field of work has presented apparently less formidable difficulties.

In what may be termed the golden period of physiology, that is, the latter two thirds of the nineteenth century, the period during which the subject became established definitively as an experimental science, the rich and abundant harvest of facts gathered by the first workers who adopted exclusively experimental methods awoke enthusiasm and brightest anticipations. The workers in physiology were animated by a confident belief that their science was on the highroad to a successful solution of the nature and properties of living matter. Now, however, at the beginning of the twentieth century, one hears frequently the voice of dissatisfaction and criticism. Although the workers are more numerous, and the methods and appliances are more complete, the harvest of facts is not so rich nor so significant. Therefore to many it would seem that the methods used are at fault; there is need at least for a new point of view. It requires but little reflection to become convinced that some of the implied or expressed criticism directed toward recent work in physiology is unjust and is founded upon a misconception of its true nature and development. I refer particularly to the belief so frequently expressed that much of the current investigation in physiology is sterile as regards its immediate applicability to practical medicine, and the further statement that the subject itself has become isolated in a measure from the other biological sciences.<sup>1</sup> I do not contest the accuracy of these statements, but both results must be regarded as a necessary outcome of the normal and healthy development of the science of physiology. The general history of physiology is known to us all; it is not necessary to enter into details. It arose out of medicine and developed in intimate relations with the study of anatomy. But even in its earliest history its most significant results were obtained by the use of the experimental method, and in the nineteenth century its separation from the purely observational sciences was clearly recognized. The establishment of physiology as an experimental science is usually attributed to Johannes Müller and his pupils or their contemporaries who fell under his influence. But as I read its history, its modern characteristics, whether for good or for evil, owe their origin as much to the French as to the German school. Johannes Müller himself was not preëminent as an experimenter, — he made use of anatomical rather than physiological methods; but his contemporary Magendie was a typical modern physiologist, and whatever may have been the extent of his personal influence during life, there can be no question that his methods of work and his points of view are the ones that were subsequently

<sup>1</sup> Meltzer, *Vitalism and Mechanism in Biology and Medicine*, Science, vol. XIX, p. 18, 1904. Verworn, *Einleitung, Zeitschrift für Allgemeine Physiologie*, I, p. 1, 1902.

adopted in physiology. I am not concerned at present, however, with the attempt to estimate justly the relative influence of these great men and their pupils; the simple point that I wish to insist upon is that they established physiology as an experimental science, and pointed out that its most intimate relationship must be with the other experimental sciences of physics and chemistry. Physiology, said Bernard, is not a natural but an experimental science, and most recent writers have defined the subject as consisting essentially of the physics and chemistry of living matter. The two results spoken of above have followed as an inevitable outcome of this course of development. As an independent science, with specific problems of its own, physiology has naturally loosened its connections with the art of medicine. Formerly one of the handmaids of the noble art, it has been freed in a measure from this servitude, and although its results must always be of the greatest importance to the scientific side of medicine, it can no longer be expected to devote itself mainly to the immediate needs of the physician. The practical problems of medicine that can be studied by physiological methods have been undertaken less and less frequently by the physiologist proper; they have fallen to the hands of the pathologist and the clinician. Physiology does its part in this work by giving to such men the needful technique and training which have been developed by the study of its own problems, and the results obtained redound no less to the credit of physiology because the investigator concerned happens to be classified as a pathologist or clinician. All of the sciences are characterized by this mutual helpfulness; the methods and standpoints developed in one frequently give essential aid to the workers in a related science; and the full outcome of the labors of the narrow specialist cannot be justly estimated by the immediate results in his own department. The physiologist proper, the specialist in physiology, must devote himself to the peculiar problems of his own subject. It cannot be otherwise, for who else is to attempt the solution of these problems? The practical interests of such work to medicine may seem to be remote, but it is hardly necessary to repeat the often-quoted injunction, founded upon past experience, that the solution of a special problem of a fundamental nature carries with it in the long run the most important practical results. The state of affairs in physiology is exactly similar to what has long been recognized as proper and natural in chemistry and physics. The chemical problems of practical medicine are not solved by the chemist, scarcely indeed by the physiological chemist. But those who undertake these problems avail themselves to the fullest of the knowledge and methods of chemistry, and without this aid their work would be impossible. In the same way physiology will continually aid in the immediate practical work of medicine, although those

who designate themselves as physiologists may less and less frequently give their own hands to such work. We who are physiologists should not be lukewarm nor too critical in our attitude toward the work of the specialist. Those who undertake the solution of the problems of medicine find a large and sympathetic audience; their work wins quick recognition, and oftentimes substantial rewards; while those who attempt the more special and peculiar work of the science of physiology are not likely to attract the attention or the interest of physicians; they must look to their colleagues for encouragement and recognition. What has happened to physiology in this matter of its relation to medicine will eventually be true of the other medical sciences. The tendency is already well developed in the subject of anatomy. The specialist in this subject is no longer interested chiefly in the surgical or medical bearing of his problems; he has questions of his own that look toward the understanding of the great laws of growth and development. Medicine should not wish to keep its children forever tied to its own apron-strings. In proportion as they develop normally and healthfully, they must look forward to an independent existence, and the great mother doubtless will find most honor and help from her offspring as they reach their maturity and contribute to her support otherwise than by immediate hand-service.

It has been inevitable also that the development of physiology as an experimental science should cause it to grow away from the other biological sciences. Anatomy and the morphological side of botany and zoölogy are observational sciences, and their methods vary widely from those employed in physiology. It is still true, of course, that purely anatomical work may furnish important data for physiological conclusions, for instance, in the physiology of the nervous system; yet the tendency of physiology is and has been to depart from such methods, and there has become apparent an increasing lack of sympathy, a lessening of mutual understanding of each other's work between the anatomist and the physiologist. We cannot expect the old relationship to be renewed by a return of physiology to its ancient methods. On the contrary, if there is to be a restoration of the former close union, the advance must come from the side of anatomy. Many of the problems of this latter science will eventually call for the test of experiment, and even now an increasing number of its workers are occupying, as it were, a middle ground between the two subjects, — deriving their problems from the side of anatomy and their methods from the side of physiology. Through the influence of this band of workers it is possible that the two sciences may be brought more closely into touch with each other than has been the case for the last few decades. But while the bond between physiologist and biologist has been less cordial than in former years physiology has found a compensation in the ever-increasing intimacy of its relationships with

physics and chemistry. The physiologist looks more and more to chemistry, physics, and physical chemistry for suggestions and methods. How can it be otherwise, if the current statement be true that physiology in the long run has to explain the physics and chemistry of living matter? The truth of this point of view will be apparent to any one who will trace the development of physiology, and it is brought forcibly to the mind of every teacher of the subject when he attempts to direct the training of one who looks forward to a career as a specialist in physiology. I believe that every physiologist feels that the chief preparatory training in his subject should consist in a thorough grounding in physics and in chemistry. If many of the results of recent physiological investigations have not been as decisive as we would wish, is it not probable, nay, almost certain, that the fault lies not in the nature of the problems investigated, nor altogether in the character of the experimental methods employed, but in the inadequate training of the workers? If our investigators were better equipped in the matter of technical training, there would perhaps be less cause for complaint on the score of results, for in physiology, as in the other experimental sciences, the number of problems that may be studied by known methods is very large, one might almost say indefinitely large. We need in physiology not only the great experimenters like Ludwig and Bernard, men with an inborn spirit of curiosity and a talent for experimental inquiry, but also a large number of productive investigators whose capacity may be of a lower order, but whose training shall be complete enough to insure the acquisition of exact and positive results.

If, as I believe, every one will admit the correctness of the facts stated above regarding the tendency of modern physiology to imitate closely the methods used in physical and chemical investigations, the only point to be considered in this connection is whether or not this tendency is premature. Is physiology, in fact, in a sufficiently developed state to employ the methods of the exact sciences? After all, most of the criticism regarding current physiological investigation seems to carry with it the implication that in great part at least the subject as yet is not prepared for the quantitative methods of the other experimental sciences. In considering this point much depends necessarily upon the meaning one gives to the term physical and chemical methods. If we restrict this term to purely physical or chemical studies of living matter in the cell or in the organism, the contention of those who are dissatisfied with the results of recent work is more readily understood, although, in my opinion, far from being justified. Dealing with a substance whose composition is very complex and unstable, and whose structure is not known, it is apparent that rapid progress cannot be expected and exact results cannot often be obtained even by the

employment of accurate methods of research. Such work demands, as Ludwig expressed it, that we shall explain each phenomenon as a function of the conditions producing it, or, to use Mach's phraseology, as a function of those variables upon which it depends. It is necessary in such experiments that one condition or set of conditions be kept constant while another is varied in a known way. While this end is often attained in the study of the properties of dead matter, it seems entirely obvious that the complex and unstable living matter should offer much greater difficulty, and that the results obtained should be much less definite and conclusive. Hence the numerous investigations in physiology that lead to diverse and inconstant conclusions. Hence also the error into which falls the over-sanguine physiologist who imagines that he can borrow his method from physics or chemistry and apply it forthwith to the successful study of the properties of living matter. Every one must grant that this kind of work represents the highest ideal of physiological investigation, an ideal toward which the science should endeavor to develop; but judging solely by the results obtained hitherto, one may be forced to admit that the acquisition of positive knowledge by these methods has been slow and uncertain. Such relatively simple problems as the elasticity of the living tissues, the hydrodynamics of the blood-flow, the electrical phenomena of the functional nerve-fibre, the chemical changes of the foodstuffs during digestion and absorption, the chemical changes of respiration and secretion, are still the subjects of apparently endless controversies. Few of the problems of this character that occupied the attention of our predecessors fifty years ago have been solved satisfactorily. In each generation certain conclusions are accepted and taught, but we are all aware how constantly our views are undergoing change, and how few are the facts that we may consider as definitively demonstrated. The writers of text-books are obliged to prepare frequent new editions not only for the purpose of adding new material, but of correcting the old. In fact, in respect to the exact methods of research, the state of physiology is not greatly different from that of physics or chemistry a century ago. Doubtless much of the work done by these methods is poorly done, or at least leads to no positive conclusions, owing to the intrinsic difficulties of the subject. But granting all this, it seems to me nevertheless that in this direction lies the path of greatest honor for those whose capacity and training mark them as leaders in the subject. We cannot seriously criticise this kind of work without surrendering all hope of the future of physiology. We can only justly criticise the lack of judgment in those who undertake it without sufficient preparatory training or knowledge of the subject.

If, on the other hand, by physical and chemical methods we under-

stand the experimental method, whatever may be the character of its technique, then the question suggested above becomes relatively simple. This, I believe, is the standpoint assumed by the founders of modern physiology, and this is the truth which they wished to emphasize when they claimed that physiology is essentially an experimental science which must develop along lines similar to those worked out in physics and chemistry. When Magendie completed the demonstration of the division of function between the anterior and the posterior roots of the spinal nerves, a distinction that had been assumed by Bell on anatomical grounds, he used the chemical and physical method; he stimulated each root, and thus arrived at a positive conclusion which could never have been reached except by the employment of the experimental method. And those observers like Langley, who in our own day are slowly unraveling the physiological mechanism of the so-called sympathetic or autonomic nervous system and are using experimental stimulation at every stage of the work, are also in this sense employing the physical and chemical method. From this point of view there is no room for criticism regarding the progress, past or future, of the science of physiology. Most of our advance in knowledge has been due to direct experimental inquiry, and the opportunities for further satisfactory work of the same character are lacking only to those who fail in the zeal or talent requisite to imagine and carry out experimental investigations. A recent writer<sup>1</sup> has said, "He who cannot discover and classify new facts in any branch of natural science after a few weeks, or at most a few months, of industrious work must indeed be ignorant or unskilled." As regards experimental physiology, I cannot agree with this author in the implied simplicity of the task of discovery of new facts. I fancy that the unpublished history of the subject contains records of many investigations which were carried out by observers neither ignorant nor unskilled, but which failed to unearth any new facts. But this much seems to me to be certain, that in physiology at present there is abundant opportunity for every grade of investigation. The subject is not so far advanced that new facts of even the simplest kind are without value. That purely anatomical studies may have a profound influence upon physiological theories is illustrated in the most striking way by the history of the so-called neurone doctrine and by the modified views upon this subject that are beginning to be felt in consequence of the anatomical work of Apáthy, Nissl, Bethe, and others. For physiology, however, it is all-important that the ideas suggested from the anatomical side shall be verified and expanded by the experimental method. Bethe's experimental

<sup>1</sup> Ostwald, *The Relations of Biology and the Neighboring Sciences*, University of California Publications, *Physiology*, 1, p. 11, 1903.

researches upon the degeneration and regeneration of peripheral nerve-fibers have added greatly to the significance of his anatomical work, and will insure the recognition of the importance of the newer ideas concerning the physiological mechanisms of the nervous system. While I agree most heartily with Verworn<sup>1</sup> that physiology should claim "vollständige Freiheit in der Wahl des Objekts und in der Wahl der Methoden," I find it necessary to supplement this demand by the restriction that the methods, to be physiological, must be experimental. This peculiarity constitutes the shibboleth that serves to distinguish the physiologist from his biological comrades. So long as any physiologist answers to this designation, he should be recognized as a worthy member of our guild. The tendency sometimes exhibited by our most active and prominent workers, to magnify the importance of their own, perhaps newer, methods, by contemptuous or despairing criticism of the methods employed by other workers, seems to me not only ungenerous and unjustifiable, but even positively injurious to the advancement of our science. There is opportunity for important results from all good methods whether old or new, and he whose training or opportunities enable him to do his best work along well-established lines need not be discouraged or diverted in his labors because newer modes are the sensation of the hour. Our greatest teachers have been characterized always by a large-minded sympathy for work of all kinds so long as it is well conceived and well executed.

In all the biological sciences there is an opportunity for physiological work. Hypotheses based upon anatomical facts call for the test of experiment, and the methods that suffice in the beginning may be relatively simple, so that little or no technical training is required for the work so far as the experimental side is concerned. The experimental zoölogist has entered upon such a field. For no good reason he has selected this designation, which seems to suggest the formation of a new specialty. As a matter of fact, experimental work upon animals is necessarily physiological, and the experimental zoölogist must look for his methods and implements to the science of physiology. Work of this kind has all the fascinations of pioneer life; it holds out the possibility of rich discovery, of unexpected finds, and will doubtless attract from physiology and from anatomy the adventurous spirits with large ideas, together with many who are simply dissatisfied with conditions as they are. I cannot, however, sympathize with those who, stirred by the results already reported, seem to feel that all of the energy and ability of our subject should be diverted to this kind of work. On the contrary, however important and attractive this work may be, it is

<sup>1</sup> *Loc. cit.*

distinctly not the best field for the trained specialist in physiology. There is a large domain discovered by the pioneers of other times which needs development. Crude methods will not suffice for this work, and it constitutes the special field for the best-trained artisans in physiology. This most difficult and most fundamental work must be accomplished through the agency of the exact methods of physics and chemistry, and if those who have the requisite training are devoting themselves energetically to this duty, those of us who may lack the ability or special training for such complex undertakings should not be too critical of the results. In the nature of things the work of the pioneer is likely to bring greater glory and recognition to those who make a success of it, but the regions he opens must be subsequently explored and developed. Those who do this latter work are the ones who really determine the importance of each new discovery; they are the ones who ascertain for us whether it is a barren country that has been opened up, or one rich in the possibilities of wealth. This, as I see it, is the kind of work in which the great body of physiologists is actually engaged at present, and it is a kind of work in which the technical methods of physics and chemistry must be of increasing importance.

But whether physiological work is directed along purely physical or chemical lines, or is, to use a current designation, biological in character, so long as its experimental side is emphasized, it is pure physiology, and must, if pursued with energy and ability, contribute to the advancement of our science. This has been the line of development of modern physiology from the time when its founders first pointed out the inadequacy of observational methods and unsupported speculative reasoning. Those who were responsible for giving it this direction of growth felt that its future was thereby assured. "La physiologie," said Bernard,<sup>1</sup> "définitivement engagée dans la voie expérimentale, n'a plus qu'à poursuivre sa marche." For a long time we have been advancing along this path, and it is only necessary to look back to realize the great progress that has been made. When we look forward, however, difficulties present themselves that have made some physiologists doubt whether after all the experimental way will lead us to the end that the science has in mind. The apparently insuperable obstacles continually obtruding themselves always alarm unduly some of our leaders. Fifteen years ago a well-known physiologist, who has himself done much valuable experimental work, exclaimed that our present methods of investigation had reached their limit.<sup>2</sup> "The smallest cell exhibits all the mysteries of life, and our present methods of

<sup>1</sup> Bernard, *De la physiologie générale*, Preface, Paris, 1872.

<sup>2</sup> Bunge, *Physiological and Pathological Chemistry*, Introduction, English translation, London, 1890.



its investigation have reached their limit." But in the brief period that has elapsed since that complaint was made, many additions of striking importance have been made to our knowledge, "with the help of chemistry, physics, and anatomy alone." Since that time the discovery of internal secretions has opened a new field of experimental work; the methods of physical chemistry have found a fruitful application in the problems of secretion and absorption; physiological chemistry has steadily added to our knowledge of the composition of the body; our conceptions of the influence and extent of the action of enzymes has been greatly broadened, and the whole subject of so-called biological reactions, as illustrated by the acquisition of immunity toward foreign substances, has been added to our means of research.

Long ago Borelli and his followers, the iatro-physicists and iatro-chemists, had rightly conceived the method by means of which the problems of physiology should be approached, and if in the eighteenth century the workers in this subject became discouraged and forsook the narrow path of physio-chemical methods and explanations for the broad and easy road of "baseless and senseless hypotheses,"<sup>1</sup> who can doubt that the progress of physiology was thereby delayed? Whatever may seem to be the difficulties ahead, however inadequate our methods may appear, the history of physiology, like that of the other experimental sciences, teaches us in the clearest possible way that if we follow steadfastly the advice of our greatest teachers and continue to experiment, to try, new methods will be developed continually which will prove adequate to the fruitful investigation of the seemingly impossible problems that confront us. We have many examples in our own subject of the un-wisdom of crying *ignorabimus*. Take the instance of the velocity of the nerve impulse. The greatest living master of physiology, impressed by the idea that the action of the nerve must depend upon the movement of an imponderable material propagated with a velocity comparable to that of light, had declared that it was hopeless to think of arriving at an experimental determination of this velocity within the short distance offered by the animal body. Yet a few years afterward Du Bois Reymond discovered the electrical phenomena of the stimulated nerve, and reasoning from this fact, Helmholtz was led to his beautiful and simple experiments, by means of which the velocity of the nerve impulse was accurately measured. Müller's surrender of the problem was due to a false assumption, and without doubt we or our descendants will find that many of the questions that seem to us beyond the limit of experimental study will be made accessible to investigation by the discovery of new facts and methods. To judge from the past, the great-

<sup>1</sup> Reil, *Archiv für die Physiologie*, vol. 1, p. 4, 1796.

est danger and mistake lies always in that hopeless attitude of mind which assumes that what is impossible now to our methods and to our limited vision will remain so forever. I cannot myself see any reason why the physiologist should be despondent of the future, nor why he should depart in any way from the rule laid down by Harvey, "to search out and study the secrets of nature by way of experiment."<sup>1</sup> Those who criticise existing tendencies and methods, and speak vaguely of a better way, have nothing definite to offer, except a return to the barren and disastrous method of speculation by way of the "inner sense."<sup>2</sup>

There are certain large problems in biology which, by definition at least, belong to physiology, but which as a matter of fact do not at present form a subject of investigation by physiologists. Such, for instance, are the great questions of development and heredity, and the varied and important reactions between the organism and its environment included under the term ecology, or bionomics. The course of development in biology has been such that in recent years these questions have fallen mainly into the hands of the morphologists. But the methods employed by the morphologists in their investigations tend to become more and more experimental, and we may infer that the workers who devote themselves to these problems will be compelled to have recourse more and more to the technical methods of physiology. It is therefore a fair question as to whether or not it is desirable that the specialist in physiology should give his attention to work of this character. Burdon-Sanderson, in an address before the British Association for the Advancement of Science, 1893,<sup>3</sup> took the ground that the field of physiology proper, as determined by the course of development, lies altogether in the province of what he calls the internal relations of the organism, that is, "the action of the parts or organs in their relations to each other." This definition is at least an approximately accurate statement of the scope of physiology as it has existed during the past two or three generations. I say approximately accurate, because as a matter of fact some recognized physiological work has concerned itself with the reactions between the organism and its environment, such work, for instance, as the effect of external temperature upon heat production, or the effects of altitude upon the elements of the blood. Still the reaction to the environment has been studied by the physiologist only in so far as the adaptation can be detected at once or within a relatively short period of time. Those reactions that are detectible only or mainly in the progeny have been left very

<sup>1</sup> Quoted from Pye-Smith, Harveian Oration, *Nature*, vol. xix, 1893.

<sup>2</sup> Bunge, *loc. cit.*

<sup>3</sup> *Nature*, vol. xix, 1893.

properly to those sciences whose dominant method is that of observation and comparison. In this regard the history of physiology offers an analogy to that of physics. Most of the problems of astronomy and geology are in a wide sense physical problems, but in the division of labor made necessary by the extent of the field to be cultivated, the specialist in physics has limited himself to the study of the properties of inanimate matter so far as they can be approached by the methods of laboratory experiment. The wider relations of this matter to the cosmical processes throughout the visible universe, and its transformations during long periods of time, have formed the subject-matter for independent although related sciences. The astronomer or geologist makes much use of physical knowledge and physical methods, but his subject is large enough to form an independent department of science. A similar division of labor has been followed in the sciences that deal with animate nature, and the part that has fallen to the physiologist is mainly the experimental laboratory study of the properties of living matter. It seems proper, and indeed necessary, that the broader ecological problems should form an independent science which will need specialists of its own. Work of this kind cannot be regarded as lying within the province of the specialist in physiology, although without doubt the development of the physiological sides of the subject will be made largely through methods and technique borrowed or adapted from physiology, and on the other hand the results obtained from ecological work will doubtless exert a reflex influence upon the methods and especially the theories of physiology.

The matter stands otherwise, however, in regard to the deeply interesting and important facts of embryological development. The laws of growth and senescence, the secrets of fertilization and heredity, must be studied in the long run by the physiologist; they are intrinsically physiological problems and must yield at last to the experimental methods of the laboratory. These questions have been studied heretofore chiefly by anatomical methods; but this is the natural order of development. The anatomical side is the simpler; it precedes and serves as a basis for physiological investigation, as the renaissance of anatomy in the sixteenth century formed the logical precursor of a similar awakening in physiology in the seventeenth century. The anatomist has been forced, so to speak, to take up first the problems of development, but of necessity the need for experimental work has soon made itself felt. The results that have been obtained by the use of the simple but ingenious experiments so far employed have been most suggestive, and indicate clearly that a promising future awaits the further extension of this method. If for a time longer such work

shall be done mainly by those whose training has been received in the observational sciences, it seems inevitable that the specialist in physiology must also enter the field. Chemical and physical methods are clearly adapted to the study of these problems, for in the end we expect to find the scientific explanation of growth and development in the physical and chemical properties of living matter. The subject is as truly a part of physiology as the processes of secretion and nutrition. In the current literature upon the subject there is at present a freedom in the formation of hypotheses and a reliance upon the virtues of the syllogism which tend to bring it into sympathetic relations with philosophy rather than with physiology. But as the store of observed and demonstrable data is increased, the boundary-line between the probable and the improbable will be more sharply drawn, and more objective methods and less ambiguous theories will mark the development of the subject along experimental lines.

In the strictly physiological literature of the past century, a characteristic feature has been the absence of philosophical speculation. Although the physiologists have been concerned most directly with the problems of life, they, of all the biological family, have been least productive in the philosophical discussions that have prevailed during this period. Those who were most conspicuous in laying the foundation of our exact knowledge followed upon an age of free speculation, and therefore, as it were by protest against this tendency, devoted themselves to an empirical study of the subject, following the admonition of Harvey mentioned above; of Hunter, whose advice was, "Don't think, try;" and of Magendie, whose guiding principle of work was similarly expressed.

At the present time there are indications that the workers in physiology are dissatisfied with this cautious attitude. There seems to be a reaction against the purely empirical procedure, and a demand for the discussion of the underlying philosophical principles. This tendency, in fact, has seemed to affect all of the experimental sciences. "All sciences," says Ostwald,<sup>1</sup> "are tending to be philosophical;" and he and others see in this fact an indication of the approach of an era of synthesis in science, a beginning of the unification of all the widely separated specialties toward a common end. Others will perhaps view this tendency with alarm, and imagine that history is repeating itself; that after a century of objective experimentation the restless mind of man is reverting to the speculative methods of the eighteenth century and attempting after the manner of other days to reach by a shorter path the final goal of an understanding of the mysteries of the universe. Truly, when one examines the results of this recent tendency, he

<sup>1</sup> *Loc. cit.*

finds in them but little to encourage his hopes of a more rapid advance in knowledge. While many protest against the inadequacy of our present methods, the progress that is actually being made is accomplished, as formerly, by those who adhere to the tried method of experimenting continually in every direction. So far as I can see, it is still the duty of the physiologist to insist upon the necessity and value of empirical work. What we need is not so much philosophical theories as new experimental methods, and these will be discovered only by those who, trained in the technique of the subject, are continually attempting to modify and improve existing methods. Physiology needs a Pasteur rather than a Descartes. It is possible that the sciences of physics and chemistry, being so much farther advanced than that of physiology, may feel acutely the need of reconstructing their philosophical basis in order that their working hypotheses may better adapt themselves to future experimental work, but in physiology the guiding principles which we have received from these sciences still hold out richest possibilities of results, and we have not within the limits of our own subject reached that degree of development which calls for a fundamental change in methods or theory. While deprecating, therefore, in the strongest possible way any effort to minimize the importance of the experimental work as now carried on in physiology, it seems to me, nevertheless, quite evident that some value must be given also to the character of the general philosophical idea upon which this work is based. The purely agnostic point of view is suited, perhaps, to individual minds; and where our ignorance is so great the empirical attitude is doubtless the most modest, and theoretically the most justifiable. But human nature is such that an entirely neutral and judicial standpoint fails to arouse in it much enthusiasm or strenuous endeavor. In science we need enthusiasm, for much work is to be done, and scientists as a body, like their fellow mortals, are not content to hold themselves aloof from speculations regarding the final object and significance of their labors. The nature of the underlying philosophical belief has always had an important influence upon the extent and character of scientific work, and we must take this factor into our reckoning in any attempt to estimate the conditions that contribute to the advance or to the retrogression of science.

Toward the middle of the nineteenth century magnificent work in physiology was being done in Germany and in France. The methods that were employed by Flourens, Magendie, and Bernard were as productive and as modern as those used by their contemporaries in Germany, but the influence of the latter school was seemingly more widespread, if we may judge this influence by the effect upon the entire body of investigators in physiology. Recent

historians,<sup>1</sup> outside of France, trace the modern revival chiefly to the German school, to the work and the influence of Du Bois Reymond, Ludwig, Helmholtz, Brücke, *et al.* It has seemed to me that one reason for the seeming neglect of the equally important work of the French school lies in the fact that the leaders in the German school were animated by a philosophical principle whose influence not only guided their own work, as it did, indeed, that of the French physiologists, but which was so emphasized and displayed before the eyes of men that it kindled enthusiasm and attracted recruits from all lands to the army of investigators in physiology. The flag under which they marched bore the motto of mechanism, and its followers were animated by the hope that physico-chemical and anatomical methods applied to the experimental study of the properties of living matter would soon bring these mysteries under the control of science. So rapidly indeed were results accumulated in the beginning that the over-sanguine believed the end nearly in sight, and the hope was entertained by not a few that we should soon understand the structure of living matter, and perhaps be able to manufacture it with our own hands. We realize now that this hope was premature. We know much more than our predecessors at the beginning of the nineteenth century; the science has marched onward at a rapid rate; but what seemed to be the end of the forest is only a small clearing, an open space, and in front of us still lies an apparently pathless wilderness. Naturally, therefore, the question has arisen as to whether or not we are following the right route; there has been a more or less general revival of the old discussions regarding mechanism and vitalism. On the basis of the knowledge and experience obtained by a century of work, there is a disposition to orient the subject anew regarding these guiding principles of investigation.

Recent writers have recognized various degrees or kinds of vitalism, the mechanical and psychical, the natural and transcendental, and the neo-vitalist, as distinguished from the vitalist of the eighteenth century. Leaving aside ultimate views as to idealism or materialism which can scarcely be supposed to exert any direct influence on scientific work, it seems to me that the vitalist in physiology now is what he has always been, one who believes that there is a something peculiar, a *quid proprium*, to use Bernard's expression, inherent in or indissolubly connected with living matter, a something that is different from matter and energy as understood in physics and chemistry, a something, therefore, that does not necessarily manifest itself in accordance with so-called physico-chemical laws. The name that we may give to this something matters but

<sup>1</sup> Tigerstedt, *Zur Psychologie der naturwissenschaftlichen Forschung*, Helsingfors, 1902; Burdon-Sanderson, *loc. cit.*

little; we may call it soul, animal spirits, vital principle or force, ether, nervous fluid, inner sense, consciousness or psyche, but *plus c'est changé, plus c'est la même chose*. We may differ as to whether this something is connected with living matter in all its forms or whether its manifestations are limited to the nervous tissues, but if we admit its existence as a causal factor in any of the phenomena of life, then it seems to me that we adopt the standpoint of vitalism, and the nature of our work as well as our theories will be influenced thereby. The standpoint of the mechanist is simple. He believes that all the properties of living matter are of a chemico-physical nature, that is, properties that are dependent upon the structure and arrangement of the molecules and the eternal characteristics of their constituent parts. The C, H, O, N, S, P, etc., that enter into its composition carry with them their individual properties, and if nothing else is present in living matter, the phenomena exhibited by it must be a resultant of these properties, as the phenomena exhibited by sodium chloride depend upon the combination of the properties of the constituent sodium and chlorine. From this standpoint we may assume that if there is in living matter any recognizable form of energy not hitherto classified, it is intrinsically present in dead matter also, and we may hope to discover its existence by purely physico-chemical methods of investigation, with the probability, indeed, that it will be recognized first by the chemist or the physicist with his more exact methods and more favorable conditions for quantitative analysis. If we are unwilling to adopt this standpoint, then it seems to me that, unless we deem it wiser to assume an entirely agnostic attitude, we are logically forced to take one of two positions. With the older physiologists we may boldly assume the existence in living organisms of a finer stuff intermingled with the so-called matter, a substance that is not matter as we understand that term in science, but which, in combination with matter, gives to living things their distinctive characteristics; or we may assume the existence in the universe of a reality other than matter, with the belief that it is influenced by and exerts an influence upon matter only in the living form, in some such way as the earlier physicists postulated an ether that can be affected by matter only when in a certain state of vibration. If I read them correctly, most modern scientific authorities adopt substantially this latter point of view. The so-called psychological phenomena of life are differentiated from the physical, but at the same time it is admitted that the subjective or psychological manifestations are dependent upon physico-chemical changes in the material substratum. Huxley states the matter with his usual candor and clearness: "It seems to me pretty plain that there is a third thing in the universe, to wit, consciousness, which in the hardness of my head or

heart, I cannot see to be matter or force or any conceivable modification of either." It is perhaps a question of terms only as to whether this point of view is properly designated as vitalism. Inasmuch, however, as it assumes a something that can be influenced only by living matter, possibly only by special forms of living matter, and in turn can only act upon living matter, it draws a line between the properties of the animate and the inanimate which represents a real distinction, and those who hold to this point of view or any modification of it can scarcely escape, for want of a better term, the designation of vitalist, even though it is recognized that the reaction between the subjective and the objective world may be governed by laws that are, strictly speaking, as mechanical as those reactions of matter that have been generalized under the laws of physics and chemistry. In this sense I believe that the majority of physiologists belong to the school of vitalists. The methods that they employ and the nomenclature they use are, however, mechanical, because the science recognizes that its ultimate aim is to understand the mechanics of living matter, and that in this way only, if at all, shall we be able to arrive at a conception of the relations of this matter to a reality of a different order. The older physiologists, and some of recent times, have used the conception of vitalism as a convenient and easy means of accounting for many processes which further investigation has shown to be purely mechanical. Experiences of this kind tend to strengthen our belief that most of the unknowns confronting us at present will be analyzed eventually in terms of the conceptions of physics and chemistry; but there is always present in physiology the tendency to assume that what is not clearly or conceivably reducible to the laws of matter and energy must therefore belong to the "irreducible residuum." The nature of this residuum, the connotation of the term vitalism, varies somewhat with each generation.

Bernard, in his lucid and masterly discussion of the phenomena of life, came to the conclusion that the irreducible residuum, to which the laws of chemistry and physics are not and cannot be applicable, is the power of development of the egg. "Car il est clair que cette propriété évolutive de l'œuf, qui produira un mammifère, un oiseau, ou un poisson, n'est ni de la physique ni de la chimie. . . . La force évolutive de l'œuf et des cellules est donc le dernier rempart du vitalisme."<sup>1</sup> In our own day the study of the mechanics of development is actively pursued by many investigators, and I fancy that few modern physiologists are inclined to take a truly vitalistic view of the process. However much the facts of development are beyond the possibility of explanation in terms of our present chemico-physical knowledge, it is clearly conceivable that the

<sup>1</sup> Bernard, *Revue des Deux Mondes*, ix, p. 326, 1875.



observed processes may all be due solely to the material structure of the fertilized ovum acting in accordance with physico-chemical laws, and that, therefore, our present methods of investigation may eventually bring these phenomena within the limits of a scientific explanation. The irreducible residuum recognized to-day, and indeed admitted always by many of the physiologists who are reckoned among the mechanists, is the psychical reaction, the phenomenon of consciousness. However much we may come to know of the physico-chemical processes that give rise to this reaction, it has been asserted by most of the scientific authorities of our time that the psychical side itself is beyond the possible application of the methods of physics and chemistry, a conclusion that, as it seems to me, is tantamount to the admission of the existence of a non-material reality. The study of consciousness has therefore been eliminated from the subject of physiology on the ground that the methods of our science are inapplicable. I fully agree, however, with the timely and courageous statement of Minot<sup>1</sup> that "Consciousness ought to be regarded as a biological phenomenon, which the biologist ought to investigate in order to increase the number of verifiable data concerning it." If for the present this task is confided to the workers in the independent science of psychology, the only successful methods that they can employ are those of observation and experiment, and eventually the latter mode of investigation must become the more important, and the subject must be recognized as destined to come within the province of experimental physiology. To Minot the most important work at present is to be accomplished by an extension of the comparative method to the psychological study of all forms of life, but to the physiologist it would seem that a no less promising although technically more difficult field will be found in neuro-pathology, which holds out hopes that definite variations in the psychical reaction may be connected with distinct alterations in the structure and properties of the material substratum. One can scarcely doubt that the combined labors of the psychologist, biologist, physiologist, and pathologist will eventually accumulate many verifiable data concerning consciousness. We are not able at present, it is true, to form any conception of the nature of the relation between the subjective and the objective, but new facts may alter wonderfully our insight into this mystery, and it is the clear duty of physiology to participate in the work of accumulating all possible data bearing upon this relation. The introspective method alone is insufficient, and we have no alternative but to trust hopefully in the less pretentious method of scientific observation and experiment. We may believe that in this

<sup>1</sup> Minot, *Presidential Address*, American Association for the Advancement of Science, Pittsburgh Meeting, *Science*, xvi, p. 1, 1902.

way a basis will be obtained upon which philosophy may reason, more surely and more successfully than is possible now, concerning the psychical life and its relations to the mechanical phenomena of the universe.

If I may summarize briefly my point of view regarding the present problems of physiology, what I have wished to emphasize is this. The experimental method, physical, chemical, biological, or anatomical is the life and hope of the subject. Its future depends solely upon the steadfast recognition of the necessity and possibilities of this means of research. Every investigator who is anxious to add to the stock of physiological knowledge should experiment ceaselessly by those methods which he is most capable of using, while those who are looking forward to the highest work in physiology should fit themselves by a thorough training in physics or chemistry, since the most difficult and the most fundamental problems in the subject require the use of the methods and modes of thought of these sciences. There must be an outlying division of workers who will keep the subject in touch with practical medicine, and other divisions through which communications will be established with psychology and the morphological sciences; but the flower of the army, the imperial guard, will consist of those who have been disciplined in the methods of physics and chemistry, and who are able to apply this training to the study of the properties of living matter.

---

#### SHORT PAPER

PROFESSOR E. P. LYON, of St. Louis University, read a contribution before this Section "On the Theory of Rheotropism in Free Swimming Animals," in which he discussed the orientation of organisms in streams of water, a phenomenon frequently observed, but having received thus far little attention.

## SPECIAL WORKS OF REFERENCE TO ACCOMPANY PAPER ON ECOLOGY

(Prepared by the courtesy of Professor Oscar Drude)

- BERTRAND, E. C., L'œuvre botanique de M. Julien Vesque, Annales agronomiques, 25 Août, 1895, Paris.
- BRENNER, Klima und Blattgestalt bei Quercus, Flora, 1902.
- DE CANDOLLE, ALPHONSE, Géographie botanique raisonnée, Paris, 1855.
- CLEMENTS, FRED. ED., Research Methods in Ecology, Lincoln, Neb., 1905.
- COWLES, H. C., Physiogr. Ecology of Chicago, 1901, Sand-dunes of Lake Michigan, 1899, etc.
- DARWIN, CH., Effects of Cross- and Self-Fertilization in the Vegetable Kingdom, London, 1877.
- DAUPHINÉ, ANDRÉ, La loi de niveau appl. aux rhizomes (Bull. Soc. bot. de France, p. 568, 1903).
- DRUDE, OSCAR, Die Florenreiche der Erde, Peterm. Mittlgn, 1884, Ergänzungsheft, 74.  
Handbuch der Pflanzengeographie, p. 123, 1890.
- "FLORA," XC (1902), p. 349; Vergl. Geogr. Jahrb. XXVIII, p. 201-202, im pflanzengeographischen Bericht.
- GRISEBACH, AUG., In Wiegmanns Archiv f. Naturgesch. 1836. See also A. Grisebach's Gesamm. Schriften, pp. 1-2, Leipzig, 1880.  
Ueber den gegenwärtigen Standpunkt in der Geogr. der Pflanzen. In Behms geogr. Jahrb. I. Gotha, 1866; wieder abgedruckt in Gesammelte Schriften, pp. 307-311, 1880.
- HABERLANDT, G., Physiologische Pflanzenanatomie, 1. Aufl., 1884, 2. Aufl. 1896.
- V. HUMBOLDT, ALEX., Ideen zu eine Geographie der Pflanzen, 1805. 2. Ausg. 1811, spätere Ausgaben in den "Ansichten der Natur," Essai sur la géographie des plantes, Paris, 1807. "Prolegomena" zu Humb. Bonpl. Kunth. Nova genera et species plantarum, 1815. Vergl. über den Inhalt dieser Schriften meine Abhandlung: Die Florenreiche der Erde.
- KOBELT, W., Die Verbreitung der Tierwelt; gemässigte Zone, Leipzig, 1902.
- KRONFELDT, M., Bot. Jahrb. f. Syst. XI, p. 19.
- DE LAMARLIERE, G., Bull. Soc. bot. de France, p. 515, Nov., 1903.
- LINNÆUS, C., Flora Lapponica, Amsterdam, 1737.
- MACMILLAN, H. C., Minn. Botanical Studies, no. 50, Bull. no. 9, p. 949, Minneapolis, 1897.
- MERRIAM, C. H., Life Zones and Crop Zones of N. Amer. U. S. Depart. Agriculture, Biol. Survey Bull. no. 10, Washington, 1898.
- RATZEL, F., Der Lebensraum; eine biogeographische Studie, Tübingen, 1901.
- SCHIMPER, A. F. W., Pflanzengeographie auf physiologische Grundlage, Jena, 1898.
- WAGNER, MORITZ, Die Entstehung der Arten durch räumliche Sonderung, Gesamm. Aufsätze, herausg. Basel, 1889.
- WARMING, E., Planter amfund, Grundtræk af den oekologiske Plantegeografi. Kopenhagen, 1895. Deutsche Uebersetzung, Berlin, 1896.
- V. WETTSTEIN, A., Grundzüge der geogr. morph. Methode der Pflanzensystematik, 1898.
- WIESNER, J., Biologie der Pflanzen, 2. Aufl. 1902, p. 322.

American readers will find more extensive bibliographies in:

COVILLE, F. V., and MACDOUGAL, D. T., Desert Bot. Lab. of the Carnegie Institution, Publication no. 6, Washington, Nov., 1903 (pp. 46-58).

CLEMENTS, FRED. ED., Research Methods in Ecology, Lincoln, Neb., 1905 (pp. 324-334).

# WORKS OF REFERENCE ON THE SECTIONS OF BACTERIOLOGY, ANIMAL MORPHOLOGY, EMBRYOLOGY, COMPARATIVE ANATOMY, HUMAN ANATOMY, AND PHYSIOLOGY

*(Prepared by the courtesy of Professor Henry B. Ward of the University of Nebraska)*

## BACTERIOLOGY

- ABBOTT, A. C., Principles of Bacteriology. Philadelphia, 1901.
- BESSON, Technique Microbiologique et Sérothéropique. Paris, 1897.
- CHESTER, F. D., Manual of Determinative Bacteriology. New York, 1901.
- CONN, H. W., Agricultural Bacteriology. Philadelphia, 1901.
- DE BARY, A., Vorlesungen über Bakterien. 3d ed. edited by W. Migula. Leipzig, 1900.
- DIEUDONNÉ, A., Immunität, Schutzimpfung und Serumtherapie. 2. Aufl. Leipzig, 1900.
- DUCLAUX, E., Traité de Microbiologie. Paris, 1898.
- EYRE, J. W. H., Elements of Bacteriological Technique. Philadelphia, 1902.
- FISCHER, A., The Structure and Functions of Bacteria. Translated by A. Copen-Jones. Oxford, 1900.
- HORROCKS, W. H., An Introduction to the Bacteriological Examination of Water. London, 1901.
- JOERGENSEN, A., Die Mikroorganismen der Gährungsindustrie. 4. Aufl. Leipzig, 1900.
- KOLLE, W., and WASSERMANN, A., [and others,] Handbuch der pathogenen Mikroorganismen. 4 Bde. und Atlas. Jena, 1902.
- LAFAR, F., Handbuch der technischen Mykologie. (A new edition is announced.) 2 vols. Jena, 1897, 1903. (Translated in part by Salter. New York, 1898-1903.)
- LEHRMANN, K. B., and NEUMANN, R. O. Atlas and Principles of Bacteriology. Translated by G. O. Weaver. 2 vols. Philadelphia, 1901.
- McFARLAND, JOSEPH, Textbook upon the Pathogenic Bacteria. 3d ed. Philadelphia, 1900.
- MACÉ, E., Atlas de Microbiologie. Paris, 1897-98.
- METCHNIKOFF, E., Immunity in Infective Diseases. Translated by F. G. Binnie. New York, 1905.
- MIGULA, W., System der Bakterien. 2 Bde. Jena, 1897-1900.
- MIQUEL, P., Manuel pratique d'analyse bactériologique des eaux. Paris, 1891.
- MIQUEL, P., and CAMBIER, R., Traité de Bactériologie pure et appliqué. Paris, 1902.
- MUIR, R., and RITCHIE, J., Manual of Bacteriology. Revised from the 3d English edition. New York, 1903.
- NOCARD, E., et LECLAINCHE, E., Les maladies microbiennes des animaux. Paris, 1892.
- NOVY, F. G., Laboratory Work in Bacteriology. Ann Arbor, 1899.
- PARK, W. H., Pathogenic Micro-organisms, including Bacteria and Protozoa. 2d ed. Philadelphia, 1905.
- Procedures recommended for the study of Bacteria. Report of a Committee of the American Public Health Association. Concord, N. H., 1898.
- PRESCOTT, S. C., and WINSLOW, C. E. A., Elements of Water Bacteriology. New York, 1904.

- RIDEAL, S., *Water and its Purification*. London, 1902.
- SMITH, E. F., *Bacteria in Relation to Plant Diseases*. Vol. I. Carnegie Institution, Washington, D. C., 1905.
- Standard Methods of Water Analysis. Committee of American Public Health Association. Published by Journal of Infectious Diseases. Chicago.
- STERNBERG, G. M., *Manual of Bacteriology*. New York, 1892.
- Textbook of Bacteriology. New York, 1901.
- VAUGHAN, V. C., and NOVY, F. G., *Cellular Toxins*. 4th ed. Philadelphia, 1902.
- Annales de l'Institut Pasteur. Paris.
- Centralblatt für Bakteriologie und Parasitenkunde. Jena.
- Journal of Pathology and Bacteriology. Edinburgh.
- Journal of Infectious Diseases. Chicago.
- Journal of Medical Research. Boston.

## ANIMAL MORPHOLOGY

- BATESON, W., *Materials for the Study of Variation*. London, 1894.
- BERGMANN, C., and LEUCKART, R., *Anatomisch-physiologische Uebersicht des Thierreiches, Vergleichende Anatomie und Physiologie*. Stuttgart, 1851.
- BROOKS, W. K., *Foundations of Zoölogy*, New York, 1899.
- BUETSCHLI, O., *Investigations on Microscopic Foams and on Protoplasm*. Translated by E. A. Minchin. London, 1894.
- CARUS, J. V., *Geschichte der Zoologie bis Joh. Müller und Chas. Darwin*. München, 1872. (Also a French translation.)
- DAVENPORT, C. B., *Experimental Morphology*. 2 vols. New York, 1897-99.
- DARWIN, CHARLES, *Origin of Species*. Many editions.
- Animals and Plants under Domestication. Many editions.
- DELAGE, YVES, *La structure du protoplasma et les théories sur l'hérédité et les grands problèmes de la biologie générale*. Paris, 1895.
- HAECKEL, ERNST, *General Morphology*. Translated.
- HIS, W., *Unsere Körperform und das physiologische Problem ihrer Entstehung*. Leipzig, 1874.
- HERTWIG, O., *Die Zelle und die Gewebe*. 2 vols. Jena, 1893, 1898. (Vol. I, translated by M. and H. J. Campbell, London, 1895.)
- ROUX, W., *Der Kampf der Theile im Organismus*. Leipzig, 1881.
- LOEB, J., *Untersuchungen zur physiologischen Morphologie der Thiere*. 2 Theile. Würzburg, 1891.
- MILNE-EDWARDS, *Leçons sur la physiologie et l'anatomie comparée*. 2 vols. Paris, 1857.
- MORGAN, T. H., *Regeneration*. New York, 1901.
- SEMPER, K., *Animal Life as affected by the Natural Conditions of Existence*. New York, 1881.
- SPENCER, HERBERT, *Principles of Biology*. Many editions.
- WEISMANN, A., *The Germ Plasm; a Theory of Heredity*. New York, 1893.
- WILSON, E. B., *The Cell in Development and Inheritance*. 2d edition. New York, 1900.

## EMBRYOLOGY

- BAER, C. E. VON, *Ueber Entwicklungsgeschichte der Thiere*. Beobachtung und Reflexion. Königsberg, 1828, 1837.
- BALFOUR, F. M., *A Treatise on Comparative Embryology*. London, 2d ed. 1885-86.
- A Monograph on the Development of Elasmobranch Fishes. London, 1878.
- DAVENPORT, CHAS. B., *Experimental Morphology*, 2 vols. New York, 1897-99.

- DUVAL, M., Atlas d'embryologie. Paris, 1888.
- GOETTE, A., Die Entwicklungsgeschichte der Unke (*Bombinator igneus*) als Grundlage einer vergleichenden Morphologie der Wirbeltiere. Mit einem Atlas. Leipzig, 1875.
- HATSCHKEK, B., The Amphioxus and its Development. Translated by J. Tuckey. London, 1891.
- HERTWIG, O., Die Zelle und die Gewebe. Grundzüge der allgemeinen Anatomie und Physiologie. 2 Bde. Jena, 1892-98. (Vol. I, translated by M. and H. J. Campbell, London, 1895).  
Textbook of the Embryology of Man and Mammals. Translated by E. L. Mark. London, 1892.  
[and others], Handbuch der vergleichenden und experimentellen Entwicklungslehre der Wirbeltiere. Vollständig in etwa 20 Lieferungen. Jena, 1901-.
- HIS, W., Anatomie menschlicher Embryonen. Leipzig, 1880-86.  
Unsere Körperform und das physiologische Problem ihrer Entstehung. Leipzig, 1874.
- KEIBEL, F. [and others]. Normentafeln zur Entwicklungsgeschichte der Wirbeltiere. Heft I, Schwein; Jena, 1897. Heft II, Huhn; Jena, 1900. Heft III, Ceratodus; Jena, 1901. Heft IV, Eidechse; Jena, 1904.
- KOLLMANN, J., Lehrbuch der Entwicklungsgeschichte des Menschen. Jena, 1898.
- KORCHELT, E., and HEIDER, K., Textbook of the Embryology of Invertebrates. Translated by various authors. 4 vols. London, 1895-1900.
- McMURRICH, J. P., Development of the Human Body. Philadelphia, 1903.
- MARSHALL, A. M., Vertebrate Embryology. New York, 1893.
- MINOT, C. S., Human Embryology. New York, 1892.
- MORGAN, TH. H., The Development of the Frog's Egg. An Introduction to Experimental Embryology. New York, 1897.
- PREYER, W., Specielle Physiologie des Embryos. Leipzig, 1885.
- ROUX, W., Gesammelte Abhandlungen über die Entwicklungsmechanik der Organismen. 2 Bde. Leipzig, 1895.
- SELENKA, C., Studien über Entwicklungsgeschichte der Tiere. Hefte I-VII. Wiesbaden, 1883-1900.
- WILSON, E. B., The Cell in Development and Inheritance. 2d ed. New York, 1900.
- ZIEGLER, H. E., Lehrbuch der vergleichenden Entwicklungsgeschichte der niederen Wirbeltiere. Jena, 1902.
- Archiv für Entwicklungsmechanik der Organismen. Leipzig.
- Archiv für mikroskopische Anatomie und Entwicklungsgeschichte. Bonn.
- Ergebnisse der Anatomie und Entwicklungsgeschichte. Wiesbaden.

## COMPARATIVE ANATOMY

- BETHE, A., Allgemeine Anatomie und Physiologie des Nervensystems. Leipzig, 1903.
- BLANCHARD, R., Traité de zoologie médicale. 2 vols. Paris, 1885-89.
- BRONN, H. G., Klassen und Ordnungen des Thierreichs. (Many volumes by many authors.) Leipzig.
- Cambridge Natural History. Edited by S. F. Harmer and A. E. Shipley. 9 vols. London and New York, 1896-.
- Das Tierreich. Herausgegeben von der Deutschen Zoologischen Gesellschaft. (In publication.) Berlin, 1898.
- DELAGE, Y., et HÉROUARD, E., Traité de zoologie concrète. (5 vols. published Paris, 1896-.

- Fauna and Flora des Golfes von Neapel. (A series of magnificent monographs on various animal groups.) Leipzig, 1886-.
- FUERBRINGER, M., Untersuchungen zur Morphologie und Systematik der Vögel. Amsterdam, 1888.
- GEGENBAUER, CARL, Vergleichende Anatomie der Wirbelthiere mit Berücksichtigung der Wirbellosen. 2 vols. Leipzig, 1898-1902. (An older edition exists in an English translation.)
- HERTWIG, R., Manual of Zoölogy. Translated from the fifth German edition by J. S. Kingsley. New York, 1902.
- HUXLEY, T. H., Manual of the Anatomy of Invertebrated Animals. New York, 1878.  
Manual of the Anatomy of Vertebrated Animals. New York, 1872.
- LANG, A., Textbook of Comparative Anatomy. Translated by H. M. and M. Bernard. 2 vols. London, 1891.
- LANKESTER, E. R. [and others], Treatise on Zoölogy. 4 vols. published. London, 1901-.
- LEUNIS, J., Synopsis der Tierkunde. 3 Aufl. bearbeitet von H. Ludwig, 2 vols. Hanover, 1883-86.
- OPPEL, A. [and others], Lehrbuch der vergleichenden mikroskopischen Anatomie der Wirbelthiere. 6 Bde. (others in preparation). Jena, 1896-1905.
- OWEN, R., On the Anatomy of Vertebrates. 3 vols. London, 1866-68.
- PARKER, T. J. and HASWELL, W. A. Textbook of Zoölogy. 2 vols. London, 1898.
- RETZIUS, G., Biologische Untersuchungen (Das Menschenhirn, das Gehörorgan etc.). Stockholm, 1881-.
- SCHNEIDER, K. C., Lehrbuch der vergleichenden Histologie der Tiere. Jena, 1902.
- SEDGWICK, ADAM, Student's Textbook of Zoölogy. 2 vols. London, 1898-.
- VOGT, C., und YUNG, E., Lehrbuch der praktischen vergleichenden Anatomie. 2 Bde. Braunschweig, 1888-1894. (Also in French.)
- WIEDERSHEIM, ROBERT, Elements of the Comparative Anatomy of Vertebrates. Adapted from the German by W. N. Parker. 2d ed., London, 1897. (There is a German edition of 1902.)

Archives de zoologie expérimentale et générale. Paris.  
Journal of Morphology. Boston.  
Quarterly Journal of Microscopical Science. London.  
Zeitschrift für wissenschaftliche Zoologie. Leipzig.  
Zoologischer Anzeiger. Leipzig.  
Zoologische Jahrbücher. Jena.

#### HUMAN ANATOMY

- V. BARDELEBEN, C. [and others], Handbuch der Anatomie des Menschen. 8 Bde. Jena, 1902.
- BARKER, L. F., The Nervous System and its Constituent Neurons. New York, 1899.
- BOEHM, A. A., and von DAVIDOFF, M., Textbook of Histology. Translation edited by G. C. Huber. Last edition. Philadelphia.
- BRAUNE, W., Topographisch-anatomischer Atlas. Leipzig, 1888.
- CUNNINGHAM, D. J., Textbook of Human Anatomy. New York, 1902.
- DEAVER, J. B., Surgical Anatomy. 3 vols. Philadelphia, 1900-1903.
- DEJERINE, J., Anatomie des centres nerveux. 2 vols. Paris, 1895.
- DONALDSON, H. H., The Growth of the Brain. New York and London, 1895.
- EDINGER, L., Anatomy of the Central Nervous System of Man and of Vertebrates in General. Translated by W. S. Hall. Philadelphia, 1899.



- GEGENBAUR, C., *Lehrbuch der Anatomie des Menschen*. 7 Aufl. Leipzig, 1898.
- V. GEHUCHTEN, A., *Anatomie du système nerveux de l'homme*. 3d ed. Louvain, 1900.
- GORDINIER, H. C., *The Gross and Minute Anatomy of the Central Nervous System*. Philadelphia. 1899.
- GRAY, H., *Anatomy, Descriptive and Surgical*. New American Edition. Rev. by J. C. De Costa. Philadelphia, 1905.
- HUNTINGTON, G., *The Anatomy of the Human Peritoneum and Abdominal Cavity, considered from the standpoint of Development and Comparative Anatomy*. New York, 1903.
- KRAUSE, W., *Handbuch der Anatomie des Menschen, mit einem Synonymenregister. Auf Grundlage der neuen Baseler anatomischer Nomenklatur unter Mitwirkung von W. His und W. Waldeyer und unter Verweisung auf den Handatlas von W. Spalteholz bearbeitet*. Leipzig, 1898.
- MERKEL, F., *Handbuch der topographischen Anatomie*. Braunschweig, 1898.
- MORRIS, H. [and others], *Textbook of Human Anatomy*. 3d ed. Philadelphia, 1902.
- OBERSTEINER, H., *The Anatomy of the Central Nervous Organs in Health and in Disease*. Translated by A. Hill. London, 1900.
- OPPEL, A. [and others], *Lehrbuch der vergleichenden mikroskopischen Anatomie der Wirbeltiere*. (6 vols. already issued.) Jena, 1896-1905.
- POIRIER, P., et CHARPY, A., *Traité d'anatomie humaine*. 5 vols. Paris, 1899-1904.
- QUAIN, J., *Elements of Anatomy*. Ed. by E. A. Schäfer and G. D. Thane. 10th ed., 3 vols. London and New York, 1892-96.
- Reference Handbook of Medical Sciences. Revised Edition. (Many original articles by prominent writers on special parts of the subject.) New York.
- SOBOTTA, J., *Atlas der Anatomie des menschlichen Körpers*. München, 1904.
- SPALTEHOLZ, W., *Hand Atlas of Human Anatomy*. Translated by L. F. Barker. 3 vols. Leipzig and New York, 1900-04.
- SZYMONOWICZ, L., *Textbook of Histology*. Translation edited by J. B. MacCallum. Philadelphia, 1902.
- TESTUT, L., *Traité d'anatomie humaine*. 2 vols. Paris, 1899-91.
- TOLDT, CARL. *Anatomischer Atlas für Studierende und Aerzte*. Unter Mitwirkung von A. D. Rosa. Wien und Leipzig, 2. Aufl., 1900.
- WIEDERSHEIM, *Structure of Man as an Index to his Past History*. Translated by H. and M. Bernard, London, 1895.

- American Journal of Anatomy*. Baltimore.
- Anatomischer Anzeiger*. Jena.
- Archiv für Anatomie und Entwicklungsgeschichte*. Leipzig.
- Journal of Anatomy and Physiology*. London.

### PHYSIOLOGY

- ATWATER, W. O., *The Chemistry of Foods and Nutrition*. 1887. (Also more recently, several bulletins printed by the U. S. Department of Agriculture, Washington, D. C.)
- BERNARD, CLAUDE, *Leçons sur les phénomènes de la vie communs aux animaux et aux végétaux*. 2 vols. Paris, 1878-79.
- BETHE, A., *Allgemeine Anatomie und Physiologie des Nervensystems*. Leipzig 1903.
- BIEDERMANN, W., *Electrophysiology*. 2 vols. Translated by F. A. Welby. London, 1896.
- BILLINGS, J. S. [and others], *Physiological Aspects of the Liquor Problem*. New York, 1903.

- CHITTENDEN, R. H., *Physiological Economy in Nutrition*. New York, 1904.
- DAVENPORT, C. B., *Experimental Morphology*. 2 vols. New York, 1897, 1899.
- DONALDSON, H. H., *Growth of the Brain*, New York, 1895.
- FOSTER, M., *Textbook of Physiology*. 5 vols. 6th ed. London, 1893-1900.
- HALL, W. S., *Textbook of Physiology*. 2d ed. Philadelphia, 1905.
- HALLIBURTON, W. D., *Textbook of Chemical Physiology and Pathology*. New York, 1891.
- HAMBURGER, H. J., *Osmotischer Druck und Ionenlehre*. Bd. I, Wiesbaden, 1902.
- HAMMARSTEN, O., *Textbook of Physiological Chemistry*. From 5th German edition. Translated by J. A. Mandel, New York, 1904.
- HELMHOLTZ, H. L. F., *On the Sensations of Tone as a Physiological Basis for the Theory of Music*. Translated by A. J. Ellis. 2d ed. New York, 1885.
- HELMHOLTZ, H. VON, *Handbuch der physiologischen Optik*. Hamburg, 1866-1896. 2d ed.
- HERMANN, L., *Lehrbuch der Physiologie*. 11. Aufl. Leipzig, 1896.
- HOPPE-SEYLER, F., *Handbuch der physiologisch- und pathologisch-chemischen Analyse*. 7. Aufl. Berlin, 1903.
- HOWELL, W. H., *Textbook of Physiology*. Philadelphia, 1905.
- KREHL, L., *Pathologische Physiologie*. 2. Aufl. Leipzig, 1898.
- LOEB, J., *Comparative Physiology of the Brain*. New York, 1900. *Studies in General Physiology*. 2 vols. Chicago, 1904.
- MILNE-EDWARDS, H., *Leçons sur la physiologie et l'anatomie comparée*. 14 vols. Paris, 1857-1880.
- OPPENHEIMER, C., *Die Fermente und ihre Wirkungen*. 2. Aufl. Leipzig, 1903.
- PAWLOW, *The Work of the Digestive Glands*. Translated by W. H. Thompson. London, 1902.
- PREYER, W., *Specielle Physiologie des Embryos*. Leipzig, 1885.
- RICHTER, CH., *Dictionnaire de physiologie*. (In publication.) 1894-.
- SCHAEFER, E. A., *Textbook of Physiology*. Edinburgh and London. 2 vols. 1898-1900.
- STEWART, G. N., *Manual of Physiology*. Philadelphia. 4th ed., 1901.
- TIGERSTEDT, R., *Lehrbuch der Physiologie des Kreislaufes*. Leipzig, 1893.  
*Lehrbuch der Physiologie des Menschen*. 2. Aufl. 2 Bde. Leipzig. 1902. (An English translation is announced.)
- VERWORN, M., *General Physiology*. Translated by F. S. Lee. New York, 1899.
- VIERORDT, *Anatomische, physiologische, und physikalische Daten und Tabellen*. Jena, 1893.
- VON STEIN, S., *Die Lehren von den Funktionen der einzelnen Theile des Orlabyrinths*. Jena, 1894.
- ZWAARDEMAKER, H., *Die Physiologie des Geruchs*. Leipzig, 1895.
- American Journal of Physiology*. Boston.
- Archiv für die gesammte Physiologie des Menschen und der Thiere*. Bonn.
- Ergebnisse der Physiologie*. Wiesbaden.
- Journal of Physiology*. London.
- Zeitschrift für physiologische Chemie*. Strassburg.

## SPECIAL WORKS OF REFERENCE ON THE SECTION OF BACTERIOLOGY

(Prepared by the courtesy of Professor Edwin O. Jordan)

- ASCHOFF, L., Ehrlich's Seitenkettentheorie, Jena, 1902.
- BIGGS, H. M., The Administrative Control of Tuberculosis, Medical News, vol. 84, p. 337, 1904.
- CELLI, A., La Malaria in Italia durante il 1902, Annali d' Igiene sperimentali, vol. 13, p. 307, 1903.
- Die Bekämpfung des Malaria (Koch, R., und Ollmig), Die Malaria-bekämpfung in Brioni (Frosch, P.), in Puntacroce (Bludau), in der Maremma Toscana (Gosio, B.), etc., Zeit. f. Hyg., vol. 43, part 1. 1903.
- DUCLAUX, E., Traité de Microbiologie, Paris, 1898.
- EHRlich, P., Gesammelte Arbeiten zur Immunitätsforschung, Berlin, 1904.
- FICKER, M., Typhus und Fliegen, Archiv f. Hyg., vol. 46, p. 274, 1903.
- FLUEGGE, C., Die Mikroorganismen, Leipzig, 1896.
- HAMILTON, A., The Fly as a Carrier of Typhoid, Journal of the American Medical Association, p. 577, 1903.
- HUTCHINSON, R. H., and WHEELER, A. W., An Epidemic of Typhoid Fever due to Impure Ice, American Journal of Medical Science, vol. 126, p. 680, 1903.
- JORDAN, E. O., The Purification of Water Supplies by Slow Sand Filtration, Journal of the American Medical Association, p. 850. 1903.
- KOLLE, W., und WASSERMANN, A., Handbuch der Pathogenen Mikroorganismen, Jena, 1903.
- LAFAR, F., Handbuch der Technischen Mykologie, Jena, 1904.
- La Soci t  pour les  tudes de la Malarie (1898-1903), Archives italiennes de Biologie, vol 39, p. 427, 1903.
- LAVERAN, A., and MISNIL, F., Trypanosomes et Trypanosomiasis, Paris, 1904.
- LOEFFLER, F., Die Geschichtliche Entwicklung der Lehre von den Bacterien, Leipzig, 1887.
- MALLORY, F. B., and WRIGHT, J. H., Pathological Technique, Philadelphia, 1901.
- METCHNIKOFF, E., L'Immunit  dans les Maladies Infectieuses, Paris, 1901.
- MIGULA, W., System der Bacterien, Jena, 1897.
- NEWMAN, G., Channels of Typhoid Infection in London, Practitioner, vol. 72, p. 55, 1904.
- NOCARD, ED., and LECLAINCHE, E., Les Maladies Microbiennes des Animaux, Paris, 1905.
- NUTTALL, G. H. F., Blood Immunity and Blood Relationship, Cambridge, 1904.
- ROSS, R., Report on Malaria at Ismaila and Suez, Liverpool School of Tropical Medicine, mem. 9, 1903.
- SCHUEDER, Zur Aetiologie des Typhus. Zeit. f. Hyg., vol 38, p. 343. 1901.
- SEDGWICK, W. T., Principles of Sanitary Science and the Public Health, New York, 1902.
- SMITH, E. F., Bacteria in Relation to Plant Diseases, Washington, 1905.
- Vital Statistics of the City of Chicago for the years 1899-1903, inclusive. Chicago, 1904.
- WEYL, T., Handbuch der Hygiene, Jena, 1893.

# SPECIAL WORKS OF REFERENCE ON THE SECTION OF EMBRYOLOGY

(Prepared by the courtesy of Professor Oscar Hertwig)

- BENEDEN, ED. VON, Recherches sur la maturation de l'oeuf, la fécondation et la division cellulaire. Archives de Biologie, vol. iv, Paris, 1883.
- BENEDEN, and NEGÉ, Nouvelles recherches sur la fécondation de l'oeuf chez l'ascaride még. Bulletin, Academie Royale de Belgique, An. III, 1887.
- BOVERI, Zellenstudien; Jenäische Zeitschrift für Naturwiss. 1887, 1888, 1890. (Cell Studies.)  
Fecundation, Ergebnisse der Anat. und Entwicklungsgeschichte, 1892.  
Ergebnisse über die Konstitution der Chromatischen Substanz des Zellkerns. Jena, 1904.
- BUETSCHLI, Studien über die ersten Entwicklungsvorgänge der Eizelle, die Zelltheilung und die Conjugation der Infusorien. (Studies on the early development of the ovum, cell division, and conjugation in Infusoria.) (Senckenburg Naturforscher Gesellschaft, vol. x, 1876.)
- FOL, Recherches sur la fécondation et la commencement de l'hénogenie. Mém. de la Société de Phys. et d'Histoire Naturelle. Genève, 1879.
- GUIGNARD, Nouvelles études sur la fécondation. Annales des Sciences Nat. Botanique, J. XIV, 1891.
- HERTWIG, OSCAR, Beiträge zur Kenntniss der Bildung, Befruchtung und Theilung des Thierischen Eies. Morphol. Jahrbuch. (Contributions to the knowledge of the formation, fecundation, segmentation and division of the animal ovum), vol. I, 1875, vol. III, 1877, vol. IV, 1878.  
Das Problem der Befruchtung und der Isotropie des Eies, eine Theorie der Vererbung. (Jenäische Zeitschrift für Naturwiss. vol. XVIII, 1884.)  
Vergleich der Ei- und Samenbildung bei Nematoden, eine Grundlage für zellulare Streitfragen, Archiv f. Mikroskopische Anatomie, vol. XXXVI, 1890.
- HERTWIG, RICHARD, Ueber die Conjugation der Infusionen. Report of the Bavarian Academy of Sciences, vol. XVII, 1889.  
Eireife und Befruchtung, chapter II of the Manual of Comparative and Experimental Evolution-Science of Vertebrates. Jena, 1903.
- MARX, E. L., Maturation, fecundation and segmentation of Limax. Comp. Bulletin of the Museum of Comp. Zoölogy, Harvard University, vol. VI, 1881.
- MAUPAS, E., Le rajeunissement Karyogamique chez les cilies. Archiv de Zoologie Expér. et Génér. vol. VII, 1889.
- NAEGELE, C. V., Mechanische-physiologische Theorie der Abstammungslehre, 1884.
- RUECKERL, Ueber das Selbständigbleiben väterlichen und mütterlichen Kernsubstanz. Archiv f. Mikroskopische Anatomie, vol. XLV, 1895.
- STRASSBURGER, E. v. Neue Untersuchungen über den Befruchtungsvorgang bei den Phänerogamien. Jena, 1884. (Recent investigations on the process of fertilization in phanerogamia.)
- WEISSMANN, A., Ueber die Zahl der Richtungskörper und über ihre Bedeutung für das Vererbung. Jena, 1887. (On the number of polar bodies and their significance in heredity.)  
Amphimixis, oder der Vermischung der Individuen. Jena, 1891.
- WILSON, EDMUND B., Atlas of Fertilization and Karyokinesis of the Ovum. New York, 1895.  
The Cell in Development and Inheritance. 2d ed., New York, 1900.

## SPECIAL WORKS OF REFERENCE ON SECTION OF COMPARATIVE ANATOMY

(Prepared by Courtesy of Professor William E. Ritter)

- COPE, E. D., *The Primary Factors of Organic Evolution*. Open Court Pub. Co., Chicago, 1896. Most of the evolutionary views, that concerning the "Law of the Unspecialized" with the others, were put forth by Cope long before the publication of this work.
- DEAN, BASHFORD, *The Preservation of Muscle-fibres in Sharks of the Cleveland Shale*. *American Geologist*, vol. xxx, p. 273, 1902.
- DOHRN, ANTON, *Der Ursprung der Wirbelthiere und das Princip des Functionwechsels*. Leipzig, Wilhelm Engelmann, 1875.
- DRIESCH, HANS, *Analytische Theorie der organischen Entwicklung*. Leipzig, W. Engelmann, 1894. Although Dr. Driesch has since published many papers, and his views have undergone considerable modification, this work still contains the most comprehensive presentation of his views on development.
- FOSTER, Sir M., *Lectures on the History of Physiology during the sixteenth, seventeenth, and eighteenth centuries*. Cambridge Press, 1901.
- GASKELL, W. H., *On the Origin of Vertebrates deduced from the Study of Ammonoetes*. Some twelve papers published at intervals during the last eight or ten years in the *Journal of Anatomy and Physiology*.
- GEGENBAUER, CARL, *Ontogenie und Anatomie in ihren Wechselbeziehungen betrachtet*. *Morph. Jahrb.* bd. xv, p. 1, 1889.
- HARVEY, WILLIAM, *On the Motion of the Heart and Blood in Animals*. Willis's translation, revised and edited by Alex. Bowie, M. D., C. M., London: George Bell and Sons, 1889.
- HERTWIG, O., *Zeit-und Streitfragen der Biologie*. Jena, G. Fischer, 1894. A full and very admirable discussion of Preformation and Epigenesis, with a presentation of the author's own views.
- KORSCHELDT and HEIDER, *Textbook of the Embryology of the Invertebrates*. 1891-1900. English translation by E. L. Mark and Wm. Woodworth; and Matilda Bernard and Martin Woodward. 4 vols. The section dealing with the development of each phylum is terminated by an important discussion of the probable affinities of the phylum as judged from the evidence of embryology.
- MALPIGHI, MARCELLO. 1667-1671. The Transactions of the Royal Society of London for these years contain numerous letters and communications from this author, in several of which the similarity, if not the unity, of processes in plants and animals is dwelt upon. Sir Michael Foster's treatment of Malpighi is especially good.
- MONTGOMERY, THOMAS H., Jr., *On Phylogenetic Classification*. *Proc. of the Acad. of Nat. Sciences*, Philadelphia, April, 1902, p. 187.
- ROUX, W., *The Problems, Methods, and Scope of Developmental Mechanics*. A translation by Dr. W. H. Wheeler, of the Introduction to the "Archiv für Entwicklungsmechanik der Organismen." *Biological Lectures delivered at the Marine Biological Laboratory of Wood's Holl*, Summer, 1884. Boston, Ginn and Company, 1895.
- STENO, NICOLAUS, *De solido intra solidum naturaliter contento*. 1669. The substance of this classical work is given by Sir Charles Lyell in the historical part of his *Principles of Geology*.

WILSON, E. B., *The Cell in Development and Inheritance*. The Macmillan Company, 1900. By far the best general presentation in the English tongue of current views on development. A summary of the author's own important researches and conclusions, contained originally in numerous special papers, will be found here.

WOODWARD, A. S., *Outlines of Vertebrate Paleontology for Students of Zoölogy*. Cambridge Natural Science Manuals, University Press, 1898.

DEPARTMENT XIV — ANTHROPOLOGY





## DEPARTMENT XIV—ANTHROPOLOGY

---

(Hall 8, September 20, 2 p. m.)

CHAIRMAN: PROFESSOR FREDERIC W. PUTNAM, Harvard University.

SPEAKERS: DR. W J MCGEE, Director of the Public Museum, St. Louis.  
PROFESSOR FRANZ BOAS, Columbia University.

---

### ANTHROPOLOGY AND ITS LARGER PROBLEMS

BY W J MCGEE

[W J McGee, Director of the St. Louis Public Museum. b. Farley, Dubuque County, Iowa, April 17, 1853. Self-educated. Land surveyor, 1874-76; Student of geology and archeology, 1877-81; made geologic and topographic survey of Northeastern Iowa, 1878-82; Reported upon building-stones of Iowa for Tenth Census, 1881-82; Geologist, United States Geological Survey, 1883-93; Ethnologist in charge of the Bureau of American Ethnology, 1893-1903; Chief of Department of Anthropology and Ethnology, Louisiana Purchase Exposition, 1903-05. President of the American Anthropological Association and of the National Geographic Society; ex-President of the Anthropological Society of Washington; Acting President of the American Association for the Advancement of Science; Vice-President of Archeological Institute of America; senior U.S. Commissioner in American International Commission of Archeology and Ethnology. Author of *Pleistocene History of North Eastern Iowa*; *Geology of Chesapeake Bay*; *The Lafayette Formation*; *The Potable Waters of Eastern United States*; *The Siouan Indians*; *Primitive Trephining in Peru*; *The Seri Indians*; and numerous scientific memoirs, and several hundred minor articles.]

YOUNGEST in the sisterhood of sciences, anthropology borrows principles and methods from all the older branches of knowledge; and her first problem — a problem renewed with each step of advance, and hence endless as the problem of quarry to the huntsman or of crop to the planter — is that of determining her own relations in the realm of knowledge, her own place and powers in the intellectual world.

Viewed in the light of history, it is no accident that anthropology is the youngest of the sciences; for it is the way of knowledge to begin with the remote and come down to the near — to start with the stars, linger amid the mountains, rest awhile among rare gems, and only slowly approach such commonplace things as plants and animals and soils, to end at last with man. *How* growing knowledge has pursued paths leading from the remote to the near, from the rare to the common, from the abnormal to the normal, from the unreal to the real, from wonder to wisdom, — indeed, from chaos to cosmos and from star to man, — all this is history; *why* these paths have been pursued may well remain a problem until more is known of the constitution of the human brain and of the laws of mind.

Yet, viewed in the light of the relations among the sciences, it is no mere chance that the science of man rises from the hip and shoulder and head of the elder-sister sciences, as the family infant is borne by primitive folk; for the sciences have come up, just as the cosmos seems to have developed, in an order of increasing complexity. The stellar bodies are interrelated through gravity and various forms of molar force which may be combined under the term *molarity*; and astronomy in its earlier form was the science of these relations. As the planets took shape (whether through nebular integration or through planetesimal aggregation), chemical reactions became paramount over mechanical relations, and *affinity* was superadded to molarity; and in a parallel order chemistry was added to astronomy in the growth of knowledge. When our planet was incrustated, and the great deeps were divided into sea and land, life appeared, and thereby *vitality* was superadded to affinity; and concordantly, as knowledge grew, the biotic sciences followed the more exactly quantitative earlier branches. In cosmic time animal activity followed hard on more inert vegetal life, and *motility* was superadded to vitality; and in human time animals were domesticated soon after plants were cultivated, while zoölogy grew up nearly apace with phytology. As the earth aged into continental and seasonal steadiness, and the struggle for organic existence grew strenuous, more and more of the battles were lost to the strong and the races to the swift, and were won by the intelligent, and thereby *mentality* was superadded to vitality as a factor in earth-history, and man came to his own as a mind-led monarch over lower life and a progressive conqueror of the natural forces; and in like manner, as human history matures, it records anthropology as the younger-kin of zoölogy. In a word, man, as the head and intellectual ruler over the realm of life, alone stands for all the fundamental forces of molarity *plus* affinity *plus* vitality *plus* motility *plus* mentality, and is interrelated alike with sun and planet, agent and reagent, plant and seed, egg and animal, and with groups of his own kind; and, in a word, the science of man is, more than any other branch of knowledge, interdependent with all the sister sciences, and more many-sided than any of the rest.

#### *The Setting of the Science*

The scriptless nomads of the human prime (and of many lands) set their journeys by the stars and enshrined their beastly deities in the visible firmament, and thus astrology set out on a course still traceable through constellations and planet-myths; at the same time those mnemonic devices of the sky were mated with equally imaginative symbols of every-day things, and as these grew into

geometric designs and arbitrary characters, a system of *almacabala* — the earth-placed twin of sky-set astrology — took a course still marked by the ancient hieroglyphs of many lands. In the fullness of time (and primitive progress was tedious beyond telling), astronomy grew out of astrology as the first of the sciences, leaving a large residuum of mythology behind. In like manner, and at about the same stage (*i. e.*, about the birth-time of writing), algorithm and algebra came out of *almacabala*, leaving a residuum of black art and white magic, jugglery and enchantment; and as the algorithm grew into arithmetic and wizardly geomancy gave way to scholarly geometry, mathematics took shape as the complement of astronomy — and these sisters twain were nurses and teachers of all the younger sciences. Still the caldron of inchoate knowledge boiled and bubbled with Macbethian pother, and the foul fumes of black magic long concealed the few germs of real knowledge shaped by the steady pressure of actual experience — for this was the time of alchemy, whose slimy spume at last slipped away from chemistry, the third of the sciences.

Astronomy led writing (as the constellations attest), while mathematics followed close on writing and records, as its symbols show, and both belonged to what may be called the Naissance of Knowledge; chemistry appeared during the same period, bearing the prophecy of physics caught by Archimedes, yet remained a helpless weakling — the foil and puppet of medievalism — throughout the whole of the Dark Ages; but during the Renaissance the trio of elder sciences gained strength together and assumed lasting dominion over the realm of knowledge. Because their birth dates back to or beyond the beginning of records, the early stages of these sciences are imperfectly written; but the youngest science, anthropology, buys methods and principles from the more exact elders and pays amply in coin of history; for by tracing the careers of later-born or slower-grown folk and cults, anthropologists learn to retrace the lost steps in the careers of ancestral peoples and early cultures. Here lie some of the relations between anthropology and the elder sciences; she receives exact methods tested by millenniums of experience, and gives interpretations of the ideas and motives, the arts and accomplishments, the modes of thought and the stages of progress, of the earliest science-makers. Astronomy and mathematics and chemistry are systems of knowledge produced by men and minds, anthropology is systematic knowledge of these producers; and neither the old sciences nor the new can be rendered complete and stable without the support of the others.

The science of sentient man — of man as a thinking and collective organism — helps to illumine the Dark Ages no less than

the Naissance of Knowledge; and at the same time it sheds new light on the origin of that group of modern sciences of which it is itself the youngest. The early period of intellectual activity in Babylon and Alexandria, Athens and Rome, may be likened to the blossoming of a plant in springtime; it was the summing and outshowing of a mentality shaped during uncounted generations of experience along definite lines, in environments of distinctive sort — and the blossoming was fuller of promise than the ancients dreamed. Then came the ages that were dark because energy was diverted to new lines; for leaders of thought gave way to leaders of action, and these became pioneers in new environments where threads of new experience had to be spun from the lives of generations before they could be woven into the fabric of knowledge. The forefathers of the joint founders of scholasticism and science lived winterless lives in sunny lands, and the early science reveals an elysian tinge; while the ancestry of the makers of modern (or natural) science spent their force in conquering wood-lands and wood-life in cloudy and wet and long-wintered Europe, and their efforts finally yielded a harder and more practical product than that of the earlier and easier time. During the nature-conquest of a millennium and more, the ideals of the elder masters seemed lost in a survival of astrology and alchemy, a survival so well recorded in growing literature as to simulate a revival; yet the sense of the reality of things gained strength by exercise in the ceaseless contact with nature, while the oft-told magic was relegated to beldams and crones rather than reserved for rulers and high-priests as of old. The Renaissance revealed the influence of these centuries of nature-conquest and nation-planting which made the Europe of history; and its dawn showed that the seat of highest intellectual activity had slipped in the darkness from the sensuous shores of the eastern Mediterranean to the remote and rugged lands in which the world's richest blood and ripest culture were blent and peat against northern seas. The closest concentration of human strength was in Britain; the uttermost goal of conquest, the last resting-place of the conquerors of conquerors, where Cæsar might have wept for worlds, like Alexander long before; and here modern science began with Francis Bacon (1561-1626) as expounder. The Britannian Renaissance, coming so long after the Mediterranean Naissance, may be likened to the ripe-fruited of a plant in autumn; for it followed the vernal blossoming after a tedious interval of scarce-seen growth.

With the *Novum Organum* of Bacon, the last vestige of magic and mysticism fell away from the body of real knowledge; for not only was the practicality of centuries summed in the new system, but its author saw more clearly than any predecessor the

relation between the thinker and his thought, between the human mind and the rest of nature—he perceived that “Man . . . does and understands as much as his observations on the order of nature . . . permit him, and neither knows nor is capable of more.” On this and kindred verities he built a foundation for all the sciences, for the unwittingly-wandering elders as well as for those yet unborn, even down to anthropology—though this part of the foundation lay unused for three centuries. Bacon’s influence on contemporary and later thought was steady, albeit slow-felt; for his school was a normal by-product of the making of Europe, and he was the exponent of principles themselves the product of the world’s most significant chapter in human development. True, the next epoch was opened by a son of southern shores and a devotee of the oldest science, when Galileo (1564–1602) saw the sun-centred order of the solar system; yet it was left to English Newton (1642–1727) to shape the epoch and systematize all astronomy by a law of gravitation based on commonplace observation, while the third epoch of modern science came with Linné (1707–1778), like Bacon and Newton a product of the harsh north-land and an exponent of practical experience, who led conscious seeing down from the stars to the plants and animals of daily knowledge. Of all the world’s thinkers Linné would seem second only to Bacon in originality, if that quality be measured by grasp of realities; and while his system was crude, especially in relation to animals, his gift of phytology (or botany) enriched knowledge and opened the way for the rest of the natural sciences. Linné the Swede was soon followed by Hutton the Scot (1726–1797), with a practical science of the rocks long contested by Werner the German (1750–1817), under a theory smacking of Alexandria and Athens; but the sturdy English quarryman, William Smith (1769–1839), successfully supported his northern neighbor until his countryman Lyell (1797–1875) came up to make geology a science. The influence of these sons of woodland and wold extended rapidly and widely, rooting readily in the fertile minds of their kinsmen, while the printing-press spread the stimulus of their work over all Europe and unified the knowledge of the nations.

The next act attested the blending of the ancient and the modern, of Athenian and Anglian, of Aristotelian and Baconian, of the southern and the northern; and the scene was the middle ground of France. There Lavoisier (1743–1794) applied modern practicalness to chemistry, and discovered the indestructibility of matter; Lamarck (1744–1829) sought to amend the Linnean system, yet pushed too far in advance of observation (and his times) for full following; and the brothers Cuvier (1769–1838) so improved on Linné as to give form and substance to zoölogy, and

incidentally to presage anthropology. These movements led up to the distinctively nineteenth century stage, and a renewed pulse of British activity; Joule and others measured the mechanical equivalent of heat and experimentally demonstrated the persistence of motion, and so founded physics; by masterly observation and comparison, Darwin defined the development of species (including man), thus infusing the blood of life into the Linnean system; Huxley and Tyndall simplified all science by establishing the uniformity of nature; and at last American scions of Anglian sires independently discovered through anthropologic observation that the minds of all men of corresponding culture-grade respond similarly to similar stimuli, thereby proving the soundness and completeness of the Baconian foundation of knowledge. The four laws of nature established in western Europe — the Indestructibility of Matter, the Persistence of Motion, the Development of Species, and the Uniformity of Nature — are, in fact, complementary to the law forecast by Bacon and applied in America three centuries later as the Responsivity of Mind; and the five laws are the cardinal principles of science. It is curious that, while Bacon's view of the mind as a faithful reflex of other nature colored and shaped the progress of science through the centuries (for how could Lavoisier, or Joule, or Darwin, or Huxley repose confidence in their observations without resting even greater confidence on the accuracy of the observing mechanism?), the Baconian law lay in the background of thought without conscious expression (despite daily subconscious use) from the dawn of the seventeenth century down to the last quarter of the nineteenth. *How* the law was neglected is the history of modern science read between lines; *why* it was neglected until the science of sentient man arose to rediscover it is a present problem for those anthropologists whose sympathies and interests cover the full field of human knowledge.

Howsoever the three-century eclipse of Bacon's fundamental law be interpreted, the history of science stands out sharp and clear when viewed in the light of anthropology. There were two great movements, the Naissance in the east-Mediterranean region, and the Renaissance, commonly credited to the Mediterranean countries, but really made in the North Sea region; each comprised a long interval of accumulation of experience and a briefer time of formulation of knowledge; in each the formulated knowledge faithfully expressed the habits and characters of leading thinkers of the times; and the modern movement reached the commonplace things of every-day life in such wise as to render science a devoted handmaid rather than a remoter *déesse*, a means of welfare rather than an end of aspiration. The anthropologist

feels that the comprehensiveness of the ancient and the practicalness of the modern unite in his science, which (despite the narrow definitions of earlier decades) is that of mind-controlled man, the dominant power of the visible world, the science-maker as well as the subject of science.

Such are a few of the relations of anthropology to the sister sciences, a few of the ways in which the science of sentient man touches the sum of human knowledge; to catalogue all would be interminable.

### *The Rise of Anthropology*

When the science of man grew up in the North Sea region, it was at first little more than a branch of zoölogy, and its makers busied themselves with features of the human frame corresponding to those of lower animals; comparative anatomy was cultivated with assiduity and profit, anthropometry flourished, and mankind were apportioned into races defined by color of skin, curl of hair, slant of eyes, shape of head, length of limb, and other structural characters — *i. e.*, the methods and principles of zoölogy were projected into the realm of humanity. It was during this stage that homologies between human structures and those of lower animals were established in such wise as to convince attentive students that mankind must be reckoned as the ennobled progeny of lower ancestry; true, the conviction grew slowly against the instinctive antagonism of the investigators themselves and the less effective (though louder) protests of contemporaries, yet the growth was so sure that the question of the ascent of man is no longer a problem in anthropology. Meantime the masters — and here Huxley and Darwin must always rank — gave first thought to normal and typical organisms; their disciples followed the same commendable course, and as other lines of man-study opened they called their work physical anthropology. One of the collateral lines reverted to the abnormal (in which knowledge commonly begins) and recurred toward the Mediterranean (where the influence of Alexandria and Athens still lingers), to mature in criminal anthropology — the science of abnormal man; another line led through prehistoric relics to archeology, and still another stretched out to the habits and customs of primitive peoples, and eventually to comparison of these with the usages and institutions of civilized life. The last of these lines was laid out in Britain largely by Tylor, and was pursued in Germany and other European countries as general anthropology, ethnography, anthropo-geography, etc.

Even before this growth began, a development not unlike that accompanying the making of Europe (save that the progress was more rapid) was under way in America; for the pioneers not only

pushed out into their wilderness like their forbears of generations gone, but faced the novel experiment of life in contact with savage or barbaric tribes. To this new stimulus their vigorous minds responded promptly; the daily experiences were quickly flocked on distaffs of thought, spun into threads of knowledge, and duly woven into a web of practical science — a fabric no less independent in the making than that of Bacon in his day. Notable among the American pioneers was Albert Gallatin (1761–1849), statesman and scientist; he not only perceived, like his fellows, that the color and stature and head-shape of the savages were of trifling consequence in contrast with their actions and motives, but that the index to their real nature was to be found in what they habitually did; and he summed American experience up to his time in a preliminary classification of the native tribes on the basis of language. This advance marked an epoch in science no less important than that of Linné; true, it was not minted at a stroke nor finished without aid from others, yet Gallatin was the coiner, and the rough-stamped system was history's most memorable essay toward the scientific arrangement of mankind by what they *do* rather than what they merely *are*. Later Morgan (1818–1881) extended practical observation to the institutions of the aborigines in such wise as to found inductive sociology;<sup>1</sup> and still later Brinton (1837–1899) made noteworthy advances toward classifying the Amerinds (*i. e.*, the native tribes) by their own crude philosophies, thus forecasting an inductive science now called sophiology. These advances seem simple and easy in the light of present knowledge, and may look small to present backsight, yet in originality of work and boldness of conception they rank with the advances of Linné and Lavoisier; and be it remembered that they were not borrowed in any part, but bought at cost of the sweat and blood of often tragic experience. The unprecedented practicalness of American anthropology is attested by the fact that, while Morgan and Brinton still wrought (in 1879), a governmental bureau was created to continue the classification of the native tribes; and its direction was intrusted to Powell, a master able not merely to occupy but greatly to extend the foundation laid by Gallatin. Under this impetus the new science progressed apace; American students multiplied; observations spread afar; each discovery prepared the way for others, and the new principles opened to scientific view the entire field of the humanities — that field aforesaid claimed on one side by scholastic and statist, and held on the other by devotees of poesy and romance. The growing knowledge bridged the seas, and the Powellian product

<sup>1</sup> The speculative sociology of Auguste Comte (1798–1857) and the semi-speculative system of Herbert Spencer are to be noted merely as standing on somewhat distinct bases.



blent with that of Tylor (both profiting by the experiences of British India), and pushed on to several Continental centres during the last two decades of the nineteenth century.

Toward the close of the old century, what may be called the kinetic and collective characters of humanity were brought out clearly, and the American aborigines (with other peoples as well) were defined by the *activities*, *i. e.*, by what they *do*, and this collectively — for in the realm of humanity no one lives to himself alone, but all are joined in twos and larger groups. Now it cannot be too strongly emphasized that the basis of this definition differs fundamentally and absolutely from that of any other science; for all other entities — stars and planets, molecules and ions, minerals and rocks, plants and animals — are defined by what they *are* (perhaps measurably by the way in which they respond to external forces), while the humans are defined and classed by what they *do* spontaneously and voluntarily as self-moving and self-moved units or groups. Necessarily this view of humanity awakens inquiry as to why the human entity stands in a distinct class among the objects of nature; yet this is hardly a present problem, since the makers of modern anthropology find full answer in that unique nature-power lying behind the kinetic character of unit or group, *viz.*: *mentality*. So in the last analysis the modern definitions of mankind are primarily psychic; and it matters little whether men are classed by what they *do* or by what they *think*, save that doing is humanity's largest heritage from lower ancestry, and hence precedes thinking; the essential point is that the practically scientific classification of mankind must rest on a kinetic basis, *i. e.*, on self-developed and self-regulated conduct.

Of late the activities themselves are grouped as arts, industries, laws, languages, and philosophies, and each group constitutes the object-matter of a sub-science, thus giving form to esthetology, technology, sociology, philology, and sophiology; and these (together called demonomy, or principles of peoples), with somatology and psychology, make up the field of *fin-de-siècle* anthropology — the last two corresponding respectively with the physical anthropology of most European schools and the strictly inductive mind-science of current American schools, while the first two include archeology as their prehistoric aspects. These outlines and partitions of the groups are essential, although in actual interest they lie beneath the full fruitage of the field, as a wire-hung skeleton lies below the sentient body athrob with vitality and athrill with consciousness of power over lower nature. This fruitage is too large and luxuriant for ready listing; it need now be noted only that, in the modern anthropology, sometimes styled the New Ethnology, the peoples of the world are not divided into races (save perhaps in

secondary and doubtful fashion) but grouped in culture-grades, and that these culture-grades are of special use and meaning, in that they correspond with the great stages of human progress from the lowly and unwritten prime to the brightness of humanity's present.

The culture-grades (and progress-stages) may be defined in terms of arts or of industries, of laws, of languages, or of philosophies, and the definitions will coincide so closely as to establish the soundness of the system, though it is customary to define them in terms primarily of law (or social organization) and secondarily of faith or philosophy. So defined, the grades (and stages) are: (1) Savagery, in which the social organization is based on kinship traced in the maternal line, while the beliefs are zoötheistic; (2) Patriarchy, or Barbarism, in which the law is based on real or assumed kinship traced in the paternal line, and in which belief spreads into pantheons including impressive nature-objects as well as beasts; (3) Civilization, in which the laws relate primarily to territorial and other proprietary rights, while the philosophies grow metaphysical and the beliefs spiritual; and (4) Enlightenment, in which the law rests on the right of the individual to life, liberty, and the pursuit of happiness, and in which the philosophy is scientific or rational, while the faiths grow personal and operate as moral forces. The peculiar excellencies of this classification lie in its simplicity, and in the fidelity with which it reflects the unique nature-power lying behind the kinetic character of the human entity, *i. e.*, mentality; for, in the last analysis, the stages but portray and measure the normal growth of knowledge. Thereby the system sets milestones in the path of human progress, in numbers sufficient to outline its trend with satisfactory certainty; and it is especially notable that this trend is from the lower toward the higher with respect to every distinctively human attribute.

So anthropology came up, chiefly on the western hemisphere and under the stimulus of unique and strenuous experiences; and so it has assumed form and substance and spread widely over the world during two decades past. Viewed from its own high plane, the growth of the science presents no puzzling problem; yet, since no mind leaps lightly from classification on a static basis (as in somatology and its parent zoölogy) to classification on a kinetic basis (as in demonomy), the modern aspects of the science are full of problems to some students.

#### *Problems of Classification*

While the essential characters of mankind reside in mind-shaped activities, it remains true that the mental mechanism is planted in

a physical structure derived from lower ancestry by uncounted generations of development; and the problem as to the weight properly assignable to hereditary structural characters in classifying men and peoples remains, in many minds, a burning one. As an academic problem, this may be said to distinguish the new anthropology from the old, and to divide the anthropologists of the day into opposing schools, one chiefly American, the other chiefly European; as a practical problem of applied science, it has already engaged the attention of the world's leading statesmen (most of them approaching it empirically under the law that doing precedes thinking), and, with such help as they have been able to secure from science, they have solved it to their satisfaction, and have declared in numberless constitutional and statutory provisions that red and black, if not yellow men, share with whites the potency (at least) of enlightened citizenship, and should be led and aided and educated toward that goal despite the handicap of heredity. Here the highest statecraft and the most advanced anthropology strike hands; the statesman argues from his own experience that lowly men may be raised up, and hence that it were heartless to strike them down; the scientist but sums more numerous observations when he traces the upward trend of humanity; and both stand firmly on the rock of experiential knowledge. True, practical questions involved in the general problem are constantly arising: Can the Apache at San Carlos best be led toward citizenship by penalties for misdeeds, by rewards for righteousness, or by a combination of the two? Does the hereditary structure of the Negrito of interior Luzon debar him from hope of free citizenship, including that rectitude of conduct and nobility of impulse which free citizenship requires? Can the fellahin of Egypt be lifted from the plane of subjection to despotism to that of intelligent loyalty as royal subjects? Will the educational qualification in Maryland elevate the franchise? These are among the multifarious and ever-rising questions involved in the problem; and while the old anthropology stands aloof, they are receiving yearly solution at the hands of modern science and modern statecraft. Fortunately this present problem of anthropology is no less practical than were those confronting pioneer Puritans and Cavaliers in an earlier century, and like those it must be wrought out through living experience; still more fortunately, the chief factors in the problem are now grasped by students taught in the severe school of the settlers — grasped so firmly that little remains undone save the bringing-up of loiterers who linger in the haze of half-knowledge and hearken idly to bookish echoes of simpler science.

Connected with this problem is another no less burning: Does the mental mechanism of mankind react on physical structure in such wise as to control the development of individuals and types? As an

academic problem this is well-nigh lost in the dust of ill-aimed discussion (relating to the heritability of acquired characters and a dozen other points) which it were indiscreet to stir; yet half an eye can see that, whatsoever pedagogues proclaim, the pupils are building bone and muscle, increasing strength and stature, and manifestly promoting brain-power and prolonging life by judicious regimen. As a practical problem this might be passed over, since the world's leading millions are so well advanced in *doing* that *thinking* may be trusted to follow duly (perchance soon enough to let the masters learn the lessons their pupils live), were it not for the ever-rising ancillary questions as to rate and trend of the progress. Thus, mean length of life, or viability, is increasing, especially among more advanced peoples, who live longer in proportion to their advancement; yet, although Mansfield Merriman computed a few years ago that the median age of Americans has gone up five years since 1850, while the Twelfth Census reports that our mean age of death advanced from 31.1 years to 35.2 years in a decade, it cannot be said that the rate of increase is known; and still less are the factors of increase (saving of infants, improved sanitation, bettered hygiene, shortened hours and intensified stress of labor, enhanced enjoyment of life, and all the rest) susceptible of statement in terms of definite quantity. The various questions of viability (than which no inquiries mean more to living men) are not to be answered through actuaries' tables based on selected classes, valuable and suggestive as these tables are; they must be answered through health offices and census bureaus — and their pressing importance forms one of the strongest arguments in support of permanent census bureaus in this and other countries. Thus, again, human strength is increasing, as suggested by the superior vigor and endurance found among advanced peoples and rising generations, and shown definitely by the constant breaking of athletic records; yet, while it is most significant that record-breaking progresses at an increasingly rapid rate (*i. e.*, more records are broken during each decade than during the last), the rate of increase remains problematic. Similarly, that measure of faculty expressed in coördination of mind and body is increasing, as shown by the ever-growing and never-failing ability of engineers, mechanics, builders, electricians, and other specialists to master and command the strength-trying devices of modern times — locomotive and marine engine, dynamo and steam hammer, range-finder and machine-gun, and all the rest; yet both the rate and the factors of increase in human faculty remain in the realm of the unmeasured. These are but sample questions ancillary to the practical problem as to the reaction of function on structure; they merely suggest ways in which mind born of body in humanity's prime is rising into dominion over fleshly organ and constitution as

well as over subhuman nature — and these ways remain for the future to trace.

A related problem, although minor in itself, has recently risen into prominence through the impetus of importation oversea; it is that of "degeneracy." The observational data for the idea of human retrogression are apparently voluminous (though seen to be mainly of opposite meaning in the light of modern human knowledge) and the notion is by no means new; but the ratiocinative basis of the recent fad is obviously chaotic, *e. g.*, in that an individual is classed as "degenerate" by reason of the inheritance of ancestral characters, or, in other words, because he is no better than his sire or grandsire. True, if normal man is rising to successively higher planes of physical and mental perfection through constructive exercise, as modern anthropology so clearly indicates, the unfortunate who is no better than his ancestry is indeed below his proper place in the scheme of humanity — though not degenerate, but merely unregenerate (in non-ecclesiastical sense). It is also true that maleficent exercise may produce cumulative and apparently aberrant effects, just as does the beneficent exercise normal to mankind, the one yielding Nero and Billy the Kid as the other Shakespeare and Bacon (twin luminaries of intellectual history); but its end is destruction, with the consequent elimination of the criminal, while its middle merely marks lower layers in the constantly ascending stream of humanity. Naturally a theme filling tomes and flooding lighter literature for years is too large for full analysis in a paragraph; it must suffice to note that the "degeneracy" of the day was not unfitly characterized even so early as when aphorism foreran writing, and the proverb beginning "Put a beggar on horseback" gained currency. The great facts are (1) that less vigorous individuals fall short of the mean progress of their fellows in such wise as to get out of harmony with the institutions framed by their leaders, and (2) that less vigorous peoples fall behind contemporary lawmakers in such wise that their institutions are inferior to those of progressive nations; while under the conditions of modern life laggards and leaders commingle so freely that the differences are emphasized and kept in mind. Nor are these differences slight or meaningless; they touch the very fiber of living and being so deeply that primal savages cannot share the thought of those in any higher culture-stage, that barbaric serf and despot are wholly alien to subjects and citizens, and that subjects are out of place among citizens. So every advanced nation has its quota of aliens through foreign or ill-starred birth and defective culture, who can be lifted to the level of its institutions only through a regeneration extending to both body and mind, both work and thought — they are

the mental and moral beggars of the community, who may not be trusted on horseback but only in the rear seat of the wagon. In truth, standards are rising so rapidly that the lower half find it hard to keep up.

In one aspect the problem of the unregenerate is ever pressing, since knowledge is not yet a birthright (save in the promising germ of instinct) among human scions of lower ancestry; but even in this aspect a progressive solution is wrought with ever-increasing success through public education. The most serious side of the problem arises in the immigration or upgrowth of the unfit, who sometimes ferment in the unwholesome leaven of anarchy before education has time for perfect work; and this danger cries out for public action through the blood of both presidential and monarchical martyrs to public duty. The morbid view imported by Nordau and his ilk demands little American notice, however large the problem in Europe; for under the stimulus of that personal freedom which is the essence of enlightenment, normal exercise of mind and body springs spontaneously, while hereditary disease, constitutional taint, idiocy, unhealthy diathesis, and all manner of transmissible abnormalities tend to wear themselves out, as our vital statistics sufficiently show.

These are a few of the present problems of anthropology involved in classifications growing out of the dual nature of mankind — the physical nature inherited from lowly ancestry, and the mental nature (in all its protean aspects) built up through exercise during uncounted generations of functional development. They may seem irrelevant to that earlier anthropology which is content to define mankind by skulls of the dead; but they illustrate the living importance of that modern science which defines mankind by actions and thoughts, movements and motives.

#### *Meaning of Activital Coincidences*

About 1875 archeologists, and after them students of primitive folk still living, became impressed with certain similarities among industrial and symbolic devices of remote regions. One of the widespread devices is the arrow; used commonly with the bow, sometimes with the *atlatl*, or throwing-stick, and again as a dart projected by the hand alone, it has been found on every continent and in nearly every primitive tribe. Another is a quadrate or cruciform symbol; either in the form of a simple cross or in that of the cross with supplementary arms known as the *swastika* or *fylfot*, these symbols are common to Europe, Asia, Africa, both Americas, and numerous islands, though they have not been found in Australasia. At the outset such devices were accepted as links in

a chain of supposititious relationships, and as suggestions of common origin of both devices and devisers; but as observations multiplied, the hypothetic chain broke beneath its own weight, for the few similarities were gainsaid and far outweighed by numberless dissimilarities of a sort manifestly attesting independent development. About 1880 Powell summarized the observed resemblances and differences among devices, and showed that the former are to be regarded as coincidences due to the tendency of the human mind to respond to contact with external nature in a uniform way. A dozen years later Brinton re-summed the growing data and corroborated the Powellian conclusion; and on extending the inquiry to institutions, forms of expression, and types of opinion and belief (in which the coincidences are even more striking than in the material devices), he formulated a theory of "the unity of the human mind," in which he saw a suggestion that the mind was extraneous in origin, *i. e.*, impressed on mankind from without, — a view not unlike that long maintained by Alfred Russell Wallace. With the setting of the old century and the dawn of the new, the ever-multiplying facts were again reviewed, and the earlier generalizations were again sustained, but found to tell less than the whole story; for it was discovered that, while minds of corresponding culture-grade commonly respond similarly to like stimuli, minds of other grades frequently respond differently — as when the savage eviscerates an enemy and devours his heart as food for courage, or the barbarian immolates a widow on the bier of her spouse, or the budding Christian lends himself to the tortures of the Inquisition, each reveling in his own righteousness and reprobating all the rest, though all are alike ghastly and obnoxious to enlightened thought. The new generalization rendered it easy to define the limits within which the responses of different minds to similar impressions may be expected to coincide; thereby it cleared away many of the anomalies and apparent incongruities among the observed facts, thus strengthening the law of activital coincidences as first propounded. The introduction of a limiting term also rendered the law more specific; so that the sum of knowledge concerning the relations between mind and external nature may now be expressed in the proposition: *Minds of corresponding culture-grades commonly respond similarly to like stimuli.* By far the most important effect of the new generalization was the inevitable recognition of a cumulative mind-growth in passing from savagery to barbarism, thence to civilization, and on to enlightenment; for, in the first place, this recognition afforded a key to — indeed, a full explanation of — the sequence of the culture-grades, while, in the second place, it showed forth the course of the world's mental development as

a growth no less natural than that of tree or shrub, originating within, conditioned by external environment, and not derived from any extraneous source. Thus the generalization in 1900 of a quarter-century's observations on mankind brought empirical knowledge to the theoretical plane so masterfully projected by Bacon three centuries before — for he it was who first grasped the great concept that mind is at once product and mirror of other nature.

Is the Baconian foundation for all science sound; is the most sweeping generalization of anthropology safe? This problem — for the two questions are but one — is the most important presented by the science of man, indeed, by all science; for it threads the whole web of human knowledge, touches every human thought, tinctures every human hope, tinges every human motive. True, it is too large for easy apprehension, too round for ready grasp; but it spans the world's intellectual structure from corner-stone to dome, and must sooner or later be wrought out personally (as are all problems in the end) by every rational being.

### *Problems of Distribution*

Anthropology arose in Britain as a branch of biology fertilized by the doctrine of organic evolution; it grew up in a field of thought dominated by a tradition of human descent from a single pair and shaped by the habit of tracing nearer ancestry to the worthier sires in otherwise neglected lineage, and the coincidence of the doctrine of differentiation with revered tradition and honorable regard for honored sires led naturally to an assumption of monogenesis. The assumption spread and pervaded the writings and teachings of anthropologists trained in the biologic school; it still prevails, and is still supported by the argument from biology, though Keane and others have balked at the corollary that wavy-haired White, kinky-haired Black, straight-haired Red, and variable-haired Brown nestled in the same womb and sucked at the same breast. It is needful to note that the assumption, albeit perfectly "natural," is purely gratuitous, and that it is not sustained by a single fact in anthropology as a science of observed and observable actualities: the Blacks are not growing blacker, the Reds are not blushing redder, no new races are arising, no old types are increasing in diversity; Graham Bell's note of warning against the danger of a deaf race advertised a solitary definite suggestion of the formation of a new human type, though even this seems to weaken with the lapse of time; indeed, it cannot be too strongly emphasized that, howsoever besetting and enticing the hypothesis of differentiation or diversification of *Homo sapiens* may be, it is absolutely without direct observational basis.



When practical anthropology arose in America, it was seen by Gallatin and Morgan and other pioneers that languages and social usages tend to spread among contiguous tribes; and as Indian students advanced, it was perceived that the tendency toward activital interchange extended also to arts and industries and myths, and had, indeed, resulted in the development of powerful federations (somewhat miscalled "nations"), such as the Iroquois League and the Dakota Confederacy. Meantime it was observed that the spontaneous interchange of words and weapons, usages and utensils, with contiguous tribes was sooner or later accompanied by intermarriage, so that blood and culture blent at once. Of course this observation merely reflected the unwitting experience of every generation among every people in every land; but, made as it was under the stress of practical problems of polity and peace, it awakened consciousness — and the *law of convergent development* among mankind was grasped. Once realized, the law was found of wide application; it was perceived that black folk are not growing blacker, nor brown men browner, nor red tribesmen redder, because (among other reasons) some interchange of culture and blood begins with first contact and increases with time, until at least some of the leaven of the highest humanity pervades the lump, while the ideals and standards of all progress toward unity; it was perceived that the types of *Homo sapiens* (i. e., the "races" of mankind) are not differentiating, because of that irresistible mimetic impulse which is the mainspring of elevation, especially among the lower and measurably among the higher; it was perceived that culture is fertilized by contact with other culture more effectively than in any other fashion; and it was perceived that when the initial differences are not too great, blood fertilizes blood in such wise that the vigor of a people may be measured by the complexity of their interwoven strains—that Briton yesterday and American to-day led and still lead the world because the blood of each streamed up from a more varied group of vigorous sires than that of any earlier scion. The themes of culture-union and blood-blending are too broad and deep for treatment in a paragraph; yet it must be affirmed, with an emphasis which can hardly be made too strong, that these are the dominant factors of human development, and that this development, so far as actually observed, is always convergent, never divergent.

Now it is a logical corollary of the law of convergent development that mankind were originally more diverse than now, and hence that there must have been several *loci*, or centres, of human origin; and this corollary leads to a theory of polygenesis, which has been much discussed during a decade or two. Some of the polygenesisists, like Keane, are content with four original stocks,

corresponding respectively to the white, black, brown, and yellow "races" of mankind (leaving the red man, or Amerind, to be interpreted perhaps as a migrated branch of the brown stock); others, like Powell, find it easier to think of an indefinitely large number of initial stocks and centres of development from a hypothetic prototype to the "human form divine" — a prototype represented perhaps in a particular place by the famous fossil from Java, the *Pithecanthropos erectus* of Dubois. The alternative hypothesis is that of the monogenesis assumed in the early days of man-science; and the choice — or adjustment — between these opposing views is one of the most prominent among the present problems of anthropology. The great facts are (1) that all known lines of human development are convergent forward, and hence divergent backward, and (2) that all well-known lines of biotic (*i. e.*, subhuman) development are divergent forward; *how* these incongruous lines are to be united across the dark chasm of that unknown time when man became man, remains a question only made larger thus far by each advance of knowledge.

#### *The Problem of Humanization*

To the comparative anatomist the gap between simian structure and human structure was of little note, even before it was divided by the Dubois discovery in Java; for the differences between higher apes and lower men are less than those between either (1) lower and higher apes, or (2) lower and higher men. Yet to the sympathetic student of mankind, these dead homologies are but unsatisfying husks; the great fact remains that even the lowest savage known to experience is human — man — in attitude, mien, habits, and intelligence, while even the highest apes are but bristly beasts. It were bootless to deny or deery the chasm separating the always human biped from the always beastly quadruped, since it is the broadest in the entire realm of nature as seen by those who appreciate humanity in its fullness. *How* the chasm was crossed, either in the one place and time required by monogenesis, or in the many places and times demanded by polygenesis, is a question of such moment as to rank among the great problems of anthropology until (if ever) the solution is wrought. A tentative solution has indeed been suggested in the modified form of mating which must have attended the assumption of the erect attitude;<sup>1</sup> yet final solution awaits the future.

<sup>1</sup> *The Trend of Human Progress, American Anthropologist*, vol. 1, p. 418, 1899.

*The Problem of Human Antiquity*

So long as the assumption of monogenesis prevailed, the question of the antiquity of man loomed large in the minds of students, while even under the hypothesis of polygenesis the date (geological or historical) of advent of the earliest man is of no small interest. So the discussion of human antiquity has grown into dozens of full volumes, hundreds of chapters, and thousands of special papers, not to include the tens of thousands of ill-recorded scientific utterances and literal millions of press items. This vast literature is not easily summed; it must suffice to say that the evidence seems to establish the existence of man in Asia and Europe and northern Africa during later Tertiary times, and thus before the glacial periods of the Pleistocene; but that the earliest Americans lagged behind, coming in probably before all the ice-periods closed, possibly nearer the earlier than the latest. Despite the wealth of literature, there is a woeful dearth of definite knowledge concerning the date or dates of man's appearance in different lands; and herein lies another of the present problems of anthropology.

Such are some of the larger problems of anthropology, that youngest science whose field touches those of all the rest. The smaller problems are legion; those of general sort are at once problems of science and of statecraft, of the daily life and welfare of millions, of greatest good to the greatest number. Fortunately all are such as to be solved by the slow but sure processes of observation and generalization; and it is especially pleasing to see — and to say — that these scientific processes are more steadily and successfully under way now than ever before.

# THE HISTORY OF ANTHROPOLOGY

BY FRANZ BOAS

[**Franz Boas**, Professor of Anthropology, Columbia University, New York. b. Minden, Germany, July 9, 1858. Ph.D. Kiel University, 1881. Member of the National Academy of Sciences; Corresponding Member of Anthropological Societies of Berlin, London, Moscow, Paris, Rome, Stockholm, Vienna, and Washington. **Author of** *The Central Eskimo; Baffin Land; Reports on the Northwestern Tribes of Canada; The Social Organization and Secret Societies of the Kwakiutl Indians; The Eskimo of Baffin Land and Hudson Bay; Kwakiutl Texts; Chinook Texts; Kathlamet Texts; Trimshian Texts; Indianische Sagen von der Nordpazifischen Küste Amerikas*, etc.]

I HAVE been asked to speak on the history of anthropology. The task that has been allotted to me is so vast, and the time at my disposal is so short, that it will be impossible to do justice to the work of the minds that have made anthropology what it is. It would even be futile to characterize the work of the greatest among the contributors to our science. All that I can undertake to do is to discuss the general conditions of scientific thought that have given rise to anthropology.

Viewing my task from this standpoint, you will pardon me if I do not first attempt to define what anthropology ought to be, and with what subjects it ought to deal, but take my cue rather from what it is and how it has developed.

Before I enter into my subject, I will say that the speculative anthropology of the eighteenth and of the early part of the nineteenth century is distinct in its scope and method from the science which is called "anthropology" at the present time, and is not included in our discussion.

At the present time, anthropologists occupy themselves with problems relating to the physical and mental life of mankind as found in varying forms of society, from the earliest times up to the present period, and in all parts of the world. Their researches bear upon the form and functions of the body as well as upon all kinds of manifestations of mental life. Accordingly, the subject-matter of anthropology is partly a branch of biology, partly a branch of the mental sciences. Among the mental phenomena, language, invention, art, religion, social organization, and law have received particular attention. Among anthropologists of our time we find a considerable amount of specialization of the subject-matter of their researches according to the divisions here given.

As in other sciences whose subject-matter is the actual distribution of phenomena and their causal relation, we find in anthropology two distinct methods of research and aims of investigation: the

one, the historical method, which endeavors to reconstruct the actual history of mankind; the other, the generalizing method, which attempts to establish the laws of its development. According to the personal inclination of the investigator, the one or the other method prevails in his researches. A considerable amount of geographical and historical specialization has also taken place among what may be called the "historical school of anthropologists." Some devote their energies to the elucidation of the earliest history of mankind, while others study the inhabitants of remote regions, and still others the survivals of early times that persist in our midst.

The conditions thus outlined are the result of a long development, the beginnings of which during the second half of the eighteenth century may be clearly observed. The interest in the customs and appearance of the inhabitants of distant lands is, of course, much older. The descriptions of Herodotus show, that even among the nations of antiquity, notwithstanding their self-centred civilization, this interest was not lacking. The travelers of the Middle Ages excited the curiosity of their contemporaries by the recital of their experiences. The literature of the Spanish conquest of America is replete with remarks on the customs of the natives of the New World. But there is hardly any indication of the thought that these observations might be made the subject of scientific treatment. They were and remained curiosities. It was only when their relation to our own civilization became the subject of inquiry that the foundations of anthropology were laid. Its germs may be discovered in the early considerations of theologians regarding the relations between Pagan religions and the revelations of Christianity. They were led to the conclusion that the lower forms of culture, more particularly of religion, were due to degeneration, to a falling-away from the revealed truth, of which traces are to be found in primitive beliefs.

During the second half of the eighteenth century we find the fundamental concept of anthropology well formulated by the rationalists who preceded the French Revolution. The deep-seated feeling that political and social inequality was the result of a faulty development of civilization, and that originally all men were born equal, led Rousseau to the naïve assumption of an ideal natural state which we ought to try to regain. These ideas were shared by many, and the relation of the culture of primitive man to our civilization remained the topic of discussion. To this period belong Herder's *Ideen zur Geschichte der Menschheit*, in which, perhaps for the first time, the fundamental thought of the development of the culture of mankind as a whole is clearly expressed.

About this time, Cook made his memorable voyages, and the culture of the tribes of the Pacific Islands became first known to

Europe. His observations and the descriptions of Forster were eagerly taken up by students, and were extensively used in support of their theories. Nevertheless, even the best attempts of this period were essentially speculative and deductive, for the rigid inductive method had hardly begun to be understood in the domain of natural sciences, much less in that of the mental sciences.

While, on the whole, the study of the mental life of mankind had in its beginning a decidedly historical character, and while knowledge of the evolution of civilization was recognized as its ultimate aim, the biological side of anthropology developed in an entirely different manner. It owes its origin to the great zoologists of the eighteenth century; and in conformity with the general systematic tendencies of the times, the main efforts were directed towards a classification of the races of man and to the discovery of valid characteristics by means of which the races could be described as varieties of one species, or as distinct species. The attempts at classification were numerous, but no new point of view was developed.

During the nineteenth century a certain approach between these two directions was made, which may be exemplified by the work of Klemm. The classificatory aspect was combined with the historical one, and the leading discussion related to the discovery of mental differences between the zoölogical varieties or races of men, and to the question of polygenism and monogenism. The passions that were aroused by the practical and ethical aspects of the slavery question did much to concentrate attention on this phase of the anthropological problem.

As stated before, most of the data of anthropology had been collected by travelers whose prime object was geographical discoveries. For this reason the collected material soon demanded the attention of geographers, who viewed it from a new standpoint. To them the relations between man and nature were of prime importance, and their attention was directed less to psychological questions than to those relating to the dependence of the form of culture upon geographical surroundings, and the control of natural conditions gained by man with the advance of civilization.

Thus we find about the middle of the nineteenth century the beginnings of anthropology laid from three distinct points of view: the historical, the classificatory, and the geographical. About this time the historical aspect of the phenomena of nature took hold of the minds of investigators in the whole domain of science. Beginning with biology, and principally through Darwin's powerful influence, it gradually revolutionized the whole method of natural and mental science, and led to a new formulation of their problems. The idea that the phenomena of the present have developed from previous forms with which they are genetically connected, and

which determine them, shook the foundations of the old principles of classification, and knit together groups of facts that hitherto had seemed disconnected. Once clearly enunciated, the historical view of the natural sciences proved irresistible, and the old problems faded away before the new attempts to discover the history of evolution. From the very beginning there has been a strong tendency to combine with the historical aspect a subjective valuation of the various phases of development, the present serving as a standard of comparison. The oft-observed change from simple forms to more complex forms, from uniformity to diversity, was interpreted as a change from the less valuable to the more valuable, and thus the historical view assumed in many cases an ill-concealed teleological tinge. The grand picture of nature in which for the first time the universe appears as a unit of ever-changing form and color, each momentary aspect being determined by the past moment and determining the coming changes, is still obscured by a subjective element, emotional in its sources, which leads us to ascribe the highest value to that which is near and dear to us.

The new historical view also came into conflict with the generalizing method of science. It was imposed upon that older view of nature in which the discovery of general laws was considered the ultimate aim of investigation. According to this view, laws may be exemplified by individual events, which, however, lose their specific interest once the laws are discovered. The actual event possesses no scientific value in itself, but only so far as it leads to the discovery of a general law. This view is, of course, fundamentally opposed to the purely historical view. Here the laws of nature are recognized in each individual event, and the chief interest centres in the event as an incident of the picture of the world. In a way the historic view contains a strong æsthetic element, which finds its satisfaction in the clear conception of the individual event. It is easily intelligible that the combination of these two standpoints led to the subordination of the historical fact under the concept of the law of nature. Indeed, we find all the sciences which took up the historical standpoint for the first time soon engaged in endeavors to discover the laws according to which evolution has taken place. The regularity in the processes of evolution became the centre of attraction even before the processes of evolution had been observed and understood. All sciences were equally guilty of premature theories of evolution based on observed homologies and supposed similarities. The theories had to be revised again and again, as the slow progress of empirical knowledge of the data of evolution proved their fallacy.

Anthropology also felt the quickening impulse of the historic point of view, and its development followed the same lines that

may be observed in the history of the other sciences. The unity of civilization and of primitive culture that had been divined by Herder now shone forth as a certainty. The multiplicity and diversity of curious customs and beliefs appeared as early steps in the evolution of civilization from simple forms of culture. The striking similarity between the customs of remote districts was the proof of the uniform manner in which civilization had developed the world over. The laws according to which this uniform development of culture took place became the new problem which engrossed the attention of anthropologists.

This is the source from which sprang the ambitious system of Herbert Spencer and the ingenious theories of Edward Burnett Tylor. The underlying thought of the numerous attempts to systematize the whole range of social phenomena, or one or the other of its features, — such as religious belief, social organization, forms of marriage, — has been the belief that one definite system can be found according to which all culture has developed; that there is one type of evolution from a primitive form to the highest civilization, which is applicable to the whole of mankind; that, notwithstanding many variations caused by local and historical conditions, the general type of evolution is the same everywhere.

This theory has been discussed most clearly by Tylor, who finds proof for it in the sameness of customs and beliefs the world over. The typical similarity and the occurrence of certain customs in definite combinations are explained by him as due to their belonging to a certain stage in the development of civilization. They do not disappear suddenly, but persist for a time in the form of survivals. These are, therefore, wherever they occur, a proof that a lower stage of culture, of which these customs are characteristic, has been passed through.

Anthropology owes its very existence to the stimulus given by these scholars and to the conclusions reached by them. What had been a chaos of facts appeared now marshaled in orderly array, and the great steps in the slow advance from savagery to civilization were drawn for the first time with a firm hand. We cannot overestimate the influence of the bold generalizations made by these pioneers of modern anthropology. They applied with vigor and unswerving courage the new principles of historical evolution to all the phenomena of civilized life, and in doing so sowed the seeds of the anthropological spirit in the minds of historians and philosophers. Anthropology, which was hardly beginning to be a science, ceased at the same time to lose its character of being a single science, but became a method applicable to all the mental sciences, and indispensable to all of them. We are still in the midst of this development. The sciences first to feel the influence of an-



thropological thought were those of law and religion. But it was not long before ethics, æsthetics, literature, and philosophy in general were led to accept the evolutionary standpoint in the particular form given to it by the early anthropologists.

The generalized view of the evolution of culture in all its different phases, which is the final result of this method, may be subjected to a further analysis regarding the psychic causes which bring about the regular sequence of the stages of culture. Owing to the abstract form of the results, this analysis must be deductive. It cannot be an induction from empirical psychological data. In this fact lies one of the weaknesses of the method which led a number of anthropologists to a somewhat different statement of the problem. I mention here particularly Adolf Bastian and Georg Gerland. Both were impressed by the sameness of the fundamental traits of culture the world over. Bastian saw in their sameness an effect of the sameness of the human mind, and terms these fundamental traits *Elementargedanken*, declining all further consideration of their origin, since an inductive treatment of this problem is impossible. For him the essential problem of anthropology is the discovery of the elementary ideas, and, in further pursuit of the inquiry, their modification under the influence of geographical environment. Gerland's views agree with those of Bastian in the emphasis laid upon the influence of geographical environment on the forms of culture. In place of the mystic elementary idea of Bastian, Gerland assumes that the elements found in many remote parts of the world are a common inheritance from an early stage of cultural development. It will be seen that in both these views the system of evolution plays a secondary part only, and that the main stress is laid on the causes which bring about modifications of the fundamental and identical traits. There is a close connection between this direction of anthropology and the old geographical school. Here the psychic and environmental relations remain amenable to inductive treatment, while, on the other hand, the fundamental hypotheses exclude the origin of the common traits from further investigation.

The subjective valuation which is characteristic of most evolutionary system was from the very beginning part and parcel of evolutionary anthropology. It is but natural that, in the study of the history of culture, our own civilization should become the standard, that the achievements of other times and other races should be measured by our own achievements. In no case is it more difficult to lay aside the *Culturbrille* — to use von den Steinen's apt term — than in viewing our own culture. For this reason the literature of anthropology abounds in attempts to define a number of stages of culture leading from simple forms to the present

civilization, from savagery through barbarism to civilization, or from an assumed pre-savagery through the same stages to enlightenment.

The endeavor to establish a schematic line of evolution naturally led back to new attempts at classification, in which each group bears a genetic relation to the other. Such attempts have been made from both the cultural and the biological point of view.

It is necessary to speak here of one line of anthropological research that we have hitherto disregarded. I mean the linguistic method. The origin of language was one of the much-discussed problems of the nineteenth century, and, owing to its relation to the development of culture, it has a direct anthropological bearing. The intimate ties between language and ethnic psychology were expressed by no one more clearly than by Steinthal, who perceived that the form of thought is molded by the whole social environment of which language is part. Owing to the rapid change of language, the historical treatment of the linguistic problem had developed long before the historic aspect of the natural sciences was understood. The genetic relationship of languages was clearly recognized when the genetic relationship of species was hardly thought of. With the increasing knowledge of languages, they were grouped according to common descent, and, when no further relationship could be proved, a classification according to morphology was attempted. To the linguist, whose whole attention is directed to the study of the expression of thought by language, language is the individuality of a people, and therefore a classification of languages must present itself to him as a classification of peoples. No other manifestation of the mental life of man can be classified so minutely and definitely as language. In none are the genetic relations more clearly established. It is only when no further genetic and morphological relationship can be found, that the linguist is compelled to coördinate languages and can give no further clue regarding their relationship and origin. No wonder, then, that this method was used to classify mankind, although in reality the linguist classified only languages. The result of the classification seems eminently satisfactory on account of its definiteness as compared with the result of biological and cultural classifications.

Meanwhile the methodical resources of biological or somatic anthropology had also developed, and had enabled the investigator to make nicer distinctions between human types than he had been able to make. The landmark in the development of this branch of anthropology has been the introduction of the metric method, which owes its first strong development to Quetelet. A little later we shall have to refer to this subject again. For the present it may suffice to say that a clearer definition of the terms

“type” and “variability” led to the application of the statistical method, by means of which comparatively slight varieties can be distinguished satisfactorily. By the application of this method, it soon became apparent that the races of man could be subdivided into types which were characteristic of definite geographical areas and of the people inhabiting them. The same misinterpretation developed here as was found among the linguists. As they identified language and people, so the anatomists identified somatic type and people, and based their classification of peoples wholly on their somatic characters.

The two principles were soon found to clash. Peoples genetically connected by language, or even the same in language, were found to be diverse in type, and people of the same type proved to be diverse in language. Furthermore, the results of classifications according to cultural groups disagreed with both the linguistic and the somatic classifications. In long and bitter controversies the representatives of these three directions of anthropological research contended for the correctness of their conclusions. This war of opinions was fought out particularly on the ground of the so-called Aryan question, and only gradually did the fact come to be understood that each of these classifications is the reflection of a certain group of facts. The linguistic classification records the historical fates of languages and indirectly of the people speaking these languages; the somatic classification records the blood relationships of groups of people, and thus traces another phase of their history; while the cultural classification records historical events of still another character, the diffusion of culture from one people to another and the absorption of one culture by another. Thus it became clear that the attempted classifications were expressions of historical data bearing upon the unwritten history of races and peoples, and recorded their descent, mixture of blood, changes of language, and development of culture. Attempts at generalized classifications based on these methods can claim validity only for that group of phenomena to which the method applies. An agreement of their results — that is, original association between somatic type, language, and culture — must not be expected. Thus the historical view of anthropology received support from the struggles between these three methods of classification.

We remarked before that the evolutionary method was based essentially on the observation of the sameness of cultural traits the world over. On the one hand, the sameness was assumed as proof of a regular, uniform evolution of culture. On the other hand, it was assumed to represent the elementary idea which arises by necessity in the mind of man and which cannot be analyzed, or as the earliest surviving form of human thought.

The significance of these elementary ideas or universal traits of culture has been brought into prominence by the long-continued controversy between the theory of their independent origin and that of their transmission from one part of the world to another. This struggle began, even before the birth of modern anthropology, with the contest between Grimm's theory of the origin and history of myths and Benfey's proof of transmissions, which was based on his learned investigations into the literary history of tales. It is still in progress. On the one hand, there are investigators who would exclude the consideration of transmission altogether, who believe it to be unlikely, and deem the alleged proof irrelevant, and who ascribe sameness of cultural traits wholly to the psychic unity of mankind and to the uniform reaction of the human mind upon the same stimulus. An extremist in this direction was the late Daniel G. Brinton. On the other hand, Friedrich Ratzel, whose recent loss we lament, inclined decidedly to the opinion that all sameness of cultural traits must be accounted for by transmission, no matter how far distant the regions in which they are found. In comparison with these two views, the third one, which was mentioned before as represented by Gerland, namely, that such cultural traits are vestiges or survivals of the earliest stages of a generalized human culture, has found few supporters.

It is evident that this fundamental question cannot be settled by the continued discussion of general facts, since the various explanations are logically equally probable. It requires actual investigation into the individual history of such customs to discover the causes of their present distribution.

Here is the place to mention the studies in folklore which have excited considerable interest in recent times, and which must be considered a branch of anthropological research. Beginning with records of curious superstitions and customs and of popular tales, folklore has become the science of all the manifestations of popular life. Folklorists occupy themselves primarily with the folklore of Europe, and thus supplement the material collected by anthropologists in foreign lands. The theorists of folklore are also divided into the two camps of the adherents of the psychological theory and those of the historical theory. In England the former holds sway, while on the Continent the historical theory seems to be gaining ground. The identity of the contents of folklore all over Europe seems to be an established fact. To the one party the occurrence of these forms of folklore seems to be due in part to psychic necessity, in part to the survival of earlier customs and beliefs. To the other party, it seems to owe its origin to the spread of ideas over the whole continent, which may, in part, at least, be followed by literary evidence.

However this controversy, both in folklore and in anthropology, may be settled, it is clear that it must lead to detailed historical investigations, by means of which definite problems may be solved, and that it will furthermore lead to psychological researches into the conditions of transmission, adaptation, and invention. Thus this controversy will carry us beyond the limits set by the theory of elementary ideas, and by that of a single system of evolution of civilization.

Another aspect of the theories here discussed deserves special mention. I mean the assumption of a "folk-psychology" (*Völkerpsychologie*) as distinct from individual psychology. "Folk-psychology" deals with those psychic actions which take place in each individual as a social unit; and the psychology of the individual must be interpreted by the data of a social psychology, because each individual can think, feel, and act only as a member of the social group to which he belongs. The growth of language and all ethnic phenomena have thus been treated from the point of view of a social psychology, and special attention has been given to the subconscious influences which sway crowds and masses of people, and to the processes of imitation. I mention Steinthal, Wundt, Baldwin, Tarde, Stoll, among the men who have devoted their energies to these and related problems. Notwithstanding their efforts, and those of a number of sociologists and geographers, the relation of "folk-psychology" to individual psychology has not been elucidated satisfactorily.

We will now turn to a consideration of the recent history of somatology. The historical point of view wrought deep changes also in this branch of anthropology. In place of classification, the evolution of human types became the main object of investigation. The two questions of man's place in nature and of the evolution of human races and types came to the front. The morphological and embryological methods which had been developed by biologists were applied to the human species, and the new endeavors were directed to the discovery of the predecessor of man, to his position in the animal series, and to evidences regarding the direction in which the species develops. I need mention only Huxley and Wiedersheim to characterize the trend of these researches.

In one respect, however, the study of the human species differs from that of the animal series. I stated before, that the slight differences between types which are important to the anthropologist had led to the substitution of the metric or quantitative description for the verbal or qualitative method. The study of the effects of natural selection, of environment, of heredity, as applied to man, made the elaboration of these methods a necessity. Our interest in slight differences is so much greater in man than in animals or

plants, that here the needs of quantitative precision were first felt. We owe it to Francis Galton that the methods of the quantitative study of the varieties of man have been developed, and that the study has been extended from the field of anatomy over that of physiology and experimental psychology. His researches were extended and systematized by Karl Pearson, in whose hands the question, which was originally one of the precise treatment of the biological problem of anthropology, has outgrown its original limits, and has become a general biological method for the study of the characteristics and of the development of varieties.

We may now summarize the fundamental problems which give to anthropology its present character. In the biological branch we have the problem of the morphological evolution of man and that of the development of varieties. Inseparable from these questions is also that of correlation between somatic and mental characters, which has a practical as well as a theoretical interest. In psychological anthropology the important questions are the discovery of a system of the evolution of culture, the study of the modifications of simple general traits under the influence of different geographical and social conditions, the question of transmission and spontaneous origin, and that of "folk-psychology" *versus* individual psychology. It will, of course, be understood that this enumeration is not exhaustive, but includes only some of the most important points of view that occupy the minds of investigators.

The work of those students who are engaged in gathering the material from which this history of mankind is to be built up is deeply influenced by these problems. It would be vain to attempt to give even the briefest review of what has been achieved by the modest collector of facts, how his efforts have covered the remotest parts of the world, how he has tried to uncover and interpret the remains left by the races of the past.

I think we may say, without injustice, that his work is directed principally to the explanation of special problems that derive their chief interest from a personal love for the particular question and from an ardent desire to see its obscurity removed and to present its picture in clear outlines. Nevertheless, the well-trained and truly scientific observer will always be aware of the general relations of his special problem, and will be influenced in his treatment of the special question by the general theoretical discussions of his times. It must be said with regret that the number of anthropological observers who have a sufficient understanding of the problems of the day is small. Still their number has increased considerably during the last twenty years, and consequently a constant improvement in the reliability and thoroughness of the available observations may be noticed.

One or two aspects of the research work of the field anthropologist must be mentioned. The studies in prehistoric archeology have been given a lasting impulse by the discussions relating to the evolution of mankind and of human culture. Two great problems have occupied the attention of archeologists,—the origin and first appearance of the human race, and the historical sequence of races and of types of culture. To the archeologist the determination of the chronological order is an important one. The determination of the geological period in which man appeared, the chronological relation of the earliest types of man to their later successors, the sequence of types of culture as determined by the artifacts of each period, and approximate determinations of the absolute time to which these remains belong, are the fundamental problems with which archeology is concerned. The results obtained have the most immediate bearing upon the general question of the evolution of culture, since the ideal aim of archeology practically coincides with this general problem, the solution of which would be contained in a knowledge of the chronological development of culture. Of course, in many cases the chronological question cannot be answered, and then the archeological observations simply rank with ethnological observations of primitive people.

The field-work of ethnologists has been influenced in several directions by the theoretical discussions of anthropologists. We do not need to dwell on the fact that the scope of ethnological research has become more extensive and exhaustive by taking into consideration more thoroughly than before the whole range of cultural phenomena. More interesting than this is the stimulus that has been given to historic and psychological observation. On the one hand, the theory of transmission has induced investigators to trace the distribution and history of customs and beliefs with care, so as to ascertain empirically whether they are spontaneous creations, or whether they are borrowed and adapted. On the other hand, the psychic conditions that accompany various types of culture have received more careful attention.

These detailed archeological and ethnological studies have retroacted upon the theories of anthropology. The grand system of the evolution of culture, that is valid for all humanity, is losing much of its plausibility. In place of a simple line of evolution there appears a multiplicity of converging and diverging lines which it is difficult to bring under one system. Instead of uniformity, the striking feature seems to be diversity. On the other hand, certain general psychic facts seem to become discernible, which promise to connect "folk-psychology" with individual psychology. The trend of this development is familiar to us in the history of other sciences, such as geology and biology. The brilliant theories in which the

whole range of problems of a science appears simple and easily explicable have always preceded the periods of steady empirical work which makes necessary a complete revision of the original theories, and leads through a period of uncertainty to a more strictly inductive attack of the ultimate problems. So it is with anthropology. Later than the older sciences, it has outgrown the systematizing period, and is just now entering upon the empirical revision of its theories.

Our sketch of the history of the prevailing tendencies in anthropology would be incomplete without a few remarks on the men who have made it what it is. What has been said before shows clearly that there is hardly a science that is as varied in its methods as anthropology. Its problems have been approached by biologists, linguists, geographers, psychologists, historians, and philosophers. Up to ten years ago we had no trained anthropologists, but students drifted into anthropological research from all the sciences that I have mentioned here, and perhaps from others. With many it was the interest aroused by a special problem, not theoretical considerations, that decided their course. Others were attracted by a general interest in the evolution of mankind. The best among them were gradually permeated by the fundamental spirit of anthropological research, which consists in the appreciation of the necessity of studying all forms of human culture, because the variety of its forms alone can throw light upon the history of its development, past and future, and which deigns even the poorest tribe, the degraded criminal, and the physical degenerate, worthy of attentive study, because the expressions of his mental life, no less than his physical appearance, may throw light upon the history of mankind.

Even now the multifarious origin of anthropology is reflected in the multiplicity of its methods. The historian or the political economist who comes in contact with anthropological problems cannot follow the methods of the biologist and of the linguist. Neither can the anthropologist of our period fill the demands for information of all those who may need anthropological data. It might almost seem that the versatility required of him will set a limit to his usefulness as a thorough scientist. However, the solution of this difficulty is not far off. We have seen that a great portion of the domain of anthropology has developed through the application of the new historical point of view to the mental sciences. To those who occupy themselves with this group of problems, anthropological knowledge will be indispensable. Though the anthropological point of view may thus pervade the treatment of an older branch of science, and help to develop new standpoints, the assistance that anthropology renders it does not destroy the independence of the older science, which in a long history has developed its own aims and methods.



Conscious of the invigorating influence of our point of view and of the grandeur of a single all-compassing science of man, enthusiastic anthropologists may proclaim the mastery of anthropology over older sciences that have achieved where we are still struggling with methods, that have built up noble structures where chaos reigns with us, the trend of development points in another direction, in the continuance of each science by itself, assisted where may be by anthropological methods. The practical demands of anthropology also demand a definition and restriction of its field of work rather than constant expansion.


The historical development of the work of anthropologists seems to single out clearly a domain of knowledge that heretofore has not been treated by any other science. It is the biological history of mankind in all its varieties; linguistics applied to people without written languages; the ethnology of people without historic records, and prehistoric archeology. It is true that these limits are constantly being overstepped, but the unbiased observer will recognize that, in all other fields, special knowledge is required which cannot be supplied by general anthropology. The *general* problem of the evolution of mankind is being taken up now by the investigator of primitive tribes, now by the student of the history of civilization. We may still recognize in it the ultimate aim of anthropology in the wider sense of the term, but we must understand that it will be reached by coöperation between all the mental sciences and the efforts of the anthropologist.

The field of research that has been left for anthropology in the narrower sense of the term is, even as it is, almost too wide, and there are indications of its breaking up. The biological, linguistic, and ethnologic-archeological methods are so distinct, that on the whole the same man will not be equally proficient in all of them. The time is rapidly drawing near when the biological branch of anthropology will be finally separated from the rest, and become a part of biology. This seems necessary, since all the problems relating to the effect of geographical and social environment and those relating to heredity are primarily of a biological character. Problems may be set by the general anthropologist. They will be solved by the biologist. Almost equally cogent are the reasons that urge on to a separation of the purely linguistic work from the ethnological work. I think the time is not far distant when anthropology pure and simple will deal with the customs and beliefs of the less civilized people only, and when linguistics and biology will continue and develop the work that we are doing now because no one else cares for it. Nevertheless, we must always demand that the anthropologist who carries on field-research must be familiar with the principles of these three methods, since all of them are needed for the

investigation of his problems. No less must we demand that he have a firm grasp of the general results of the anthropological method as applied by various sciences. It alone will give his work that historic perspective which constitutes its higher scientific value.

A last word as to the value that the anthropological method is assuming in the general system of our culture and education. I do not wish to refer to its practical value to those who have to deal with foreign races or with national questions. Of greater educational importance is its power to make us understand the roots from which our civilization has sprung, to impress us with the relative value of all forms of culture, and thus serve as a check to an exaggerated valuation of the standpoint of our own period, which we are only too liable to consider the ultimate goal of human evolution, thus depriving ourselves of the benefits to be gained from the teachings of other cultures, and hindering an objective criticism of our own work.

SECTION A -- SOMATOLOGY



## SECTION A — SOMATOLOGY

---

(Hall 16, September 23, 3 p. m.)

CHAIRMAN: DR. E. C. SPITZKA, New York City.

SPEAKERS: PROFESSOR L. MANOUVRIER, School of Anthropology, Paris.

DR. GEORGE A. DORSEY, Field Columbian Museum, Chicago.

SECRETARY: DR. EDWARD ANTHONY SPITZKA, New York City.

---

### THE INDIVIDUALITY OF ANTHROPOLOGY

BY LÉONCE MANOUVRIER

(Translated from the French by Edward Anthony Spitzka, M. D.)

[Léonce Manouvrier, Director of the High School, Paris; Professor at the School of Anthropology; Director of Laboratory, Collège de France. b. Guéret, Creuse, France, 1850. M.D. Paris, 1881. Instructor in Anthropologic Laboratory of the High School, 1880; Assistant Director, *ibid.* 1899; Subdirector of the Physiologic Station at the Collège de France, 1900; Assistant Professor at the School of Anthropology, 1885; Professor, *ibid.*, 1887. Member of Biologic Society; International Institute of Sociology; Anthropologic Institute of London; Anthropologic Societies of Florence, Rome, Vienna, Berlin, Brussels, St. Petersburg, and Stockholm; Institute of Coimbra; Medico-Surgical Society of Bologna; General Secretary of the Anthropologic Society of Paris; President of the Physiologic Society (1904), etc., etc. Author and editor of about one hundred and thirty dissertations (in society or scientific reviews) on various scientific subjects.]

My regret at not being able to express myself in English would be more keenly felt by me had I foreseen the present circumstances, under which such great honor is conferred upon me. The belief that this great honor is bestowed, above all else, upon the anthropological institutions of my own country makes me none the less appreciative and grateful. The creation of these institutions represents one of those "hard beginnings," as you in America like to call them; one of those difficult beginnings which also signalized the origin of a great purpose, — the individualization of anthropology as a distinct science.

With the anthropological achievements of all countries of intellectual culture as a foundation, this great object was accomplished, little by little, in the space of half a century. Anthropology everywhere, under the influence of its own growth and of worthy practical examples mutually exchanged among the universities of the world, tends to acquire a special and definite individuality. Of these excellent examples, America has furnished to Europe a large proportion. Although there is promise of much progress in England, Germany, and other Continental countries, it would not be surprising very

soon to find the most satisfactory form of organization of anthropological science established in America.

For, after all, is it not here that the most favorable conditions exist for a rearrangement in accordance with the needs of the younger sciences? On the other hand, in those countries where so many scientific institutions, more or less old, struggle with each other, so to speak, for space and means, there prevail ideas which, if carried out even only in part, would seem chimerical. Prudent thinkers abstain from these by a sort of instinctive self-restraint, or else keep to themselves such daring notions whose very expression would hardly be tolerated in certain mediocre universities. Thus it is that every new science secures its proper place only after a certain period of time, — be it of longer or shorter duration, — which, in its history, constitutes a stage that may be termed its "hard times."

The fact that anthropology, during forty or fifty years, in France, passed through such a period, marks the momentous innovation involved in the rise of this science.

Anthropology has existed everywhere, not only for the past fifty years, but throughout the centuries as well. Human anatomy and physiology had been assigned to physicians under the title of medical sciences; ethnology was discussed by historians and philologists. A professor in the Jardin des Plantes, Paris, holding the chair of Mammalogy, could have assumed the anthropological title without being subjected to hostile criticism. Besides, a long time before, Kant had designated a part of his teaching at Königsberg by the term "anthropology," and several other writers had made use of the name, attributing to it a significance far more comprehensive than is ever implied at the present time.

In truth, the history of anthropology were not complete without reverting to the first positive notions concerning man. Nowhere are the aims and objects of anthropology more eloquently expressed than in those two words: *γνώθι σεαυτόν*. They express but a simple wish, yet it is a wish which reflects great honor upon the Greek philosopher, for it implies the recognition of that one requirement to which our anthropology should correspond in order that it may be precisely what it should be.

Thus it is that the study of man, necessarily approached from many sides and various points of view by physicians, naturalists, and philosophers, should be found broken up in such a way that even the progress of the various divisions seems to have become an obstacle to the formation of the integrality of its conception.

If a congress similar to this one at St. Louis had been organized fifty years ago, it is very doubtful whether among its 128 sections there had been a single one devoted to anthropology.

The science of mankind would doubtless have been distributed among several sections, in several departments. Ethnology, perhaps, would have obtained a distinct place in such a congress, and might possibly have tolerated some contributions in ethnic craniography from Morton or Retzius. A Huxley or a Boucher de Perthes might have had a hearing in some more or less anthropological section of philosophy, but surely not under the title of "Official Speakers."

How changed do we find the position of anthropology a decade later, still under an ethnological guise, but nevertheless permitting the introduction, with the study of the races, of the human species considered as a whole as well as in all its subdivisions, not even excluding the study of the individual. Moreover, this new plan of anthropological study could not thereafter be limited or distorted to suit the peculiar ideas of this or that author. The formation of autonomous and liberally conducted anthropological societies afforded an ample guarantee in this regard, and secured for the science of mankind that measure of extensibility which it should logically be permitted to enjoy.

And, after all, in a centre accessible to questions of all kinds relating to the knowledge of human beings, the comparison of such questions, it is self-evident, is favorable to the understanding of their mutual relations. In a pioneer society of anthropology this condition must, as with the other branches, expand beyond the original simple conceptions of anthropological science which its founders themselves had had. That is why the date of the foundation of this pioneer society should, in the history of the sciences, mark the actual beginning of the individualization of anthropology. I say the beginning because the process which I will endeavor to outline required time. Moreover, it is significant that these logical needs engaged a place suitable to their action, but they do not operate without friction of thought and of individuals ensuing. This is involved even in the very mechanism of progress, and one has grown familiar with the conflicts which thus result.

The creation of anthropological societies was a preliminary step, and relatively easy to take. Private institutions, dependent upon their own resources, are not to be considered with other institutions or with secular traditions.

Not even for the research laboratories or for the departments of instruction was the work absorbing enough, and therefore unlikely to become a profession. Hence it was an innovation which could not establish and maintain itself without passing through "hard times." Space and money were unavailable, and in the beginning already the needs seemed destined to increase. Mean-

while the newborn child-science just come into a family already of large number, the new individuality which had announced its presence by taking a seat at the "Banquet of Life," became the object of most gloomy reflections. Was there any need for a new science? At least, was it legitimate? The philosophers expressed their doubts and declared its demise highly probable — if not altogether desirable.

Controversies of this kind, at the time in which they arose, were extremely dangerous, because rebuttal could not then be made immediately.

But anthropology none the less continues effectively to manifest its individuality. The very fact that it could not find place in the university curricula only enhanced its importance and its novelty. Its affirmation alone signified widespread interest well worthy of the efforts put forth in its behalf. It is but just to put this fact in line with the anthropological work accomplished in France, and that — at least, so it seems to me — is why I so often hear foreign scientists give expression to their astonishment on seeing Broca's three institutions still piled up in the garret of this edifice. Their commiseration is free from the scorn felt in the contemplation of a cellar. But is it not with the cellar that a beginning must be made? Were this cellar without its superstructure, it would merely be a cave unfit for habitation.

To the unthinking let it be said that when they see anthropology comfortably established in its proper place in the curriculum of the new universities, or even when they see the older universities enhance the opportunities and means for the culture and spread of anthropological science, they ought not to forget that this progress had, somewhere upon this globe, a very humble beginning.

If I again lay stress upon the "hard times" of anthropology, it is to characterize better the phase which these represented in the evolution of the study of man, and better to show that this phase of "individualization" ought to continue in the broadest manner possible.

In its beginning in France, anthropology could not develop into complete form at one fell stroke. Had it not been for the moral support which arose in its favor, it could not have succeeded in maintaining itself on a parallel with the brilliant progress accomplished in the same field in foreign lands. A score of anthropological societies now exist, and there is not a large university which does not possess a laboratory for anthropological anatomy, albeit included in one of those anatomical institutes where human anatomy exclusively is fostered. All that is directly related to the study of man in such institutes belongs to the domain of anthropology, and if it appears otherwise it is due to the incompleteness of



the individualization of the science of man. It is a remnant of the very natural adherence of a pure science to the art from which it was in large part originally derived, and which, in its turn, owes to the former its principal progress. Withal, the pure science ought therefore to become as completely emancipated as we find anatomy to be, by way of example, in Oxford. As seen from the point of view of its medical and surgical applications, pure anthropology does not cease to be at all distinct from human anatomy. The applied science gains quite as much as the pure science, for that part of human anatomy which the physicians freely abandon to the anthropologists now is sure to be of great interest to the medicine of the future. But the other arts will share in this interest, and that is another reason why it will not forever remain restricted to the medical art, a necessarily restricted field.

In some universities, with reference to the teaching of the science, anthropology begins to find the special place of which it stood in need in the laboratories and chairs of anatomy. And while it is an important step, and the first great step, it is only a first step in advance.

To explain further, anatomy must necessarily and constantly introduce a considerable portion of physiology, just as the study of the bodily functions and their variations requires the anatomical point of view. As a direct study of function, physiology is therefore distinct from anatomy in that the development of physiological study, particularly of man, soon solicits for human physiology the same favor that has been accorded to human anatomy at Oxford. A twin establishment of this kind could well be called an anthropological institute. Nevertheless, it would still be incomplete, for physiology, in its turn, calls for the complementary science, psychology, and the latter pervades sociology. All these form a continuous chain, which of necessity is further complicated by the consideration of aberrant and abnormal cases, so numerous in the human species, and which are not solely of interest in the medico-chirurgical sense.

I cannot here discuss at length the questions concerning university arrangements which the individualization of anthropology would involve. I have said enough to show that it has only been begun and that its continuation will require much effort in its behalf for some time to come. The initial phase to which I refer stands in great need of amplification in a number of countries and under better conditions before its continuance is assured. Every advance, in anatomical anthropology, for example, will do more than help to perfect its own division; progressive developments of this kind would give evidence of the relations of that division with others not yet provided, and would also contribute to the

widening of the primitive conception of the anthropological domain. Each university, to begin with, establishes a single chair of anthropology, and its insufficiency immediately becomes apparent. The domain of anthropology is not only a vast one; it is so replete with varieties. In the teaching of anthropology by the incumbents of widely scattered chairs in European universities, it is also seen that the very diverse forms gain prominence in accordance with the special expert abilities of each professor.

When Broca opened his school with six chairs in 1876, this number soon appeared to be inadequate, and the creation of two additional chairs hardly sufficed to supply deficiencies which, from year to year, became more and more evident. Here, then, was something to appall the richest university in the world, were it an absolute necessity that an anthropological institute be put in possession of an organization fulfilling all the needs of the science. However, such is not quite the case. What is urgently needful is that ample space be reserved about the newly established institution for future development and expansion.

As the situation now presents itself, these needs are already great and very difficult to meet in the older Europe. Adaptations of a simple kind, and perhaps less costly than a newly created organization, however provisional they may be, would give considerable satisfaction. Especially should we avoid being deceived by the idea that the old universities or academies are, as a rule, unamenable to adaptation with the view of achieving the individualization of anthropology. The many difficulties to be overcome demand initiative and sustained effort. Initiative and effort can be aroused only by a clear idea of what is to be attained and of what importance it is. It is just such a clear idea and its more widespread appreciation which must be relied upon to remove the many obstacles as they arise or to foresee them as clearly as possible before they do arise.

How may such a clear idea be gained? Evidently by a study of the situation of anthropology among the sciences, and principally among the neighboring sciences of which it may at times seem to be but a superfluous duplicate. It stands to reason that if the reality corresponds to appearances, the individualization of anthropology would not be rightly understood; anthropology supplies a deficiency which it alone is capable of supplying. Hence the conception of its individuality appears, conjointly with the creation of sociology, as a most important event in the history of the sciences, and for that reason exerts an incalculable influence upon humanity's future.

This, gentlemen, is not a question to be submitted to personal judgment alone. It is a question of scientific philosophy in which

we may look for a rigid demonstration. The arrangement of the sciences and their mutual relations are logical results determined by the relations of things among themselves and with our reason. It is precisely on this account that the Congress of St. Louis claims a special and highly philosophic interest. In this Congress the sciences are rightly considered in the same manner as the facts pertaining to each are dealt with in their turn. The Congress is, practically, a convention of the natural history of the sciences.

Just as each science deals with the classification of the phenomena of matter and forces, so the philosophy of the sciences deals with the classification of sciences. Just as there are properties of matter and force, the recognition of which notably favors the introductory study of all phenomena or of all substance embraced in a known series, can we not also conceive of a series of the sciences possessing all of these general properties and containing a place reserved in some sort of way for anthropology?

As it is, the logical conclusion is the more clear that such series are but two in number, comprising all our knowledge of the universe, and that anthropology does not enter the same series more than the various sciences from which it is separable with difficulty. Moreover, these two series form a division so natural and well-grounded that, even in our day, and as it has ever since the beginning of the formation of sciences, it operates without constraint.

The double aspect under which nature is presented to our investigation determines this mode of classification. If we consider the natural phenomena by themselves, we obtain a knowledge of the general laws concerning the relations of phenomena among themselves. The various sciences, thus arranged, form a series of general sciences. This series, a natural arrangement which reviews philosophical history, represents (as Auguste Comte has shown) the sum total of our knowledge, in compact form, as seen from the purely ontological side. Such learning regulates the knowledge of beings, but does not suffice to constitute that knowledge.

In fact, we find that the phenomena of various kinds associate and combine themselves, in a manifold way, in beings of all kinds. In other words, there is much for us to know, for these complex forces act upon us, and, conversely, we are obliged to react toward them. So the knowledge of the simplest being requires the combination of many general sciences and a study suited to the particular nature of that being or object. That is why the series of general sciences required the recognition of our knowledge of beings in a complementary series, none the less indispensable than the former in the control of our reactions toward the environment.

In evidence thereof it may suffice to present a list of the arts,

together with these two series of sciences, each being placed in juxtaposition with those sciences which have specially contributed to their progress. This tabulation I published fifteen years ago,<sup>1</sup> but circumstances have not yet permitted me to develop the theme as fully as I had intended. It were superfluous, at this juncture, to point out, in justification of the existence of anthropology, its position among the other sciences, or the incapability of any other science to replace it.

KNOWLEDGE		ACTION
<i>of phenomena:</i> <i>General Sciences</i>	<i>of objects:</i> <i>Special Sciences</i>	<i>Arts</i>
Mathematics	Astronomy	Exact arts of engineers, builders;
Physics	Meteorology	Railroad construction;
Chemistry	Mineralogy	Navigation, etc.
Biology	Geography and Geology	Manufactures, metallurgy, etc.
Sociology	Botany	Agriculture.
	Zoölogy and subdivisions	Zoötechnics
		Anthropotechnics(ology)
		Medicine } Human
		Hygiene }
		Morals
		Education
		Law
		Politics

According to the order of decreasing generality and increasing complexity.

A. COMTE.

Just as sociology, at the head of the series of the general sciences, has assumed the study of the social phenomena, so anthropology, at the head of the special sciences, has all the more logically assumed the study of human beings. The importance of this fact is sufficiently indicated by the simple enumeration of the arts that are of especial benefit to mankind. Among these arts I only cite those which have for their chief aim the guidance and instruction of men, and which I have grouped under the name of anthropotechnology, in order to show their analogy with those included under the name of zoötechnology from the viewpoint of their relations with science.

<sup>1</sup> Classification naturelle des sciences; Position, programme et divisions de l'Anthropologie, Association française pour l'avancement des sciences, Congrès de Paris, 1889.

In our list of sciences, anthropology occupies but a modest place, since it only represents a subdivision of zoölogy. But the animal here dealt with is man — and the arts to be developed in this connection are those which deal with the actions, aims, welfare, and progress of the human race.

The table here presented requires little further development to show that the alleged “failure” of science in moral matters is only an indication of the comparative delay in the progress of the sciences capable of defining morals—as compared with the sciences which flourished the better because less complex.

The control of mankind never belonged to science, and, unfortunately, our race is not likely to become enlightened enough in this respect in the very near future.

As soon as conditions favorable to such enlightenment arise, a narrow conception of anthropology must be guarded against, for, I repeat, no other science deals with the special knowledge of human beings, and any misconception would impede or seriously cripple its individualization.

The individuality of anthropology is sufficiently defined by what I shall say concerning the two series of sciences; one dealing with the knowledge of various kinds of phenomena and the laws which govern them, while the other deals with the special knowledge of each being viewed in all its complexity.

What we call human somatology is nothing more than the study of the anatomical and physiological characters of the human species as compared with related species and of individual human beings compared among themselves. Human anatomy and physiology are essentially parts of anthropology in that they have for their aim the special knowledge of human beings. They are inseparable from each other, since they regard the human body and its functions not only from the purely phenomological viewpoint of the general sciences, but also from the viewpoint of the special knowledge of human beings.

This distinction, based upon the difference in the points of view, clearly does not invalidate the results acquired by studies of this kind belonging to anthropology, inasmuch as these augment the special science of man. Hence many anatomists and physiologists often make use of anthropology without knowing it, just as many researches principally taken up with an anthropological purpose can and do contribute to the progress of anatomy and physiology considered as general sciences. It may even be said that such researches, while ostensibly appearing as new problems in the field of the general sciences, always contribute to anthropology. Because of the special importance which is attached to the smallest details of the human structure and its physiology, as for example

the hardly discernible differences which give rise to innumerable varied physiognomies, and also because of the enormous multiplication of different morphological and physiological series of human characters which almost constitute a new category of phenomena, the special study of man presents a singular interest for biology.

The relationship between human somatology and anatomy combined with physiology — in one word, biology — ought therefore, it seems to me, to be free from all obscurity.

The relationships between anatomy and psychology as well as with sociology are quite analogous, if not quite similar. Perhaps the only difference lies in the fact that, while biology might be slightly reduced if deprived of its phenomena, these phenomena would enrich psychology, and sociological phenomena are, for the greater part, exclusively human.

Psychology and sociology are fully within the bounds of the science of man. As with human anatomy and physiology, they are equally affiliated with anthropology in so far as they greatly share in the special knowledge of human beings. Strictly speaking, human psychology and sociology are distinguished from anthropology in so far as they deal with the human soul and with human society from the point of view of investigations of the ontological laws. To anthropology belong only those psychological and sociological facts which may be considered as elements of the special knowledge of human beings. In this relation, as with all others, the anthropologist makes a study of characters; that is to say, of differences which are interpreted in the light of the general sciences.

Although there are no societies other than human societies, there is still, in the study of social phenomena analyzed according to sociological laws, material that is separable from anthropology. Human societies, in fact, possess an organization and functions which permit of their being considered as veritable super-biological organisms endowed with a life and evolution distinguishable from the life and evolution of the elements which compose them. They are none the less human productions. The interdependence which exists among them and the individuals of which they are formed is intimate enough so that the differences in time and space which they present constitute veritable anthropological characters.

Let it be understood that these distinctions in no way imply a belief in a corresponding partition in nature. There is no need to make numerous divisions, but rather to create order in our methods of investigation and in our knowledge. The two categories of the sciences arise from the logical necessity of taking two different points of view, or, if you will, the study of nature in two directions in order to obtain knowledge according to our needs. Human

sociology completes our knowledge of man without being included in anthropology, for it is differentiated in so far as it is a phenomenological study; that is to say, in so far as it is an investigation of the laws governing a particular kind of phenomena.

This completes my statement with reference to the place occupied by sociology in its relations with anthropology in my memoir of 1889 cited above.

Despite the impossibility of introducing here any detailed development, it is seen that the relations of anthropology with the neighboring sciences no longer present any difficulties if we take for our basis of argument the general classification of the sciences and the logical necessity which has given place to the division of the two sciences in two series whose relations remain constant from first to last.

So we find the individuality of anthropology guarded from straying out of the path of progress. This I will show further in my concluding words.

Anthropology concerns itself purely with anatomical, physiological, psychological, and sociological differences. When we consider the human species as a whole, or the races, sexes, or any categories whatsoever, or finally the individual, the special study of human beings always consists in a differentiation from various points of view determined by the different kinds of phenomena which these beings present. That is to say, from the quadruple anatomo-physiopsychosociological point of view. Such is the individuality of anthropology.

Hence we now see why the conception of this individuality is of such extreme importance. Here again I base my demonstration upon the facts which have determined the formation of the two categories of sciences; for all the special sciences are the result of an individualization similar to that which anthropology ought to possess.

The characters presented by all kinds of beings are not isolated from each other. There are interconnections, interacting influences and correlations whose study is indispensable in the acquisition of knowledge worthy of the name and helpful to our purpose.

Minerals, for example, present characters of geometrical, mechanical, physical, and chemical kinds. But neither geometry, mechanics, chemistry, nor physics can replace mineralogy; first, because each of these sciences has purpose totally different from the knowledge of minerals, and interests itself in it only so far as it may profit thereby; secondly, because each of these general sciences does not regard, and is not capable of regarding, a mineral from any other than one point of view; thirdly, because the various kinds

of characters are combined in the mineral in certain ways which determine the specific properties of that mineral.

To obtain a suitable knowledge of such a mineral therefore requires a special and concrete study adapted to the complex nature of the object to be investigated. The mineralogist applies his geometrical, mechanical, and physio-chemical knowledge, together with the perception of relations and position. In order to acquire knowledge concerning such a mineral adapted to its particular and complex nature, to learn its special characteristics as compared with other minerals, and to understand its uses as well as employ it usefully, this combination of the concrete sciences is absolutely necessary.

It were distressing to imagine a mineralogy whose individualization were as incomplete as it yet is in the case of anthropology. Were such the case, we might find mineralogists relinquishing the study of crystalline forms to the geometricians, or, in order not to infringe upon the rights of the chemist, to avoid the study of the chemical composition of minerals, and so on.

I do not believe that such freakish doings will ever occur in mineralogy. We cannot be as sanguine in anthropology, especially if the intimate relations which exist between somatological characters and the mental makeup are misunderstood or overlooked. An incompletely individualized anthropology would no more deserve the name of science than would a mineralogy devoted merely to the consideration of mineralogical characters. A human category or a human being represents a complexus of several kinds of phenomena, and this complexus must be differentiated from analogous though not similar complexuses. Furthermore, not only must these differences be noted, they must also be explained. Without such interpretation there may exist museums or even chairs of anthropology, but not an anthropology; not that anthropology which answers to the mandate *γνώθι σεαυτόν*, and from which, together with sociology, the anthropotechnical arts await the light of which they stand so greatly in need. Without this scientific light the intense efforts of societies against moral progress would amount to a futile and perhaps dangerous movement. At the basis of every social question, anthropological problems will be found, but we know how valueless the immature responses of an incompletely organized anthropology are.

In short, it is the anatomical point of view which is neglected or limited to the consideration of characters which are of no importance physiologically; it is the psychological point of view, or even the sociological one, as if there were not the most intimate relations between the physical conformation and the intellectual or moral characters, or even as if the latter bore no relations to



social or other environmental conditions under which mankind developed.

When we consider the sexes, the races, the social castes, the criminals, or other classes of mankind, this alliance between the somatological, mental, and social viewpoints ought never to be forgotten. All this is comprised in the nature of things, and it must also be comprised in scientific study.

Through its practical organization in various and more or less perfect ways, anthropology could realize that individualization which is its desideratum. The theoretical realization of this individuality on the part of all anthropologists is of the first importance, and dominates the question of its organization and the arrangement of its subject-matter.

## THE PROBLEMS OF SOMATOLOGY

BY GEORGE AMOS DORSEY

[George Amos Dorsey, Curator of Anthropology; Field Columbian Museum, Chicago, since 1898; and Professor of Comparative Anatomy, Northwestern University Dental School, since 1898. b. Hebron, Ohio, February 6, 1868. Graduate, Denison University, 1888; Harvard University, 1890; Ph.D. *ibid.* 1894. Assistant and Instructor in Anthropology, Harvard University, 1894-96; traveled and conducted anthropological investigations in South America for World's Columbian Exposition, 1891-92. Member of the Boston Society of Natural History; American Folk-Lore Society; and various scientific and learned societies. Author of numerous papers relating to anthropology and anatomy.]

WITHIN a radius of a mile of the meeting-hall of this Congress are representatives of perhaps half the types of mankind. Indeed, it has been the aim of this Exposition that it should be an exposition, above all else, of mankind, and the study of mankind constitutes the subject-matter of anthropology. We may survey the collective exhibit here assembled of man and his works, from one of three viewpoints: First, we may note that certain types differ from us in color, character of hair, perhaps in the proportions of the limbs; indeed, their whole physiognomy seems to be built on a plan different from ours. This, then, is the point of view of bodily structure, or of somatology. Secondly, the majority of the types of mankind here represented speak a tongue foreign to our ears. This is the point of view of language, or of linguistics. In the third place, these types have a method of thinking, acting, and doing different from ours. They wear strange garments, use strange tools, live in strange habitations, in fact, their whole material life is different from ours. This is the point of view of culture, or of ethnology. These, then, are the great subdivisions of the study of mankind, or anthropology: somatology, linguistics, ethnology.

It should be noted that the boundaries of these three divisions of anthropology, with their aims, methods, and results, are not necessarily the same. Thus, continuing our survey of the types here represented, we may observe that while certain groups of individuals speak the same language, they are not of the same physical type; and again, we may observe that, though certain groups of these peoples are practically in the same state of culture, they differ widely, both in physical type and in language. In other words, although the study of mankind may be approached from three distinct points of view, the aims, methods, and results of any one will be generally distinct from those of the other two. Hence, should we attempt to classify the people here represented, which for present purposes may be regarded as representative of mankind,

our classification would differ, accordingly as it followed one or another of these three methods. This fact does not necessarily mean that our classification according to the one or the other is not right. That this contradiction is inevitable is at once apparent when it is remembered that the laws governing the preservation of somatic types are not the same as those which govern the preservation of languages or cultures, and furthermore that language and culture are not transmitted, nor is their development uniform. When we classify according to language, we may make fine distinctions and note historic changes, but not the same classes of facts in the early history of man are thereby discovered. The combination, then, of the three methods of somatology, linguistics, and ethnology all make up the general study of mankind, and all must contribute their share to the solution of the great problem of anthropology, which has for its ultimate purpose the comprehensive study of mankind and his history. In this great problem the determination of the different types, languages, and cultures of men in different parts of the world, and the explanation, if such be possible, of the reason for the occurrence of these different types, languages, and cultures, are of fundamental importance.

It is my purpose to discuss those problems of the history of mankind that relate to the physical structure of man, or somatology. But before passing to the direct consideration of the problems of somatology, I cannot forego the opportunity to call attention to a fact which is so strikingly brought out in this great Exposition, and which is being even more satisfactorily proved as this year draws to a close, — the fact that no longer may we speak in derogatory tones of the so-called "lower races," implying thereby that they are less removed from the animal kingdom, and are deficient in certain faculties which, until recently, it has been assumed were the exclusive property of the white race. For this advance we are especially indebted to the researches of Boas, who, in a logical and convincing manner, has pointed out that faculty is not dependent upon race. Thus, as Boas has shown, color and character of the hair seem to distinguish the Africans from most other races; yet in America we find a dark skin and lips and nose which much suggest those of the continent of Africa. Then, it must be noted, that differences which at first seemed great, on examination are found to lose their effectiveness when correlation of growth is taken into consideration; for when this is done, the proportions of the body as found among the various races show differences comparatively insignificant. In fact, as has been shown by Ranke, many of the proportions of the so-called "lower races" are more characteristically human than those of the whites. In this connection it should also be noted that not descent alone, but the mode of life determines the proportions.

We therefore find differences in peoples of the same race, which are comparable to those which distinguish wild from domestic animals. Anthropometric measurements made among college students have also shown that measurements which are affected by the condition of the muscles, change in accordance with the development of the muscles during practice. Hence differences of this character brought out during childhood and continued into adult life may result in differences of structure, and these differences are so functional that they do not belong to race; nor may they be interpreted as placing one race lower than another, for they are cultural.

Many anatomical peculiarities which have been spoken of as theromorphisms may be due either to heredity or to malnutrition. Such is the *os incae* characteristic of certain regions of Peru and of the southwest; the *torus palatinus* characteristic of the Laps; the small nasals accompanied with synostosis, with the maxilla and the prenasal fossa, and the more important variations of the arteries and the muscles. Certain other anatomical peculiarities, such as the peculiar disposition of the frontal, parietal, and temporal bones so as to form the figure H seems to be due to malnutrition, while a platynimic condition of the tibia has been shown by my distinguished colleague to be functional rather than racial. We may take finally a single other anatomical feature, that of facial prognathism, often spoken of as characteristic of the so-called "lower races." It must be admitted that the forward projection of the maxilla of the Negro is more nearly typical of the apes than are the maxilla of the Europeans. At the same time it must be noted that this condition may be considered among the Europeans as an arrest of development, and hence indicative of a higher development; but the broad and flat nose among the Negroes, a condition found in white children and variable in adult whites, may also be regarded as an arrest of development; but in this case the arrest of development may not be interpreted as indicative of a higher development. Hence it may be stated that the arrest or superior development of a feature simply expresses a direction of development. It seems that, as mankind has developed along the same general lines, certain peculiarities have remained stationary in some races, and thus may be said to show an arrest of development, while in others some feature has been strongly developed. Thus as characteristic of the Australian may be noted the great development of the frontal sinuses; of the Negroes, facial prognathism; and of the whites, the high and the narrow nose. It may be concluded, therefore, that no one race is anatomically more ape-like than any other, or more highly developed. Hence we are not justified in speaking of those races as lowest which differ most widely from ours. More than once the Negro of Africa has proven himself the equal, if not the superior, of the white man, anatomically,

while the exhibits of the Japanese in this Exposition and their success in the field of arms during the year have marked them truly the equal of any whites now living. Surely it is time that the white race recognized the fact that anatomically it is not superior to the other races; that its seeming superiority is due to a fortunate series of circumstances extending over thousands of years, and that equally favorable circumstances are likely to arise in the future which will make it possible for a race other than the white to assume a dominating position.

Upon the grounds of this Exposition are representatives of many peoples of Asia, of Africa, of Europe, of many of the Islands of the Pacific, and of America, from the Eskimo of the northern extremes to the Patagonians of the south. How are these people related by blood? What relationship does the Eskimo sustain to the Patagonian? Why is the color of the skin of the Negro black, and why does it remain black? Why is it that any one tolerably conversant with the peoples of the earth may distinguish at a glance a native American from a native of any other people in the world? These are some of the problems of somatology, and the great fundamental problem of somatology is the determination and definition of different types of man in different countries, and, if it be possible, the explanations of the causes of these different types. The problem, then, is largely one of classification, the object of classification being to establish types of the varieties of mankind. As has already been said, this classification is not based on language; nor is it based on ethnology, but it is based on the blood relationship of the different types. The great advantage secured by this somatological classification will be along the direction of the reconstruction of the history of the origin and mixture of human types, and even possibly the establishment of certain types which will be found to have remained permanent during a very long period of time. Again the problem may be defined as an investigation into human characteristics which will enable us to determine, first, the types of mankind in every part of the world, and, second, to group these types into races. We may first consider the classifications of the races of mankind which have been presented up to the present time; secondly, the methods or criteria which are applicable to and form the basis of the determination of types and the classification of races.

In the brief historical review I am about to make of the various schemes of classification which have been proposed for mankind, it may be stated at the outset that certain problems which formerly engaged the serious attention of somatologists may now be assumed as settled, or of such nature as to warrant postponement of their solution pending the accumulation of further data. That man

forms a single genus, and a single species, is, I believe, no longer questioned. Hence modern classification recognizes varieties or races of a single species. This very fact has constantly been a source of difficulty; for man has never separated so far as to form true species according to the physiological definition. On the other hand, the other members of the animal kingdom have not only differentiated into species and thus have often remained isolated, but have further broken up and formed new species. The races of mankind have always been, so far as known, fertile, and new varieties have been formed, not only by the segmentations of one of the old stocks, but by combinations of those already established. There has always been present, therefore, in classifying mankind, the difficulty of drawing boundaries which would be universally acceptable. Another point which may be assumed as settled is the fact of man's enormous antiquity. This is held to imply that in his very earliest history he rapidly spread over the earth, where, in the various great geographic provinces racial differences slowly developed, and in groups especially isolated peculiarities were developed along special lines or in special directions. Nor is there any longer question of the main great facts of man's ancestry; for with the advances in somatology, comparative anatomy, embryology, and paleontology, man's place has become fixed with the belief in the fundamental unity of all organic nature.

Although Tyson in the seventeenth century anticipated much which was not until long afterward discovered, concerning the comparative anatomy of man and apes, it remained for Linnæus, who has been called the father of the descriptive natural sciences, to propose the first scientific scheme of classification of mankind into races, the basis of his classification being geographic. He distinguished the American, the European, the Asiatic, and the African. In this connection it is interesting to observe that, although the extent of somatological observations was at that time very limited, Linnæus recognized apparently the fact that geographical position, that is, continuity of place, should never be lost sight of in classification. It is also to be noted that in this classification, as indeed with many classifications which follow, the basis was according to the general appearance, including color of the skin, form, and color of the hair and eyes. Closely following Linnæus was the classification of Blumenbach, who did for man what Buffon and Linnæus did for the animal and plant world, in which the basis still remained geographical. The races according to Blumenbach were the Caucasian, Mongolian, Ethiopian, American, and the Malayan. While Blumenbach's classification is based upon somatological peculiarities as well as upon a geographic basis, it has the great merit of having stood the test of time better than any other of the earlier schemes of classi-

fication. As has been pointed out by Ehrenreich, the five great races which he recognized actually existed. Nor did he divide races which belonged together. It may be noted, however, in passing, that the anthropological position of certain blacks in India and of the peoples of Australia, which have sorely puzzled somatologists, were not known to the science at that time. Above all, it must be noted that Blumenbach's system was based on scientific observations in which the form of the face entered for the first time.

Following Blumenbach's classification was that of Cuvier, who recognized but three great races, namely, the Caucasian, European, and the Mongolian, the basis of classification being the color of the skin. In this classification Cuvier readjusted the races so as to include within the Mongolian the Malayan and American, which two were thought to be inferior by Blumenbach.

In considering the later history of the schemes of classification it is not necessary to follow a chronological order; nor is it advantageous at this time to consider, even briefly, all of the schemes proposed. As a matter of fact, classifications which follow were modifications either of that of Linnæus, Blumenbach, or Cuvier, each modified by the peculiar point of view taken by the observer. One of the earliest and the most important of the later students was the Swedish somatologist Ratzius, who in 1840 proposed for the first time the cephalic index, and who classified mankind according to their heads as long or short. With this, the beginning of craniometry, many somatologists came forward from time to time, each, by some new scheme of measurements, proposing to solve what heretofore had seemed incapable of solution. With the contribution of Kemper, Lucæ, Broca, Welcker, von Torök, Sergi, and von Holder, each adding a new and often important addition to metric methods, the solution of the problems of classification seemed more and more near. In the mean time skulls and heads were measured by the countless thousands, but none of the methods proposed stood the test, for it was found that craniology, instead of solving problems, complicated them. As a result craniology fell into ill repute; and it was right that it should, for the determination of types and races of mankind is not to be done with only the calipers.

Without considering further the history of classification, it may be stated as a fact that probably no three classifications which might be proposed by the ten most prominent anthropologists living to-day would be found to coincide. The reason for this is perhaps due in large measure to the fact that neither the basis of the classification which the ten might thus propose would agree, nor would their criteria of what constitute a race be identical. It may therefore be profitable to consider for a moment this aspect of the

question. Terms which are indicative of divisions according to linguistic or ethnic bases are too often confounded or confused with those which relate to the somatological side of the subject. Thus, the terms tribe, stock, nation, are in reality based on continuity of language. With such terms somatology is not concerned. When a number of individuals, each with his own individual variation, differ sufficiently from their neighbors that they may be distinguished by means of well-marked and easily recognized peculiarities, we may speak of them as a type. When we find a group of such types all having something in common and all occupying a geographic continuity of habitat and all having a similarity of anatomic traits which mark them from all other groups of mankind, we may speak of such a group as a race. We may therefore define races as the principal divisions of mankind, and types the varieties of these main divisions.

Such being our definition of race, we have certainly at least five races, the Caucasian, including peoples of the north of Africa, the African, the Mongolian, the American, and the Oceanic. Probably to be added to these should be the Australian, and possibly the Papuan. In considering in a general way the characteristics which indicate this classification of mankind into six races, we are at once brought face to face with the idea expressed by Topinard, who says that people alone are real, types and races are conceptions. In other words, Topinard denies the objective existence of races, and maintains that the term is an abstract definition. Thus he would define the type as an abstract picture, from which we form the ensemble of characters expressed in a group, or, again, the type of a group is the ensemble of characters which are attributed to a type and which distinguish it from other types. Topinard further insists that continuation in time constitutes one of the chief characteristics of the race. Actual types exist at the moment when they are determined, and to prove the reality, that is, the objective existence of a race, it is necessary to determine both the type, based on a wide complexity of marks, and the proof of the continuation in time of the descent or relationship in blood.

Enough has been said to indicate the character of the requirements which shall determine our classification of mankind into races.

We return to a more definite consideration of our main theme. The great problem of somatology has already been defined. It remains to consider the details of the problem, noting the methods applicable in the solution of them.

What are the races of mankind? What are the types, the composite pictures which represent in the abstract the picture of these combined types? Above all, what are the causes which make types and races? It would seem that two great factors have been at



work in determining the trend of man's development since his appearance on earth. First is heredity, which, according to Brinton, decides the individual's race and trend and potentially inclines, if it does not absolutely coerce his tastes and ambitions, his fears and hopes, his failure or success. Second, geographic environment, which works by modifying individuals, and hence types and races. The potentiality of either of these two factors is not yet known, and these are two of the great problems of which a solution will be of utmost importance not only in determining the classification of the races of mankind, but in helping to solve that much more interesting problem of the explanation of races. For the solution of both the problem of heredity and of environment, new and more extended observations are required, these observations to be made with the direct purpose of investigating the subjects at issue. Are we to look to external conditions or to the transmission of individual peculiarities as the predominating factor which is to determine the division of mankind into varieties? The problems of the origin of man, formerly so much debated, apparently will solve themselves when we have determined the solution of the problem as to the reason for the existence of races. Certain of the problems of somatology may also be said to have a bearing upon the future of mankind. Thus we may not lose sight of the fact that man is exterminating not only lower animals, but that he is to-day exterminating certain of the lower races, and it is certainly worth considering what the effect on mankind will be of the exterminating going on to-day at such a great rate among the Javanese, the Papuans, the Maori, the Marquesans, the Australians, the Hawaiians, and many, if not the majority, of the native tribes of India, Australia, North, Central, and South America. "If," as Hall has said, "an ounce of heredity is worth a hundredweight of civilization or schooling," is it making for progress of mankind that this extermination is going on so rapidly? Is it a problem for the somatologist to consider what would have been the result for the future of mankind if the powers in 1840 could have agreed upon terms and have divided up Japan? Is it a problem, or is it simply a fact, which we cannot change if we would, that the highest representatives of our boasted civilization to-day are actually not reproducing their own numbers; that the progress of the white race is making for its own overthrow and final extermination? It is easy to propound similar questions of grave import, touching upon the future of mankind, especially upon the future of certain races, but it seems doubtful at best if a solution of such problems will result in actual benefit. The great problem of the future of our commonwealth seems to depend largely upon the solution of certain fundamental questions of somatology, such as the effect of the mis-

cegenation of races, the future of the black race on this continent, and above all the problem of the possibility of the acclimatization of the white race in the tropics. Such problems, apparently belonging to the realm of somatology, must rather be considered by the statesman, who, indeed, may with profit apply for data to the somatologist. The pure problems of somatology are racial: the determination of the physical classification of the races of mankind, their origin, development, and explanation. Other problems which are to have great influence upon the future of the race have to deal with the causes of heredity and environment which may make for a higher physical type, and indeed in this problem enters the question as to what constitutes the highest physical type, whether it be stature, size of the brain, perfect adaptability to an upright gait, color of skin, range of vision, acuteness of hearing, or sensitiveness of taste and smell.

What is the material available and applicable for the solution of some of the problems which have been proposed, and what of the methods which will best record, and especially contribute toward the ultimate end of the solution of the problems of somatology? The study of the races of the earth has been most extended, but nevertheless has not been exhaustive. While anatomic observations and somatological data for many peoples in North and South America and for great portions of Europe, and certain islands of the Pacific, are available, yet even such observations, when we consider the magnitude of the problems involved, fall far short of the requirement. Observations of the internal anatomy of the races of mankind are so scant as to be up to the present time almost worthless in forming any extended deductions. Measurements of skulls and skeletons have been made by the thousand, and upon representatives of practically every type on the globe; but it is only recently that the value and especially the correct method of making such observations have been determined, and it therefore becomes necessary not only to remake many of these measurements, but to extend the work in a more systematic and far-reaching manner. Of the causes and extent of influence of the two great factors already alluded to, namely, heredity and geographic environment, but little progress has yet been made, although recent investigations of Galton and Pearson have opened up new paths in the study of heredity which are bound to throw much light upon the problems which demand investigation. Again, observations relating to the investigation of the laws of the admixture of races are still very scant, and the observations which have so far been made are so few in number and of such a desultory character and cover such a brief period of time as to be only of value as indicating in a general way what we may hope to learn

from a more carefully conducted series of observations. In another field from which great light may be expected, — namely, the investigations into the laws of growth, much has been done, especially by Boas and his collaborators, relating to the laws which determine the rate of growth of children, yet the problems of far-reaching importance are almost entirely without means of solution. The need for observations on this subject is most important and pressing, and in such observations should be included full data relating to mortality, nutrition, and occupation.

What, finally, we have to ask, are the criteria, or rather the methods applicable for the solution of the fundamental problem of somatology? As already indicated, general appearance, such as form, color, etc., sufficed for the first classification of mankind. Later these general observations were supplemented by studies on the skeleton, especially the skull. The ease with which the skeleton could be studied and the fact that our knowledge of extinct races was based entirely upon the skeleton led to the great development of the application of the metric method, and embraced within what is usually termed craniology. The ease with which such methods were pursued, and the infallibility, as was first supposed, of the results of such investigations had a tendency to increase enormously the number of measurements taken, and this led to an almost total disregard of systems other than the skeleton in the study of the anatomy of man. So eagerly was the metric method pursued that it may be said fairly to have gone to seed, and the result was such that no less eminent somatologist than Ehrenreich questioned whether the methods of craniology were worthy of serious attention. Nevertheless it is true that craniology has proved, and will prove to a larger extent, when used properly and intelligently, of the very greatest assistance in defining types, although apparently it is destined not to play an important part in the classification of those larger groups of mankind which we call races. It must be admitted also that up to the present time the metric method has discovered no criteria which will enable us to distinguish individuals of one race or type from those of another. Hence the claim has been put forth that the characteristic features of types were not stable; that they were influenced to such an extent by both geographic and social environment that the results derived from craniology were not trustworthy. As a matter of fact, it is not the fault of the method, but rather the lack of a sufficient amount of observation which, up to the present time, has made it impossible for us to give an accurate and exhaustive description of the somatological characters of groups of individuals from one locality which will enable us to identify them without difficulty. Metrical data, the observations

being recorded properly and with due deference to the laws of the correlation of growth, will make possible a graphic representation of the distribution of forms in certain groups which, hence, may be characterized, and thus the subject may assist in a most material manner a classification of types. In connection with the use of this method, however, it must again be insisted that before it will yield the greatest good, and especially before we may draw conclusions which may not be controverted, it is necessary to solve the problem as to whether muscular and social development modifies individuals or whether their physical structure is due primarily to heredity. While, as already pointed out, it seems highly probable that social or geographical environment may and does influence muscular development, which in turn exerts a certain influence on the skeleton, yet never great changes of form result. On the other hand it has been shown by Galton and Pearson that heredity is the chief factor in accounting for the physical characteristics of the individual. Only upon such a supposition, as Boas has pointed out, may we account for the types found in the northwestern area of the United States, where we find a similarity of geographic and social environment, but diverse and easily recognizable physical types. Nor can we account for the distribution of types in Europe except upon the belief that heredity has been the chief factor. The data afforded by metrical observations must therefore be regarded as supplementary to a verbal discussion which at best is often vague. Furthermore, the measurements used should be such as to contribute to the solution of the problem at hand. This use of measurements to supplement verbal descriptions by defining more sharply certain peculiarities will prove of the greatest value, but the measurements should be selected with this end in view. In other words, the methods pursued in metrical investigations should have a biological significance. It is to be noted also that the averages have not an equal value with that of tables wherein measurements are so arranged as to show frequency of forms in the group or groups under consideration. With such a view we are able to see at a glance the distribution of forms, and thus determine the variability of the group. From this knowledge we may arrive at an idea of what constitutes the prevailing type, thus furnishing an idea of the degree of the homogeneity and permanence of the type. Observations thus made have additional value, for they contribute toward the solution of certain problems, such as the tendency of distinct types to persist, even though they have been crossed. Further analysis of the distribution of measurements will afford the means of comparing the types of adjacent geographic areas, and help to determine the blood relationship of these types, and hence ultimately

the blood relationship and consequent origin of races, and finally of mankind itself. This extension of the metric method, however, implies and emphasizes the need of a much more extended observation, the lack of which delays our knowledge of the distribution of types among the great races; and hence we return once more to the fact that to ascertain the distribution of the types and races of mankind is the fundamental problem, embracing in its scope all problems of somatology; and this problem requires immediate and earnest attention and widely extended investigation.



**SECTION B — ARCHEOLOGY**





## SECTION B — ARCHEOLOGY

---

(Hall 16, September 24, 10 a. m.)

CHAIRMAN: PROFESSOR MARSHALL H. SAVILLE, Columbia University.

SPEAKERS: SEÑOR ALFREDO CHAVERO, Supervisor of the National Museum, Mexico.

PROFESSOR EDOUARD SELER, University of Berlin.

SECRETARY: PROFESSOR WILLIAM C. MILLS, Ohio State University.

---

### ARCHEOLOGY AND ITS RELATIONS TO OTHER BRANCHES OF SCIENCE

BY ALFREDO CHAVERO

[Alfredo Chavero, Attorney, Member of Congress, Treasurer of Congress, Comptroller of the National Bank, Member of the Permanent Arbitration Court at The Hague, Supervisor of the National Museum, Mexico City, Mexico. b. City of Mexico, February 1, 1841. Formerly Professor of Administrative Law in School of Commerce; Member of the Commission that formed the Commercial Code; Director of School of Commerce; Director of the College of Peace; Governor of Federal District, 1871; Sub-secretary to the Minister of Foreign Affairs, 1877; President of Congress at various times; Perpetual secretary of Geographic Society; and Director of National Museum, 1903; Member of Geographical Society of Mexico; Mexican Academy; Academy of Legislation and Jurisprudence; American Antiquarian Society; American Anthropological Association; Association of Archeologic Art of Barcelona, etc. Author of *Historia Antigua de Mexico*; *Pinturas Jeroglificas*; *Apuntes viejos de bibliografia Mexicana*; *Los dioses astronomicos de los antiguos mexicanos*; and various other works and papers on the history and archeology of Mexico.]

THE Organizing Committee of the International Congress of Arts and Science appointed me to deliver an address on archeology in its relation to the other sciences. The honor conferred on me was so great, that I could not but accept. I intend therefore to speak on this interesting subject, laying special stress on Mexican archeology.

Archeology is generally considered as a science of curiosity, and bringing no practical results. The common belief is that it only arises from the wish common to every people of knowing its past. Each people would know whence it has come, just as man strives to learn who his forefathers were. In spite, however, of this belief, every day sees a greater increase in archeological studies; and the nations of the world to-day — especially those which enjoy a more advanced state of civilization — undertake nothing which is not useful, and which does not produce practical benefits. And we may ask ourselves, what can these be in archeology? The answer will be found in the study of its relation to the other sciences and arts.

No one can possibly deny the priceless services bestowed on history by archeology. Primitive man had no other means of recording his history than oral tradition. With the advance of time this latter necessarily underwent a process of adulteration; and legend then took its place, at first quite comprehensible, but later on confused and unintelligible. Even the nations who were able to form a system of writing, and left us a record of their acts, whether in documents or in sculptural inscriptions, as they disappeared, took with them the key to their history, leaving behind in the memory of man but faint recollection of their former glory. The study of their documents, heretofore incomprehensible, and of their inscriptions, the fruit of endless toil, came to supply what was lacking in their vague traditions: and in certain cases, such as Egypt, to produce a true history. Archeological investigations often succeeded in elucidating legends, leaving in their place historic facts. The excavations in Crete are teaching us the Hellenic origins; while the exploration that is being carried on at Abydos, Troy, Babylon, Nineveh, and other famous places in the East, are now shedding the first beams of light on the darkness of those past ages. And so, thanks to archeology, humanity's real life is being deciphered. Archeology should take its place in the front rank of the most advantageous sciences, solely through this priceless service, which satisfies man's zeal in his search after the knowledge of his past, so that he should not feel that he had been born into the world without antecedents, like the tree which springs up all alone on the immense plain, or like the stone torn from the mountain side as it rolls down in its solitary flight.

No more fitting expression could be found for this all-important object of archeology, than the words of M. Babelon, when speaking on the monuments of Suse. "A new chapter in the history of humanity," he has said, "has been opened and is about to be written, as a consequence of the archeological discoveries in Persia." And to this I add that archeology will eventually write every chapter of that great book, the Bible, of the history of man all over the world.

So far as Mexico is concerned, the benefits derived from archeology have been most advantageous. It affords me great pleasure at this point, to express publicly our debt of gratitude to those great scholars of different nationalities, who have by their studies enriched our history, names like Putnam, Holmes, and Payne; the Count of Charencey, Seler, and Förstemann; Cyrus Thomas, Mrs. Nuttall, and Miss Fletcher; Maudsley, McGee, and Goodman; and a countless host of others which it would take too long to enumerate.

The ancient Mexicans and the other peoples, especially the former, who prior to the conquest occupied the territory of Mexico as it is

to-day, had more abundant sources for the formation of their history than did many of the nations of the Old World. Dating from the very first years of colonial administration, we have several monks who devoted themselves to writing it, such as Motolinia, Sahagun, and Duran. Their method of work, as Acosta and Sahagun tell us, was to gather around them all the Indians who had any particular knowledge of the subject. These latter related to them the facts as they had been verbally handed down from generation to generation; as the custom was in the sacred colleges called *calmecac*, to form the history, making the pupils commit it to memory, so that these should in their turn hand it on to the succeeding generation.

Thus was it possible to write the history of the Aztecs in its exactness of detail, beginning with their pilgrimage, until the arrival of Cortes. Not only the first monks, but native writers as well, such as Tezozomoc, Chimalpain, and Castillo (this latter wrote in Mexican and must be regarded as an Indian), were the authors of important chronicles. In some cases they were lineal descendants of the kings themselves or of high personages, and so had at their disposal the family traditions and what remained of the hieroglyphical archives. The works, therefore, which they produced are of a most important nature, such as those that Pomar and Ixtlilxochitl wrote on the Kingdom of Texcoco, and Muñoz Camargo on the Republic of Tlaxcala.

In local reports, such as those written by order of Philip II, and which towards the end of the sixteenth century constitute a detailed statistical work of New Spain, not possessed in those days by the most enlightened nations of Europe, and in the chronicles of the convents of different towns, historical facts of great importance, gathered together by tradition, lay scattered. These facts, collected by Burgoa for the Zapotecas, La Rea for the Michoacas, Pérez Rivas for the Northern Provinces, Remesal for Chiapas, and others, furnish us with valuable historical data.

And yet, in spite of so many elements, our ancient history would have been incomplete, had not archeology come to its aid.

To begin with, the study of the hieroglyphical codices, as they were deciphered step by step, has taught us much. The Band containing the Aztec pilgrimage has now settled the number and names of the wandering peoples, when and why they seceded, the course of their journey, the settlement and defeat of the Mexicas at Chapultepec and how they were later driven from Culhuacan: while the map of this same pilgrimage, recently recovered by the Museum, one of our oldest and most authenticated hieroglyphical paintings, has fixed with great exactness the facts which preceded the foundation of the City of Mexico, Tenochtitlan, even in its minutest detail.

The maps of Xolotzin, Tlotzin, and Quinatzin complete the history of the Texcocans, being of a most interesting character, inasmuch as they graphically describe the troglodyte life of the Chichimecs. In the Dehesa Codex we have presented to us the journey and conquests of the Zapotecans, while the Porfirio Diaz furnishes us with their campaigns against the Cuicatecans. And there are yet many other paintings which supply us with valuable information for our history.

The inscriptions or reliefs in stone, almost as yet undeveloped by man's study, have contributed in no small degree towards this end. It will suffice our purpose to mention the Stone of Famine and the Cuauhxicalli of Tizoc, both in the hall of monoliths of the National Museum of Mexico. The former has indisputably fixed the dates of that calamity, which was on the point of exterminating the ancient Aztec race. The latter has corrected erroneous traditions about King Tizoc, presenting us with the series of his victories and conquests.

In this way will archeological studies, especially when the explorations in our ruins and monuments can be conducted on a truly scientific basis, complete and correct our ancient history, of no less interest and instruction than those of the primitive peoples of the East, whose investigation is now so rightly the subject of scientific research.

But if archeology is a great aid in the study of history, anthropology, the science of man, is all the more so. Man has ever striven to learn all that surrounds him, fathoming the mysteries from pole to pole. With gaze steadily fixed on the firmament, he has endeavored to learn how the sun and the moon move; later to ascertain the courses of the planets; then the laws governing the motions of the heavenly bodies, from the Milky Way to the tiniest star. He has dared to force his way into the bowels of the earth, to rob from her her treasures; he has studied her marvelous formation; he has traversed her aged forests; has classified her fauna and her flora; he has plowed through her lakes, her rivers, and her seas, making himself the lord and master of the whole world: in a word, man has, in that small cavity of his brain, imprisoned the immense universe.

There yet remained for him to study the grandest and noblest; man furnishing a subject of study for man. He has ever regarded himself as the most worthy, most perfect, and most sublime creature of creation, or, in the words of the Bible: "God made man in his own image and likeness." To make man in the likeness of God is to deify him.

When the primitive peoples, after worshiping animals, passed from this zoölatry to the worship of trees, and later to that of the

mountains, reaching at length that of the celestial bodies, — for all the while their mental faculties were continually developing, — wished to give to their divinities some material form, to raise in their honor temples and pyramids, and finally to organize their religious rites, they clothed these superior deities, the product of a superior intelligence, with human shape. Man in his turn made the gods in his image and likeness.

Following this idea, it is illogical to confine the science of man to his study as an object of natural history or as an animal. Somatology and ethnology, and consequently ethnography, doubtless belong to it also. Man has not only a body, but natural faculties as well, which cannot be left out of reckoning in his study. He thinks, he has an ever active brain. The collection of his thoughts forms his philosophy, just as his method of thinking makes his logic. He has a heart, and feels, and of these feelings his morals and religion are born. One of his most beautiful faculties is the power to express what he thinks and what he feels. If he does this by means of speech, grammar, oratory, and rhetoric belong to the science of man. But he may also express it by means of writing, and then poetry, and literature in general, are also to be considered as forming part; or again, he may give his thoughts to the world through painting, sculpture, and the other esthetic arts. If we should not ascribe a conventional meaning to these names, but only what truly corresponds to them from their component parts, in anthropology should be included all the subjective sciences.

I may perhaps seem overbold in thus introducing an innovation in the already established methods; but if we should consider man in a special way, we must take into account all that is his, treating separately the objective, what is apart from him. So then, conceived in this light, archeology is not only a great aid to anthropology; but an absolute necessity towards its perfect knowledge and complete development, in every way one of the branches which I have mentioned.

Let us begin by studying the human races, one of the most important objects of ethnology.

Isolated and differing traditions, perhaps correct, but still imperfect, furnish us with but vague ideas as to man's origin and distribution over the face of the globe. On this point history is silent; that does not come within its sphere; it can only record facts united to a clear and exact chronology. The cosmogonic epochs, designated by the Nahuas as Suns, have only been known through the study of the hieroglyphics.

Four pages of a codex preserved in the Library of the Vatican teach us that the first epoch was known as *Atonatiuh*, or the Sun of Water; that towards its end, the world perished by a flood, the

catastrophe having occurred on the day *matlactli atl* of the score *atemoztli*. Perhaps this corresponds to the sinking of Atlantis. The second was the Sun of Air, or *Ehecatonatiuh*, in all probability relative to the glacial epoch, which lasted 810 years, ending on the day *ce ocelotl* of the score *pachtli*. The third was the Sun of Fire, or *Fletonatiuh*, corresponding to the epoch of the great volcanic eruptions; it was 964 years in length, having ended on the day *chicunahui ollin* of the score *xilomaniliztli*. And lastly, the Sun of Land, or *Tlaltonatiuh*, which extended over a period of 1046 years. In this way archeology has revealed to us that the Nahua existence race was in 3877 years before the Christian Era, which would make it to-day 5781 years.

It is evident to all that the question of the migrations of the first peoples is one of the gravest, and which has always occupied the attention of scholars. So far as it is concerned, there exist ancient traditions, of general acceptance in the Old World, but which do not satisfactorily explain man's march across time and space.

On the continent of America, and especially in the territory embracing the republics of Mexico and the United States of to-day, there recur with great frequency traditions with regard to the coming of certain races which traveled south from the latter to the former. Historians of the seventeenth and eighteenth centuries present us with the course which the journey of the Toltecs took; while those of the sixteenth had already mentioned the pilgrimage of the Aztecs. But these are relatively modern facts which are within our era: even so, however, the journey of the Mexicas has only within very recent times been definitely fixed, owing to the exact deciphering of the painting known as the Historical Hieroglyphical Chart of the Aztec Pilgrimage.

But still more is due to archeology. I have already, in my *Ancient History of Mexico*, twenty years ago, called attention to the following facts. Everything tends to prove the very ancient union of the continents, and the existence of Atlantis. In those remote ages negroes were to be found in our territory, as is proved by the colossal head of Hueyapan and the gigantic axe from the coasts of Vera Cruz. From the most ancient times a race appears on our continent, perhaps autochthonous, monosyllabic and represented in Mexico by the Otomies, remnants of which are to be found to the present day. The first foreign invasion, at any rate so far as the north is concerned, coming probably over Atlantis, took place centuries ago, and was of a race of agglutinative speech, which was afterwards called Nahua. The three following facts, all well substantiated, are worthy of note: that there exists a Tula in the south of Russia; that in the Caucasus there are vestiges of an arithmetic counted by scores; and that there are to be found in that region a people whose

language has the consonant *tl*: all of these peculiarities being proper to the above-mentioned Nahua race. As this race extended, it must necessarily have driven the autochthonous race towards the north and west. The analogies existing between the customs, anthropological characters, and traditions of the peoples of northern Asia and America, are well known. If the Esquimaux could cross from one continent to another, it is but logical to believe that the monosyllabic peoples, driven out by the Nahuas, in very remote times crossed from the northwest of America to the northeast of Asia, and advanced into the latter, extending from east to west, as is borne out by their historical records. Later, in the age of the worked stone, and perhaps when copper was being used, the Chanes came to the region of the Uzumacinta, in boats, according to tradition. On mixing with the monosyllabic race, Mam or Mox, they not only formed in that territory a new ethnographical body with a language of its own, but by its development and the natural law of expansion, they extended as far as the two isthmuses, and, passing what is now known as Tehuantepec, continued in a northerly direction.

The idols with *nasem* found in Michoacan prove that they reached as far as there and were stopped in their advance by the Mecas, inhabitants of Xalixco. In the east they continued along the present territory of Vera Cruz, passing beyond La Quemada in Zacatecas. In structure, these ruins are closely connected with those of Aké in the Maya Peninsula. It is, therefore, an absurdity to call them Chicomoztoc, as this would be to attribute them to races which neither passed thither, nor even ever had an idea of their existence. The theory that the races from the south followed the coast-line and went up the Mississippi is not without a certain amount of foundation. This fact appears to be proved by the kind of constructions of the mound-builders, the character of the carved shells found in them, certain traces in the linguistics, and many other such circumstances. Then, the invasion towards the north from the east drove the ancient tribes towards the west, while these in their turn emigrated to the south, one of the first of such migrations being that of the Xiuhs, who set out on their journey in the year 626 before the common era. Having reached the southern portion of our territory, they produced, by their union with the peoples already existing there, that marvelous civilization, as revealed in the ruins of Yucatan and Palenke.

As I have already stated, the linguistics confirms all this. The craniological explorations conducted by Professor Hrdlička have come to prove the traditions, so far as refers to the Nahuas.

Archeology has thus made great advances in so important a subject as that of the migrations; nay, more, it will, so far as is possible,

explain how man was born into the world and how he extended himself all over it.

Science also can say: "Fiat Lux."

But if man's material life, to call it so, is plainly reflected in the study of the migrations, his intellectual life is chiefly made known to us by the evolution of his religious ideas: and on this point as well, the aid of archeology is of equal importance. Much light has been thrown on the subject by the explorations of latter years on the old Continent. The studies of our antiquities have settled beyond a doubt the Indian theogony. The Maya chroniclers of the seventeenth century had given us but scant information, indefinite and unclassified at its best. By the labors of Schelhas, Brinton, and Gunckel, great strides have been advanced in a relatively short space of time. Taking these as our point of departure, penetrating into the spirit of the hieroglyphics and inscriptions, and comparing them with the corresponding Nahua ideas, which are half hidden in bizarre tales and strange codex paintings, we have been able to lift a corner of the veil of that astronomical theogony, as mysterious as the night on which the awestruck eyes of men created it. In the black vault of heaven the bright stars, like luminous pupils of invisible gods: on earth, above the teocalli, the piercing eyes of the astronomer priests, like dazzling stars such as might have fallen from the skies. From this clash of lights, men's eyes and stars, there was kindled that first spark of uranic religion.

Man, in proportion to the development of his brain, continuously raised his gaze: at first it was directed earthward to the animals that walk on the ground; next to the trees that lifted their graceful tops to the wind; then up to high peaks crowned with eternal snow; till finally it rested on the sky.

There was then formed a majestic — one might almost say heavenly — astronomical religion. The father creator was the sky, Xiuhtecuhtli, the azure lord; the mother was Omecihuatl, the double woman, the Milky Way. The former worked on the latter by means of fire; and from their cosmic matter the stars were loosened; the chief of which were the sun, Tonatiuh, the moon, Tezcatlipoca, and Venus, Quetzalcoatl. These they made their greatest gods. In order to worship them, they "represented them as anthropomorphic:" they represented them in human shape. Myriads of statues of deities were then made, now of clay, now of wood, now of stone; and so idolatry necessarily came into existence. The Indians were able to arrive at an astronomical worship; but their psychological limitations hindered them from penetrating beyond the veil of materialism. They had worshiped animals because they could see and hold them; the trees they could touch; the mountains where their feet ascended; the stars their eyes beheld. Yet did they not advance



as far as abstract ideas; they had no spiritual conceptions. To designate the spirit, they used in Nahua the word *ehecatl*, while in Maya the word *ik*: both terms denote the air. The air is undoubtedly the least tangible of material bodies; but the Indians could feel it as it gently fanned their faces. If I may be permitted the expression, I shall say that their spirits were corporeal.

All was born of the Milky Way, and all returned to it. From this materialistic pantheism and from this idolatry of stone gods, there had to come at length an absurd fanaticism, a black fatalism, and a dreadful worship of blood.

But the adoration of the three stars brought along with it a marvelous chronology. The Nahua priests, and following their example the Maya, combined in a truly amazing manner the calculations of Venus, the Sun and the Moon, forming a perfect cycle system. It is a matter to cause us wonder and surprise, how, destitute of adequate instruments, and only through the constant observations which they conducted by night from their elevated *teocallis*, were they enabled to state precisely the synodical revolutions of Venus, which they fixed at 584 days; and adding together five of these revolutions, they found that they were equal in length to eight solar years: hence they had a basis of calculation for the formation of the different cycles. But there yet remains more to tell: as they observed that the calculation of the synodical revolution of Venus was not exact,—being in reality 583.92,—they made the corresponding correction, for which they changed the octennial feast called *Atamalqualiztli*, which is proved by the paintings of the Borgian Codex.

Centuries prior to this, they had introduced the leap-year: they had noticed that there was an error in calculation, and so they added either sixty-five days in every great cycle of 1040 years, or thirteen in every *Xiuhmolpilli* of fifty-two, or again one in every four, according to the various methods of intercalation: and in the year 1454 of the common era, in the reign of Motecuhzoma Ilhuicamina, the Mexicans corrected this error, as is proved by the above-mentioned Borgian Codex, as well as by the stone cylinder existing in the Hall of Monoliths of the National Museum of Mexico.

I am not in a position to affirm whether, after the conquest of Mexico, the system of the Indians, having become known in Europe, influenced the astronomer Luis Lilio and contributed towards the making of the Gregorian correction in 1582, one hundred and twenty-eight years after the Mexicans had already adopted it. The fact remains, however, that the European calculation, actually in vogue at the present day, is not so perfect as was that of the Indians. According to this latter a leap-year was omitted every 130 years, as we see by the Bologna Codex, or eight days at the end of every

great cycle of 1040 years, according to the Borgian Codex. By this simple method stated by Fábrega and Baron Humboldt, and calculated by Orozco y Berra, a period of 23,000 years would have to elapse before there were an error of a single day. Our archeological calendar may yet bestow great services on modern chronology.

What causes us most wonder is how the priests could, in a book of seventy-six pages, store up all the treasures of their astronomical science, expressing their ideas by means of strange figures; as they have done in the case of the Borgian Codex, few fragments of which have we been able to decipher: but should the day ever come when all is deciphered, what portentous secrets will it then disclose to us!

Man does not live alone on the earth; by a law of nature he is ever in the company of his fellow men: and that science, therefore, which treats of the constitution, phenomena, and growth of the human society is indeed an important one. On this subject archeology has extended effective help to the researches of scholars. It is not my purpose to present to the Congress what might be termed archeological sociology; nor shall I speak of the organization of the ancient Indian peoples, nor of their civil and penal laws, nor of their conception of international law, nor of their *pochtecas*, both merchants and ambassadors at once, the institution of which created a special mercantile right; nor shall I treat of the ideas of the Mexicans with regard to the family, property in general, and their laws of succession; nor of the division of work, nor yet of the professions; I shall not speak at length on their views with reference to authority, nor how this was exercised in the various public services, nor how the taxes were levied and collected, and how they have set this forth in hieroglyphical codices: the limits to my address would not permit of so much. I shall therefore direct my attention solely to demonstrating the relation existing between the two sciences, archeology and sociology, as viewed in two different cases.

The philosopher Herbert Spencer stated that the Mexicans always shared their rural property in common, and consequently had never conceived the possession of private land properties. A codex which I have already published, the parallel of which exists in the National Library of Paris, graphically shows us the different lands of varying extent, granted to the conquerors of Azcapotzalco by the kings of Mexico, Itzcoatl, and Moteczuma. Each plot of land has both its name and that of the owner inscribed on it in hieroglyphical characters. Thus has archeology been able to correct an error of the great Spencer.

The other fact is more transcendental. A school has been formed, which condemns the conquest of America by the Europeans as an

unnecessary factor in the progress of humanity. The essential ideas of the said school can be summed up in the following words of my old friend Dr. Brinton, whose death all we Americanists deplore. On a similar occasion to this, he said: "The native American was a *man*, a man as we are men, with the same faculties and aspirations, with like aims and ambitions, working, as our ancestors worked, endeavoring to carry out similar plans with very similar means, fighting the same foes, seeking the same allies, and consequently arriving at the same, or similar results!"

Let us see what the ruins have to tell us on so important a point. Let us read those pages of stone. We shall select the best, those of Palenke with the valley of Usumacinta, and the famous ruins of Yucatan. They belong to one race, the Maya: and are to be found in two neighboring states of our republic, whose area covers an extent less than one hundredth of that portion occupied by the very same Mayas, Nahuas, and autochthonous Otomies. We are engaged there with a relatively small portion of land. Now then, even with reference to one race and to a territory not extensive, the ruins, if they bear traits of similarity, reveal various autonomies and different governments. Palenke, together with the other towns in the valley of Usumacinta, are characterized by the towers of their palaces and the superstructures of their temples, which are lacking in the Yucatan monuments. With reference to these latter, those of Chichen Itza, Uxmal, and Mayapan present distinct characters: while the governments of Cheles, Cocomes, and Xiuhs were separated. What is revealed to us in this inequality? That, even in their most advanced state of civilization, the Indians did not possess sociological faculties necessary for the formation of great nationalities.

The Mexicans themselves, who led their conquering armies as far as the frontiers of Guatemala, did not enlarge their territory by means of their conquests: they were content to levy taxes on the conquered peoples. In the very valley of Mexico itself, around the salt lake, the lands to the west and south were in part added; while those of the east and north belonged to the Acolhuas of Texcoco and other small seignories; but around the fresh-water lake the Chalcas, Colhuas, Xochimilcas, and some peoples of lesser importance governed.

What should be the result of this sociological state? That the country, once divided into a large number of kingdoms and seignories, was in a constant state of warfare, one against the other, so that powerful nationalities, which might assure the peace and prosperity of the Indians, could not be formed. On the contrary, everywhere there were evidences of decadence; and in due course of time, by the inevitable laws of history, came the conquest. Which

proves once more that the progress of humanity does not always march in accordance with justice.

With regard to the sciences of practical utility, as they are chiefly based on recently acquired knowledge, as for example those relative to steam and electricity, it would not be an easy task to discover in what their relation to archeology consisted. I shall, however, mention medicine. Modern science cannot afford to look with disdain on the medical knowledge of the ancient Indians, seeing that to them it owes quinine and coca, two remedies employed universally with great success.

The Mexicans had a real curative science, which constituted one of the professions of their society. Let it serve my purpose to state here that in the fifteenth century they already employed anesthetics, and had a military medical corps which accompanied their armies into action.

A study, therefore, of those ancient medicines, still used to the present day by the Indians in the fields, will undoubtedly be beneficial: and with this end in view, the Mexican Government has already founded a Medical Institute, the good results accruing from which will soon be seen by us all, as soon as the processes of experimentation shall be sufficiently advanced.

The Indian medicine was based on botany. Messrs. Gerste and Troncoso have written valuable treatises on this important subject, and their very classification itself is based on the diverse curative power of the plants.

Let us pass on to the arts. No one can deny that archeology has been a powerful factor in their development and perfecting. A mere glance at the epoch of the Renaissance will suffice to establish the fact. Architecture was inspired by the ruins of the Greek and Roman monuments. The basilica of St. Peter's is not the evolution of the ideas of the Middle Ages; it is a return to the ancient Roman architecture, it is a Cæsarian building crowned with the dome of Michael Angelo, as with the Emperor's crown. The Moses of San Pietro in Vinculo is not an expression of sentiment of the Christian idea: from its majesty and the grandeur of its expression and lines, it rather resembles an Olympic Jupiter, the Zeus of Homer. Raphael abandoned the mystical Madonnas of Botticelli and Perugino, and, deriving his inspiration from the pagan statues, painted his peerless virgins, whose most perfect type was that "of the Chair." All the arts from the Old World formed a New; and the Renaissance was its golden age, not hitherto attained to, not excelled in after time, perhaps never even equaled. Archeology contributed to convert the Rome of Leo X into the capital of the world of arts, as it was of Christianity. That same Rome was already bedecking herself with Egyptian obelisks. Not only the

Roman which inspired that of the Loggias, but also the polychromy of Pompeii, served to give new ideals to art that were in reality only archeological reflections. And there have been examples in all ages, from the German Gothic, from the Spanish plateresque, from the Arabian filigree-work, from the Cyclopean constructions. Even to-day *L'Art Nouveau* has been formed from the archeological débris of the ancient arts.

On this subject much aid can be given by our ruins. The constructions of triangular arches with odd superstructures from the region of Palemke; its palaces with towers; its reliefs, which, like that of La Cruz, reveal a study of composition; its stuccos, whose figures are noteworthy for their design and the knowledge of the human frame; the esthetical atmosphere of special character which is dominant throughout; the rich reliefs and gorgeous style of the gigantic monoliths of Copán: the Maya colonnades, which, like those of Zayi, are as pure as the Greek, and the columns carved with leaves of Tollan; the ramparts with fanciful faces of Kabáh and the sculptured walls of Chichén Itzá; the façades with grotesque masks from the nuns' house in Uxmal; their corners with monsters with uplifted trunks;—all these furnish rich and abundant elements for the arts; no less than the Grecian frets of Mitla, and a few sculptures which have escaped from the destruction of the great Teocalli, such as the tiger unearthed in the Department of Justice, the colossal Coatlicue adorned with serpents beautifully carved, the spherical diorite head of Tlahuizcalpantecuhtli, and the cyclographical stone, popularly called the Aztec Calendar, in which one is at a loss whether to admire most the astronomical and chronological knowledge therein enshrined, the geometrical science necessary in the making of it, or its marvelous execution.

Some day there will be a Mexican art.

Archeology, in its relation to the other sciences, deserves admittance into this Congress, where all the living forces of humanity are represented, whether in intellectual conception or in practical process.

But archeology is the symbol of death. Is it, perchance, rightly admitted here, because life and death are ever linked together, and together they comprise man's history, as the day has the brightness of its sun and the dark shadows of its night? There is yet a still more potent reason. All the sciences and all the arts are the result of the accumulation of centuries of human thought. Nothing is improvised on the earth. The first generations bequeathed their meager knowledge to the next generations, who added to it. These, in their turn, left it as a heritage to those who came after: and so man formed that wealth of scientific knowledge which he,

to-day, possesses, like the poor but industrious man who, thriftily, cent by cent, at length succeeds in piling up heaps of golden coins.

No one knows whether, on removing the stones of some ruin, it will be found that one of the great ideas, which is to-day the inheritance of modern nations, did not have there its birth. When, in centuries to come, the city of Seville perchance may disappear, some scholar, perhaps, on finding the remains of the Giralda, may be unaware that from the brain which framed it there was evolved algebra.

For these reasons, the science of dead things has its place in the exposition with which the city of St. Louis astounds the world. Here are gathered all the forces of the civilized nations, that, vying one with another, exhibit their products in science, art, industry, and commerce. Here is to be found whatever the present generation has been able to attain. And all here strikes wonder into the soul and admiration into the mind. It might be thought that the earth was giving a concert to the skies, with the screeching of locomotives, the whistling of engines, the scraping of plows, the creaking of presses, the measured thud of steamers, the movement of all the nations here united, with their many-tongued clamor, with the monster's breath exhaled by multitudes: a glorious hymn of work, accompanied by the waters of the Mississippi.

And all here is flames and conflagration: and all is fire and light. And to this eruption of the splendors of the sciences and arts, there is added archeology, the phosphorescent fire of the immense cemetery of past ages. Phosphorescent fire: yes, but fire. And all fire is light!

# THE PROBLEMS OF ARCHEOLOGY

BY GEORGE EDUARD SELER

(Translated from the German by Dr. George Kriehn, New York)

[George Eduard Seler, Professor of American Linguistics; American Ethnology and Archeology, University of Berlin; Director of Ethnological Museum. b. Crossen an-der-Oder, December 5, 1849. University of Breslau, 1869-70; University of Berlin, 1871-74. Professor of Natural Sciences, City of Berlin, 1876-79; Auxiliary Assistant, Royal Ethnological Museum, 1884-; Assistant Director, *ibid.* 1892-. Member of the Berlin Anthropological Society; Berlin Geographical Society; and numerous scientific and learned societies. Author of *Mural Painting of Milla*; *The Ancient Chacula Settlements*; and a number of noted works and memoirs on various topics.]

IN this distinguished assembly, gathered in the place where all the material labors of the world have contributed their results to form a picture whose brilliancy can hardly be surpassed, and to which chosen representatives of all the sciences have been bidden in order to present in one harmonious whole the varied intellectual achievements of all nations, I am asked to speak of what has been accomplished of late years in my own department, that of archeology, and to lay before you the significance for the other sciences of these results.

There is scarcely any science to which coöperation with the others is so necessary as it is to archeology; yet there is scarcely one which in so short a space of time has gained so much in substantive importance, has entered so much into the work of the others, and has so demonstrated its usefulness to their progress. This is equally true of prehistoric European and classical archeology, and of the study of the antiquities of America. To look first at merely external facts, who would have thought it possible a hundred years ago that to-day in all parts of Europe hundreds of museums would exist, filled with the domestic utensils, weapons, vessels, and ornaments of peoples from whom no historical knowledge of any kind has come down to us — some of whom, indeed, go back to a period whose antiquity can only be computed by the calculations of geologists, when the vine-clad hills bordering the Rhine and the Lake of Constance were barren as the steppes and tundras of Siberia, when the reindeer, the wild ass, and the mammoth served as objects of the chase and at the same time gave men the first impulse towards the satisfaction of their artistic feelings? You will be told by those whose province it is how classical studies have been enlarged and reshaped by the results of the science of the spade — how the excavation of the ancient seats of civilization in Babylonia and Egypt permit whole vanished worlds to rise anew before our

eyes. My task is to give you, in a brief and summary way, an idea of what we have gained from the most recent investigations in the continent upon which we are now assembled, — that old continent which we, the children of another, have been accustomed to call the New World.

To begin with the North: it is too early to speak of archeology here as a separate science. The discoveries which have been made are the work of expeditions sent out for the solution of geographical problems or for the accumulation of collections to serve for the study of natural history or ethnography. Yet some facts of great historical significance may be deduced from the objects, not at first sight remarkable, which form the contents of the ancient graves of that region. We are entitled to infer, in the first place, that the existence founded upon the life of the Arctic fauna and adapted to it, — that of the Eskimo as they were first seen by Europeans, with all their peculiar civilization, their extremely clever adaptation of the wretched materials at their command to the making of weapons, utensils, houses, boats, — must have gone on in practically the same form for a thousand years at least, and probably much longer. Another fact of importance may be mentioned as the immediate result of combined archeological and topographical expeditions, especially those from Denmark and from Sweden and Norway. It is that the migration of the Eskimo to Greenland must have gone by way of Ellesmere Land and the northern coast of Greenland, down the east coast, and thus to the west coast. If, now, we take with this the statements of the Icelandic sagas that the first settlers in Greenland found remains of the houses of the Skrällings, — the small race which about the year 1000 inhabited the coasts of Labrador, Newfoundland, and Maine, — and that it was some of these same Skrällings who finally overthrew the important settlements of the Icelanders in Greenland, two further noteworthy facts emerge: that the Eskimo must, at a distant period, have spread southward at least as far as the coast of Maine, and that in various waves of migration, separated by intervals of time, they must have pressed on by the far northern way already mentioned, as far as the western coast of Greenland.

To-day the northwest, with its deep-cut fjords, its streams abounding in fish, and its wooded shores, is inhabited by a number of tribes who differ considerably in language, but show a remarkable similarity not only in their material civilization, but in their legends, their social organization, their religious conceptions, and the artistic productions based upon them. As to that which is the most distinctive thing in this ethnographic group, the social structure and what depends upon it, Professor Boas has recently shown that it really represents quite a late type of development. The archeological



explorations made by the Jesup expedition not long ago in this and the neighboring regions seem to yield the interesting fact that all these tribes were forced outward from the interior to the coast at a period perhaps not very remote.

In the central and southern portions of the United States, great triumphs have been won by archeology. Since Squier and Davis published their celebrated book, their work has been energetically taken up by the Peabody Museum, the Smithsonian Institute, and a number of other learned societies, and carried forward with great success. The valleys of the Ohio and the Delaware, Wisconsin, and the Lake region, the Mississippi Valley, the neighborhood of this very place, which proudly calls itself the "Mound City," the Alleghanies, Georgia, Florida, have yielded an immense number of objects of the most interesting nature. For their preservation and scientific study, museums have grown up in many American cities, whose well-adapted and liberal equipment has roused the admiration of scholars. Through these discoveries, the meager accounts given by early writers of the Indian tribes who inhabited these fertile plains at the time of the first white settlement—accounts which, to say nothing of their marked tendency to exaggeration, plainly correspond with but little faithfulness to that which lay before the eyes of the writers—have received for the first time their proper elucidation. For it seems to be firmly established by the exhaustive investigations of the last few decades that it was the ancestors of the Indians of to-day who were buried in the mounds, sarcophagi, and graves; that it is their domestic utensils, their ornaments, their ceremonial and social symbols, their instruments of worship, which we contemplate with astonishment to-day in the various American museums as objects discovered in the mounds. That the condition of material, and perhaps the intellectual advancement, was distinctly higher than that of the Indians with whom the immediate ancestors of the present generation had to contend, may be seen at once from these discoveries. But the nature of the discoveries shows us also that among them every man's hand was not always, as people have been accustomed to suppose, against every man,—that rather, in spite of all their wars, there was a wide range of predominantly peaceful intercourse. We frequently find in one and the same spot copper from the Great Lakes, mica from the Alleghanies, mussel-shells from the Gulf, pieces of obsidian from the Central Basin, and snail-shells from the Pacific. If, however, the old theory of a special race of mound-builders has long ago had to be abandoned, a significant displacement of the tribes undoubtedly occurred, none the less; and it is not impossible that whole tribes have disappeared from the face of the earth, and speak to us only in the fragments that we dig up. Philology (in the

critical analysis of local names), archeology, and history will have to work together in order to furnish even an approximately correct idea of the former distribution of the tribes and of their mutual relations.

It is primarily from archeology that we may expect an answer to the question where was the old racial connection between North America (perhaps with Florida for a bridge), the West Indies, and South America. The fruitful investigations of Clarence B. Moore and the lamented Cushing afford matter for much thought. Unfortunately, the exact archeological investigation of the West Indian region has only just begun. And, although remarkable discoveries have been made on the island of Marajó and the banks of the Amazon opposite to it, yet the investigation as to South America also is still too incomplete for us to do more (with that of the intervening territory hardly even planned out) than make a conjectural statement as to any extensive connection. There are certain single details — such as the Haitian game of *batey*, resembling the game of ball called *tlachtli* by the Mexicans, the use of some of the Mexican *teponaztli*, similar wooden drums, and the like — which seem to point to a connection between the West Indies and Central America. Indeed, Columbus, on his first voyage, during the passage from Cuba to Haiti, had definite news of a land in the west, very rich in gold, whose inhabitants wore clothes. It seems to me, too, that it is possible to demonstrate a family connection between the Arawaki speech of Guiana and the Maya tongues.

But American archeology is most at home in the lofty plateaus of the Andes and the strips of coast immediately below them, and especially in Mexico and Central America. In these regions, inhabited by people of advanced culture, brilliant performances were achieved in the first generation after the conquest, which have only within the last half century been properly appreciated and studied in detail. In the seventeenth and eighteenth centuries, it was the scene of the labors of some accomplished scholars, such as Siguenza y Góngora. Padre Antonio Alzate published a description of the pyramid of Xothicalco; and Leon y Gama, in his famous work *Dos Piedras*, described the great stone monuments found in the principal square of Mexico in connection with the paving and canal system. The imposing personality of Alexander von Humboldt attracted the interest of the whole civilized world to these antiquities; and men like Captain Dupaix, Alaman, Carlos Maria Bustamante, Fernando Ramirez, Manuel Orozco y Barra, and my esteemed colleague Alfredo Chavero have laid the foundations on which we are now trying to build. Here, more than elsewhere, it is evident how much history needs the aid of archeology, especially

to fill the large gaps which tradition, defective and dependent on chance as it is, has left.

About the middle of the sixteenth century appeared the great work of Fray Bernardino de Sahagun, an encyclopedia of the traditional knowledge possessed by the old inhabitants of the capital of Mexico, written down from the lips of the natives and in their own language. To about the same time belong the notes of Fray Toribio de Benavente, who called himself by a Mexican name, Motolinia, "the poor man." These, while not nearly so extensive or so thorough as Sahagun's, and written in Spanish by a Spanish monk, have an importance of their own; living far from the capital, Padre Motolinia knew and described conditions prevailing in a much wider region. The original work of Sahagun disappeared in the archives of the Consejo de Indias, but copies of the Spanish translation existed in the libraries of the Franciscan houses. These, as well as the book of Motolinia and other sources, were recast by Torquemada and others according to the taste and the interests of their own times, until Clavigero brought together all the antiquities of Mexico in a cleverly written book which formed the main authority of Humboldt and his successors. That we have now got far beyond the diluted, frequently inexact or actually distorted idea given by this author is due not only to our having gone back to the real old sources, which have come to light since his time, but also to the elucidations which archeology furnishes. The meritorious publications of Lord Kingsborough made possible the real study of the Mexican hieroglyphs, as it was first attempted by Dr. Antonio Peñafiel. The descriptions and drawings of the Sahagun manuscript taught us to know the figures of the gods; and by their aid we are able also to identify the stone images and the small clay figures which the old Mexican collections contain in such numbers. Finally, both through them and through the interpretations appended to the Codex Telleriano-Remensis and the Vatican Codex 3738, we are able to decipher the pictorial representations of the manuscripts of the Codex Borgia group and the Mexican picture-writing in the narrower sense, and so to secure a safe basis for studying the religious and festival tradition of the Mexicans.

Just as here archeology and history supplement each other, so recent observations have shown that the descriptive ethnology which appeals to surviving representatives of old tribes has need to keep archeological facts before its eyes during the progress of its researches. A few years ago expeditions were sent out by one of the great American museums into the Sierra Madre of north-western Mexico, under the leadership of the explorer Karl Lumholtz. The undertaking was successful in more than one respect.

Among its most interesting results was the fact that in the Huichol tribe Lumholtz found and was able to study a people that was still living in, or had relapsed into, almost primitive conditions. I read at the time with great interest, as did every one else, the account which Lumholtz gave of this tribe; but it was plain to me at the first glance that a large number of customs, signs, and symbols really could not be understood without comparison with the exact descriptions of the old Mexican sources and a knowledge of old Mexican symbolism.

The same is true of the peculiar province of the Pueblo civilization. In regard to this the investigations have not yet gone very far. The first attempt was made by my friend, Dr. Walter Fewkes, who tried to explain the famous snake-dance of the Hopi Indians by the cognate ceremony of the old Mexican *atamalqualiztli*. On the other hand, it is equally true that the meaning of the old Mexican festal ceremonies, figures, and symbols can only be reached when we have succeeded in determining that of the various festivals of the Pueblo Indians, of the ornamentation which is still used by them, and of the decorations which we are able to study on their utensils and fragments as found by excavators. I have purposely made this distinction between what they use to-day and what we see on the old pieces; for the whole curious world of the Pueblo Indians of New Mexico and Arizona, which has aroused the special interest of investigators and travelers, is itself only intelligible when we study it in the light of archeological discoveries. The cliff dwellings are not only the precursors of the *pueblos* of to-day, with their houses built up one above another, like fortresses, in curved lines, but they explain them. The peculiar subterranean chamber for worship, the *kibva*, is understood when we see the narrow space there is in the overhanging rock-shelters. We cannot, of course, dig up the festivals and dances whose survival, like a curious fossil, gives us so instructive a picture of the primitive conception of the world and primitive religious practices adapted to the special daily needs of the community; but the types which appear in them are to be found in many of the ancient rock-sculptures of the district or on the singular painted plates which have been found in some of the deserted *pueblos*. Their system of ornamentation, again, will only be fully understood when we can subject to a thorough comparative examination the old models, as they may be so admirably seen, *e. g.*, in the vessels and platters dug up in Awátobi.

An example of the way in which only the data furnished by archeology supply us with the solution of a problem is given by the development of our knowledge concerning the hieroglyphic writing of the Maya tribes of Central America. Through Bishop

Landa, the oldest chronicler of Yucatan, we had learned to know the hieroglyphics of the twenty signs for days and the eighteen for the so-called months, or periods of twenty days (*uinal*). The further example, given by Landa, of a real hieroglyphic character by which Brasseur de Bourbourg and others believed they could read the hieroglyphic texts, has proved to be a mystification, or an attempt made in later and Christian times, from which nothing was to be gained for the understanding of the old texts. More recently, Schultz-Sellack and De Rosny identified the hieroglyphs of the signs of the zodiac. Förstemann, with the insight of genius, got hold of the numeral system and the characters used for it in the Maya manuscripts, and gave us the hieroglyph of Venus; and Schellhas established a number of the hieroglyphs of the gods. I have myself shown the essential identity of the day-signs used by the Maya and in Mexico, the hieroglyphic designations of the colors and other elements, as well as a number of further hieroglyphs of the gods and the symbols which accompany them. But that we are able to-day to recognize at the head of the hieroglyphic columns the numeral products which give the distance of the following date from the original initial date demonstrated by Förstemann, four *ahau*, eight *cumku*, and that in consequence we are able to fix the chronological order of the whole series of monuments: this has been rendered possible by the labors of Alfred P. Maudslay, through the synopsis of the "initial series" which he has given on a page of his splendid book on the monuments of Copan in Honduras.

But archeology is especially needed to fill out the gaps left by historical tradition. The early historians, especially the conquering Spaniards, occupied themselves principally with the tribe which at the time of the conquest held the headship. Of the other tribes, their past, their frequently quite distinct material and social civilization, only comparatively scanty accounts have been preserved. The filling-out of these gaps is only to be hoped from archeology, which has already made very promising beginnings. In the central portion of the state of Vera Cruz the excavations of Dr. Hermann Strebel have permitted us to recognize two entirely distinct civilizations, one of which, the Cerro Montoso type, is indisputably allied to the artistic style of the highland Mexicans of the Cholula district, while the other, the Ranchito de las Animas type, shows, both in material and technique and in ornamentation, a totally distinct form, betraying a specially aboriginal element. Archeology thus confirms the assertions of history in regard to the extension of the highland race of Chichimos, a race of Mexican speech, into the coast-strip inhabited by the Totonacs. In like manner, further north, my wife and I found a settlement

at Castillo de Teayo, in a district all around which the Huastecs had taken possession, where we met with Mixcouatl, the hunting-god, Chicomecouatl, the goddess of corn, Tlaloc, the rain-god, Couatlicue, the water-goddess, Xipe Totec, the earth-god or spirit of the fields, and Macuil xochitl, the god of chance, — all well-known types of the Mexican highlands; and reliefs were cut on stone plates which seemed almost copies of the Magliabecchiano Codex, the old Mexican picture manuscript of the Biblioteca Nazionale at Florence. The accounts given in Tezozomoc's *Crónica Mexicana*, of warlike expeditions of the Mexican kings by way of Huauhchinango into the lands of the Huastecs from Tziuhcouac and Tochpan, were now intelligibly verified. To the south of Vera Cruz Hermann Strebel has demonstrated another distinct element of population in the Mistequilla, the district of Tlaliscoyan, which presumably corresponds to the Olmeca Uixtotin of Mexican tradition, — clay figures with broad, smiling faces and artistically shaved patterns on their heads, of which the Musée du Trocadéro has the richest collection among European museums. Next come the districts, not as yet thoroughly investigated from the archeological standpoint, of San Andres Tuxtla and Coatzacoalco; and at Tabasco the Maya region begins, with its wealth of monuments, stone buildings, façades covered with reliefs, and the long series of calculiform hieroglyphics which lend themselves to such effective decorative arrangements. And then suddenly appears, in the midst of this definitely Maya civilization, in the famous ruins of Chich'en Itzá in eastern Yucatan, a style of figures and a hieroglyphic which correspond to those of the Codex Borgia group and the group typified by the Vienna manuscript; with snake columns and caryatides reminding one of those of Tula, the famous old centre of civilization, already ruined at the time of the conquest, and connecting with the legends of the Toltecs, the oldest civilized race found on Mexican soil. Désiré Charnay observes that here we have in concrete form the accounts of the wanderings of the Toltecs towards the coast-lands, the stories of the *tlamatinime tonatiuh iixco yàquê*, the wise men whom their god directed to go to meet the sun, *i. e.*, towards the east.

The districts already described, lying around the Gulf of Mexico, form but a small part of the region inhabited by civilized races. Further investigations are still lacking to carry us along the road which leads from the old trade centre of Xicalanco to the Laguna de Términos over the Petén into Central America. And we are still imperfectly informed as to the routes by which the merchant caravans from Cholula and Mexico made their way to Anauac Xicalanco, the lands along the gold-coast, and on the other side to Anauac Ayotlan, the coast-strip on the Pacific, and to Guate-

mala. But when this whole territory has been more thoroughly explored, with the care to which European investigators are accustomed, we shall get a far more complete idea of the mutual relations of the tribes; and then for the first time it will be possible to write the ancient history of Mexico.

The region comprising Mexico and Central America is that in which American archeology is best able to rise above the standpoint of merely antiquarian investigation, and to attempt higher tasks. The question is yet unsolved whether the first appearance of what we call decoration is to be taken as a significant marking, as an inscription, so to speak, which is intended to place the object in relation with another being or object, real or imaginary; or whether a purely artistic impulse guided the hand of the first man who painted or carved an ornament of any kind, or worked itself out in the technique of weaving and plaiting. But we may take it as certain that we shall have to go back to a very early period, a stage of development not far removed from the general beginning. In order to trace the transition from merely useful tools to ornamented ones, the development from a simple marking, significant according to its meaning, to real ornament which owes its origin to a delight in form and color. There is a particular charm in trying to discover these first beginnings of primitive art. But in the Mexican-Central-American region this initial stage has long been passed. We meet here with productions, which, even if they are not to be placed beside the classical work of Greek artists, are yet, in conception, in the tasteful distribution of ornament, and in form, entitled to the designation of works of art. I need only remind you, for example, of the graceful arabesques of the borders on the sculptured walls of the temple of Chich'en Itzá, and of the hieroglyphic pictures, put together in a small space with such perfect art, of the *stelae*, altar-tablets, and other reliefs of Copan, Quiriguá, Palenque, and the ruined sites of Usumacinta, which the works of Maudslay and Teobert Maler have taught us to know. That the purely esthetic way of looking at things is beginning to gain ground in American archeology also is evidenced, for example, by the latest work of Hermann Strebel; and it is undoubtedly to be expected that before long this branch of science will have more work put on it, and that by its means some valuable results for the historical classification of the monuments will be attained.

The special traits of the old Mexican and Central American civilization, and the spread of Mexican elements of population, may be traced as far as the beautiful Lake Nicaragua. If we follow the indications of the flora and fauna, South America begins with the mountain ranges of Costa Rica; and thus far also extend the ethnological relations which go north from Colombia

over the Isthmus of Panama. This is proved by the languages and the civilization of the remains of the native population; and the same lesson, as far as our investigations have carried us, is taught by the archeological material. A limited region, including the old settlements on the slopes of the volcano of Irazú and certain groups of hills which extend down into the Atlantic lowlands, has lately been investigated in a really exemplary manner by E. V. Hartman, whose results have been published in a sumptuous work distinguished by the Swedish Academy with the Duke of Loubat's prize. Outside of this, to be sure, we still lack excavations undertaken in a scientific manner and authenticated by documents. But the whole mass of material—the eagles worn on the breast which struck Columbus and his companions, the gold ornaments found, the form of the vessels, the frequently repeated lizard and toad *motif*—prove that a similar civilization prevailed on both sides of the Isthmus of Panama, however widely the tribes were separated in language, and from whatever different points they migrated to the valleys, hills, and forests of this region. A special place belongs to the plateau of Bogotá, which marks the centre of a distinct region of civilization, the land of El Dorado, the cacique of Guatavita, who, covered with gold-dust, went out on a raft to the middle of the lagoon, and there, plunging beneath the waters, offered his costly decorations in sacrifice to the gods. It is an interesting archeological fact that an image of this cacique and his attendants, executed in gold, has actually been found in the lagoon of Siecha. Other sites of ancient worship are still buried in the primeval forests, such as the great monuments of San Agustin near the head-waters of the Rio Magdalena, from which Alphons Stübel has brought us drawings.

To the south of Popayan a new world opens before us,—the kingdom of the Incas, in which a number of the most diverse elements, tribes of totally different origin and various development, were fused into an external unity. Peru—especially the seaboard region—is the paradise of archeologists. On the whole coast, extending over thirty degrees of latitude, from Tumbes to the Rio Maule, not a drop of rain falls the whole year through. The sandy soil is fertilized by rivers which, rising in the snow of the ranges lying just back of the coast, bring down in their long and tortuous course a mass of particles dissolved or suspended, and are carefully conducted by the hand of man over fields, gardens, and plantations. Along these rivers and canals populous cities and towns long ago arose, whose inhabitants were well trained in the arts of both peace and war. The dry sand has preserved their dead, wrapped in mummy-coverings, with their property, their clothes and orna-



ments, their weapons and utensils. The colors of their garments, the flesh still clinging to the bones, the metal and wood of the utensils, the food and amulets which were buried with them, are as perfect to-day as the mummies of ancient Egypt. Many thousands of drinking-flasks, jugs, and other vessels of clay have come to light from these graves. Upon them are depicted the most various ornaments, men, gods, beasts, whole battle-scenes, judicial processes, death-dances, and banquets. Unfortunately old Peru had no Sahagun, to collect with equal diligence and intelligence the primitive traditions of the aborigines. The *Exstirpacion de las Idolatrias* of Padre Arriaga offers us but a poor compensation. We lack the picture-manuscripts and the expositions of learned men, so that we stand face to face with this mass of phenomena almost without comprehension. All we can do for the present is to register the collected material and to seek analogies — for which not only the objects heaped up in the museums, but also the splendid publications of Reiss and Stübel and Professor Arthur Bässler give opportunity enough. One thing emerges clearly from such a survey as has been possible, — the difference between the Indians of the highlands and those of the coast, and between the civilizations of the two, as well as the distinct artistic style of the monuments and all kinds of antiquities found on the plateau of Lake Titicaca. There, at Puno and at Tiahuanaco, this difference is accompanied by a difference in language; but it may be traced far beyond the linguistic diversity, down to the coast, where Ica and Arica have long been known as places where antiquities of a distinct type were to be found. The sequence in time of the various civilizations may some day be determined with more or less certainty by such careful excavations as Max Uhle has now, for a number of years, been carrying on in Pachacamak; and no doubt it will be possible to deduce from the archeological material as yet unclassified an overlapping and fusion of indigenous civilizations with forms whose origin points to the highlands and the conquering Incas. This Inca influence may be traced plainly beyond the boundaries of their empire, by way of Ecuador towards the north, southward across the Rio Maule into Chile, and on the other side of the Cordilleras into the nearest parts of Argentina, the districts of Salta and Catamarca, where with the Spaniards the speech of the Incas, the Khechua, found its way.

But in another way the old Inca Empire was a point of departure. When Karl von den Steinen pressed on in 1883 from Cuyabá to the sources of the Xingú, he found there, to his surprise, a number of tribes similar in conditions of civilization, though differing in language, who were still living in the Stone Age, and to whom the knowledge of white men had never penetrated. The objects they

used, *beixu*-turners, whirring-boards, dance-masks, and other things he found here partly painted with geometrical ornaments, for which, in a way which seemed striking to him, objects with a definite non-geometrical figure were almost always named as prototypes. He was convinced that here he saw before him in its definite results the process of the evolution of a so-called geometrical *motif* out of a definite animal, human, or other figure which Hjalmar Stolpe demonstrated for certain regions in the South Seas; and his intelligent discussion of this question has proved extraordinarily stimulating in the most various directions. In the mean time, with the extension of these investigations, it became evident that, *e. g.*, the same triangle which the Bakairi called *ulúri* (a woman's garment) was explained by other tribes as a fish's tooth. Von den Steinen himself felt compelled in consequence to revise the views he had hitherto held. He now considers that a whole class of so-called geometrical ornaments arose out of textile patterns, but, when they were transferred from plaiting or weaving on to other materials and executed in engraving or painting, acquired an independent life of their own and ended by drawing into themselves a whole series of the most varied figure-meanings, according to what appealed to the artist or was suggested to him, and with no essential relation to the original geometrical patterns. Now the old Peruvian art of the different centres is simply full of such ornamental types taken from textile art. These, together with the figure-types which came to be used in textile work, seem to have found their way among the uncivilized tribes also, and to have furnished the suggestions for the decorations which we now meet with among tribes of the far interior of Brazil in the most varied forms, there to be interpreted and reinterpreted in sometimes extremely remarkable ways. To follow these migrations is a very attractive task, and offers another case in which archeology and descriptive ethnology must support and supplement each other.

The wide region of Argentina, the valleys lying below the Cordilleras, the Pampas, and Patagonia, formerly supported a number of half-civilized tribes, which have now dwindled to insignificant remnants or been absorbed into the Spanish-Indian mixed race. Through the labors of Argentinian scholars a mass of material has been brought to light, whose working-out has only just begun. Where the reports of the conquerors and missionaries give us scarcely more than the name of a tribe, we have now extensive dwelling-sites, including entire mountain-sides, fortifications, and burial-places. A large number of clay vessels have been found there, many of them of considerable size; stone or metal implements, and, in the tombs, even objects made of perishable material, — wooden bows, arrows, gourds with patterns burnt into them,

and bundles of cords, or llama-halters, with the hoofs of llamas tied up in them, to designate, it would seem (on the principle of *pars pro toto*), the herds of llamas which the dead man possessed, or was to possess in the other world.

Whether here, as some have contended, the presence of men in a very remote geological epoch can be demonstrated is a question which as yet should not be rashly answered. Even in North America it has not yet been possible to prove beyond a doubt the coexistence of man with the great mammals which are now either extinct or vanished from American soil, or to push back the antiquity of human habitation as far as the time when the glaciers of the north stretched down to the Delaware and the Ohio. The problem cannot be solved alone by archeology, but needs the coöperation of geology; though it is a noteworthy fact that it is precisely the geologists who have answered this question in the affirmative. Whatever discussions may still arise, it is quite to be expected that, next to archeology, which occupies itself with tribes that come down into historical times, an important place will be filled by the branch of science which concerns itself strictly with prehistoric ages in America, as that which is capable of demonstrating the existence of man in the geological era.

American archeology in general is on firmer ground. It will not, however, be unprofitable for us, while we are reviewing what has been accomplished, to seek to show how this science has been and how it ought to be pursued. Archeology, which forms only a part of anthropology, is an empirical science, and ought never to forget this character. This it has often done in the past; preconceived opinions have been allowed to influence conclusions, and have accounted for the frequently unsatisfactory character of the latter. We all know that the study of antiquity has a special interest for many men just because it *is* the study of antiquity, and that the interest grows in proportion as one is able to ascribe a greater age to the things which form the subject of study. We also know that men are naturally inclined to consider as obvious a common single cause for similar or related phenomena, and to presuppose this even where no grounds exist to support such a theory. These two tendencies have for a long time worked a great deal of harm to American archeology. Instead of working on the material facts at hand, people have exhausted their energies in theorizing as to how this continent was settled and whence it received its civilization, and in violent efforts to connect the civilizations which have arisen here with those of the Old World. In whatever part of the continent ancient remains have been found which offered no explanation on their face, they have assumed the presence of ancient races which have long ago vanished or migrated to other parts of the world;

and when the objects discovered displayed a relatively high state of development, they have been ready, without more ado, to assert positively a connection with the known tribes of advanced civilization. In this way they have found traces of the Aztecs in the Casas Grandes of Arizona, in the cliff-dwellings, and in the mounds; and they have conducted the Toltecs, the legendary representatives of a high civilization in Mexico, from the valley of the Mississippi into that country, and thence along the line of the Andes into Peru. Luckily we have now got beyond that sort of thing. What, however, we have not yet reached, and what we should earnestly strive for, is to establish empirically what the earlier students attempted to develop on the basis of theories which they took to be well-founded, — not only the existence on the continent of various civilizations, but their order of succession, and the influences to which they were progressively subjected. This has not yet been achieved, even for the two regions which have been most thoroughly investigated, the Mexican and the Central American. The great question, which of the two leading civilized races, the Maya and the Mexican, is responsible for the beginning of this civilization, or whether they both raised themselves on the shoulders of a third, is as yet unsettled. But the mutual influence of Maya and Mexicans is beyond question, and assumes a greater importance the further we penetrate into the essential nature of these civilizations, and the more we learn of their different sides and their points of divergence.

The question remains to be discussed how the archeological picture which the American continent offers has shown itself or can be made of service to the general science of all mankind, which we Germans usually call ethnology, while its followers here prefer the name anthropology. Archeology as such is only a branch of descriptive ethnography. I have tried in this brief sketch to show how our knowledge of the continent has been augmented in recent years through the labors of the archeologist. To give even a summary account of how at the same time American ethnography has gained both in extension and in depth would take hours, and is not my business. It is sufficient for me, in order to show what significant impulses have proceeded from both the archeology and the ethnography of America, to recall to you that the whole modern development of primitive sociology took its real beginning from the investigations of Lewis H. Morgan into the tribal constitution of the Iroquois, and that in the most recent researches into the philosophy of religion the old Mexican belief is beginning to play an increasingly important part. American archeology and ethnography are also of the greatest importance to general ethnology. So far as it has been possible to study the old remains and the old traditions, so far as philology gives us material for definite conclu-

sions, so far as the comparison of art-forms has been used as a basis for still further-reaching conclusions, nowhere as yet has the often-repeated assertion that the development of the tribes on this continent was the result of influences coming either eastward or westward from what we call the Old World found any support. On the contrary, the researches of the Jesup expedition have almost conclusively proved that in the northwest there took place an overflow of American civilization, a spread of American elements of population, to the Asiatic side of the Behring Sea. For that science, also, which tries to search out the mysteries of the laws which have governed the human mind in its development from its obscure beginnings, the observations which we have made or are in a position to make on American soil will be of greater importance than those made in any other part of the world. For the observations made here have all the advantages of pure experiment. That is the special privilege of American studies, and the special interest which attaches to them. To provide the material for that comprehensive science, the study of the human race as a whole is thus not only the real and greatest task of American archeology, but also its most rewarding. It will be a great joy to me if the conviction of this shall spread in ever wider circles, and bring to American archeology the new laborers of which it still has such pressing need.

## SHORT PAPERS

MR. CLARENCE B. MOORE, of Philadelphia, read a paper before the Section of Archeology on "Aboriginal Urn-burial within the Limits of the United States," in which he took up the record of urn-burial, beginning with the Pacific Coast, following the customs eastward as their investigations demonstrated.

DR. WILLIAM C. MILLS, of Ohio State University, presented a paper to this Section on "Explorations of the Harness Mound," in which he described the largest mound of the Liberty group, named after the owner of the property and located nine miles south of Chillicothe, Ohio.

SECTION C — ETHNOLOGY

1





## SECTION C — ETHNOLOGY

---

(Hall 16, September 24, 3 p. m.)

CHAIRMAN: MISS ALICE C. FLETCHER, President of the Washington Anthropological Society.

SPEAKERS: PROFESSOR FREDERICK STARR, University of Chicago.

PROFESSOR A. C. HADDON, University of Cambridge.

SECRETARY: PROFESSOR F. W. SHIPLEY, Washington University.

---

### ETHNOLOGY AND ITS RELATIONS TO OTHER BRANCHES OF ANTHROPOLOGY

BY FREDERICK STARR

[Frederick Starr, Associate Professor of Anthropology, University of Chicago. b. September 2, 1858, Auburn, New York. B.S. Lafayette, 1882; M.S. and Ph.D. Lafayette, 1885. In charge of Department of Ethnology, American Museum of Natural History, New York, 1891; Dean of Science Department, Pomona College, Claremont, California, 1892-95; Registrar, Chautauqua University, 1890-91. Fellow of American Association for the Advancement of Science, American Anthropological Association; Honorary Member, Fenelon Society, London; Honorary Corresponding Member of the Italian Society of Anthropology, Ethnology, and Comparative Psychology; Paris Société d'Anthropologie. Author of *Indians of Southern Mexico*; *Physical Characters of Indians of Southern Mexico*, etc.]

INVITED, but a few days since, to take the place of a foreign speaker, who is unable to be present, and with the time since fully occupied with an unexpected burden of labor, I have been unable to prepare for this occasion such a paper as should justly be expected. In the few moments which it will occupy, I shall ask your attention to three points, which are either new or sadly neglected, which seem to me worthy of consideration by ethnologists.

*First.* In discussions in the history of culture, we are prone to assume that primitive man had no experience and no accumulation of knowledge gained from the experiences of the past; that he had to make the absolute *beginnings* in culture; that he was a being capable of great things, but with nothing. This assumption has been practically universal, and has met with no remonstrance. It is, however, highly improbable; nay, impossible. Primitive man, if the product from animal ancestors, must have inherited many things from lower forms. Many habits, mental attitudes, ideas, beliefs, must have been developed during prehuman existence. This suggestion gains force from two significant works recently published — Groos's *Play of Animals* and Atkinson's *Primal Law*. The careful reading of Groos's work proves that

man's ancestral form must indeed have been sadly inferior, if it had not gained through play a mass of valuable results, which man inherited as no mean capital. The same author's *Play of Man* adds emphasis to this view, though neither book was written to establish the point which we are making. Mr. Atkinson's *Primal Law* is a remarkable book, full of suggestion. We need not accept all of its conclusions, but his general argument is startlingly useful. Why should we seek the origin of certain curious features of social organization in humanity, when their very nature suggests a source in the brute ancestors? Mr. Atkinson has pointed us wisely, even though he may not have established all his conclusions. What is true in regard to the play-impulse with its valuable results and in regard to early sociological taboos, must be true of many other fields of human activity. The *beginnings* are to be sought and studied, not in the primitive man, but in the brute ancestors. If this assumption is granted, what added importance the subject of animal psychology assumes for the ethnologist and how particularly important the little-investigated psychology of the simian forms becomes! We ought to know just what achievements these nearest of our animal relatives have made, — their emotions, impulses, ideas, devices, inventions, institutions. Not, of course, that such a knowledge, even if complete, will give us an accurate or an adequate idea of what man owes to his predecessors. These living simian forms are *not* in our ancestral line. It is because they differed from our actual ancestors that they differ from us to-day. But their psychology and their life will give us a nearer conception of primitive man's inheritance from prehumanity than we can otherwise gain.

*Second.* Another point which seems worthy of attention is the close relation of human types to local faunas and floras. This was first brought strongly home to me by the accidental observation that the area of the extended cultivation of maguey, — the plant from which the famous intoxicant *pulque* is derived, — and the area of the atomis in Mexico practically coincides. Maps have not been prepared to demonstrate this coincidence, but I believe they would show it to exist. This impression was strengthened by an examination of Professor Seth E. Meek's map of the distribution of fresh-water fishes in Mexico. Here, again, time has not permitted that careful and rigid comparison which alone would warrant a final statement, but the areas of fish faunas appear fairly to coincide with the areas of human linguistic groups. In this connection we may refer to a recent paper by C. Hart Merriam, in *Science* of June 17, 1904, *Distribution of Indian Tribes in the Southern Sierra and adjacent parts of the San Joaquin Valley, California*. In this paper, without actually making any statement just such

as we are considering, the author shows that the tribes of Indians investigated are definitely related to a certain faunal and floral area; where it stops, there are no Indians. The point for emphasis, if the idea presented is true, is the smallness of these areas; that a special human type, and a local culture, seems closely related to and connected with a little local group of plants and animals. The idea may be compared with the old ideas of Agassiz, for whom each great human race was a member of a special fauna with a well-defined, but large, geographical area. For Agassiz the facts proved *polygenism*. The suggestion here made is for many more local types than Agassiz ever claimed, with much narrower range and with small, local faunal and floral groups. And, far from demanding a polygenistic explanation for these types, we should claim that for man, as for animals and plants, variation is easy and prompt. Environment produces a ready response, and plants, animals, and man come into harmonious relations not only to outer influences, but also to each other.

*Third.* These considerations lead up to the third point, which seems at first inconsistent with the theory of such ready variation, prompt adaptation, and extreme localization of types. Are we not constantly driven to recognize continental types of mankind? Do not the more recent classifications show this tendency? Do not Brinton and Keane both, hostile as they were, come to the idea that the great races are *continental* types? Are not the races to which Dr. Dorsey has just referred continental? Are not both Brinton and Keane actually driven to add to their four races others which also have a definite and large area of occupancy? When we once leave the simple, triple subdivision of the species, as Cuvier gave it, are we not driven to recognize perhaps six great races — and those geographically named? Do not the words European, African, Asian, American, Australian, Malaysian, all geographical, immediately call up a great racial type? For me, these types are a reality, and are the result of the great continental environment, taken in its entirety, upon its human population. It is commonly assumed that these types were early produced, while the new species was plastic, during a period of accelerated evolution. This is probable and granted. Where I differ from some, perhaps all, of my hearers is in believing that these same types are now being produced, and will continue to be produced, within the continental areas. Asia is, has been, and will be the continent of the yellow race; South Africa is and will be, as it has been, the continental area that makes black men with woolly hair. So of the other great areas, they may be expected in the future to produce the same types of humanity which they have produced in the past

The apparent inconsistency between this idea and the preced-

ing is freely admitted. For the most part it is met by the suggestion that the local types of man, occurring in small but definite areas, are sub-types of the great continental type within the district of which they occur. They are not, however, only minor types diverging from the fundamental under the action of differing, little, environmental areas; they are also, some of them originally, differing immigrants who are converging toward the continental type under the larger environmental area. Study Deniker's ten European types with this double possibility in mind.

No one can better appreciate than myself the difficulty presented by the existence in one and another continent of long-settled, well-marked human types differing completely from the continental type, and apparently showing no tendency to approximate to it. My Ainu are a case in point. They are a white-skinned, hairy-bodied, bearded, "straight-eyed" people, who were in Japan before the Japanese. Why have they not assumed the yellow skin, glabrous body, and "oblique eyes" of the Asian race? The fact that we cannot say does not shake my faith in the reality of continental types nor my belief that these will be continuously reproduced, in general, by the action of the continental environment upon new masses of immigrants.

At all events, these three points are submitted for consideration, — our debt to the prehuman ancestors, the close relation between local human, animal, and plant groups, and the question of the existence and significance of continental types of man.

## ETHNOLOGY: ITS SCOPE AND PROBLEMS

BY ALFRED CORT HADDON

[Alfred Cort Haddon, M.A., Sc.D., F.R.S.; University Lecturer in Ethnology, Cambridge, since 1900; Senior Fellow, Christ's College. b. London, May 24, 1855. Professor of Zoology, Royal College of Science, Dublin, 1880-1901; made zoological and ethnological investigations in Torres Straits, 1888-89; organized and conducted the Cambridge Anthropological Expedition to Torres Straits, New Guinea, and Sarawak, 1898-99. Author of *Introduction to Embryology* (1887); *The Decorative Art of British New Guinea* (1894); *Evolution in Art* (1895); *The Study of Man* (1898); *Head-Hunters: Black, White, and Brown* (1901); and numerous papers and memoirs on zoological and anthropological subjects.]

PERHAPS there are few branches of knowledge in which it is so difficult to define its subject-matter as is the case with anthropology. The comparative newness of the study and the lack of uniformity in terminology among those who prosecute it are perhaps mainly responsible for this indefiniteness; further, the inherent complexity of the phenomena that are studied has to be taken into account. Precision of nomenclature is more difficult in the biological field than in inorganic nature, and the more complex the life the harder the task becomes. Thus it transpires that we who study the actions and thoughts of various races of men and their social groupings are sometimes at a loss to know how to name our studies with precision or to define their limits. I have had the honor of being invited to address this Congress on Ethnology, but as no information was given as to what the organizers of the Congress understood by that term, I feel it incumbent upon me to state as briefly as may be what I believe ethnology to be.

Anthropology, which is the Science of Man, clearly falls into two main divisions, — the one which deals with the natural man (*ἄνθρωπος* or *homo*), the other which is concerned with man in relation to his fellows, or, in other words, with the social man (*ἔθνος* or *socius*).

The first group of anthropological studies includes such subjects as the comparative anatomy (somatology), physiology, psychology, development, paleontology, classification, and the distribution of the varieties of man. It was proposed by Dr. Brinton to include all these and other subjects under the term "somatology," and this classification has been adopted by the organizers of this Congress; but it appears to many British anthropologists that "anthropography" is a preferable name, the older term "physical anthropology" being somewhat cumbersome, and the restriction of the word "anthropology" to this group, as is so frequently done on the Continent of Europe, leaves no distinctive name for the whole subject. Systematic, or taxonomic, anthropology, that is, the classification of

the varieties of man with their geographical distribution, is often spoken of as "ethnology," but this is to be deprecated, as the systematist deals with bodily as opposed to social characteristics; Dr. Brinton<sup>1</sup> termed this division "ethnography."

The second group of anthropological studies deals with everything that bears upon the domestic and social life of men. A description of a single group of mankind is sometimes described as ethnography, and in this sense it should be a monographic study including alike the physical and psychical characters of, and all that is made, done, and thought by, the group under consideration. Ethnology is now becoming recognized as the term for the comparative study of groups of men, but it is by no means easy to distinguish theoretically between ethnology and sociology, for by its etymology the latter signifies the science of the social man. Some authors make ethnology a part of sociology, others consider sociology a department of ethnology, while a few regard them as convertible terms.

The simplest way out of the difficulty is frankly to admit that no hard and fast line can be drawn between the two subjects, but, indeed, this is always the case between allied sciences. Who can now define chemistry so as to separate it from physics, or delimit botany from zoölogy? Ultimately we have to recognize that our several studies of nature are merely so many "spheres of influence;" for the sake of convenience we attempt to pigeon-hole our investigations, but sooner or later the artificial barriers are broken down.

For example, perhaps very few sociologists would consider that a study of implements, boats, or houses falls within their province, but it is otherwise with the ethnologist. These objects are not regarded by him as, so to speak, merely superior claws, feet, or shells for individual men, but as the organs by which social man lives and by which he acts upon his fellows. The ethnologist rightly busies himself in part with these as he realizes that every implement or construction has a history, and he endeavors by patient inquiry to discover how and where it first arose and the influences that have modified its form or affected its ornamentation. The superiority of metal over stone, or of one kind of metal over another, or for certain purposes of the bow and arrow over the spear, of the cross-bow over the long-bow, and of guns over bows; or the social effects of a canoe or of a communal house, or those caused by hunting or agricul-

<sup>1</sup> Dr. Brinton's fly-sheet of a proposed classification of the anthropologic sciences was published in the *Proceedings of the American Association for the Advancement of Science*, 1892: I reprinted it as Appendix A in *The Study of Man*. Anthropology was divided by Dr. Brinton into (1) Somatology — Physical and Experimental Anthropology; (2) Ethnology — Historic and Analytic Anthropology; (3) Ethnography — Geographic and Descriptive Anthropology; (4) Archeology — Prehistoric and Reconstructive Anthropology.

ture are considerations that do not concern the ethnologist alone; for the effect upon society of a superior weapon, a canoe, or of a house may be far-reaching; and all sociologists acknowledge the intimate connection that exists between occupation and social conditions.

On the other hand, the construction of a theory of the origin, growth, and destiny of humanity, or the enunciation of principles applicable to the ordering of social life are alien occupations to the ethnologist as such.

Probably the majority of ethnologists will admit that under their science may be classed those cultural activities which are broadly included under the arts, crafts, institutions, languages, opinions, and beliefs of all peoples. But here the old difficulty reappears. Where is the line to be drawn? Most sociologists appear to draw this line at civilization; they reserve to themselves the right to study the civilized states, while to the ethnologist they relegate the uncivilized communities.<sup>1</sup> It may be desirable to call the latter ethnical societies or ethnogenic associations, and the former demotic societies or demogenic associations;<sup>2</sup> but in practice it is often exceedingly difficult to determine whether a given community can be designated as civilized or uncivilized.

As a matter of fact, a distinction of this nature does obtain for practical purposes. Implicitly, rather than explicitly, the ethnologist does mainly confine his attention to the less civilized peoples or to the less cultivated classes of culture-peoples; but this is a matter of convenience, and he considers himself quite justified in making an occasional excursus into even the highest civilizations.

The difficulty of discriminating between two allied subjects, such as ethnology and sociology, is repeated when the field of history is considered.<sup>3</sup> Historians themselves are divided in opinion concerning the legitimate scope of their study; some claim it as a science,<sup>4</sup> others describe it as the artistic and emotional treatment of the whole past of mankind.<sup>5</sup> The two views, whether history is to be regarded as science or as literature, are irreconcilable only in their extremes. Historical data require to be collected, authenticated, and classified according to that method to which the term "scientific" is often applied, but to which the designation "critical" is equally

<sup>1</sup> Lester F. Ward, *Pure Sociology: A Treatise on the Origin and Spontaneous Development of Society*, 1903, pp. 15, 33.

<sup>2</sup> F. H. Giddings, *The Principles of Sociology*, 1896, pp. 157, 299; cf. also pp. 26, 27, 33.

<sup>3</sup> "It is often asked, when should Ancient History be supposed to begin? Can a practical line be drawn? Archeology overlaps what we can strictly call History, but it goes much farther back: it revels in the 'prehistoric.' So too Anthropology, of which in its widest sense History is but a branch." W. E. Heitland, "The Teaching of Ancient History," in *Essays on the Teaching of History*, Cambridge, 1901, p. 38.

<sup>4</sup> J. B. Bury, *An Inaugural Lecture*, Cambridge, 1903, pp. 7, 42.

<sup>5</sup> G. M. Trevelyan, "The Latest View of History," *The Independent Review*, 1904, I, p. 395.

applicable. The presentation, however, of historical facts should be in that lucid manner which is the essence of style, adorned, it may be, but not obscured, by those graces which may be termed literary; but, after all, these remarks apply equally to the physical or biological sciences.

Probably there is not much real difference of opinion concerning the critical treatment of historical data and their arrangement and elucidation. Much of this lies beyond the sphere of the ethnologist, but it is otherwise with political science, which, according to some authorities, is the central science around which historical facts and problems should be grouped, and which coördinates them. Professor Seeley asserted <sup>1</sup> that political science began with the classification of states, then proceeded to study the functioning and development of a state, and later to the mutual relations of states. It is therefore evident that the student of political science must turn to the ethnologist for data to assist him in his investigations.<sup>2</sup>

The science of history certainly does not cover the whole field of history; by its side, as Mr. Trevelyan has pointed out, three principal objects of history may be recognized: "to teach political wisdom; to restore our heritage in the ideals of the past and the lives of the noble dead; and to make us feel the Poetry of Time." Political science should teach political wisdom, and history through literature has for one of its tasks the education of the emotions.

It has been stated by Professors Langlois and Seignobos that: "The historian works with documents. . . . Every thought and every action that has left no visible traces, or none but what have since disappeared, is lost for history; is as though it had never been. For want of documents the history of immense periods in the past of humanity is destined to remain forever unknown. For there is no substitute for documents: no documents, no history."<sup>3</sup>

The philosophical historian understands by history something broader and deeper than documentary history; he does not confine his conception of history to the social and political interrelations of certain European countries, or "periods,"<sup>4</sup> but regards in his

<sup>1</sup> J. R. Seeley, *Introduction to Political Science*, 1896, pp. 18, 361.

<sup>2</sup> As Oscar Browning states, "It appeals at once to the statesman and to the antiquarian; it is equally interesting to the politician, to the student of the most ancient races, and to the explorer of existing rudimentary societies. It is a great thing to have discovered that this is the best clue to the maze of annalistic facts. The merit of this discovery belongs justly to Professor Seeley and to Professor Freeman." *The Cambridge Review*, 1885, VI, p. 178, and pamphlet on *The Proposed New Historical Tripos*, 1897, p. 15.

<sup>3</sup> C. V. Langlois and C. Seignobos, *Introduction to the Study of History*, 1898, p. 17.

<sup>4</sup> As J. R. Tanner points out: "What is philosophically desirable is not always practically possible, and though the historian can sometimes afford to be a philosopher, the teacher of history must be a man of business. Experience shows that as a matter of business subdivision is essential." "The teaching of Constitutional History," in *Essays on the Teaching of History*, 1901, p. 51. My remarks do not apply to those who for educational reasons or for purposes of research are obliged to restrict themselves to limited periods, but to those who



purview all conditions, ages, and climes, or, in other words, he studies universal history.<sup>1</sup> Hence it becomes necessary to throw every possible light upon those shadowy beginnings of the culture-nations when all knowledge was stored in human brain-cells. Tradition has handed down to history only the most fragmentary traces of the unwritten lore, and these are totally inadequate to supply the documentary historian with sufficient data to complete his narrative. Here the ethnologist comes to the aid of the baffled historian and supplies him with accounts of existing peoples who have dallied along the road that leads to civilization, and amongst these laggards there can be selected parallels to the various phases through which various civilizations have passed. As geography and ethnology are the open pages of those portions of earth-history, of which stratigraphy and archeology are the pages already turned down, so the history of the earth (geology) and the history of man are consecutive narratives that incorporate the past and the present.

For the sake of convenience archeology is generally regarded as a subject of equal rank with anthropography and ethnology, but it bears the same relation to ethnology that paleontology does to biology. The finds are fossil implements, shards, house-sites, and the like, but, as the paleontologist must be a zoölogist if his dry bones are to be vivified, so must the archeologist turn to ethnology for existing parallels or for suggestions as to the probable use or meaning of particular objects; hence the distinction between the finds of the archeologist and the collections of the ethnologist is not one of degree but merely a question of chronology.

It is convenient to speak of the less advanced people in civilized communities as the "folk," and folklore is what the folk think and do, and its essential character is that it is traditional. Practices were observed and copied, and in this way there has accumulated a vast amount of traditional thought and usage that has been handed down from the childhood of man, and is still being transmitted. Although the bulk of folklore is current among the less educated classes, there is a good deal persisting among the so-called higher classes, and new vagaries are constantly appearing.<sup>2</sup>

speak as if this method was, to say the least of it, the most important part of history.

<sup>1</sup> "What do we mean by a Universal History? Briefly: a History which shall (first) include all the races and tribes of man within its scope, and (secondly) shall bring all these races and tribes into a connection with one another such as to display their annals as an organic whole. Universal History has to deal not only with the great nations, but also with the small nations; not only with the civilized, but also with the barbarous or savage peoples; not only with the times of movement and progress, but also with the times of silence and apparent stagnation. Every fraction of humanity has contributed something to the common stock, and has lived and labored not for itself only, but for others also through the influence which it has perforce exercised on its neighbors." James Bryce, "Introductory Essay," in *The World's History: A Survey of Man's Record*. Edited by H. F. Helmolt, 1901, I, p. xxi.

<sup>2</sup> Two examples will suffice: "A lady living within the shadow of the walls of

Folklore bears the same relation to the study of comparative custom and belief that archeology does to ethnology and history, but with this difference, that the main data of archeology are tangible objects, whereas those of folklore are intangible: folklore may thus be described as psychical archeology. To take a zoological parallel, archeology and folklore bear the same relation to ethnology as paleontology bears to zoology, for the latter includes the study of the survivals of earlier types as well as the more differentiated forms that constitute the enormous majority of existing animals.

The historian, also, whether he deals with the history of ancient civilizations, or even with that of early Europe, is dependent upon the archeologist, not only for the explanation of his documentary accounts, but for the accumulation of fresh data. The classical scholar, the Egyptologist, the Assyriologist, and others who interest themselves in the resurrection of past action and belief fully recognize that the remains unearthed by the spade are of as much value to their studies as are written documents. No better example of this can be found than in the monumental translation and commentary of *Pausanias's Description of Greece* by Dr. J. G. Frazer, in which the text of the somewhat commonplace Greek sight-seer is illumined with a great wealth of archeological lore, and the strange incidents recorded by the ancient writer are matched by suggestive parallels from European folklore or from the vast storehouse of Dr. Frazer's ethnological erudition.

"What a 'cabinet of specimens' is to a professor of mineralogy, what an 'anatomical museum' is to a professor of anatomy, the tribes of the South Sea Islands may be to the professor of history, whether he teach from a chair or by means of a printed book. If only a small fraction of the time and intellectual effort devoted to the investigation of obscure points in the history of early Egypt, early Mesopotamia, early Greece, or early Italy — or indeed of early Britain — had been added to the little which has been devoted to South Sea Island investigations of a similar kind, those points would have been cleared up more easily." So writes Vice-Admiral Sir Cyprian Bridge<sup>1</sup> and he proceeds to adduce exam-

Harvard University maintains that carbons from arc lamps are a sure preventive of neuralgia." Frank Russell, President's Address, American Folk-Lore Society, *Science*, 1902, p. 569. "In many motor-cars is suspended a perforated stone, usually a sea-rolled flint with a natural bore; this stone is supposed to act as protective amulet. It is supposed to confer safety on the fastest traveling motor-car, and there is many a speedy driver who in his heart ascribes his immunity from accidents to the strange power of the perforated pebble." *Daily Chronicle* (London), March 14, 1903.

<sup>1</sup> Cyprian A. G. Bridge, Introduction to *The Caroline Islands*, by F. W. Christian, 1899, p. 6.

ples, culled from his own wide experience in various parts of Oceania, of present-day illustrations of events that happened before the walls of Ilios, or parallels in custom between the Micronesians and the ancient Germans. In my own small experience<sup>1</sup> I have passed in a week or two from the stone-age savagery of the Papuans to the barbarism of Borneo, which recalls in many respects the stage of culture at which Europe had arrived at the time when iron was replacing bronze.

It has often been noted that the history of human culture is largely the history of the domination of nature by man; at first man was simply a creature of circumstances like any other animal, then gradually he commenced his work of subduing the earth. The donning of clothes and the discovery of fire rendered man less dependent upon purely geographical conditions. As the Right Honorable James Bryce says: "We need not pursue his upward course, at every stage of which he finds himself better and still better able to escape from the thralldom of nature, and to turn to account the forces which she puts at his disposal. But although he becomes more and more independent, more and more master not only of himself, but of her, he is none the less always for many purposes the creature of the conditions with which she surrounds him. . . . In the earlier stages he lies helpless before her, and must take what she chooses to bestow . . . but in the later stages of his progress he has, by accumulating a store of knowledge, and by the development of his intelligence, energy, and self-confidence, raised himself out of his old difficulties. . . . As respects all the primary needs of his life, he has so subjected nature to himself that he can make his life what he will. . . . Thus his relation to nature is changed. It was that of a servant, or indeed that of a beggar, needing the bounty of a sovereign. It is now that of a master needing the labor of a servant, a servant infinitely stronger than the master, but absolutely obedient to the master, so long as the master uses the proper spell."<sup>2</sup> The elucidation of this evolution of culture has been the work of ethnology.

The interrelations between man and his environment are manifest in multifold ways, since, as is evident to all, the physical conditions of a country, including the climate, the vegetation, and the indigenous animals, affect the life of the human inhabitants of that country. The main occupation of a people reacts upon its social life; thus, within certain limits, the character of the organization of the family, the nature of larger social groupings, and the regulation of public life are products of the environment. Not less has the environment impressed itself upon the arts of life and

<sup>1</sup> *Head-Hunters: Black, White and Brown*, 1901.

<sup>2</sup> J. Bryce, *loc. cit.*, pp. xxvi, xxvii.

as much also upon the complex activities that may be placed under the general term of religion. The religious conceptions of a hunter must necessarily differ from those of a shepherd or of an agriculturist, and the religion of desert-dwellers must find a different expression from that of jungle-folk.

Primitive men simply gathered vegetable and animal food, later they became definite hunters, and hunting-folk are still the least advanced of any people; they are what are termed "savages."

Under stress of circumstances certain peoples devoted themselves to agriculture, and, according to the local conditions, cultivated certain plants, each of which definitely reacted on the social life of the agriculturists. Other peoples became herders instead of hunters of animals, and they necessarily were at first very mobile. Fishing-populations generally form characteristic communities that gain command of the seaboard.

These four types of societies, with their several modifications, occurred in Europe in prehistoric times as well as in the early historic period, and the various ways in which they reacted upon one another were very marked.

The agricultural peoples gradually brought the plains and forest lands into cultivation. As they acquired wealth, they were despoiled by the herdsmen, who, being horsemen, could readily overrun the country and defy pursuit. The agriculturists could not well defend themselves, being unwarlike and footmen; but it depended upon the degree of the social evolution of the herdsmen how far the results of this conquest were lasting. Attila, Genghiz Khan, and Tamerlane neither organized nor administered the conquered populations; they passed like a hurricane, and scarcely left more lasting traces of their progress. The Turks are still only encamped in Europe, they are simply superimposed upon the peoples they dominate, and there is practically no assimilation; similarly the Manchus are aliens in China. On the other hand, the early Teutonic horsemen forced themselves upon the agriculturists of Gaul and permanently overlorded them; and the highly organized, cultured, religious enthusiasts who were trained in the Sahara established themselves in Spain for centuries.

The Phœnician, and later the Greek, fishermen developed into more or less piratical merchants in the Mediterranean, as have the Malays in the East Indian Archipelago. In the North Sea the Scandinavian fishermen raided Ireland for gold and treasure, or settled in Britain and Northern Gaul, their leaders becoming aristocratic landowners and rulers of the people. A similar history was repeated in Slavia by the Scandinavian Varangians; thus it was that different branches of the same race gave their names respectively to England, France, and Russia.

The foresters and the miners, as such, have played only a passive part in the history of Europe.

Speaking broadly, we may say that human societies are molded by physical environment, conditioned by biologic environment, and stimulated by ethnic environment.

As human societies become more complicated, their interrelations grow more complex; but in one form or another the struggle of classes continues. For the elucidation of the earlier phases of these and similar social or historical occurrences recourse must be had to the ethnologist, for it is his province to record the social constitution and the social kinetics of existing backward peoples, and it is only by these comparative studies that light can be thrown upon the past history of nations.

Have we, however, a right to restore the past by an appeal to the present? The labors of such students as Andrée, Bastian, Durkheim, Frazer, Gerland, Hartland, Post, Ratzel, Robertson Smith, Steinmetz, Tylor, and others have, in the words of Dr. Brinton, proved there is something universal in humanity. "Its demonstration is the last and greatest conquest of ethnology, and it is so complete as to be bewildering. It has been brought about by the careful study of what are called 'ethnographical parallels.'"<sup>1</sup> Dr. Post does not hesitate to say: "Such results leave no room for doubt that the psychological faculties of the individual, as soon as they reach outward expression, fall under the control of natural laws as fixed as those of inorganic nature."<sup>2</sup> "As the endless variety of arts and events in the culture-history of different tribes in different places, or of the same tribe at different epochs, illustrates the variables in anthropologic science, so," continues Dr. Brinton, "these independent parallelisms prove beyond cavil the ever-present constant in the problem, to wit, the one and unvarying psychological nature of man, guided by the same reason, swept by the same storms of passion and emotion, directed by the same will towards the same goals, availing itself of the same means when they are within reach, finding its pleasure in the same actions, lulling its fears with the same sedatives."<sup>1</sup>

On the other hand, absolutely necessary and invaluable as is the comparative method, it should not be abused. Things which are apparently similar need not necessarily be the same, for, as the biologists have long taught, analogy and homology are two very different things. Thus it is conceivable that two customs or simple ceremonies may resemble one another so closely as to appear quite similar, but, however convergent their outward forms

<sup>1</sup> D. G. Brinton, "The Aims of Anthropology," *Proceedings*, American Association for the Advancement of Science, 1895, XLIV.

<sup>2</sup> A. H. Post, "Ethnologische Gedanken," *Globus*, LIX, no. 19.

may be, if the motive for their performance is different we must not regard them as identical. The masters of the comparative method are fully alive to this danger, but it is one into which the enthusiastic beginner is apt to fall, and all the more readily as it is very difficult to ascertain the true motives for a given custom, and, too often, the performance itself has been very imperfectly recorded.

So far I have considered what may be regarded as those aspects of ethnology which add to the sum of human knowledge; but we may safely urge that part of the business of ethnology is to provide data which can be utilized by the practical politician, and possibly at no very distant period this fact will be clearly recognized by those who aspire to a career in affairs, as well as by the faculties of those institutions where men are trained for public life. But, I would again assert, the practical application of ethnological data to current statecraft is not the province of the ethnologist.

"To the aspirant for honors in the diplomatic service," says Dr. Frank Russell,<sup>1</sup> "anthropology offers an admirable training. He learns the significance of the racial factor in national welfare; the measure and condition of progress; the principles of ethnologic jurisprudence; and also the characteristics of the particular people among whom his duties lead him.

"For the legislator, anthropology must become a necessary preparation. America has problems whose solution calls for the widest knowledge of races and cultures. Such knowledge, free from political bias and hereditary prejudice, can best be gained by the study of the science of man.

"Anthropology prepares the lawmaker and the jurist for the task of coping with crime. Criminal anthropology has explained the character and causes of criminality and degeneracy, and led to revolutionary changes in the methods of crime prevention."

As Dr. Brinton has pointed out, the branch of anthropology, which has for its field the investigation of the general mental traits of various peoples, for which the Germans have proposed the name Characterology (*Karakterologie*), "is that which offers a positive basis for legislation, politics, and education, as applied to a given ethnic group; and it is only through its careful study and application that the best results of these can be attained, and not by the indiscriminate enforcement of general prescriptions, as has hitherto been the custom of governments."<sup>2</sup> Most civilized nations have living within their borders groups of people who differ in race, language, custom, and religion from the bulk of the

<sup>1</sup> F. Russell, "Know, then, thyself," *Journal of American Folk-Lore Society*, 1902; *Science*, 1902, p. 570.

<sup>2</sup> D. G. Brinton, *loc. cit.*

population. The arbitrary politician seeks to force all such into his Procrustean bed of wont and faith, as, for example, Russia is attempting to do in her Baltic provinces and in Finland; but surely there is a more excellent way.

Perhaps still more are sympathy and knowledge required by those who have to deal with native races. There can be no question but that a full knowledge of local conditions and a sympathetic treatment of native prejudices would materially lighten the burden of government by preventing many misunderstandings, and thus, by securing greater efficiency, would make for economy.

To look at the matter from the lowest point of view, even a slight frontier trouble means a direct expenditure for the local executive and a stagnation of trade. Commerce is, as it were, a sensitive barometer that fluctuates with every small variation of pressure in the political firmament and the pecuniary loss to a country is not to be measured by the actual expenditure consequent upon a trouble with natives, so much as by the indirect loss to the community at large; this can rarely be estimated, but it is none the less real.

"To the man of affairs," writes Professor W. Cunningham,<sup>1</sup> "economic history may prove of interest from quite another reason — by furnishing a clue to unfamiliar habits and practice in the present day. The expansion of Western civilization has brought Europeans and Americans into the closest contact with many barbarous and half-civilized peoples, whose usages and habits are strange to us. For purposes of trade it is convenient to understand their methods of dealing; while the administrator who rules over them cannot easily see how the incidence of taxation will be distributed in their communities or what are the possibilities of social oppression against which it is necessary to guard. Some of the most regrettable blunders of the English Government in India have been due to an inability to understand the working of native institutions. A careful study of the past of our own race, or of the earlier habits of other peoples when natural economy still reigned, would at least have suggested a point of view from which the practical problems in India might be more wisely looked at. By means of analogies drawn from the past we may come to understand the advantage, under certain circumstances, of fiscal methods that seem to be cumbrous, and the danger of introducing modern improvements in a polity that is not prepared to assimilate them."

There are higher grounds than those of mere expediency for the carrying-out of this policy, and there ought to be no need to insist upon this point of view. Fortunately there are not lacking

<sup>1</sup> W. Cunningham, "The Teaching of Economic History," in *Essays in the Teaching of History*, 1901, p. 46; cf. also W. F. Flinders Petrie, *Report of British Association for the Advancement of Science*, 1875, pp. 820-824.

examples of backward peoples being helped by the wise leadership of Europeans. I may instance the cases of British New Guinea,<sup>1</sup> Torres Straits,<sup>2</sup> and especially that of Sarawak,<sup>3</sup> where many varied tribes are helped, under the "mild despotism" of His Highness Rajah Sir Charles Brooke, to govern themselves; the central idea of the Government being the benefit of the natives and the gradual betterment of their condition by natural growth from within, and this is successfully accomplished by a sympathetic knowledge of the people.

Other examples of wise administration of native states by Europeans could easily have been adduced, but I preferred to limit my remarks to those regions that have come under my personal observations. May I be permitted to utter one word of warning? For social evolution to be efficient and permanent it should be the result of a response to needs felt by the people themselves, and consequently such progress is usually very slow, for even the recent rapid advance of Japan is the result of long years of discipline and training, without which she could not have seized her opportunities and improved upon her teachers. The Western world is passing through a phase of "hustle" which also manifests itself in a tendency unduly to accelerate the cultural evolution of backward peoples.

We have now to consider the problems of ethnology and the direction the development of the science should take in the immediate future. From almost whatever point of view we regard history, we find that the comparative studies of the ethnologist afford explanations of historical phenomena which the historical records are usually too imperfect to elucidate with sufficient detail. As a matter of fact it is hardly going too far to suggest that in the existing state of our knowledge the present explains the past more than the past explains the present. Hence the pressing need for complete ethnological investigations before the data are lost.

I may be wrong, but it appears to me that there are few special problems in ethnology that require elucidation to the exclusion of others. Some departments of inquiry are of greater importance in the cultural history of man than are others, but owing to the far-spreading interactions of human ideas and deeds, it is often very difficult to pronounce with any degree of certitude that a particular branch of inquiry is of such relative unimportance that it can safely be neglected, or even merely postponed.

It may not be unprofitable, however, to glance at the five groups of subjects,<sup>4</sup> which, as I have previously stated, are regarded by

<sup>1</sup> W. Macgregor, *British New Guinea: Country and People*, 1897, pp. 41, 97.

<sup>2</sup> *Reports of the Cambridge Anthropological Expedition to Torres Straits*, 1904, v p. 264.

<sup>3</sup> *Head-Hunters: Black, White, and Brown*, 1901, p. 293.

<sup>4</sup> These five fields of ethnological study were formally stated by J. W. Powell



certain ethnologists as the main divisions of their science, and to indicate some of the lines that require investigation.

*Esthetology* embraces the study of the activities of mankind connected with more or less spontaneous sensations of pleasurable character. It has been said that among primitive peoples these activities appeal chiefly to the senses, and among the more advanced peoples they appeal largely to the emotions and to the purely intellectual faculties.

Of late years considerable attention has been paid to the subject of decorative art, and there are few subjects studied by ethnologists which have such a wide range of interest as has this. It is being abundantly proved that, speaking generally, the majority of designs and patterns have a definite significance, and thus they are not merely pleasing and meaningless dispositions of form, or color, as so often are those of modern decorative artists. There is only one possible method of discovering the real meaning of any particular design, and that is by inquiry in the field, and even then it is not always possible to get all the information that is desired, for, as has been shown by von den Steinen,<sup>1</sup> Kroeber,<sup>2</sup> Boas,<sup>3</sup> and others, the same simple design may have different meanings, and often it is the original designer alone who knows precisely what was the idea that a particular decoration was intended to record; at all events, this is the case with the Plains Indians. How mistaken, therefore, is it for students to rely solely upon museum material, as still is too much done!

What do we really know about the music of most of the backward peoples?

The amusements of peoples deserve more careful study, but this is becoming increasingly difficult, owing to the recent rapid diffusion of alien culture among native races. A comparative study of games is being made by Culin, based mainly upon the collection in the Free Museum of Science and Art in Philadelphia; but here also much work must be done in the field before trustworthy results can be obtained.

in the Introduction to the *Sixteenth Annual Report of the Bureau of American Ethnology*, 1894-95 (1897), when the term "sophiology" was introduced (p. xviii). They were amplified by W J McGee in an address on "The Science of Humanity" delivered before Section H of the American Association for the Advancement of Science, Detroit, August 9, 1897 (cf. *American Anthropologist*, 1897, p. 241; *Science*, Sept. 17, 1897, p. 413, and *Annual Report*, American Association for the Advancement of Science, vol. LXVI, p. 293; also cf. *American Anthropologist* (N. S.) I, 1899, p. 401). Major Powell elaborated his ideas in a series of essays published in the *American Anthropologist* (N. S.) I, 1899, pp. 1, 319, 475; II, p. 603; III, p. 51.

<sup>1</sup> K. von den Steinen, *Unter den Naturvölkern Zentral-Brasiliens*, 1894, pp. 258-270.

<sup>2</sup> A. L. Kroeber, *American Anthropologist*, 1901, III, p. 308; *Bulletin*, American Museum of Natural History, 1900, XIII, p. 69; 1902, XVIII, p. 1.

<sup>3</sup> F. Boas, *Popular Science Monthly*, Oct., 1903; Supplement to Am. Museum Journal, IV, no. 3 (Guide Leaflet to Am. Mus. Nat. Hist. no. 15).

Whatever department of esthetology is studied, not merely must the objects or facts be collected, and their significance ascertained, but ever must one remember that they all have a psychological significance, and this too must be studied in the field; a highly suggestive presentation of this aspect will be found in Hirn's *Origins of Art*.

*Technology.* The study of what man makes and how he makes it, is one that has appealed to many workers. Our museums are full of weapons and utensils, but in numbers of instances our knowledge about them is very imperfect. The localities from which objects are supposed to come are frequently vague and occasionally incorrect; the exact materials of which they are made, and the method in which they are made are rarely recorded. There are extremely few sets of photographs that illustrate all the stages in the making of an object; this latter is an important point, as the manufacture of primitive implements is fast disappearing. For such purposes the cinematograph might very well be employed by the ethnologist in addition to ordinary photography.

*Sociology.* The progress of all cultural peoples has depended primarily upon social habits, and the tracing of this evolution is one of the most important tasks that the ethnologist has to accomplish. In taking a general survey of the literature of comparative sociology, one is at first sight inclined to think that a fairly adequate amount of information has been collected; but when one begins to analyze the material a very different impression is arrived at. The statements are found to be too general and to lack precision in detail. Among less advanced peoples the communities are usually rigidly organized, and definite duties are allocated to certain individuals according to their position in the community at large or according to their kinship. In order to gain a thorough knowledge of the construction of any society, it is essential that these several duties should be clearly recorded, and exact information should be given concerning the individuals by whom they are performed. It is precisely in such details that most accounts hopelessly break down. As the social structure of many peoples has been shattered by contact with Europeans it is of the greatest importance that an effort should be made to recover this class of information; in many cases it is probably already too late, but in others it is possible that something may yet be saved. As a matter of fact, a very large proportion of the earlier observations on the sociology of native races requires to be confirmed and amplified.

*Philology, or Linguistics,* deals not so much with languages as with language, its origin, nature, and laws, and in addition to the spoken language the ethnologist studies gesture- and sign-language, as well as pictographic, symbolic, ideographic, and phonetic writing.

An interesting field for research will be found in the evolution of literature, but even this cannot be culled from existing books, as verbatim transliterations of tales, songs, and sayings are very rare, and free renderings, and abbreviated accounts are of little value from this point of view.

*Sophiology* is a word invented by Major Powell to comprise the study of "inferences, conclusions, abstractions, beliefs, and all other forms of knowledge or pseudo-knowledge:" he defined it as "A science of opinions, including the activities of promulgation and acceptance." Although it is true we have a mass of material dealing with these subjects, no one can admit that it is sufficient.

Innumerable magical practices have been recorded, but even so, more information is required as to the method in which they are supposed to act. Dr. J. G. Frazer<sup>1</sup> regards religion as opposed in principle to magic, and holds that an age of religion has everywhere been preceded by an age of magic. Others, as Marett puts it,<sup>2</sup> consider that "Magic proper is all along an occult process, and as such part and parcel of the 'God-stuff' out of which religion fashions itself."

The problems of sophiology are fundamentally questions of psychology, and they require to be studied by those who have had a thorough training in that science.

The appliances and ceremonies of religion are of the highest interest, and should be described with great minuteness, and the associated myths, which are probably always later than the observances for which they are supposed to account, deserve to be written down. Of late years certain ceremonies have been described with an admirable wealth of detail and illustration by American ethnologists such as G. A. Dorsey, J. W. Fewkes, Washington Mathews, J. Mooney, and H. R. Voth; and Baldwin Spencer, F. J. Gillen, and W. Roth have done the same great service to science in Australia.

After all, ritual is but the outward form of the more important religious idea, and field-work undertaken by suitably trained observers is necessary before much advance can be made in tracing the evolution and early vagaries of this idea.

It is a matter of regret that, although a great deal is now being written on symbolism and religious art, comparatively little of it is the outcome of work in the field.

To whatever department of ethnology we turn our attention, wherever we glance over the map of the world, the fact is increasingly evident that we need more extensive and more detailed observations. The data upon which students at home have to rely are

<sup>1</sup> J. G. Frazer, *The Golden Bough: a Study in Magic and Religion* (2d ed. 1900), I, pp. 63, 75.

<sup>2</sup> R. R. Marett, "From Spell to Prayer," *Folk-Lore*, 1904, xv, p. 160.

usually of the most imperfect character; this, however, is not at all to be wondered at when we consider the training of those who collected the information or the manner in which it was obtained. The reliable collector is as fully aware as is the helpless student of the imperfection of his record, and for this there is only one remedy, — more extensive and more thorough investigations in the field carried on by trained observers.

Travelers and residents, naturalists as well as anthropologists, continually point out that throughout the world a very rapid change is taking place among nearly all peoples. The expansion of Europe has affected the less civilized peoples in very diverse ways, and this pressure has resulted in social upheaval, the upsetting of traditional safeguards to morality, and weakening of old faiths.

Owing to the withering influence of the white man, the more primitive peoples are more or less rapidly disappearing; either they are actually dying out, as are the Australians, who are quickly following the now extinct Tasmanians, or they are becoming so modified by contact with the white man and by crossings with alien peoples who have been deported by Europeans that immediate steps are necessary to record the anthropological data that remain. Not only are the opportunities for study fast slipping away, but this process is actually fastest in those countries where the most important results are likely to be obtained. There is no exaggeration in this. The delay of each year in the investigation of primitive peoples means that so much less information is possible to be obtained.

A word of warning is not unnecessary. There is still a great danger that travelers will make it their first endeavor to amass extensive collections, quite regardless of the fact that a sketch or a photograph of an object about which full particulars have been collected is of much greater scientific value than the possession of the object without the information. The rapid sweeping-up of specimens from a locality does great harm to ethnology. As a rule only the makers of an object can give full details respecting it, and no traveler who is here to-day and gone to-morrow can get all the requisite information; this takes time and patience. The rapid collector may get some sort of a story with his specimen, but he has no time to check the information by appeal to other natives, or to go over the details in order to see that he has secured them all and in the right order.

It is now recognized that many native objects have a deeper significance than would be suspected by the casual observer. This can only be coaxed out of the native by patient sympathy. Some information may be "rushed," but the finer flowers of the imagination, the spiritual concepts and sacred aspirations, can only be revealed to those with whom the native is in true sympathy, and,

quite apart from idiosyncrasy, the time-element is a most important factor. No, the rapid collector does positive harm, as, like the unskilled excavator, he destroys the collateral evidence. He may add a unit to a collection, but its instructive value is reduced to a minimum: it is the gravestone of a lost opportunity.

A thorough scientific training is essential for satisfactory field-ethnology. It is quite a mistake to assume that practically any one can successfully undertake this class of research, for it is mainly owing to a lack of training that such a great deal of the work of the earlier observers requires to be done over again. There are numerous instances of men trained in various branches of science who have proved to be successful ethnologists, but preliminary instruction in ethnology would have saved them much time and would have considerably improved their results. We need travelers who can observe accurately and record intelligently, who have trained minds and can understand the value of evidence, who have sufficient previous knowledge to know what to look for, and who are instructed not only in all the methods of ethnological research, but who have been warned of the pitfalls that endanger the unwary. As the investigator usually has to study all the aspects of the life of the people he visits, so is it necessary for him to have a wide knowledge of arts, crafts, and sciences, otherwise he will be unable to grasp the full significance of what he sees and hears. As a matter of fact, there is practically no branch of knowledge which may not prove useful to the field-ethnologist.

So far I have spoken merely of his intellectual equipment, but there are other qualifications which should not be passed over.<sup>1</sup> The field-ethnologist should be an artist, or at least have the artistic temperament. Only thus will he be able to appreciate what it is in the art expression of the people he is studying that gives them

<sup>1</sup> "There are also two personal traits which, it seems to me, are requisite to the comprehension of ethnic psychology, and therefore are desirable to both the ethnologist and the historian, the one of these is the poetic instinct.

"I fear this does not sound well from the scientific rostrum, for the prevailing notion among scientists is that the poet is a fabulist, and is therefore as far off as possible from the platform they occupy. No one, however, can really understand a people who remains outside the pale of the world of imagination in which it finds its deepest joys; and nowhere is this depicted so clearly as in its songs and by its bards. The ethnologist who has no taste for poetry may gather much that is good, but will miss the best; the historian who neglects the poetic literature of a nation turns away his eyes from the vista which would give him the farthest insight into national character.

"The other trait is more difficult to define. To apprehend what is noblest in a nation one must one's self be noble. Knowledge of facts and an unbiased judgment need to be accompanied by a certain development of personal character which enables one to be in sympathy with the finest tissue of human nature, from the fiber of which are formed heroes and martyrs, patriots and saints, enthusiasts and devotees. To appreciate these something of the same stuff must be in the mental constitution of the observer."

D. G. Brinton, *An Ethnologist's View of History*, an address before the Annual Meeting of the New Jersey Historical Society at Trenton, N. J., Jan. 28, 1896.

pleasure and satisfaction. He should be able to recognize the artistic impulse which from our point of view is a germ rather than a realization, and thus discern what the people are striving after despite uncouth and imperfect presentation.

Finally, he should have sympathy. A great deal has been done by energy and intelligence, but the finest ethnological work can be accomplished only by that subtle quality that eludes definition. All sorts and conditions of men will open out and reveal their secrets and unveil their mysteries if approached in a spirit of *camaraderie*, but it is permitted only to the sympathetic to enter into the innermost shrine where are laid bare the hopes and fears, the ideals and aspirations, of another's soul. The rude and the rough, the cynic and the skeptic, cannot enter here.

My plea, then, is for investigators, not for mere collectors; as many of the former as possible and as few of the latter. There is not much difficulty in finding men willing and competent to undertake such investigations if funds were forthcoming. One point is worth mentioning for their further encouragement: in most branches of scientific inquiry, later investigations, owing to more minute study, improved methods, or a new point of view, are apt entirely to eclipse the earlier discoveries. Now this is not the case with ethnological research in the field. The earlier the observations are, provided they are full and accurate, the more liable they are to be of greater importance than the later ones. Students continually refer to the oldest books of travel, and they will always do so. From this point of view it is evident that properly qualified investigators should set to work without delay. Every year's delay means that the work will be so much the less perfect. All who are concerned in any field of work can have the satisfaction of feeling that students of mankind in future ages will have to consult their publications, and they have the tremendous responsibility that what they write will have to be accepted as correct, as there will be no means in the future of checking it.

The work that requires to be done is of so extensive a nature that no one institution, not even one country, can hope to do more than efficiently cover a small portion of the field. It appears to me that this is one of those departments of science that require coördination. Individual action can accomplish a good deal in restricted areas, but would not systematic coöperation be more efficacious in most cases? There are certain districts that need more immediate attention than others, and an international body should be in a better position to direct field-research towards the most profitable districts and to facilitate the work of the investigators than a private individual.

More than once<sup>1</sup> have I pointed out that it is well from time to time to take stock of our knowledge and of our methods of inquiry, to see whether we are working on sound lines. As the business man finds it necessary to go over his stock periodically and to balance his books, so also the scientific man, especially the biologist, should perform an analogous operation, lest perchance he finds out too late that he has been entering on a comparatively unprofitable piece of work, or has been neglecting valuable opportunities.

We can, perhaps, gain a clearer view of the question by looking at it from the standpoint of our successors. What opinion will the sociologist and the historian of a hundred, or of a thousand, years hence have of the work now being done? What is the research they would wish us to have undertaken? The question is not a difficult one to answer. They will certainly and most justly complain if we busy ourselves entirely with problems that can wait, which they can solve as well as we, while at the same time we neglect that work which we alone can do.

Our obvious and immediate duty is to save for science those data that are vanishing. This should be the watchword of the present day. It is difficult to suggest an object more worthy of liberal support than this. In sober earnestness, therefore, I appeal to all those who are interested in the history and character of man, whether they be theologians, psychologists, historians, sociologists, or anthropologists, to face the fact that a later generation may employ itself in working-up the results garnered by ourselves or in studying other subjects, but to this generation, and to this alone, is appointed the task to which I have now drawn your attention.

<sup>1</sup> *Nature*, January 28, 1897, p. 305; *Popular Science Monthly*, January, 1903, p. 222.

APPENDIX <sup>1</sup>

Two years ago I published the following scheme, for which I was largely indebted to my friend Professor Patrick Geddes, that had for its object a presentation of the mutual relations of the various branches of study with which anthropology is concerned.

ANTHROPOLOGY.	ETHNOLOGY (SOCIOLOGY).	Archeology.	Social Taxonomy.	Economics and Politics.	Philosophy of History.
		Evolution of Institutions and Technology.	Analysis of Institutions and Technology.	Functioning of Occupations and of Institutions. Linguistics.	Criticism of Institutions.
	ANTHROPOGRAPHY.	Paleontology of Man.	Racial Classification of Man.	Anthropographical Ecology.	Rational Phylogeny.
		Comparative Human Embryology.	Comparative Human Anatomy.	Comparative Human Physiology.	Rational Ontogeny.
	BIOLOGY.	Paleontology.	Taxonomy.	Ecology.	Rational Phylogeny.
		Embryology.	Anatomy.	Physiology.	Rational Ontogeny.

The science of man is concerned with a portion of the same series of studies as are zoölogy and botany, but, unlike them, it must be considered as it were in several planes. The lowermost plane is generally known in this country under the term physical anthropology, the "anthropology" of many writers; for which we also have the useful term of anthropography. A plane above this may be conveniently termed ethnology. A higher plane is that known as psychology. Beyond this we need not go at present.

Anthropology, like zoölogy and botany, may be studied under the aspects of anatomy, taxonomy, embryology, paleontology, physiology, ecology, and etiology.

#### *Anthropography*

The anatomy of man is dealt with by the human anatomist, and it is only when the anatomy and histology of the different races of men are treated comparatively that they may be said to be anthropological. That is, (1) the purely descriptive study of man's anatomy is human anatomy, preliminary alike to

<sup>1</sup> Extracted from President's Address [with slight alterations], *Journal, Anthropological Institute*, 1903, xxxiii, p. 11.



comparative research and to practical application in medicine and surgery; (2) the comparative anatomy of man with other animals is comparative anatomy; (3) the comparative anatomy of man with man is anthropography.

The analysis and classification of the various races of man is strictly a branch of systematic, or taxonomic, zoölogy; but if this subject had been left to the zoölogists, very little would have been known at the present day about the races and peoples of mankind, and we are thoroughly justified in taking it over. The geographical distribution of the human varieties comes in here, and would have been similarly neglected if it had been left to the general geographer.

The embryology of man is clearly on the outskirts of anthropography; comparative human embryology can scarcely be said to exist, but when it does it will fall more directly within our province.

The paleontology of man has always been accepted as within the scope of anthropography, although it is equally a branch of vertebrate paleontology.

Human physiology is primarily a part of comparative physiology; it is only when the functions of individuals of various races are compared *inter se* that they become anthropographical.

The ecology of the nature-folk passes by such insensible grades into that of the culture-folk that it is difficult in practice to draw the line between them. The interrelations between the physical and biological environment on the one hand and the mere gatherers of food, the hunters, and even the simplest agriculturists on the other, are very similar to those of mere animals, and so far one may speak of an anthropographical ecology.

Finally, etiology in anthropography, as in zoölogy and botany, seeks to rationalize the evolution of the individual and of the race. While the embryologist and paleontologist study and describe the facts of ontogeny and phylogeny, the etiologist seeks to reach a rational explanation of each of these processes.

### *Ethnology*

On turning to a higher plane we leave the natural man (*ἄνθρωπος* or *homo*), and pass to the social man (*socius*), and in ethnology, or sociology, as it may be termed with equal propriety ("the natural history of social life," as Dr. A. H. Post terms it), we can retain a series of studies analogous to those in anthropography and zoölogy and botany. A description of a single group of man (*ἔθνος*), is sometimes described as ethnography, and in this sense it should be a monographic study including alike anthropography, ethnology, and psychology.

The anatomy, so to speak, of the social man (*socius*) is descriptive sociology, or the analysis of his institutions, and technology, which is the description and comparison of the tools he employs.

Social taxonomy deals with the clan, family, tribe, nation, and similar groups. The geographical distribution of these must not be lost sight of, and, as in zoölogy or botany, is conveniently treated by the taxonomist.

The origins and developmental phases of the occupations, institutions, and technology of cultural man are the analogue of the embryology of the natural man, and must be taken together with archeology, which is the paleontology of history.

The actual functioning of the occupations and institutions of cultural man bears the same relation to their analysis that physiology does to anatomy, but the relation is more intimate, as the one can scarcely be considered apart from the other. As the objects made by man belong to the analytical category, so here may be taken all methods of conveying ideas or information, from gesture-language to linguistics.

The interrelations between various social groups, between male and female,

clan and clan, tribe and tribe, nation and nation, is that form of ecology which is more generally known under the name of economics and politics.

Finally we have the attempt at an evolutionary interpretation of all human history, or ethnological etiology.

### *Psychology*

A third plane of the study of man is one in which the limitations of the classification in the animal plane are largely transcended. Anthropography deals with man solely as an animal; ethnology, or sociology, studies all the enterprises of social man. Psychology takes us into the inner sanctuary of man, and while it, too, has its roots in his animal nature, it flowers, so to speak, in a realm of its own.

The physiology of the senses passes through psychophysics into psychology proper. Sensations and mental operations can be analyzed and classified; their genesis can be studied partly by observation, partly by inference.

Objects made by man may be studied concretely; the uses to which they are put in the individual or social life can be described; but there is also a psychology of invention, a psychology of social function, a psychology of language.

The psychology of the individual, and the comparative psychology of groups, are both subjects for study. Thus we arrive at the psychology of economics and politics: but have we not already passed beyond the legitimate bounds of our science?

## SHORT PAPERS

MR. STANSBURY HAGAR presented a paper before this Section on "The Astronomical Ritual of Peru," in which was set forth the festivals of Peru as found by the Spaniards at the time of their invasion, and the authoritative explanations which have since been made in reference to their origin. Particular attention was given by the speaker to the astronomical myths. The astronomical myths and ritual naturally followed the calendar changes, and the festivals, at first connected with the asterism crossing the meridian at midnight, were transferred to the opposite asterism through which the sun was passing at the time of the celebration, but one trace of the purely stellar system remained in the beginning of the rites after sundown.

PROFESSOR A. M. TOZZER, of Peabody Museum, Cambridge, Massachusetts, presented a short paper on "A Few Survivals of Ancient Maya Rites in Yucatan and Chiapas."

## BOOKS FOR GENERAL REFERENCE FOR DEPARTMENT OF ANTHROPOLOGY

*(A brief list prepared by the courtesy of Professor Frederic W. Putnam, Harvard University and University of California)*

- ABBOTT, Primitive Industry.  
AVEBURY (LUBBOCK), Prehistoric Times (latest edition).  
BROCA, Instructions Anthropologiques générales.  
BRINTON, American Race; Maya Primer; Religions of Primitive People.  
DAWKINS, Cave Hunting; Early Man in Britain and his place in the Tertiary Period.  
DENIKER, Races of Men.  
EVANS, Ancient Stone Implements of Great Britain; Ancient Bronze Implements of Great Britain.  
FARRAND, Basis of American History (vol. II, The American Nation).  
FRAZER, The Golden Bough; Totemism.  
GROSSE, Beginnings of Art.  
HADDON, Evolution in Art  
HALE, The Iroquois Book of Rites.  
JESPERSEN, Progress in Language.  
JOLY, Man before Metals.  
KEAN, Ethnology.  
KINGSLEY, West African Studies.  
LANG, Myth, Ritual and Religion.  
LETORNEAU, Property, its Origin and Development.  
LUBBOCK (AVEBURY), Primitive Law.  
MORTILLET, Les Préhistorique.  
MUNRO, Lake Dwellings of Europe.  
NADAILLAC, Prehistoric America.  
POWELL, Introduction to the Study of American Languages.  
RATZEL, History of Mankind.  
RIPLEY, Races of Europe.  
SCHULTZE, Fetichism.  
SHORT, North Americans of Antiquity (2d edition).  
SPENCER and GILLAN, Native Tribes of Central Australia; The Northern Tribes of Central Australia.  
STARCKE, The Primitive Family: Its Origin and Development.  
STEPHENS, Incidents of Travel in Yucatan; Incidents of Travel in Central America, Chiapas, and Yucatan.  
SWEET, History of Language.  
TOPINARD, Eléments d'Anthropologie générale.  
TYLOR, Primitive Culture (latest edition).  
WESTERMARCK, History of Human Marriage.  
WHITNEY, Language and Study of Language; Life and Growth of Language.

*Anthropological Journals and Publications of Societies and Museums.*

Academy of Natural Sciences (C. B. Moore's Memoirs on the Archæology of the Gulf States).

- American Anthropologist.  
 American Antiquarian.  
 American Antiquarian Society, Proceedings of.  
 American Folk-Lore Society, Journal and Memoirs of.  
 Archæological Institute of America, Journal of.  
 Essex Institute, Bulletins of.  
 Ohio Archæological and Historical Quarterly.  
 Smithsonian Institution, Annual Reports and Contributions to Knowledge.  
 U. S. Bureau of American Ethnology, Annual Reports and Bulletins.  
 U. S. National Museum, Annual Reports.  
 U. S. Ethnological Survey of the Philippines.  
 American Museum of Natural History, New York, Memoirs, Bulletins and Journals.  
 University of California Publications: Anthropological Department.  
 Field Columbian Museum, Publications of Anthropological Department.  
 Free Museum of Science and Art, University of Pennsylvania, Bulletins and Transactions.  
 New York State Museum, Albany, Bulletins (Archæological Series).  
 Peabody Museum of Harvard University, Memoirs, Papers and Special Publications.  
 Anthropological Institute of Great Britain and Ireland, Journal of.  
 Anthropological Institute of Great Britain and Ireland, "Man."  
 Archiv für Anthropologie.  
 Globus.  
 L'Anthropologie.  
 London Folk-Lore Society, Journal of.  
 Internationales Archiv für Ethnographie.  
 Petermanns Mitteilungen.  
 Zeitschrift für Ethnologie.  
 Museums and Societies of Berlin, Bombay, Buenos Ayres, Brussels, Dresden, Florence, Leiden, Leipsic, Lyons, Madrid, Mexico, Moscow, Munich, Paris, Riga, St. Petersburg, Stockholm, Trondhjem, Upsala, Vienna, Wellington (N. Z.), etc., Publications of.










**DIVISION D — MENTAL SCIENCE**



## DIVISION D — MENTAL SCIENCE

---

(Hall 7, September 20, 10 a. m.)

SPEAKER: PRESIDENT G. STANLEY HALL, Clark University, Worcester, Mass.

---

### THE UNITY OF MENTAL SCIENCE

BY GRANVILLE STANLEY HALL

[Granville Stanley Hall, President of Clark University, and Professor of Psychology and Education, since 1889. b. February 1, 1846, Ashfield, Mass. A.B. Williams College, 1867; B.D. Union Theological Seminary; Ph.D. Harvard College; LL.D. Williams College, Michigan, and Johns Hopkins University. Instructor and Lecturer, Harvard University, 1874-76; Professor of Psychology and Education, Johns Hopkins University, 1880-89.]

WE have great reason to congratulate ourselves on the progress of psychology, not only in this country, but in the world, during the last quarter of a century. Not only have students, teachers, text-books, journals, societies, laboratories, and monographs increased, and new fields have opened and old ones widened, but our department has been enriched by original contributions that have profoundly modified our views of mind and even of life itself. For the first time in this field American investigators have borne an important and recognized part in advancing man's knowledge of the soul. Among these we take pride even in the presence of our distinguished foreign guests in naming first of all James, who, more than any other American, has occupied and influenced the psychological thought of both experts and students here for a decade, and whose charming personality and style have done most to infect cultivated laymen in all adjacent fields with interest in psychology and to make American thought known and respected abroad; Ladd, to whom we owe the first text on physiological psychology in English, and who, more than any other American, illustrates the old tradition of a system of philosophic thought large enough to embrace most of the topics, from the laboratory to religion; Münsterberg, who has not only done more than any of his distinguished Teutonic predecessors, from Agassiz and Lieber down, to make Germany and America know and respect each other, but has been the first to lay the foundations of a new efferent system of thought which harmonized the best in Fichte and Schopenhauer with the choicest results of the laboratory; Titchener, with his thorough English training, whose ceaseless productivity makes him already in the widening fields he cultivates our Amer-

ican Wundt, in a thoroughly and sometimes radically reconstructed and improved edition; Baldwin, the first here to attempt a logic of biology and sociology and evolution that should apply to genetic psychology; Dewey, who, much as he achieved in logic and general psychology, has done perhaps yet more to make these topics fruitful for education; Cattell, pioneer in founding two laboratories, the foremost editor in our ranks, who has boldly grappled the vast problem of individual psychology in a way which, if solved, must make even biography more scientific; in other related fields Royce, Ormond, Howison, Fullerton, Strong, who have done so much to restore the faltering belief in soul, freedom, God, and ultimate reality; Cowles, Donaldson, Myer, Hoch, Herrick, each marking advances either in exploring the obscure psychoses of mental aberration, advancing our knowledge of the brain, correlating psychic symptoms and neural and somatic changes, and making the asylum tributary to science, — these inadequate references, not to mention my own associates, or even the score or two of younger men whose work already gives promise of a future richer in results than the past, and omitting, solely because I am too ignorant to speak of it, the department of sociology, bracketed with ours to-day, but which has also made advances perhaps hardly less signal, — these suggest my theme, which is simply a plea for yet more differentiation and specialization between men, departments, and institutions, and certain modifications of method in our rapidly widening field.

The idealist who holds that the world is man's concept and that all science is a part of psychology can hardly object to the far more modest claim that it really does properly include logic, ethics, religion, esthetics, epistemology, and metaphysics; and those who, with Lotze, still cling to that dear old tradition of the theoretic life that its supreme joy is to attain the fullest expression of one's own personality in a comprehensive philosophical system, must not carp if one who long since abandoned the youthful hope of attaining this felicity vents his own individuality a little, as, with your kind indulgence, I beg leave to do, excused somewhat by the conviction that all systems, the most meager and the best alike, are only human documents, empirical data, votes, résumés, returns, to be used at last as empirical data for some greater synthesis of the future. If psychology is already far more than a sub-department of physiology, anthropology, and psychiatry, or a sub-section in a philosophical system as of old, if we may justly reject for it the place assigned it in the hierarchy of Comte and Spencer as a link between biology and sociology, and now base it no less upon the latter than upon the former, and not only claim for it an independence already achieved, but look forward to its ultimate hegemony in all the fields involving man's higher nature, or as being in a word

the culmination of humanism, it follows that we must regard all that all of us have so far done as only a prelude, that much of our work must be done over again, that the history of philosophy, instead of being philosophy itself, is to be subordinated as psychological material for a truer and far more comprehensive natural history of mind, and that the best of us are only morning stars which will pale and be forgotten as day advances.

If the germs of soul are as old as life itself, and if its types are as distinct and as persistent as those of morphology, then, though we can no more define it than we can life, must we not draw the momentous inference that consciousness alone is a very partial and inadequate organ of experience, and at best only one culminating stage, like a submarine plant's leaves and blossoms that alone reach the surface? Does not experience by its very nature tend to lapse below the threshold of consciousness, and just in proportion as it becomes complete does it not sink beyond the reach of subjective analysis? Nay, more; does it not so strongly tend to become automatic that to become perfect it must lose even the power to be transmitted by instruction, but only by heredity? If so, must we not supplement the methods of internal by those of external observation, subjective by objective, and deductive by empirical researches? Just as history is now studied more as the daily life of the average man and as the play of but half-understood economic racial and telluric forces, and less as the mere records of battles and the acts of kings and courts, so must not psychology more and more centre in the study of love, pity, fear, anger, pride, conscience, beauty, love of power and wealth, sympathy, and all those social instincts that make our life their sport? Should we not find helpful biological suggestion in the example of Bateson and his growing circle of followers, who would go back to facts baldly recorded to lay broader foundations for their pyramid, instead of steepening its angles to a tower, or inverting it, and be content in some fields with a merely descriptive psychology that masses facts, not ignoring those that now seem most trivial, registering reflexes that, perhaps, appear but once in a lifetime, vascular and other somatic resonances that seem meaningless, in the hope that ultimately we may be able to infer something about the psychic states that once animated them and do something to restore the great volume and variety of lost soul and life that mechanism, missing links, and extinct species, animal and human, have taken out of the world?

For myself, if I were challenged by some advocate of a psychology without a soul to improvise a working hypothesis of what soul may be like, I might boldly begin by assuming it to have been more potent in the past than it is in the present, but ever tending to vanish, as heat, which once made the earth incandescent, does to dissipate

itself; as something with which the deathless germ-plasm is more instinct than are the somatic organs it evolves, even the brain where it has now taken refuge; as something no less closely related than theology once made the persons of the Trinity to be among themselves, with the *nisus formitivus*, whatever that is, which, when the world was young and lusty, evolved all the products of natural selection, developed and then differentiated hunger and love, adapted flowers and insects to each other, made instinct and inspired all its purposive acts without the aid of any sense of purpose, was shaped by all the forces that have modified life since it began; that domesticated useful and tried to exterminate noxious animals and plants, invented thousands of languages, the syntax of some of the lowest of which are the new marvels of philologists; that laid down the lines of the primeval religions and struck out all the unwritten laws and customs of social animals and tribal men, the latter more complex and perfect in many respects, as a recent English Blue Book on Africa insists, than any that civilized legislators have yet devised. On this view soul-life, when it was chiefly passion, feeling, impulse, may have been far more dominant over the body and all its processes than now. It was hot, intense, lived out close to the elements, always in sight of the edge of the fierce struggle for survival. It was more life than thought, more collective and racial than individual, shaped the world from within rather than, as science is now learning to do, perhaps, in a derived and secondary way, from without. Everything was genetic, nothing logical, while as yet no symptom of the great paralyzer, self-consciousness, had appeared. This was the great reality which our late developed and senescent, ingrowing intellect has lost and yearns for as old age yearns for its vanished youth. Its traces, fossils, remnants, still abound in our own body and soul and in life about us, but unless we can read our titles clear to this pleroma of life abounding, the psychologist will still have reason to grieve as an exile from his pristine paradise vainly seeking atonement with God, the world, and self. Some type of soul-life has passed out of the world with every species that became extinct, every vanished tribe, with every child that develops into maturity, with every substitution of self-consciousness and reflection for the naïve, intuitive, spontaneous, and what we call the progress of knowledge is a compound of mingled gains which we keenly feel with losses that we far less keenly realize.

When the intellect, which seems to have been developed late, as a new function of adaptation to the external world, leaves the latter and seeks to introspect its own processes and reflect upon them, it crosses some important *pons*. This involution is hard, slow, and with many stages. Perhaps first are the half-instinctive musings on some memory-content of conduct as affecting pleasure and pain, or upon

motor impulses, or the somatic stages that accompany thought are more vividly sensed. Many laboratory experiments directed to other ends have as their best result the revelation of the intricacy of the simplest psychic operations. We find a mazy network of tentative associations and impulses struggling for survival or for emergence into the narrow focus of attention, chaotic irruptions into saner sequences of perception or thought, manifold shades or elements which language is far too clumsy and conventionalized adequately to express, distractions which must be ignored by an act of the will as we ignore all that is in the indirect field of vision. From all this we select out the few and meager factors we want. But if, instead of doing so, we yield to the diverticula and seek to note all that takes place within, we soon feel that we are sane only by a small working majority of our activities, and that underneath the cosmos of habitual sequences and reasoned thought lies a vast and rank chaos of unorganized elements that defy order, analysis, or even description. Some are new and some, perhaps, older than history, or even than man; some strong and compelling and some so pallid and imperceptible that many experimenters hardly suspect their existence, some congruent and some diametrically opposed to each other. But the tropical sea and jungle are not more rank with life. From all this we realize in a new and deeper sense that conscious mind is only a rather superficial product of gradual and half-unconscious selection, from all this vast seething psychic activity within, of those factors that are practical or most needed for the present conduct of life. Old systems and adjustments to earlier conditions are ever disintegrating and left to lapse and ruin, although they long reverberate in the subliminal field, echo in feeling tones, or on occasion have sudden resurgence in automatisms, outbreaks of passion, or insistent ideas and impressions, or are injected like dikes into otherwise coherent conduct or thought. The power of survival of these rudimentary organs and processes of the past life of the soul is prodigious. Perhaps they never quite vanish even asymptotically. If the purest science is the completest description of origins and stages of development, psychology may, perhaps, never be complete.

Leaving these, must we not hence infer that the conscious soul we know was evolved solely as an organ to regulate practical life; that there is no criterion of truth, save its value as a guide to conduct; that the sciences of nature and of mind are, can be, and mean only a system of rules for right living and thinking; that to ask what the world and soul are *per se* is an extravasation of the intellect which was kindled only to shed light upon the supreme problem of how to feel and act aright and to which it is subordinate as means to end; that to ask what mind and nature are *per se* and apart from all use by heart and will is paranoiac, or a new scholastic entity cult, because

the end of science, as well as the only real essence of mind, is service? Thus the quest of absolute reality must always end in the solipsistic involucre, which is only a new definition of zero, and pure thought purged of will, feeling, and sense cannot be an object of psychological study, for it does not exist.

Mathematics, which is a formulation of the properties of time and space in the sensory, applies at most only to motion and force in time and space, and its objects are at the bottom, where those of psychology are at the top of the scale of evolution and complexity. From Pythagoras down to Herbart, Fechner, the hedonistic calculus in ethics which the vilest wretch may master without feeling the faintest impulsion to virtue, the Boolean and even common deductive logic which never yet discovered anything, and, indeed, I think, every attempted application of mathematics to psychology, save only for the simple algebraic or other treatment of statistical data, have later proved an illusion, if not a mere affectation; and we owe to-day no more to any concept susceptible of mathematical formulation than modern physiology does to the old iatric school that so elaborately treated the bones as levers, the muscles as pulleys, circulation as hydrodynamics, digestion as trituration, and insisted, as Plato did for philosophy, that geometry was the best preparation for the study of medicine. Perhaps no two types of mind have less in common than the mathematical and the psychological, or help each other less and may hurt each other more. The former has given us hosts of defunct definitions, categories, and dogmas, and has constructed world-besiding systems by concatenations of the high *a priori* kind in a way that must raise the query in every candid and impartial mind whether in the field of mind the precept "truth for truth's sake" is not as dangerous as the dictum "art for art's sake" has proven in its, and whether, beside the old injunction "physics, beware of metaphysics," we should not erect the warning "psychology, beware of mathematics," and make due purgation of both its methods and its ideals.

Thus, the first and, perhaps, the chief danger to psychology as a science to-day seems to me to be its tendency, as by an iron law, to gravitate to methods that are too abstract, deductive, speculative, and effectively exact. Other sciences long since threw off the influence of the old systems, many of which had dominated them, but psychology is still permeated by them. It still feels the charm of the old insolubilities of ultimate reality, of the relation of mind and body, parallelism or interaction, the primacy of feeling or somatic changes, and is dominated more than it knows by interests in the soul's future, by teleology, freedom *versus* necessity, all of which, so far as we see, can never be problems of scientific



psychology because they cannot be answered. The modern psychologist, too, can be neither materialist, idealist, positivist, dogmatist, gnostic or agnostic, or, rather, is at the same time all of these in some way or degree. Such problems have a large and very important place in the history of philosophic thought. Their culture value as disciplines is very great, but they belong to a stage of mentation now passing away and doomed perhaps ultimately to become as *überwundene Standpunkte*, as those of vortexes, the plenum or vacuum, the Plutonic *versus* the Neptunic theories, have become for science. The ethical bearings of many of these questions once thought so great are rapidly becoming insignificant, but they still bulk large wherever psychologists are dominated by theological interests, or even accept, as far more do, their problems at the hands of metaphysics. Our science is still, like Milton's tawny lion, pawing to get free from the soil in which it is just being born. Many text-books and treatises modulate from the latest science to the oldest speculative surds and speak in two alternating registers, while others evaluate new results by their bearings upon antique problems wrongly put in a pre-scientific age, but made venerable and most significant for history by the accretions of the best and most ingenious thought of ages. Thus, the second danger that besets our work is that it is not sufficiently emancipated from the now conventionalized criteria of past systems of thought, and has not subordinated these as it should to be used not as finalities or solutions, but only as empirical data for larger generalizations that transcend them. But if it is the philosophy of philosophy, it comes to many of these problems not to destroy, but fulfill.

The third source of danger to psychology arises from the theory of knowledge or epistemology. The human soul inherits the result of a vast experience acquired by the race, but innate in the individual, but the latter cannot validate much of it in his own restricted life. He is so surcharged with paleo-atavistic traces, tendencies, instincts, from back, perhaps, to the amphioxus or even the amœba, that he often seems to himself to live and move in a world that is both within and without unrealized alien, and afar. What we inherit is so much better organized than what we acquire, it is so dominant and, perhaps, so unmodifiable and unaccountable, that the world and self seem shadowy, and our unreflecting confidence in these is thus easily shocked out of its poise by Berkeley and Hume till some come to feel that a life so unexplained is hardly worth living. When, in addition to these predisposing causes which for some diatheses may become a neurosis, the thinker leads a pallid, anemic life in academic isolation from the great, throbbing, struggling world, and in the study devotes

himself to passionless contemplation pampered by the second-hand knowledge of life derived from books, it is not strange in a precocious and over-civilized age, with more knowledge forced upon the mind than it can digest, that the veil of Maya sometimes settles fold on fold over the soul till it almost feels the panic of the claustrophobic and must break out and away to find reality or smother. It feels that, like the Holy Grail, removed from the sight of carnal men, it can be sought only by those purged from all defilement of the world of sense, but it must be found and quaffed or the soul be lost to truth. For those paranoiac minds sitting thus in prison, whose constitutional malady is aggravated by the doctrine of the ideality of space, the greatest philosophic delusion of modern times, it is well to have highways of escape opened up out of agnosticism. For many, if not most, too, a touch of it, but not too much of it is, perhaps, a necessary part of the complex initiation of youth into its world; but the severer types of this discipline seem more suited to senescent than to adolescent men and races. For the psychologist, however, in pursuit of his legitimate vocation, to be liable to be held up at any time to prove that the soul has a brain or a body, that the self or the objects of sense exist, that other people and animals with similar organs to his own have similar subjective states, is just as irrelevant and as paralyzing as it would be for the physicist, chemist, and astronomer, and any old answer makes just as little real practical difference of any conceivable kind in the one field as in the other. Yet the need of such a cult and all its symptoms, how they came to arise and how very real they sometimes are, and their forms of documentation in both the Oriental and the modern world, constitute not only a very important, but a fascinating problem for inductive psychology, while the ways of meeting these needs are legitimate and now even pressing questions of the higher individual pedagogy.

Finally, as to the field and methods of scientific psychology, the present speaker feels profoundly limitations that prevent him from rising to the height of the great argument for unification so wisely proposed in the plan of this Congress, and can only briefly indicate a view perhaps yet more personal than what has preceded, recognizing that very different ones are held by many if not most of his wiser colleagues. First, no trace of sentiency, even the faintest, down to and perhaps even into the plant world, should be alien to our interest. If in doubt between Wasmann and Forel, on one hand, and the mechanical interpretations of the tropisms and taxies as held by Loeb, Bethe, and Uexkull, we should recall and profit by the fate of Descartes' conception that even the higher animals were only automata. In experimenting on these, under the controlled conditions of the laboratory, we should not neglect

the observations of the field naturalists, nor ignore even the more valuable of the contributions of our agricultural stations, economic zoölogy, the stock farm, and the menagerie, men hunters, etc. Studies here need sympathy as well as controlled conditions. We also want compends of what is known of each of the important animals and birds nearest to man, and to make contact with dynamic or functional biology in its efforts to pass beyond morphology and investigate life, histories, habits, and causes of variation, postulating that the manifestations of instinct are just as differentiated and as persistent as those of morphology itself. No philosophic prejudice should make us forget that animals have the same will to live, love of offspring, fear, anger, jealousy, individual attachments, memory, attention, knowledge of locality, home-making instincts and senses that we do. Nor should we deny that empirical methods, whether they have yet done so or not, are quite capable of giving sufficient evidence for the existence of psychic powers as radically different from our own as those claimed for photodermatism or the topochemical sense of the antennæ of ants. Not only, then, might the old maxim, "Psychologus nemo nisi physiologus," be now also with much propriety reversed, but physiological psychology is now expanding both ways toward a larger biological philosophy, and studies of life and mind will henceforth be more and more inseparable just in proportion as genetic or evolutionary conceptions pervade our field.

Child-study, which began so crudely and has long since silenced many, though not yet all, of the objections raised against it, has already demonstrated its practical value for education, and is acquiring a place of its own in the literature of other departments, especially pathology, philology, and criminology, and is beginning to prove itself a key of unsuspected value in unlocking problems connected with the prehistoric development of the race, supplementing studies of the adult mind somewhat as embryology does anatomy and histology. It has not only made new connections between our work and the above departments, but is steadily developing a logic which, though as yet unwritten, is destined, in my own fond belief, to become an instrument of great value in reinterpreting the bionomic law of recapitulation, shedding new light upon early developmental stages, and thus giving psychology a genetic perspective which it has so sadly lacked in the past. Students in this field are impregnating insignificant and transient acts, expressions, and feeling with new meanings. This work still suffers from the fact that, like the Renaissance, the Reformation, and to some extent Darwinism itself, it had to begin outside academic circles, which are now so rapidly opening to it, and develop popular interest and momentum before it could attain scientific methods.

It has thus survived and profited by a volume of honest criticism which would have swamped a less vital movement, and that, too, by many of the very ablest of our craft who did not at first fully understand its scope and value. Now, although we might point with justifiable pride to its books, journals, chairs, its body of results that all accept, we believe that far greater results lie in the near future, and sometimes some of us indulge in dreams of a new dispensation of psychology doctrine with evolution more evolved as its centre.

Again, a new alliance is now cemented with the psychological side of anthropology and even ethnology. With almost no academic representation or support, it is our government that has developed a body of scholars that in the study of the Indian have, in the language of another, "set the world its best example of gathering and recording the myths, customs, rites, occupations, and modes of life, thought, and feeling of the decadent, yet the most representative of all the races of the stone age." Psychologists are learning to profit by this work and also to extend their interest to every such record of the sentiments, habits, social organizations, and superstitions of primal man. As a naturalist delights in new species, so we more and more both need and desire to profit by every new account that sheds light on how the remotest aborigine thinks, feels, and acts, and we do it with a psychic tension and exhilaration as if some great correlation with other allied fields impended. We feel a closer bond with sociology because it, too, is coming rapidly into rapport with anthropology and finding the key to so many of its problems in tribal and other consanguineous forms of early society. The reciprocal suggestiveness of this department with psychogenesis is already beginning to bear fruit.

So in mental and moral alienation we have a few precious and detached studies of psychic symptoms in individuals that are almost classic. The older epoch-making interpretations of epilepsy by Hughlings-Jackson, new views of hysteria, paranoia, a choice, fresh little literature on *dementia praecox*, a large collection of records of delusions, hallucinations, automatisms, and other phenomena of the border-land between sanity and insanity gathered at the behoof of an obsolescent hypothesis but interpreted in a way that has happily called attention to subliminal processes and also the methods of their exploitation by hypnotism;—many of these phenomena are devolutionary, others are normal states magnified by disease as if it were a microscope. Criminology, meanwhile, has shown us feral man in our midst, and given a copious anthology of facts about degeneration and perversion, many of which could now be used to make the teaching of practical ethics more inter-

esting and effective. It is high time that mental perversions should be represented by chairs in our medical schools, especially if they are to make headway against quacks and mind-curists, save the profession from some of the tragic experiences just recorded so vividly in the confessions of Veresaeff teach the medical student that there is something to be learned outside bacteriology and anatomy, and qualify him to dominate the mind as well as the body of his patient, particularly in a land and age when psychic and nervous complications are more and more involved in diseases. We should not forget the old adage of Hippocrates, "God-like is the doctor who is also a philosopher," which will also bear reversing, and if the psychologist does not study very much anatomy, save the brain and its general structure, the new conception of which he should know, he must give much attention to physiology, and have its latest results accessible. At least the psychiatric clinic where nature performs her tragic experiments should always supplement those of the laboratory.

All religions tend to decay, and must be incessantly revived and newly dispensed lest they become raucous and weazened in dogma, conventionalized in rites and rituals, and lose power over individuals, communities, and nations, and become divorced from science and life. The multiform symptom-groups of religious pathology are a sad but fascinating chapter only just beginning to be written. Sacrifice and totemism, the faith and prayer states of mind, asceticism, renunciation, miracles of healing, psychology of sects, Sabbath, saints, vows, and oaths, the conviction of sin, confession, ecstatic states, worship, the God idea in its many forms, the relations between religion and morals, — these and many more old problems, as they begin to be restated in psychological terms, beam with a new light, like the cherub faces in old canvases, awaiting reincarnation, which they must have if religion is ever to be again made interesting and influential for cultivated men. These themes demand a treatment quite apart from any problems of historicity, and should especially be represented in our theological schools, whose pupils ought to have some conception of what the soul they try to save is. Even the so-called philosophy of religion represented by Ritschl and his divergent pupils has not got beyond the restatement of judgments of worth as suggested by Kant's practical critique.

In fine, revolutionizing as the thesis may seem to many, I believe psychology should now be dominantly inductive and practical. Even the old systems, grand as they were, must, as I said, be treated as data of a higher order, whose makers thought they were doing one thing, but turned out to have done something very different. Instead of laying bare the constitution of the universe,


they were only documenting their own souls with unusual fullness for the benefit of the future generalizer. Their work, suggestive as it is, was precocious, and their conclusions premature, and about all of it must be done over again on a larger basis of facts, and our watchword must be not merely back to Kant or even Aristotle, but back to a reëxamination of the primitive events of soul-life, gathered by the most systematic outer and inner observation, and even from history, literature, experience, and wherever psychic life is most voluminous and intense; pain, misery, famine, war, revolutions, shame, revivals, every passionate state in which Dèspine says all vice and crime originate; love, fervid as Dante knew it, crowds, the struggles of the individual soul with besetting sin, which is the original form of dualism as experienced from Paul and Augustine down to poor Weininger, who lately shot himself because he could not overcome the evil within which his almost Manichean system set over against his ideals of goodness. Especially as we advance from the study of sense and intellect to that of the will and feeling, the anemic thinker, who can realize in his own person so little of the stormy life of man, must seek every possible contact with it. He must live where he can among animals, children, defectives, the insane, criminals, paupers, saints, sinners, the sick, the well; must know grief and joy, — these, as well as the clinic and the laboratory, for here he fronts the bottom facts of the world. Next, he must supplement his at best meager first-hand experience with the proxy experience of others as recorded in books. Psychology lives not merely in the study, but where doubt and belief, sanity and inherited insanity, struggle together; where temptation and conscience wage their wars, in the mob, the cloister; where rage, terror, and pity become convulsive and sweep all before them, and where love of the lie usurps that of the truth. Once it was thought that the study of pure should precede that of applied science, but we are now coming almost to reverse this maxim in education. So psychology, especially in our practical age and land, must first study and teach how to live, love, learn, labor; must have something to say to all who reflect on reproduction, disease, health; and thus must first serve man well if it would later rule him wisely. If this view be correct, we must abandon many supposed certainties and finalities, and, with faith in a future far greater than the past has been, devote ourselves to severe and unremitting toil, perhaps for generations; must often practice that hardest of all forms of self-restraint in our field, — the suspense of judgment, — assured that in the end psychology is to become queen of those sciences that deal with man, and reign among all the humanities somewhat as chemistry and physics are coming to do over the material world,

with a method, perhaps, sometimes no less exact and certain than these already have. So we shall at last attain a true metaphysics of realities behind sense and feeling which is the necessary crown of all science when it becomes complete.





DEPARTMENT XV — PSYCHOLOGY



## DEPARTMENT XV — PSYCHOLOGY

---

(Hall 7, September 20, 2 p. m.)

SPEAKERS: PROFESSOR J. MCK. CATTELL, Columbia University.  
PROFESSOR J. MARK BALDWIN, Johns Hopkins University.

---

### THE CONCEPTIONS AND METHODS OF PSYCHOLOGY

BY JAMES MCKEEN CATTELL

[James McKeen Cattell, Professor of Psychology, Columbia University, since 1891; and editor of *Science*; *The Popular Science Monthly*; *The Library*, and *Archives of Philosophy, Psychology, and Scientific Methods*; formerly editor of *The Psychological Review*. b. Easton, Pennsylvania, May 25, 1860. Graduate, Lafayette, 1880; A.M. 1883; Ph.D. Leipzig, 1886; Student, Göttingen, Leipzig, Geneva, Paris, 1880-82; Fellow, Johns Hopkins, 1882-83; Student and Assistant, Leipzig, 1883-86; Student and Lecturer, Cambridge, 1886-88. Professor of Psychology, University of Pennsylvania, 1888-91. Member of the National Academy of Sciences; the American Society of Naturalists (President, 1902); Fellow of the New York Academy of Sciences (President, 1902-03); Member of the American Psychological Association (President, 1895); Fellow of the American Association for the Advancement of Science (Vice-President, 1898); and member of various other scientific and learned societies.]

ONE of the verses in the treasure-house of Greek letters warns us against calling any man happy before he is dead. The greatest living English author lets one of his favorite characters say: "But does incessant battling keep the intellect clear?" Such reflections may well lead us to distrust any attempt by one in the ranks to sum up the fundamental conceptions and methods of a science, especially of a young and growing science. It may be the prerogative of the student of psychology to write the biography of an infant, but he has not hitherto penetrated very far into its real life. I disagree completely with the eminent psychologist to whom the plan of this great Congress is chiefly due when he claims that "the presuppositions with which a science starts decide for all time the possibilities of its outer extension." Sciences are not immutable species, but developing organisms. Their fundamental conceptions and methods at any period can only be approached by a research into work actually accomplished. Had time and circumstance permitted, I should have attempted to make an inductive study of the contents and methods of psychology rather than to prepare three quarters of an hour of generalities and platitudes. But, as even the pedant knows, "Die Kunst ist lang, und kurz ist unser Leben." The court poet must console himself for

the deficiencies of his ceremonial verses by reflecting on the honor of being permitted to write them.

The concept of a science is an abstraction from an abstraction. The concrete fact is the individual experience of each of us. Certain parts of this experience are forcibly and artificially separated from the rest and become my science of psychology, your science of psychology, his science of psychology. From all these individual sciences, shifting not only from person to person, but also from day to day, there arises by a kind of natural selection a quasi-objective science of psychology. In a well-bred science, such as chemistry, the conventions have become standardized; the dogmas impose themselves on the neophyte. But projectiles as small as ions or electrons break up the idols, and the map of science is remodeled more quickly and completely than the map of Asia.

Psychology has never had a well-defined territory. As states of consciousness appear to be less stable and definite than the objects of the material world, so the science of psychology is more shifting in its contents and more uncertain in its methods than any physical science. We are told, indeed, in our introductory textbooks that psychology is the science of mind, and that mind and matter are the most diverse things in the world. It is said, further, that psychology is a positive science, and is thus clearly distinguished from the normative disciplines, such as logic and ethics. Words are also used to set psychology off from sociology, history, philology, and the rest. But while all these verbal definitions may satisfy the college sophomore, they must be perplexing to the candidate for the doctor's degree.

The distinction between mind and matter is one of the last words of a philosophy which does not yet exist, rather than an axiom of every-day experience on which preliminary definitions may be based. We cannot rest satisfied with an empirical psychology in which the distinction is self-evident, an epistemology in which it is explained, and a metaphysics in which it disappears. It may be that we follow Descartes rather than Aristotle in our psychology, not so much from the needs of the science itself as from the demands of the church, on the one hand, and of physical science, on the other. The church required souls that might be saved or damned; physics wanted a world independent of individual perception, and as the methods of exact science were extended to the human body, it became a part of the physical system.

To us who have been brought up in the orthodox tradition, the views of some of those who have passed from natural science to metaphysics seem decidedly naïve. Thus Mach entitles the concluding section of his *Science of Mechanics*, "The Relations of Mechanics to Physiology," when he is discussing not the question as to

whether vital phenomena may be reduced to the laws of matter in motion, but the relations between sensations and the physical stimulus. Pearson tells us in his *Grammar of Science* that if the cortex of one brain were connected with another by a commissure of nerve substance, there would be "physical verification of other consciousness." Ostwald lets energy do hermaphroditic service in the physical and the extra-physical households.

But it is not certain that such ingenuous commingling of the mental and the physical worlds is more repugnant to common sense or natural science than the logical subtleties of the schools, which undertake to define, relate, or obliterate them. It is generally assumed that a psychologist must be either an interactionist or a parallelist. According to the definitions with which our psychologies start, it is indeed true that mind and matter must either interact or in some way correspond without interaction. If the psychologist asserts that each brain is a centre for the creation of new energy or for interference with the configuration of a material system, he obviously subverts the principal generalizations of physical science. He doubtless has a right to do so, but in the same sense as the cow has a right to stop the locomotive engine. If, on the other hand, the psychologist modestly admits that mind does not affect the physical order, he runs counter to the principal generalization of biological science. If pleasure and pain, memory and forethought, are of no use in the struggle for organic survival, why should they ever have evolved?

It requires less temerity to question the theories of biology than to deny the laws of physics. The survival of the fit may be regarded as a truism rather than as a discovery, if we call that fit which does survive. But fitness of this kind is so protean in its manifestations in organic nature that the formula becomes somewhat vague. If an animal is inconspicuously colored, it is protective coloration, and so useful; if conspicuously colored, it is directive coloration, and so useful. It is somewhat difficult to guess the utility of the fantastic shape and color of each deep-sea fish that lives in perpetual darkness. Then there are admittedly correlated variations, by-products of evolution, diseases and the like; it may be that consciousness is that sort of thing. If some kinds of consciousness, as the sense of beauty, are of no use in the struggle for existence, all the rest may be equally useless, — an efflorescence exhibited when there is friction due to lack of adjustment between the organism and its environment. Finally, and most plausibly, it may be argued that minds have evolved in answer to final causes, and that organic evolution must adopt the principles of psychology rather than prescribe to it.

The interactionist seems to be in a worse plight than the paral-

lelist in the conflicts with our sister sciences, but the case is different before the court of common sense. The present writer cannot conceive how the parallelist gets outside the limits of consciousness. Why does he want anything to run parallel with the only thing he knows? He becomes at once a subjective idealist, and there may be no harm in that. But when the subjective idealist wants to live in a world with other men, he reinvents the distinctions that he had verbally obliterated. What he knows about the physical world is what his senses and the physicists tell him; if he likes to call it all consciousness or the unconscious, mind-stuff, will, or God's thought, this may be emotionally stimulating, but no fact or law is thereby altered. The world may be God's thought, without in the least preventing the parallelist from thinking illogically.

If clarified experience is subverted by logic, we can of course become skeptics; but it is safer and wiser to wait awhile. Experience may become more clarified, our premises may prove to be at fault, even our syllogisms may be false. When it is said that a psychologist must be either an interactionist or a parallelist, and we find insurmountable difficulties in the way of his being either, the trouble may be with the original assumptions. Matter and consciousness may not be two entities set over against each other. A perception may be both a part of my consciousness and a part of the physical world; an object may be at the same time in a world of matter in motion and in the microcosm of my individual mind. As my colleague, Professor Dewey, starting from an idealistic standpoint, claims, we may simply be giving different names to activity when it is tensional and when it is relatively stable; or as my colleague, Professor Woodbridge, starting from a realistic standpoint, suggests, the relation of consciousness to objects may be analogous to that of space to objects.

As I have said, the relations of mind to body and the distinction between consciousness and matter are the last word of a philosophy that is not yet written, and I have no competence or wish to discuss them here. But the task has been assigned to me of considering the scope, conceptions, and methods of psychology, and it is my business to define the field of psychology or to acknowledge my inability to do so. I must choose the latter alternative. I can only say that psychology is what the psychologist is interested in *qua* psychologist. If it is said that this is tautological, it may be replied that tautology is characteristic of definitions. If psychology is defined as the "science of mind" or, what in my opinion is better, "the science of minds," the tautology is equal, and it appears to be more possible to determine by an inductive study the professional interests of psychologists than to

define the nature of mind or consciousness. Further, I am not convinced that psychology should be limited to the study of consciousness as such, in so far as this can be set off from the physical world. Psychology apart from consciousness is doubtless an absurdity, but so also is mathematics or botany. I admire the products of the Herbartian school and the ever-increasing acuteness of introspective analysis from Locke to Ward. All this forms an important chapter in modern psychology; but the positive scientific results are small in quantity when compared with the objective experimental work accomplished in the past fifty years. There is no conflict between introspective analysis and objective experiment — on the contrary, they should and do continually coöperate. But the rather widespread notion that there is no psychology apart from introspection is refuted by the brute argument of accomplished fact.

It seems to me that most of the research work that has been done by me or in my laboratory is nearly as independent of introspection as work in physics or in zoölogy. The time of mental processes, the accuracy of perception and movement, the range of consciousness, fatigue, and practice, the motor accompaniments of thought, memory, the association of ideas, the perception of space, color-vision, preferences, judgments, individual differences, the behavior of animals and of children, these and other topics I have investigated without requiring the slightest introspection on the part of the subject or undertaking such on my own part during the course of the experiments. It is usually no more necessary for the subject to be a psychologist than it is for the vivisected frog to be a physiologist.

James and Wundt agree in telling us that the experimental method is chiefly of use as a servant of introspection; indeed, James says that there is no "new psychology," "nothing but the old psychology which began in Locke's time, plus a little physiology of the brain and senses and theory of evolution, and a few refinements of introspective detail." But our leaders in psychology have become our leaders by belying such partial statements. Although neither Wundt nor James has attempted any considerable experimental research, yet we look up to them as the founders of modern psychology. Wundt's original and laborious *Physiologische Psychologie*, the Leipzig laboratory, and the *Philosophische Studien* have been in large measure the foundation stones of experimental psychology. The broad opportunistic treatment of James, instinct with genius and fearless of logical inconsistency, has been of immense service in freeing psychology from traditional fetters. I see no reason why psychology, at least the psychology of twenty years ago, may not be said to be the subjects treated in James's *Principles of Psychology*

and Wundt's *Physiologische Psychologie*, with such additional subjects as other psychologists have included or might have included in their treatises.

When the introspective purist says that the treatises of Wundt and James are potpourris of sciences, or that the kind of work that some of us have attempted to do belongs to physiology or to anthropometry or nowhere in particular, there is a natural temptation to reply that much of introspective and analytic psychology belongs to art rather than to science. Such things may be ingenious and interesting, like the *personae* of Bernard Shaw or the mermaids of Burne-Jones, but we don't expect to meet them in the street. An attitude of this kind would, however, be as partial as that which it seeks to controvert. Let us take a broad outlook and be liberal in our appreciation; let us welcome variations and sports; if birth is given to monstrosities on occasion, we may be sure that they will not survive.

Any attempt at *a priori* limitation of the field of a science is futile. Even if, for example, consciousness and matter in motion were distinct and distinguishable, this would be no argument against a science of physiological psychology. Cerebral and psychical phenomena form one series, and if we have at present no adequate science which concerns itself with this series, it is owing to ignorance of facts, not at all to logical limitations. Matter, time, space, and the differential calculus may be as disparate as possible, but are brought together in the science of physics. If the psychologist cannot be shut out of the physical world, still less can he be excluded from the sphere of the so-called normative sciences. If any one takes a modern work on ethics or esthetics and tries to separate the treatment of "what is" from that of "what ought to be," he will find himself engaged in an idle task.

It appears that the limits of a science are set largely by a psychological constant. A single science has practically the range that can be covered by a single mind or man. From Aristotle to Hobbes and Descartes there were philosophers who could master nearly the whole range of knowledge and advance it in whatever direction they cared to turn. But even in this period, as knowledge accumulated, specialization began, and we find astronomers, anatomists, and other students of particular sciences. After Galileo and Newton the physico-mathematical sciences became completely divorced from the descriptive natural sciences, while psychology remained under the shelter of philosophy. It was only in the second half of the nineteenth century that the accumulation of certain facts and theories warranted their becoming the chief interest of a psychologist, and even yet it is more usual for a man to pass through a psychological period than to be a permanent psychologist.



While the first result of increased knowledge has been the establishment of a number of sciences — say a dozen or a score — which have secured proselytes and to a certain extent limited and directed their activities, the further increase of knowledge must break down the artificial limitations. The late emergence of psychology has made easy an elective selection of material. We not only have psychologists who are also philosophers, but psychologists who are also physiologists, anatomists, pathologists, zoölogists, anthropologists, philologists, sociologists, physicists, or mathematicians. Psychology is and will increasingly become united with professions and arts, with education, medicine, music, painting, and the rest. Even sciences remote from psychology, astronomy, for example, may have sufficient points of contact to occupy the entire time of a specialist. We not only have combinations between the orthodox sciences, but cross-sections through them, which may to advantage occupy the student, and which have full rights to be ranked as sciences. The phenomena of vision, for example, are scattered among the sciences of psychology, physics, physiology, anatomy, anthropology, zoölogy, embryology, pathology, chemistry, mathematics, etc.; they are important factors in certain fine and industrial arts; they are the basis of one of the most important medical disciplines. Why should not a man be a “visionologist” or “sight-nomer”? When President Hall gives us an original and unique book on adolescence, nothing is gained by attempting to assign it to one of the conventional sciences. The work of Dr. Galton appears to me to be particularly unified, but it does not belong to psychology, nor to any other science. Why not call him an opportunist, or a liberal unionist, or a Galtonist, or, better still, call him no name at all?

In objecting to an artificial limitation of the field of the psychologist, I by no means want to aggrandize his office or to let psychology eat up the other sciences. The student of psychology is limited by the capacity of the human mind and of his own particular mind; he can, on the average, cover a range about as large as that of the student of any other science. If he would gladly get, he would also gladly give. If he is an imperialist who would set his flag on every corner of the earth, he yet tears down no other flag, and welcomes the invasion of his own territory by every science.

As I claim for psychology the freedom of the universe in its subject-matter, so I believe that every method of science can be used by the psychologist. The two great achievements of science have been the elaboration of the quantitative method, on the one hand, and of the genetic method, on the other. The uniformity of nature and the rationality of things are here presented in their most con-

vincing, or at all events most plausible form. It would be an irreparable limitation if either of these methods did not apply in psychology. In my opinion they not only do obtain, but must obtain. The mental and the physical are so inextricably interfused that quantitative and genetic uniformities could not exist in the physical world if absent from consciousness. If our mental processes did not vary in number, if they did not have time, intensity, and space relations, we should never have come to apply these categories in physics, chemistry, or astronomy. I am not prepared to attempt to clear up the logical questions involved; when water is muddy it is often wise to wait for it to settle rather than to keep stirring it up.

Under the conditions of modern science nearly all observations are experiments, and nearly all experiments are measurements. A sharp distinction is usually drawn between an experiment and an observation. Thus Wundt, following Mill and other logicians, defines an experiment as an observation connected with an intentional interference on the part of the observer in the rise and course of the phenomena observed. But it is as properly an experiment to alter the conditions of observation as to alter the course of the phenomena observed. If the astronomer goes to the ends of the earth and photographs a solar eclipse, making all sorts of measurements and calculations, we may say that this is an observation and not an experiment, but we have not made a useful definition; neither do we gain anything by deciding whether it is an experiment when a baby pulls apart a doll to see what is inside. The real distinction is between the casual experimenting and observing of daily life, and the planned and purposive experiment and observation of science. Science is experimental *qua* science.

I consequently object to making experimental psychology a branch of psychology. It is a method in psychology, which is extended just as rapidly as psychology becomes a science. The purely introspective or analytic observer does, according to the current definition, continually make experiments, because his introspection itself alters the process that he is observing, thus sometimes making his observations invalid as a description of natural conditions. On the other hand, the student in the laboratory may measure the process without any introspection or interference with it, and this may not be technically an experiment at all, but it gives a scientific description of the normal course of mental life. We are told that Adam gave a very appropriate name to the hog; science is not always so fortunate in its nomenclature.

Most experiments, letting experiments mean attempts to increase scientific knowledge, are also measurements. Measurement is only a description; but it has proved itself to be the most economical, wide-reaching, and useful form of description. What language was

for the evolution of primitive man, measurement is for the advance of modern science. As a word selects similarities and ignores differences, so a measurement selects certain similarities from the concrete manifoldness of things. That such a great part of the world can be described in terms of a few units of measurement, and that this description should lead to such useful applications, is truly marvelous and admirable. As I am writing these paragraphs, I have received a manuscript in which the author explains that the fact that the earth rotates on its axis in twenty-four hours, not varying a second from day to day, is a conclusive proof that it was created and set rotating by a benevolent being. If the days were shorter, he says, we could not get our work done, and if the days were longer, we should be too tired by night. It almost seems as though the world were made in such comparatively rational fashion in order that we may measure it.

The physicist counts, and he measures time, space, and energy. He has intractable matter with its seven and seventy elements, and he may come across a substance as complex and perplexing as radium. But by and large he can describe his world in certain quantitative formulas. It is true that he accomplishes this in part by unloading on psychology qualitative differences, such as colors and tones. So much the more satisfaction to us if we can reduce them to quantitative order. Perhaps we shall have only partial success; but it may fairly be urged that psychology has done as much in this direction in fifty years as physics accomplished until the time of Galileo, or chemistry until the time of Lavoisier.

The psychologist counts, and he measures time, space, and intensity. Even if it were true — I think it is not true — that mental magnitudes are not measurable, it would none the less be the case that mental processes are described in quantitative terms. This is attempted and accomplished in most of the researches published in our psychological journals. They describe measurements and the correlation of quantities; they show that a mental mechanics is more than a possibility.

The physical sciences have been primarily quantitative, and the biological sciences are primarily genetic, but the physical sciences must become genetic, and the biological sciences must become quantitative. Psychology is from the start both quantitative and genetic. It may indeed be claimed that it is the science in which the genetic method has the most complete application. Every mental state, and every form of activity, is the result of development from previous conditions. If explanation, as distinguished from description, is possible anywhere in science, it is possible here. It is certainly difficult to penetrate by analogy into the consciousness of the lower animals, of savages, and of children,

but the study of their behavior has already yielded much and promises much more. Although those who make their psychology coterminous with introspection cannot enter far into this field, they still have their own genetic problems. In whatever direction we turn, the harvest is waiting; it is only the reapers who are few. Almost every observation, experiment, or theory of organic evolution offers parallel problems for the psychologist. The development of the individual opens questions more numerous and more important for psychology than does the development of the body for other sciences. Senile, degenerative, and pathological conditions are all there for psychological investigation. The evolution of society and the interrelations of individuals are being gradually brought within the range of genetic psychology. It is quite possible that the chief scientific progress of the next fifty years will be in this direction.

The problems of psychology are certainly made endlessly complex by the fact that we have to do, not with the development and condition of a single mind or individual, but with innumerable individuals. The traditional psychology has been disposed to ignore individual differences; but in attempting to prescribe conditions for all minds, it becomes schematic and somewhat barren. It is surely wasteful to select those uniformities that are true for all, and to throw away those differences which are equally fit material for scientific treatment. Linnæus instructed his pupils to attend to species and to ignore varieties, and this in the end tended to make systematic botany and zoölogy unfruitful. If the zoölogist had limited his work to the discovery of facts that are true for all animals, and had ignored the differences between animals, he would have done something analogous to what the psychologist has actually done.

It may be that individuals cannot be grouped into species, or even varieties, but animals and plants are separated into species in accordance with the noticeable differences between them, and there are as many degrees of just noticeable difference between men as between related species. We have in any case the different species of the animal series and the different races of men for psychological study; it may be that instincts and mental traits have specific or racial significance for the zoölogist or anthropologist. We have the infant, the child, the adolescent, and the aged; we have the two sexes; we have the geniuses, the feeble-minded, the criminals, and the insane, — complex groups, to be sure, but open to psychological investigation. It may be that mental imagery or types of character will give workable groups. But even if mental traits and their manifestations are continuous, we can study the continuum. The study of distribution and correlation

appears to open up subjects of great interest and having important practical applications.

The question of the practical applications of psychology is the last which I shall touch. There are those who hold that there is something particularly noble in art for art's sake, or in science divorced from any possible application. We are told of the mathematician who boasted that his science was a virgin that had never been prostituted by being put to any use. It is doubtless true that science justifies itself if it satisfies mental needs. It may also be true that pure science should precede the applications of science. But of this I am not sure; it appears to me that the conditions are most healthful when science and its applications proceed hand in hand, as is now the case in engineering, electricity, chemistry, medicine, etc. If I did not believe that psychology affected conduct and could be applied in useful ways, I should regard my occupation as nearer to that of the professional chessplayer or sword-swallower than to that of the engineer or scientific physician.

It seems quite obvious that such knowledge as each of us has of his own perceptions, mental processes, and motor responses, and of the reactions and activities of others, is being continually used, more continually, indeed, than any other knowledge whatever. This knowledge is partly organized into reflexes and instincts; it is in part acquired by each individual. Control of the physical world is secondary to the control of ourselves and of our fellow men. The child must observe and experiment to fit itself into the social order, and we are always experimenting on it and trying to make it different from what it is. All our systems of education, our churches, our legal systems, our governments, and the rest are applied psychology. It may be at present pseudo-science, in the sense that we have drawn conclusions without adequate knowledge, but it is none the less the best we can do in the way of the application of systematized knowledge to the control of human nature.

It certainly is not essential, and perhaps it is not desirable, for every mother, for every teacher, for every statesman, to study psychology, especially the kind of psychology at present available. It is not necessary for a man to be either a psychologist or a fool at forty; he may, for example, be both. But surely it is possible to discover whether or not it is desirable to feed a baby every time it cries, to whip a boy when he disobeys, or to put a man in prison when he breaks a law. If each man were given the work he is most competent to do, and were prepared for this work in the best way, the work of the world, all the way from the highest manifestations of genius to the humblest daily labor, would be more than doubled. I see no reason why the application of systematized knowledge to the control of human nature may not in

the course of the present century accomplish results commensurate with the nineteenth-century applications of physical science to the material world.

The present function of a physician, a lawyer, a clergyman, a teacher, or a man of business is to a considerable extent that of an amateur psychologist. In the inevitable specialization of modern society, there will become increasing need of those who can be paid for expert psychological advice. We may have experts who will be trained in schools as large and well-equipped as our present schools of medicine, and their profession may become as useful and as honorable. Such a profession clearly offers an opportunity to the charlatan, but it is not the only profession open to him. For the present the psychological expert should doubtless be a member of one of the recognized professions, who has the natural endowments, special training, and definite knowledge of the conditions that will make his advice and assistance of value. But in the end there will be not only a science, but also a profession of psychology.

# THE HISTORY OF PSYCHOLOGY

BY JAMES MARK BALDWIN

[James Mark Baldwin, Professor of Philosophy and Psychology, Johns Hopkins University, since 1903. b. Columbia, South Carolina, January 12, 1861. Educated at Princeton, Leipsic, and Berlin Universities; M.A., Ph.D., Princeton, 1886; Hon. D.Sc., Oxon, 1899; LL.D. Glasgow, 1900; LL.D. South Carolina College, 1905. Fellow and Instructor, Princeton University, 1885-1887; Professor of Philosophy, Lake Forest University, 1887-90; Professor of Logic and Metaphysics, Toronto University, 1890-93; Professor of Psychology, Princeton University, 1893-1903. Member of American Philosophical Society; American Society of Naturalists; London Aristotelian Society; Paris Institute of Sociology; Vice-President of the International Psychological Congress, London, 1892, Munich, 1896; Honorary President of Congress of Criminal Anthropology, Geneva, 1896; President of American Psychological Association, 1897, etc.; awarded gold medal of Royal Academy of Science of Denmark, 1897. Author of *Hand-book of Psychology*; *Elements of Psychology*; *Mental Development in the Child and the Race*; *Social and Ethical Interpretations in Mental Development*; *Story of the Mind*; *Development and Evolution*; *Thought and Things, or Genetic Logic*. Editor of *Dictionary of Philosophy and Psychology*; *Psychological Review*.]

THE science of psychology essentially reflects in its development the way the human mind has been able at various epochs to apprehend itself. The thought of any object is simply the conscious construction of that object; and this is as true of the sort of object — the mind — with which the science of psychology deals as of the object of any other science. As long, for example, as animistic views prevailed, a thorough-going positivistic treatment of the objective world was impossible; for the object constructed was not subject to regular law nor continuity of transformation and change. So, also, as long as the animal body was considered an exception to the positivistic process, biology could not be a thoroughly developed natural science; for its object was a centre of capricious and mystically motivated changes. This is true of psychology, and more emphatically. For the object of the science of psychology is the mind, the object which it constructs from its own experience; that is, its object is just its own positive view of itself. We are accordingly led to see that the history of psychology is the history of the stages or modes of the evolution of reflective consciousness of self.

## I. *Greek Psychology*

The evolution of psychological views among the Greeks is capable of fruitful interpretation from this point of view. The earliest views were necessarily those possible at a period of which the dualism of mind and body — self and external world — had not been achieved. The so-called “materialists” of Greece — who, just for the reason now given, would better be called “protists,” “pro-noists,” “project-

ivists" (I shall use this last term), or something of like import, — looked upon nature as the "one," "the undefined," a moving labile object (water, air, etc.). And it is characteristic of their views that they did not — because they could not — go on to make distinctions and differentiations in the lines of later more mature reflection. The period of their thinking in the history of opinion corresponds to the early adualistic or "projective" period in the individual's personal development. The individual has a certain objective mass of material, "protoplasmic" in a figure, in which the dual reference to subject and object is not yet attained. The world, to such an individual, is one of "first-appearance" — not of matter and mind, nor of anything else which gives an antithesis of poles of reference. So the early thinking of the race was in this sense unreflective. The process of its theoretical interest did not lay apart its material in substantial categories; but it answered the question "what?" by the assertion of the sort of predicates which were its possible objective constructions at that stage.<sup>1</sup>

The positive character of this first period, however, shows the transition motive to certain later dualisms: the character of animation, movement, change. In this respect, the Ionics suggest a further movement in the child's development. The immature reflection of the individual finds, in the perception of animation and capricious movement, the road toward a solidified and concreted dualism. Through this type of reflection the world-circle closes in somewhat upon the personal centre. It neglects the fixed, changeless, inanimate things of the world, as in so far unexistent or hypothetical. In respect to them, the senses deceive. So in the thought of Heraclitus and Parmenides the becoming or change principle played its rôle, and the Greek mind began its career toward a form of dualism in which the "fixed" was of logical or contrast value, mainly, not an objective category.

In this general epoch, the "projective," in the development of Greek thinking, we must place also the *voûs* principle of Anaxagoras. It was a principle in the line of the vitalistic or change hypothesis; and it remained, indeed, only a postulate of order, movement, immanence in the world. It was not a subjective, nor yet an objective (a subjective) principle. So far as it implied a dualism, it was one — that predominant one in Greek thought — of matter and

<sup>1</sup> This is not to say that the adult person himself — for example, such a thinker as Thales — was not self-conscious, and did not deal practically with the problem of self *vs.* things; but only that, in his reflection, he did not segregate the elements of his one general experience in explicit dualisms, nor consider the objects in the two spheres of practical experience as separate and distinct.

It may be explained here that I use the term "object" (and its adjective form "objective") of *any cognitive construction whatever* — anything that may be known or thought about.



form, not of subjective and objective. It may possibly be considered as in so far an unreflective anticipation of Aristotle's biological point of view, — so much, indeed, is possible, — but it was not in any sense an anticipation of the subjective point of view from which a science of psychology could isolate its peculiar matter. This accounts, no doubt, for its unfruitfulness in later thought.

The real isolation of the subjective or "inner" seems to have begun with the Atomists, Leucippus and Democritus, in their famous doctrine of the relativity of the sense qualities.<sup>1</sup> This intuition led perforce, just as the same type of phenomena — the relateness and deceptiveness of qualities, colors, odors, etc., in things — leads the child, to the wider question whether the "inner" is not a sphere to be distinguished from the "outer." Indeed, in Democritus this antithesis is actually and fruitfully made. His other great doctrine, that of the "atoms," was thus made possible, and has remained possible for all time; for by definition the "outer" had to be stripped of those relative and ambiguous predicates which had embarrassed earlier speculation. The atoms could do their work in the body of external reality; and the mind could do its separate work of knowing that reality. This was a real advance upon the doctrine of "elements" as held by Parmenides and Empedocles.

The subjective postulate, thus once arrived at in the individualistic sphere of sensation, was to be carried out in the general sphere of truth by the Sophists; indeed, it was forced upon them by the social and intellectual conditions which made men Sophists in their generation. In the Sophists began the play of certain forces akin to those which we find enormously germinal in the narrower sphere of the individual's personal growth. And in this our present method has further justification.

The growing consciousness of personal quasi-subjective detachment from the world of impersonal things comes to the child through processes analyzed variously into motives of conflict, imitation, invention, discussion (and from the psychic point of view, introjection, absorption, realization) — a give-and-take or dialectical process between the individual and his fellows. In it all the essential fact of subjectivity in the actor's thought of himself and others comes to birth. The actor becomes an agent; the observer, a creature of reflection; the spontaneous thinker, a possible amateur psychologist.

All this appears, there can be no doubt, in the Sophistic movement; and out of it, indeed, the first race-psychologist was born, — Socrates. In the views and methods of Socrates are focused the rays which are to burn inward to the core of the human self. This appears true of Socrates in the following precise points.

<sup>1</sup> Cf. Gomperz, *Greek Thinkers*, vol. 1, pp. 320 ff.

(1) The Sophistic principle, *homo mensura omnium* (Protagoras), formulates the thought of an active and constructive centre in the individual. The individual's or human nature's reaction to the world gives all the measure there is for things. In Socrates this principle was developed in an anti-individualistic or social sense.<sup>1</sup>

(2) The contrast between "opinion" (δόξα) and "reason" (νοῦς), sharply brought out by the dialogue method in the hands of the master, Socrates, and developed by his disciples, now becomes more positive.

(3) The view that truth is in general a thing of thought in so far eternal and immutable, — not, as in the earlier transition stage, a function of a principle of change essentially indeterminate in character. This is the germ of Plato's "idea" in which reality becomes explicitly an ideal postulate.

(4) In Socrates the way is opened to the form of dualism of mind and matter found in Plato's doctrine of matter (ἰδέη).

Not stopping to develop these points, — time does not allow, — we may still say that Socrates was mainly a Sophist, not a clear subjectivist. He reached subjectivism only so far as it was involved in a dualism of the general (truth) and the particular (appearance), and that in an experimental and controversial way.<sup>2</sup> He did not realize the thought of mind as a psychic content in distinction from body.

Had Plato been possessed of the scientific interest, this distinction might have been made then and there; for Plato deduced a principle of matter. But, like Anaxagoras, with his postulate of mind, Plato's "matter" remained a logical contrast principle, over against "form," — a particular over against the general, — not a concrete reality; and the philosophy of reality was to remain a rule of vibration between logical poles, rather than a synthesis of reflection.

So far as a science of psychology goes, Plato must be classed with Socrates in what we may call the period of "experimental subjectivity."

In Aristotle, no less than in Plato, it is the outward movement of thought into reality that has the emphasis, not the development

<sup>1</sup> Against the individualistic interpretation for the Sophists generally, especially Protagoras, see Gomperz, *loc. cit.* I, 451 ff.

It is confirmatory of the parallel made in the text between the Sophist's and a stage in the individual's thought to note that Socrates' position was not in its nature individualistic, but was reached and maintained in the midst of social opposition and discussion. The Socratic method was a social dialectic, or give and take. I do not know of any adequate exposition of the social — political, religious, etc. — factors which produced the Sophistic movement; but an account of a later analogous period — the rise of the Post-Aristotelian schools — is given in admirable terms by Caird in his *Development of Theology in the Great Philosophers*, II, lect. xv.

<sup>2</sup> The way which, when illustrated in the individual's development, I have called the construction of a "semblant" object — a matter of psychic experimentation with materials, akin to the child's playful and esthetic imaginative constructions.

of the subjective as psychic. This movement is that described in modern genetic psychology as "ejection": the reading of the subjective into the external and the interpretation of the latter in terms of some aspect of the world of thought. This reached its clear statement in Plato's doctrine of "ideas," that is, so far as the "idea" itself was defined. It required a theory of the idea, however, only so far as that conception was to serve the metaphysical purpose. It did not require, nor did it receive, independent treatment, as the object of scientific research or even as content of consciousness. The dualism, however, was only a mediating phase of the return to a deeper monism or idealism: that of the unity of the particular and the universal. And in Aristotle, whose scientific impulse was strong, this reading of the subjective into the objective remained — in the doctrine of matter and form — a way of accounting for the organic character of the presented and objective world. It did not become a way of detaching the subjective. This is to say that Aristotle's point of view, in discussing the facts of mind, is more biological than psychic or psychological. Mind has definition as the form of the animal body; and while this implies a reciprocal definition of body, — as material for the realization of form, — nevertheless the emphasis is not on mind as such.<sup>1</sup>

Aristotle illustrates, indeed, an important fact in the history of science in general: the fact that positivism may be embodied in a scientific method before the criticism of the material is well advanced, and that the sciences of the objective order are usually well along before the corresponding sciences of the subjective order attain their emancipation. The reason of this limitation in the case of Aristotle appears when we turn again to the parallelism between the individual's and the race's growth in self-consciousness. The embodiment of the thought-content in things, by "ejection," or, as the anthropologists say, by "personification," suffices for a theory of the world which is animistic and vitalized, — for hylozoism, that is. But this does not go beyond Plato. The next step is to reach, with Aristotle, a naturalism of the objective order, by the correction and limitation of the animistic concept. This the individual does on his part by the return movement of his thought, whereby he reabsorbs a body of predicates into the "inner" sphere. The psychic becomes, by this movement, the theatre of the more lawless, capricious, and unmanageable phases of appearance, and the world order remains what is left, — the regular, the manageable, the lawful. The fixed, before neglected, now becomes the essence of things. It is, no doubt, a practical distinction at first, and only afterwards becomes the

<sup>1</sup> This is not to say, of course, that Aristotle did not make many valuable contributions to empirical psychology; he did. But still it is true that he did not develop a distinctly psychic method of treating consciousness.

subject of that theoretical interest which develops its positivism first of all in the objective realm. So the rise of science of the objective becomes possible. But not yet, evidently, can the psychic find corresponding treatment, as law-abiding and uniform in its movements; for if the inner sphere be constituted just by the segregation of materials in so far practically unmanageable, the theoretical treatment of them is thereby baffled; and a science of these contents must await the rise of a reasoned positivism of the inner life.

It is necessary to point this out, for it explains certain negative aspects of later historical movements — and why psychology as a science of content was so late a growth. In two later world-epochs, in particular, and in their respective world-thinkers, something of the same situation presents itself. I refer to the rise of modern dualistic philosophy in Descartes, and the rise of Positivism of the stricter sort in Auguste Comte.

## II. *The Dualistic Transition*

The transition to Descartes was made through the Stoics and the theologians of the Christian Church. The Stoics, reacting against the practical individualism of the Cynics and Cyrenaics, reached the concept of a sort of general selfhood which guaranteed law and order and virtue. This was a practical and eclectic rather than a reasoned attempt to overcome the dualism of their immediate predecessors.<sup>1</sup> The church theologians reasserted an individualism, but to them the individual became spiritual.

In these precursors of Descartes there was worked out a genetic motive which is unmistakable also in the individual's development: I mean the advance or progression from a dualism of "inner-outer" to one of "mind-body" — from what may be called a distinction of attributes to a distinction of substances. The individual proceeds, in his generalization, to carry over the physical part of his own person — separating it substantially from the psychic part — to the side of the "outer" as such. It is only when he is able to do this, *and does it*, that the dualism of mind and body is anything like complete. The substantializing of the mental principle which has so far proceeded by certain curious stages — being variously a refined physical something, a breath, the limiting notion and form of matter — now finally becomes the hypostatized substance which bears the psychic qualities. The substance soul does finally become logically detached, but mainly for theoretical and doctrinal purposes;<sup>2</sup> for even then soul and body remain in

<sup>1</sup> Cf. Caird, *loc. cit.*, lect. xvii.

<sup>2</sup> The earlier crass doctrine of transmigration, as in the Orphics and in Empedocles, did not involve a reflective dualism; for the soul was not defined as

so far attributal to each other, that either can be predicted on occasion as either cause or effect with reference to the other. This was notably true in the entire church development; and the view is still dominant in theology. This cause and effect bond is the last one that remained to be loosed.<sup>1</sup>

In Descartes, for the first time in the history of thought, certainly of Occidental thought, is the psycho-physical problem specifically set in the form of the conception of a natural relation between mind and body, considered as two separate substantial principles. The problem becomes: what is the relation? It assumes not only the dualism of the two terms, but their actual separation. Descartes not only reaches such a dualism, but he sets up the full relational problem of mind and body. And further, he identifies the spiritual principle with "inner experience" or "thought." He is in advance of the church philosophy in this important respect, that while, to the latter, it was a problem of *separating mind and body*, to Descartes it was a question of *bringing them together again*. Descartes said that interaction was impossible; and the theory of preëstablished harmony was the alternative.

Why, then, it may be asked, did not a purely naturalistic psychology begin with Descartes? For much the same reason, I surmise, that it did not begin with Aristotle: because Descartes did not conceive the inner principle, the soul or thought, in terms of continuous and lawful change. Just in this was it contrasted with body. Extension is the sphere of geometry and physics; thought is the source of spiritual manifestations; and these two domains of fact, though parallel, are essentially heterogeneous. That this is true of Descartes is proved historically; just as the corresponding fact comes out in the comparison of Aristotle with Socrates. In each case a monistic idealism followed, not a scientific naturalism. Socrates was followed by Plato, Aristotle by a new mysticism, while Descartes led right on to Spinoza. In each case, we find an attempt to transcend the specific form of dualism of its own period.<sup>2</sup>

a principle. When the dualism arose, however, such views availed themselves of so much support, just as modern theology supplies a doctrine of immortality in support of the early anthropological belief in a world beyond. Put in psychological terms, we may say that such early religious and anthropological views were object of practical and, in some cases, esthetic interest, but not of the sort of theoretical interest which leads to philosophical inquiry.

<sup>1</sup> I have pointed out elsewhere (*Psychological Review*, May, 1903) that the case of mind and body is the last instance of that sort of commingling of substances and forces. It is present in all the forces involved in "interaction" theories.

<sup>2</sup> It is an interesting point that in each such case, the supposed reconciliation is not logical, but, in a broad sense, esthetic: the motive in Plato is poetic, in the Post-Aristotelians it is mystic, in Spinoza it is religious, — a matter it would be well to expound in its own place. It has its parallel, moreover, in the individual's mode of treating his dualisms, *i. e.*, by the construction of objects which are valid from esthetic points of view. This is, I think, the normal genetic outcome.

### III. *The Postulates of Modern Scientific Psychology*

From the preceding exposition, I may venture to draw certain inferences of a negative sort: statements of what the thought of the earlier centuries lacked; and follow that with the positive characters belonging to the nineteenth-century science.

What the earlier thinkers lacked, then, was (1) a full naturalism in their point of view: a naturalism which could follow only upon a critical dualism of mind and body. Grant the dualism of inner and outer, take the further step to that of mind and body, then — and this is the needful thing for naturalism — admit the oneness of the knowledge of nature as a whole in the face of the cleft in nature which the dualism postulates. The thinkers we have been considering did not achieve this last step. They worked out their theoretical interest by establishing a philosophical solution of the dualism, or, on the other hand, resorted to an esthetic handling of it.

(2) They did not achieve a positive way of treating all data as material of knowledge as such, material to be progressively systematized and enlarged by research. The former is the full scientific point of view; the latter is its method and instrument.

What modern psychology has in addition is just the something that these early thinkers lack:

(1) *Naturalism*,<sup>1</sup> or the view that all events or phenomena whatever are part of a natural order, and are subject to general and ascertainable rules of sequence.

(2) *Positivism*,<sup>1</sup> or the view that a methodology — a theory and practice of method — of research is possible, for the discovery of the rules or laws which govern the sequences of the natural world.

Both of these scientific postulates hold for psychology. They have long been established in the physical or exact-quantitative sciences; they have been slow of formulation in the biological sciences; they are only beginning to have adequate recognition — especially, the second of them — in the mental and moral sciences. It is the characteristic feature of nineteenth-century psychology, that it has developed the first of these postulates fully and the second partially.

### IV. *History of Nineteenth-Century Psychology*

The nineteenth century opened at a natural pause in the evolution of theories about the mind. In the flow of the great currents, certain eddies had formed late in the eighteenth century.

<sup>1</sup> It should be noted that I speak of *scientific*, not of *philosophical* naturalism and positivism.

The dogmatic movement in Germany had passed over into the critical; and Kant had attempted a new esthetic reconciliation of the dualism of inner and outer. The Kantian psychology or anthropology is essentially a renewed subjectivism — that is, so far as it is “critical.” Neither scientific naturalism, nor positivism in the sense defined above, profited greatly from the work of Kant. Indeed the explicit attempt to refute Hume — to go no deeper — throws the weight of Kant as authority on the side of an essentially obscurantist attitude toward facts. Note the arguments in favor of *a priori* space and time, which very little careful observation would have materially modified. And historically Kant led the way to what Höffding calls the “romantic movement,” from Fichte to Hegel.

Again in France an impulse was asserting itself away from the materialism of the sensationalists toward the naturalism of Rousseau. Rousseau’s recognition of the psychic involved a truer naturalism than the view which denied the life of ideas and of all higher functions in favor of a sense-process materialistically interpreted. Neither Rousseau nor Condillac, however, combined both the two postulates.

In England a science of psychology was emerging at the opening of the nineteenth century. Locke had broached a subjective naturalism, which the French sensationalists, as I have just intimated, developed on one side only. Hobbes was a positivist in much the same sense for our purposes as Comte. But in David Hume the two requirements of a true science of psychology were consciously present. Hume treats mind as a part of nature, — this is naturalism, — and he also works at the problem of discovering the laws of mental change by actual observation, — this is positivism. He is justified in both — by his results; he is further justified by his extraordinary historical influence.

If then we are justified in saying that David Hume is one parent of the science of psychology, — in the sense of the word that places this subject in line with the other natural sciences both as to its material and to its method, — then we have to look for the other parent, I think, to France. Dropping the figure, we may say that, in Rousseau, France contributed an essential moment to the development of the science. Possibly this contribution should be called the Rousseau-Comte factor; as possibly also the British contribution should be called the Locke-Hume factor.

The influence of the Rousseau-Comte factor, which is to-day more undeveloped than the other, but is now becoming fertile, may be shown by an appeal again to the analogy with the individual’s growth in personal self-consciousness. And as intimation of my meaning, I may refer to the Rousseau-Comte *motif* as the “social”

or "collectivist," and to the Locke-Hume *motif* as the "personal" or "individualistic."

Taking up the genetic parallel, we may remark that the development of the positivistic postulate by Locke, Hume, and the Mills, *in an individualistic sense*, has proved inadequate, so far as it claims to exhaust the psychic matter. In the development of the individual the rise of the thought of a separate personal self is a late outcome of reflection. The early stages of dualistic thought are in so far social that the mind-body dualism is an abstraction in both its terms. Mind is many minds; and body is many bodies. The material of self is collective and distributive, not unitary nor individual. The child thinks self as a term in a social situation.

If this be true, the science of mind must be one in which the abstraction of an isolated individual mental life is to be used as an instrument of method rather than as a truth of analysis and explanation. And there should be a science of psychology in which the material is, so to speak, social rather than individual. This point has been worked out only in recent literature, but its advocates may find the source of this type of view in the French thinkers now under discussion.

Besides these two great movements, credited respectively to Great Britain and France, modern naturalistic psychology has had two important impulses. The first of these came about the middle of the century in the rise of the evolution theory, and from the side of biological science; the other from German beginnings, and from the side of physical science. I shall speak of these respectively as genetic psychology, finding its pioneers, Lamarck and Darwin, in France and England, and experimental psychology, founded by the Germans, Fechner and Lotze.

The various factors now distinguished may be taken up briefly in turn for consideration. I shall treat them under the two larger headings already set forth: *Naturalism*, comprising (1) the British movement called above the Locke-Hume factor (empirical psychology), and (2) the French-British evolution movement (genetic psychology); and *Positivism*, comprising (1) the Rousseau-Comte movement (social psychology), and (2) the German experimental movement (experimental psychology).<sup>1</sup>

<sup>1</sup> These two headings are indeed not exhaustive nor mutually exclusive. The viewpoint respecting the material cannot fail to influence the method; nor the method the selection of material. For example, the Rousseau-Comte current is a direct gain to naturalism no less than to positivism; and the opposite is true of the Locke-Hume movement.

The scientific treatment of mental diseases is also a most important matter, which should be classed under positivism or positive method. It is not within my province — nor is the time ripe, I think — to estimate it. Its development is one of the great tasks of the twentieth century (*cf.* Meyer, *Psychological Bulletin*, May-June, 1904, for an exposition of present-day tendencies and theories).

As it happens, it fell to the present writer to draw up a report on psychology



Before proceeding, however, it may be well to give a résumé of principles, — the platform upon which the entire development is projected. This platform is that of cognitive and reflective self-consciousness of such a sort as that which the individual has attained when he thinks of his inner life as a more or less consistent unity, passing through a continuous and developing experience: a self different from things, and also different from other selves; yet finding its experience and exercising its functions in closest touch with both. And furthermore this touch with things and persons is so close that, whatever his reflection about himself may lead to, he accepts the facts, (1) that the world as a whole *includes himself and others in its larger uniform processes*, and (2) that the methods of its treatment of him *through his body*, are also his methods of handling it. The individual must be, that is, *first*, a somewhat careful naturalist, and also *second*, a somewhat skillful positivist; and it is only when there is the reflection of *this sort of self-consciousness into the scientific endeavor of the race* that there comes a time ripe for a truly scientific psychology.

#### IV. Nineteenth Century Naturalism

*British Empirical Psychology.* The empirical movement reasserted in John Locke the subjective point of view reached in the dualism of Descartes. Furthermore, it attained in David Hume the return movement from a pure naturalism of the objective only to a corresponding naturalism of the subjective. Locke's subjectivism is seen in his doctrine of primary and secondary qualities, in which he renewed the relativity of Democritus and the Cynics, and in his polemic against innate ideas. Hume's subjective naturalism appears in his entire work. Hume's theories of ideas, belief, substance, cause, all testify to his complete absorption in the thought of the psychic as a law-abiding and continuous flow of events.

The most explicit result of this point of view appeared, however, in the theory of Association of Ideas, upon which the school of British empiricists founded their psychology. James Mill, J. S. Mill, Thomas Brown, and Alexander Bain are the figures which are drawn large upon the canvas of associationism in the nineteenth century. The theory of association, considered as a formula of general explaining value, was epoch-making historically, inasmuch as it was the first general formulation made from the new point of view.

for the other great American Exposition, that at Chicago in 1893. That report, entitled *Psychology, Past and Present* (published in the *Psychological Review*, and now incorporated in the volume *Fragments in Philosophy and Science*), goes into greater detail respecting recent movements and literature, with special reference to conditions in the United States.

In France, something in some degree analogous appears in the writings of Condillac and his associates before the voluntaristic reaction of Maine de Biran and Jouffroy. The postulate of sensation was indeed a naturalism, as has been said above; but it was not motived in strict philosophical neutrality, nor did it issue in a general formula. At the same time it served to establish the Lockian tradition on the Continent, and to furnish a shibboleth which, though destructive enough from other points of view, nevertheless helped to clear the way to a saner empiricism. It should be noted, too, that there were in Germany sporadic intimations, and more, toward a fruitful naturalism; but that these remained without great influence — notably the remarkable work of Beneke — and had to be reformulated in later times, shows that, as matter of fact, the naturalistic movement did not receive any indispensable support from Germany.<sup>1</sup> Beneke's advanced positions, it is fair to add, are only now becoming generally known as anticipations of certain important genetic principles.

The outcome of this great British movement is an established empirical tradition. The gain is seen, on one side, in the soil tilled for the sowing of evolution seed; it appears again in the established spirit of patient research which is the life-blood of science. In Alexander Bain we have the summing-up of the results for the whole mental life; as in Herbart, in Germany, we find them illustrated in a new Intellectualism; and in Herbert Spencer, their further development on a Lamarckian platform. In Spencer, it is true, the psychological point of view served the need of a larger philosophical purpose; but he shows that the naturalistic habit of mind had become so fixed that the association psychology could be recast on evolution lines, while claiming still that violence had not been done to its essentially empirical spirit. A later author, in whom the positivistic method is well realized, but in whom the genetic spirit is not fully developed, is William James; and still another, who will be named below as one of the pioneers of the experimental psychology, Wilhelm Wundt, is not only not genetic in his naturalism (being neo-vitalistic), but has also a corresponding limitation upon his method, in spite of its positivistic claim (being somewhat obscurantist in his demand that psychology shall yield support to a philosophical voluntarism).

*French-British Evolutionism; Genetic Psychology.* The rise of the genetic evolution theory in biology supplied the direct motive to a psychology. Lamarck himself recognized the psychological factor in one of his general principles — that in which he formulated the

<sup>1</sup> Indeed, this might be put more strongly; for the era of the Enlightenment in Germany brought a reaction toward the more mystical evaluations of experience based on feeling — *e. g.*, in Tetens and Schleiermacher.

function of mind as effort, struggle, etc., in modifying the organism to accommodate it to the environment. The explicit application, however, of the Lamarckian theory was due to Herbert Spencer, in whose work we recognize a conscious attempt to work out an evolution theory of mind, as a branch of general cosmology. It is interesting that it was in the same generation, indeed in the same decade, that those other Englishmen, Darwin and Wallace, gave both biology and psychology alike an impulse which has established a genetic science. For Lamarckism is not positivism; only in Darwinism did a thorough-going positivism of method supplement and correct the naturalism of Spencer and Lamarck. The contribution consisted in the extending to mind of the methods of positive and comparative research, and the formulation of a principle, that of natural selection, which established genetic continuity and by which research has since been directed and controlled. It is somewhat remarkable that Lamarckism never secured the hold upon the minds of psychologists that it did upon those of biologists; and the progress to Darwinian positivism has had real reinforcement from workers in our science.

Now — at the end of the nineteenth century — the genetic principle is coming into its rights. It has done most service hitherto negatively, in its antagonism to a psychology exclusively associational, on the one hand, and to one exclusively structural, on the other hand. The earlier science was debtor, in its structural concept, to physics; it was a positivism of the atomistic or agenetic type. The latter is debtor, in its functional concept, to biological science; it is a positivism of the developmental or genetic type. However fruitful the atomistic, structural psychology has been, it has had its word, and it is not the final word. A great era of research is upon us in the treatment of consciousness as a thing of functional evolution in the race, and of personal development in the individual. This general psychology of the future has been prepared for in the physical mode of psychologizing, just as the general biology of the present was prepared for by the anatomical science of life which preceded it.

Among those whose names should be mentioned as contributing either to the Lamarckian or to the Darwinian form of the genetic principle are Haeckel and Weismann in Germany; and among those powerfully aiding its acceptance in their respective countries are Ribot in France, Morselli in Italy, Romanes and Huxley in England, and John Fiske in America.

#### V. *Nineteenth Century Positivism*

*French Positivism ; Social Psychology.* In France the progress of naturalism, in matters psychological, was much more rapid, and

its victory more complete, than in England and Germany. This difference is due, I think, to the different attitudes taken in these countries respectively toward the theory and practice of religion. In France, the theological bias and restraint, in which a certain conception of the mental principle was involved, were done away with before and during the revolution; and a positive scientific method was resorted to, to replace the theological — as witness Comte's actual attempt at a religion of humanity. In England, Germany, and America, on the contrary, while the growth of naturalism has gone on apace, the actual realization of scientific method has been slow and difficult. Such a step involves the giving-up of vitalism and the theory of interaction of mind and body, together with other formulations in which the theological spirit has lately taken its stand.

In Auguste Comte we have a thinker whose dualism was ripe for a scientific psychology, but who nevertheless failed to achieve the point of view of law-abiding or subjective change. Comte was *assez positif* in his claim. He took up the problem of an independent science of psychic processes; but from failure to recognize the subjective as such, denied its possibility. His objective monism is seen in his view that it is through the objective or positive series of facts, biological and social, that the psychic series is to be done justice to, — classified, arranged, and explained.<sup>1</sup> It is the reverse swing of the pendulum to that of subjectivism, though from a different theoretical support. It does not solve the dualism; as the idealistic monisms of Plato and Spinoza did not. And it parallels practically the same stage of individual reflection as these systems: that which recognizes the futility of the half-mature dualisms of practice and common sense. But in Comte the practical and the methodological were prominent, and he was urged on to justify the sort of naturalism in which these two motives issued. This he did by asserting the essential fragmentariness and capriciousness of the psychic as such; while he should have held to a larger naturalism, in which the external and the psychic each develops its own positive method.<sup>2</sup> Of course it is no reconciliation of two terms to deny one of them; and such a procedure has not the merit of esthetic synthesis which we find in the great monisms. But nevertheless, the assertion of the universal claim of positive method was of the first importance: it carried forward one of the great naturalistic movements of history.

While the fruitfulness of the positivism of Comte was thus in science in general, not directly in psychology, yet it was only his

<sup>1</sup> His inconsistency is seen in his appeal to the subjectivism of Kant's relativism of knowledge to refute metaphysics, while using the objective order to refute the subjective point of view of Condillac and the spiritualistic school.

<sup>2</sup> This was done by the school of English positivists who followed Comte in his attitude toward metaphysics.

personal convictions that hindered his coming into the psychological heritage as well. As it was, the spirit of his teaching awaited its working-out in a later generation. It was to the profit of sociology; for his negative answer to the question of positive psychology was possible only because of his affirmative answer to that of social science. The positive bearing of Comtean positivism comes out, therefore, in two ways: first, as announcing a general method, and second, as preparing the way for a social psychology which should reconstitute part of the domain assigned to sociology — that of psychic and social experience — in a separate science.

As to this latter undertaking, — the isolation of the content of social psychology, — the requirement had already been met, in spirit at least, by Jean Jacques Rousseau. In Rousseau, to whom French naturalism owes its main impulse, we find two contrasted and in a sense opposing points of view, one positive and the other negative. These together tended to the segregation of a certain sort of material. These positions were, first, the positive “return to nature,” which took the form of individualism in politics and education (in *The Social Contract*, and *Emile*), and, second, the theory of the “general will,” which opened the way for a new collectivism, whenever its implications for social psychology should be brought out.

These positions of his predecessor might have led Comte into a truer view, and have brought about the establishing of a social psychology — a science of the “general will” — in the spirit of the motto “back to nature.” But this, as we have seen, Comte did not realize.

Undoubtedly, however, there is a profounder reason for the immediate unfruitfulness of the work of Comte — and this is my justification for dwelling so long upon it. Pursuing the method employed above, we may still recognize the requirement that the science of mind follow the genetic stages of the individual's growth in self-consciousness. With this cue, we may say that it was impossible that a psychology of social collectivism could be established before a theory of psychic individualism had been fully worked out. The individual is, indeed, truly a social person from the start; but this he himself does not recognize until he has lived through a period of strenuous unreflective self-assertion. Moreover, even then this consciousness of his social place is not in itself the adequate impulse to the theoretical interest to explain it. So social psychology, which embodies just such an interest, must perforce await the development of individual psychology and then serve to supplement it. We are able to see this now, inasmuch as we are only now realizing the transition from the latter to the former; and it is for this reason, also, that we are able to see why it was that both in France and in England the repeated claim of collectivism, both social and political,

was negatived and outlawed. Hobbes must yield to Locke, Comte to Mill and Spencer; and only after these latter could Bagehot, and Stephen, and Tarde arise, if, indeed, the renewed collectivism was to have a psychological foundation worthy of the name. And it is equally true that it is only as we work out the genetic processes whereby the reflective social self of the individual justifies its right to succeed the individualistic, that we can expect to see how society can rationally hope to reconstitute itself as more than a group of competing individuals. For having begun this work later, psychology, notably in France and America, deserves praise. But it can succeed only as it maintains both the naturalistic spirit and the positivistic method of Comte.

*German Positivism; Experimental Psychology.* The establishing of laboratory psychology is usually and rightly accredited to the Germans; but it is not so usually seen that this work does not involve a new point of view. On the contrary, it is the culmination of the positivistic movement sketched above. It not only admits the place of mind as a part of nature, but it suggests the employment of the methods of physical and physiological science. It arose in Fechner's attempt to discover the law of connection between psychic and bodily events. Such a law once made out, research would be guided and also controlled by its recognition.

Apart from the fact that the attempt failed, so far as Fechner's investigation was concerned, the importance of the conception cannot be questioned. A later formula — that of psycho-physical parallelism — is indeed truer to the ideal of a working positivism, just from its negative and colorless character. But ignoring points of controversy, we may still say that many fruitful researches have been carried out in this field; and disabusing ourselves of too great optimism, we may still count laboratory work as a part of the heritage bequeathed to the twentieth century. No doubt we are to see fruitful formulations under the rule of which great discoveries are yet to be made. Together with the actual founder, Fechner, we should name Lotze as also a pioneer in experimental psychology, and Wundt as an effective builder upon their foundations. Other great names in this connection are those of Weber and Helmholtz.

## VI. Prospects

In conclusion, it may be deemed proper to set forth the probable lines of development of psychological inquiry in the opening century.

In the first place, it is clear that both naturalism and positivism — spirit and method — are to survive in psychology, as in science generally. And for the reading of their future develop-

ment we may again appeal to the rule of individual development. Certain lines of probable advance may thus be discerned.

(1) The thought of the unity of social content is a great step toward the breaking-down of any associational or other "privately conducted" science. The psychology of the future will be social to the core; and its results, we surmise, will be revolutionary in logic, sociology, ethics, esthetics, and religion, — the disciplines which are built upon psychology.

(2) It follows that the position that the private psychic point of view is the only valid one is to grow more and more obsolete, among workers in this field. It will no longer be possible to claim that all truth about mind must be traced in some individual's consciousness, and that the laws of the science are to be those of observable psychic continuity alone. Psychic events are intertwined with physical and biological events, and their sequences involve objective as well as subjective terms. The two sciences which will for this reason be brought into vital relation with psychology are physiology and sociology.

The two lines of development just mentioned are guaranteed by the essentially social — and by corollary, unprivate — character of our higher reflective processes.

(3) The genetic point of view will be worked out in a method of research by which genetic science will take its place beside quantitative science: psychology will become largely genetic or functional. The method in the biological sciences brought in by the theory of evolution consists essentially in the tracing-out of genetic sequences; a thing is defined in terms of what it does and becomes and of what it arose from. The anatomy of structure is only a restricted and largely descriptive branch of general biology. So psychic processes are to be understood as phases of a continuous function; their meaning is in what they do or become and in what they arise from. The analysis of a cross-section of consciousness is either descriptive, and thus barren of further results, or it is hypothetical, and in so far possibly mythological. This is the essential defect, and the dilemma of a "structural" psychology.<sup>1</sup>

The genetic movement is guaranteed by the current demand and need that the dualisms of partial reflection embodied in the older science be overcome. Only as a law of genetic development is realized can the postulates of self-consciousness at this period or that be justified. But the justification of one such set of postulates is, in each case, the abrogation of a former set, and the prophecy of a later set. The law of the whole series as such it is the

<sup>1</sup> It may be observed that even the association psychology was preferable to the modern attempts to reach a psychic atomism, and from these to construct the mental life; for the law of association deals with concrete actual units, and formulates real psychic happenings.

task of genetic science to establish. It is no longer possible to rest content with a science of body in one text-book and a science of mind in another text-book, each of which claims that no single text-book can be written from a point of view which explains the origin of the dualism of the two, and sets forth the goal at which the dualism is finally explained. Apart from private speculation, it is psychology alone which can solve this problem; since it is psychology alone in which the very movement itself by which the sciences are differentiated writes itself down as a form of reflection. The origin, the motives, the object, the goal of thought itself are just the content of psychology; psychology must become, therefore, more and more the interpretation and reinterpretation of the genetic movement of the entire thought-content.

(4) Involved in the two lines of progress just indicated, — the social and the genetic, — and also confirming our expectation regarding them, there will be a racial and comparative psychology. In racial evolution the human genetic series is objectively worked out; and in the animal world, treated by comparative psychology, the corresponding pre-human series is displayed. Here psychology will come into vital contact with ethnology, on the one hand, and with animal biology, on the other hand.

Thus described, the work of the nineteenth century in psychology has been indeed most important. It has established the science; it has set the direction of its future movement. It remains for the twentieth century to reach practical applications of its results, and to improve the methods and instruments of further discovery. The present outlook is that social psychology will be carried on in France and America, genetic psychology in England and America, experimental psychology in Germany and America.<sup>1</sup> And such an expression is only what may be put more explicitly in the form of the opinion that in no country is the outlook so bright for the science in all its branches as in the land of the Louisiana Purchase Exposition, of which this Congress of Arts and Science is the most interesting and perhaps the most remarkable part.

<sup>1</sup> In Italy the principal currents set toward pathological and physiological psychology.




## LITERARY REFERENCES FOR THE HISTORY OF PSYCHOLOGY

- Arts. "Psychology" in *Encyclopædia Britannica*, *Johnson's Encyclopedia*, and *Baldwin's Dictionary of Philosophy and Psychology* (vol. III, containing *Bibliography of Psychology*).
- BALDWIN, *Psychology, Past and Present*, in *Fragments in Philosophy and Science*.
- BALDWIN (editor), *Library of Historical Psychology* (12 volumes by various authors in press of Chas. Scribner's Sons: introductory volume on *Problems and Epochs in the History of Psychology*, by the Editor).
- BUCHNER, *Kant's Psychology*, *Mon. Sup. to the Psychological Review*.
- DESSOIR, *Geschichte der deutschen Psychologie*.
- GOMPERZ, *The Greek Thinkers*.
- HARMS, *Geschichte der Psychologie*.
- MERZ, *History of European Thought in the Nineteenth Century*.
- WINDELBAND'S, HOFFDING'S, UEBERWEG-HEINZE'S *Histories of Philosophy*.
- ZELLER, *Philosophy of the Greeks* (particularly *The Socratics*).



SECTION A — GENERAL PSYCHOLOGY



## SECTION A — GENERAL PSYCHOLOGY

---

(Hall 6, September 23, 3 p. m.)

CHAIRMAN: PROFESSOR JOSEPH ROYCE, Harvard University.

SPEAKERS: PROFESSOR HARALD HÖFFDING, University of Copenhagen.

PROFESSOR JAMES WARD, University of Cambridge, England.

SECRETARY: DR. W. H. DAVIS, Lehigh University.

---

### THE PRESENT STATE OF PSYCHOLOGY AND ITS RELATIONS TO THE NEIGHBORING SCIENCES

BY HARALD HÖFFDING

[Harald Höffding, Professor of Philosophy, University of Copenhagen. b. Copenhagen, Denmark, March 11, 1843. Student, Copenhagen, 1861; Candidate of Theology, 1865; Ph.D. Copenhagen, 1870; LL.D. St. Andrews, 1898; D.S. Oxford, 1904. Privat-docent, Copenhagen, 1872; Public-docent, *ibid.* 1880; Ordinary Professor of Philosophy, *ibid.* 1883; Rector of the University of Copenhagen, 1902-03. Member of Royal Danish Society of Science and Letters; Society of Science and Letters, Gothenberg, Sweden; Philosophical Society of Moscow; correspondant de l'Institut de France. Author of *Psychology* (1882); *Ethics* (1887); *History of Modern Philosophy*; *Philosophy of Religion*; *Philosophical Problems*; *Philosophers of Our Days*, in Danish, translated into several languages.]

#### I

TO-DAY we have arrived at the conviction, that though the great and complex totality, which we call reality, cannot be understood without more or less artificial isolation of elements and without an analytical investigation of the mutual relations of such elements, yet the elements, which our science so distinguishes, are not to be considered as the constituent elements of the reality itself. In other words: the conditions of knowledge and of existence are not the same. Our ways of understanding are not necessarily the ways nature follows in her production. This is the old fundamental thought of critical philosophy, which has slowly made its way, especially during the later years, not only among philosophers, but also among naturalists who have discussed the first principles of their science. Then the possibility appears of an irrational relation between thought and reality, — the possibility, that the analysis of thought cannot do justice to the great synthesis of reality. The validity of science does not suffer by this, because the analyses and distinctions, which we undertake in order to arrive at a scientific understanding, ought to be founded, point by point, in observations of the living and concrete reality.

In no domain of experience does this point stand out so clearly as in psychology. In the material world, the elements which we distinguish have their position in space, one outside another, though an interaction is supposed to exist between them. But such an external relation cannot be valid in the domain of mental life. Here, the single element is so woven into the whole, that its very character is determined by it, and the whole is here not to be considered as a mere product of the elements. In psychology, analysis and distinction have a more artificial character than in physical science. We have less right still to consider mental elements as absolute realities than to look at material atoms in this way. However, there is no other way to scientific understanding of mental life than analysis on the basis of observation and experiment. And at its first beginnings, as at its limits, mental life has a sporadic character, presents itself, at least apparently, as isolated sensations, so showing a great contrast to the character of totality and synthesis, which it has where it appears in full development and maturity. We have here an antinomy which is of great importance to all psychological research. We cannot explain life as a mere product of the elements distinguished by the analysis, neither as a product of the sporadic flashes, to which it seems to be reduced at its limits; and yet the elements, to which the analysis and the observation of limits conduct us, cannot but bear an inward relation to the concrete consciousness and its synthetic totality.

This antinomy has had a great influence on the development of psychology. It manifests itself especially in the struggle between the two great schools, the one founded by Hartley and Hume and continued in the association-psychology and the Herbartian school, the other founded by Leibnitz and Kant and continued in the idealistic school of Germany. The first school leads to a mental atomism, while the other maintains the synthetic character of mental life. I am not going to follow up the history of this struggle in its particulars. There is no psychologist, whose general standpoint and special views are not determined by his position as regards the relation between atomism and synthesis in the domain of mental life. There is a temptation to dogmatize on both sides. They may both consider their particular point of view as an absolute and all-embracing one.

There is a psychological atomism which looks at the elements of psychological analysis as absolute and real parts, mechanical composition of which produces the mental life. It forgets that the whole psychological problem begins anew in every mental atom. For as in physical science the atoms, which seemed to be absolute, turned out to be worlds apart, in the interior of which

movements take place and currents go on, so we are led to acknowledge that our simplest sensations are synthetic phenomena, concrete totalities, corresponding to more or less complex physiological process.

On the other hand, there is a dogmatism, which looks at mental life as an indivisible unity, perhaps a substantial unity, which defies all analysis. It forgets that mental life, as indeed all life, exists under a perpetual struggle against internal and external oppositions, and that even practical introspection discovers important points of difference, for instance, at every choosing between possibilities. Different dispositions and tendencies manifest themselves in consciousness. The points of difference, then, are not called forth by scientific observation and analysis, but they belong to life itself. As scientific analysis by its one-sidedness always forces us to return to the great synthesis of life, so, on the other hand, we are forced by the internal tension of life to acknowledge the reality of differences and oppositions and so far to verify the results of scientific analysis. Only what life has connected, can be analyzed by us; but this connection does not exclude differences between the elements of life.

In American literature the relation between analysis and synthesis in psychology has been energetically investigated by such eminent thinkers as William James and Hugo Münsterberg. I believe that the last-mentioned thinker has been led to assert a stronger contrast between psychology and life than it is possible to maintain. It is always life which gives to psychology its materials, and introspection does not begin in scientific analysis, but is a practical necessity which presupposes the existence of points of real difference within the totality of life.

The contrast between analysis and synthesis in the domain of psychology has to a certain point an affinity with the contrast between intellectualism and voluntarism. In the domain of sensations and ideas the distinction between elements can be made with the least difficulty. It is the most articulated side of mental life, and at the same time the side which is most open to observation and experiment. The life of emotion and will shows a greater concentration, and the synthetical character here shows itself more clearly. The over-valuing of the results of the analytical method very naturally leads to undervalue the importance of emotional and volitional life, and even, perhaps, to look at emotions and will as mere resultants of sensations and ideas. But it is impossible to deduce the mental concentration from the interaction of absolute elements, and the whole direction of the development of sensations and ideas is determined by the interests, values, and aims, which have their foundation and find their expression in emotional and

volitional life. The voluntarism, which was founded by Fichte and Schopenhauer and has an important support in the biological theory of the struggle for life, is more and more considered as the main point of view in psychology.

## II

Both the incommensurability between analysis and synthesis, and the superiority of voluntarism compared with intellectualism ought to diminish the propensity to close once for all the conception of personality, as theology and speculative philosophy have often tried to do. Positivism and empirical philosophy are often accused of abnegating the conception of personality, and in our time the historical view and the theory of liberty are often contrasted with empirical psychology. But even the empirical, experimental, and analytic school of psychology presupposes an energetic and earnest recognition of the reality of personal life. This school is founded on the conviction that the value of mental life is not to be diminished by being bound to certain conditions and subjected to certain laws. It studies then, with confidence, mental life in all ways which are open to science.

The difference between the psychological schools depends on where the problem is found, and how the burden of proof is distributed. Is the riddle of psychology how unity and continuity in mind are possible, or does the riddle arise when consciousness appears in a sporadic manner, in isolated flashes? That is the main question. But it branches out into many particular questions. The task of the synthetic school is to find the special forms of unity and continuity, which cannot be deduced *a priori*, and then to explain how it is possible that mental life in certain cases can have a sporadic character. The task of the other school is to describe the particular forms and degrees of isolation, and then to explain how there can be unity and continuity in mental life. Every school of psychology ought to admit that so long as mental life persists, a perpetual struggle is going on between the synthetic and the sporadic tendencies. When the character of unity prevails, the problem is, whether this unity is a mechanical aggregate, or whether it has a deeper foundation.

Pathological psychology seems to me decidedly to prove the truth of the synthetic conception. Without continual mental labor the "psychological tension" (to use the expression of M. Pierre Janet) cannot be sustained, and in mental disease this tension, without which consciousness cannot unite within itself a varied content of different elements, can only be maintained with a great and painful effort; very strong influences are then necessary, if



division or slackness are not to be the results. Isolated and sporadic phenomena are always setting mental energy a task.

The conception of mental energy can, as all conceptions of energy, only be defined by the labor which is performed, the resistance which is conquered. There is so much more mental labor to be performed, the more elements or tendencies there are that have to be united in the same mental state, the more different these elements or tendencies are, the stronger each of them is, the more intimately they are to be united, and the more remote in time they are from one another and from the present moment. It is true that in the individual cases it will be a matter of no little difficulty to apply that concept of psychical energy, whose possibility does here appear. The five factors of psychical energy can only be determined by careful observation and all-sided knowledge of the special historical and individual conditions in each single case. The number of elements or tendencies, the degree of their difference, the intensity of each one of them, the intimacy of their connection, the degrees of their distance in time, all this it is difficult to point out with certainty, and it varies from case to case. And to all this is yet to be added the velocity with which the mental functions of synthesis is to be performed. We have not here such simple factors as mass and velocity, by which physical energy is determined.

An inexhaustible wealth of possibilities is conditioned by the very different ways and degrees in which these five separate circumstances may appear. There is here a great field for observation, experiment, and comparison. The comparative psychology of individuality is as yet in an elementary state. Only in the domain of psychology of religion, especially here in America, a movement has begun in this direction. But no theory can ever give an exhaustive description of the manner in which the different elements or tendencies work together in any single state of a single individual. Here, as everywhere, the perfect individualization is to be attained by art, not by science. Art only can give a synthesis, which in some measure can do justice to the great synthesis of life.

### III

New problems arise when we try to characterize the relation of psychology to its neighboring sciences. Psychology has a special relation, on one side to physical, and on the other side to historical and ethical science. And the relation can be shortly said to be that in comparison with physical science psychology has a decidedly synthetic character, but in comparison with historical and ethical science a decidedly analytical character. By these contrasts the problems which arise at the limits of the different sciences are determined.

I have already mentioned that the simplest mental elements which we can distinguish correspond to very complex physiological processes. What psychologically appears quite simple is a physiological multiplicity. In a simple mental element must be combined what physiologically covers several moments and a whole region of the brain. But there is also another thing which is of importance here. Mental elements are qualitatively different one from another, while we have reason to believe that the correspondent processes in the brain are only different as regards intensity, direction, and combination. What psychologically appears as differences of quality is from the point of view of physical science to be regarded as differences of quantity. Continuity, then, is more easily demonstrated from the physical than from the psychological point of view. The old maxim that nature does not move in bounds cannot be carried out in psychology as entirely as in physical science.

From these circumstances some thinkers have concluded that a science treating of mental life is only possible, if for the relation between mental states we can substitute the relation between the corresponding states of the brain. In order to be a science, psychology must be transformed into physiology. If not, it should, according to these philosophers, be impossible to approach the ideal of scientific understanding, *i. e.*, the pointing-out of continuity and equivalence between phenomena. But we always begin by discovering causal relations between qualitatively different phenomena, and not till later on can we take up the task of substituting for this elementary causality a more perfect causal relation with continuity and equivalence between the phenomena. Though in the domain of psychology we are scarcely able to go further than to the elementary causality, because we have no mental units and so no thorough quantitative methods, yet this fact does not exclude the right to admit a causal relation between mental states. And this is not only a right, but also a necessity. If there exists a causal relation between the correspondent processes of the brain, there must also be at least an indirect causal relation between the mental states. Moreover, we have only quite schematical constructions of the corresponding processes of the brain, constructions which are based on analogy with the directly observed and analyzed mental states. From these states we draw our conclusions as to the corresponding processes of the brain. This conclusion cannot be true, if psychological observations and analysis are not correct. The independence of psychology is thus presupposed.

Perhaps the simplicity and the qualitative character of the mental elements are to be regarded as the results of a hidden synthesis, so that if we could penetrate more deeply into the sphere of mental differentials, for instance, to differentials of the second or

the third order, the whole problem would stand in a clearer light to us. But we should always here meet at last the great problem of the relation of mind and matter. Here, also, the contrast between analysis and synthesis becomes important. The difference which can be established between mind and matter is due to analysis, to a distinction of elements, which in reality exist in connection with one another. We break the real totality, and afterwards we are astonished, because it is difficult to unite the parts into which we have divided it. This point has been very well cleared up by Wilhelm Wundt and Roberto Ardigo. The reality is always the great fundamental synthesis, within which we move with all our abstractions and analyses. It is a full unbroken melody, compared with our laborious spelling. But there is no other way to knowledge than the one which begins with analyzing. Our attention proceeds from point to point, and only later on it tries to unite its single results. And as little as we ought to ascribe absolute validity to our distinctions, as little ought we to regard it as fortuitous that our seeking after knowledge necessitates just these special distinctions. It is one of the characteristics of reality that it can only be comprehended by careful analysis of its contents.

I am not here going to discuss the hypotheses of the relation of mind and brain. I shall only say that as the physiology of the processes of the brain do not depend on other methods or points of view than those of physical science in general, the duty of proving is incumbent upon him who maintains an encroachment of the mind on the physiological processes. Such a supposition would do away with the independence of physiology. But there is no reason to deviate from the principle which physical science has followed for centuries, and to which all its triumphs are due, namely, that material phenomena are to be explained by material causes. Even to-day the dictum of Spinoza is valid: "When men say that this or that action of the body springs from the mind, they do not know what they say, and they do nothing but confess that they know nothing about the cause of the action." The only working hypothesis which makes possible a coöperation between physiology and psychology without any encroachment from either side, regards the relation of mind and matter as a functional relation, in the mathematical sense of the word, and tries to find as much continuity within both series of phenomena as possible. A concluding metaphysical interpretation is still an open question, but psychology as such has nothing to do with it. The parallelism, or, as I prefer to call it, the hypothesis of identity, has mostly been assailed as a metaphysical hypothesis. But it is first of all a working hypothesis, and the only one which can be followed up in all its consequences in the present state of science. And as I have said of our

analyses and of our distinctions, so I now say of our working hypotheses: we have no right to regard it as a mere accident that the world can only be exactly known if we apply just these working hypotheses. A system of metaphysics which would construct a view of the world without any regard to the working hypotheses which have been necessary, would be of no philosophical value.

## IV

As psychology is synthetical as compared with physical science, so it is analytical as compared with historical and ethical science. Historical science treats on human works, ethical science on human ideals, but psychology treats on the elements and on the general laws of mental life. The relation of psychology to historical and ethical science is dependent on the relation between elements and works and ideals, There are here three lines of thought which may develop side by side. They all draw from the same deep source: from the immediate and spontaneous mental life, the real and concrete life, which no analysis can exhaust, and which can never be expressed completely in any work or any ideal, as little as in any sum of elements. All research has here as its subject the infinitely concrete totality and tries from different points to describe its nature and to express its fullness in definite forms. But the tones of life are so manifold and lie so closely together, that no scientific notation can express them completely. This is as true with regard to historical and ethical science as with regard to mental science. But within this identical position there is an interaction between mental, historical, and ethical science. If we want to find out the elements and laws of mental life it is not enough to study the single individual in its special states. A study is also required of human works and ideals, in which the nature of mental life is revealed throughout the ages. There exists no mental life in general. It appears in different forms at different times and places, and it strives to develop itself as fully as possible in every one of these forms, though the totality of its elements has a different timbre in every special case. Here psychology has a larger amount of material for its analysis. The sociological method in psychology works side by side with the introspective, the experimental, and the physiological methods. Mental science has a more abstract character than historical and ethical science, because elements are more abstract than works and ideals. Psychology here ought to apply the inversely deductive method, as it was already applied by Comte and described by Stuart Mill.

The first step is to point out the process which has led to the rise of a work or of an ideal; the second is to deduce and explain

this process from general laws of the interaction of mental elements. By pure deduction no results can here be arrived at. Reduction, not deduction, is what we can use. This is not only the relation of psychology to the historical and ethical sciences, but also to art — to the art of education, to the fine arts, and to the great art of ethical life. We cannot deduce pedagogics, esthetics, and practical ethics from psychology. But we can observe the spontaneous development of the art of education, of esthetic production and of ethical life, and the ideals and points of view which are revealed in this development may be understood by the help of general psychological laws. And this is after all also the relation of psychology to the theory of knowledge and to the philosophy of religion. It has to show the psychological possibility of the forms of thought which are presupposed in scientific knowledge. And it has to analyze the mental experiences of religious life. As to this last point I have expressed myself in the following manner in my *Philosophy of Religion*: "In Religion men have made some of their deepest and most intensive mental experiences. If religion is genuine and original, all the elements of mental life are at work in it with an energy and interplay not to be found in any other domain. The study of religious life is therefore of great importance to general psychology." Lastly, a reciprocal relation will more and more establish itself here, so that the understanding of mental elements and of the laws of their activity will be able to guide and clear up the work in the special domains. Indeed the history of these domains show that directly or indirectly such an influence has always manifested itself. If psychology is to have a future, this influence will be still more important than it has hitherto been. Psychology stands in a great debt to its neighboring sciences, and to the different kinds of art. Let us hope that it may be able to pay a part of the debt, though this debt ought always to be contracted again, if psychology, as well as the other sciences, is to progress!

## SPECIAL WORKS OF REFERENCE

- ERBEIGHAUS, Grundzüge der Psychologie, I. Leipzig, 1897-1902.
- FOUILLÉE, Psychologie des idée-forces, I, II. Paris, 1893.
- HOEFFDING, Outlines of Psychology. London, 1891.  
Philosophical Problems. New York, 1905.  
Philosophy of Religion. London, 1906.
- JAMES, Principles of Psychology, I, II. New York, 1890.
- JODL, Lehrbuch der Psychologie. 2. Aufl. I, II. Stuttgart und Berlin, 1903.
- MUENSTERBERG, Psychology and Life. Westminster, 1899.  
Grundzüge der Psychologie, I. Leipzig, 1900.
- STOUT, Analytical Psychology, I, II. London, 1897.  
Manual of Psychology. 2 ed. London, 1901.
- STRONG, Why the Mind has a Body. New York, 1903.
- VILLA, Contemporary Psychology (translated from the Italian original). London, 1903.
- WARD, Psychology (Encyclopædia Britannica, 9th ed.).

# THE PRESENT PROBLEMS OF GENERAL PSYCHOLOGY

BY JAMES WARD

[James Ward, Professor of Mental Philosophy, University of Cambridge. b. Hull, England. M.A. London; Sc.D. Cambridge; Hon. LL.D. Edinburgh. Post-graduate, Berlin, Leipzig, Göttingen; Fellow, Trinity College, Cambridge; Gifford Lecturer, Aberdeen, 1895-97; Fellow of the British Academy. Author of *Naturalism and Agnosticism*. Co-editor of *The British Journal of Psychology*.]

"THE psychology of our day needs reforming from its very foundations," said Professor Lipps not very long ago; and, indeed, proposals for its radical reconstruction are being offered us on every side. Psychology must be thoroughly atomistic and structural, says one: it should be altogether functional, says another. For some it is the central philosophical discipline; for others it is but a department of biology. According to one view, it is merely a descriptive science; according to another, it is explanatory as well. Plainly, then, one of the present problems of psychology is the definition of psychology itself. Yet even this has been denied. "It is preposterous at present to define psychology," says a recent critic of such an attempt on my part, "preposterous to define psychology, save as Bleck long ago defined philology: *es ist was es wird*. It is in a process of rapid development. It has so many lines and departments that if it could be correctly described to-day, all the definitions might be outgrown to-morrow." There may be a grain of truth in this somewhat extravagant contention. *Ehe es einen guten Wein giebt, muss der Most sich erst toll gebärden*, it has been said. But surely, if we could define what is common ground for us all to-day, we might leave to-morrow to take care of itself. This common ground we call "General Psychology," and the assumption upon which, I take it, we are here proceeding is that the concepts of this general psychology are presupposed in the many special departments which we speak of as experimental (or physiological), comparative, pathological, etc.; and further, that these concepts will be presupposed in whatever new developments of the science the future may have in store.

To ascertain, describe, and analyze the invariable factors of psychical life, consciousness, or immediate experience is, — it will, I presume, be agreed, — the main concern of general psychology. "I find myself in a certain situation, which affects me pleasantly or painfully, so that in the one case I strive to prolong the situation, and in the other to escape from it." So in ordinary language we might any of us describe a moment of our own experience. How much of this is essential? If we are to leave any place for

genetic or comparative psychology, it is said, we must answer: What is found as distinct from the finding, in other words, a self or subject cognitively and conatively related to an objective situation in which it is interested. Such subject, we should say, was conscious, but not self-conscious. In order to find myself feeling, in order to *know* that I feel, I must feel. But I may feel without knowing that I feel. In order to know that I am, I must be, but I may be without having any knowledge of that fact. In short, the advance to self-consciousness is said to presuppose mere consciousness. Here, then, the irreducible minimum is the functional relation of subject and object just mentioned, a duality in which the subject knows, feels, and acts, and the object is known and reacted to. But at this *lower* level of experience, at which the subject's functions are not immediately known, have we not a relation with only one term? And that is surely a contradiction. At the higher level, where consciousness of self is present, — where, that is to say, the subject and its functions are known, — we have, indeed, two terms, but both are then objective, for self as known is certainly objective. We have two terms now, but so far the essential distinction of subject and object can no longer be maintained. So far as *both* terms are known or objective, the distinction lapses, it is allowed; but even in self-consciousness the "I knowing" — Kant's pure Ego — is still distinct from "the Me known" — Kant's empirical or phenomenal Ego. Very good, but then, in that case, it is rejoined, we are back at the original difficulty. You talk of this duality of experience, but it is still, it seems, at bottom a duality with only one known term. At the best, your pure Ego or subject is a metaphysical notion of a soul, or something that lies hopelessly beyond any immediate verification.

Now this disjunction, either *in* consciousness, *i. e.*, "content of consciousness," and then objective, phenomenal, presentational, ultimately sensational; or *out of* consciousness, and then metempirical, hypothetical, and unverifiable, — this disjunction, I say, constitutes a difficult problem, which at the present time demands the most thoroughgoing discussion. But instead of thinking-out the problem, psychologists seem nowadays content for the most part to accept this disjunction. Some, whom we may call "objective" psychologists, also known as "presentationists," confining themselves, as they suppose, to what is empirically "given," — to whom "given" and how received, they do not ask, — regard the facts of experience as a sort of atomic aggregate completely dominated by certain quasi-mechanical laws. In conformity to these laws, — laws, that is, of fusion, complication, association, inhibition, and the like, — the elements of the so-called "contents of consciousness" differentiate and organize themselves; and what



we call the duality of subjective and objective factors is the result. The Herbartian psychology, if we leave its metaphysical assumptions aside, as we well may, is still the classic example of this type. This is the psychology which most easily falls into line with physiology, and is apt in consequence to have a materialistic bias. Another school, which we may call "subjectivist," or perhaps "idealist," recognizes indeed the necessity of a subject *from the outset* whenever we talk of experience, but recognizes it, not because the actual existence of this subject is part of the facts, but because psychical phenomena, it is said, are unthinkable without a substratum to sustain their unity. This is the psychology that still — notwithstanding the brave words of Lange — cannot get on without a soul. I call it "idealist," because it tends to treat *all* the facts of immediate experience as subjective modifications, after the fashion of Descartes, Locke, and Berkeley. The hopeless *impasse*, into which the problem of external perception leads from this standpoint, is a sufficient condemnation of subjective idealism. Further, — and this I take to be the main lesson of Kant's "Refutation of Idealism," — such bare unity of the subject will not suffice to explain the unity of experience. In a chaos of presentations, without orderly sequence or constancy, we might assume a substantial unity of subject; but it would be of little avail, as the facts of mental pathology amply show. Returning now to the presentationist standpoint, — the one obvious objection to that is its incompleteness. As I have elsewhere said,<sup>1</sup> it may be adequate to nine tenths of the facts, or — better perhaps — to nine tenths of each fact, but it cannot either effectively clear itself of, or satisfactorily explain, the remaining tenth. No one has yet succeeded in bringing all the facts of consciousness, as Professor James thinks we may, under the simple rubric: "Thought goes on." Impersonal, unowned experience, a mere *Cogitatur*, is even more of a contradiction than the mere *Cogito* of Descartes.

But of late there have been attempts to mediate between these antitheses, so that, to use Hegelian phraseology, their seeming contradiction may be *aufgehoben*. Noteworthy among such attempts is the so-called "actuality theory" of Wundt, already more or less foreshadowed by Lotze. There is, I fear, a certain vagueness in Wundt's view, due perhaps to his general policy of non-committal; at any rate, I am not sure that I understand him. I prefer, therefore, to suggest what seems to me the true line of mediation in my own way. A relation in which only one term is known, it is said, is a contradiction. Yes, for knowledge it certainly is. But the objection only has force if we confound experience with knowledge, as the term "consciousness" makes us only too ready to do. If, however,

<sup>1</sup> *Modern Psychology, Mind*, [N. S.] vol. II, p. 80.

experience be the wider term, then knowledge must fall within experience and experience extend beyond knowledge. Now we may perhaps venture, without fear of metaphysical cavil, to maintain that being is logically a more fundamental concept than knowing. Thus, I am not left merely to infer my own being from my knowing, in the fashion of Descartes's "Cogito, ergo sum." Nor would I even say that the being supposed to be known, the object is in fact only inferred, as Descartes was driven to suppose. Objective reality is immediately "given" or immediately there, not inferred. But now I am not going on to say that the subjective reality also is immediately given, is immediately there, as Hamilton and others have done. There is no such parallelism between the two: that would not end our quest, but only throw us back. *Es giebt*, you say: yes, but to whom given: *cui bono?* The dative relation is not a commutable one. The subjective factor in experience, then, is not *datum*, but *recipiens*: it is not "there," but "here," whereto "there" is relative.

And now this receptivity is no mere passivity. It is time to discard the ancient but inappropriate metaphor of the *stylus* and *tabula rasa*. The concept of pure passivity or inertia is a convenient analytical fiction in physics, but we find no such reality in concrete experience. Even receptivity is activity, and though it is often non-voluntary, it is never indifferent. In other words, not mere receptivity, but conative or selective activity, is the essence of subjective reality; and to this, known or objective reality is the essential counterpart. Experience is just the interaction of these two factors, and this duality is a real relation, antecedent to, but never completely covered by, the reflective knowledge we come to attain concerning it. It cannot be resolved either into mere subjective immanence, nor into mere objective position. The identification of its two terms equally with their separation altogether transcends experience; their identification is sometimes said to lead to the Absolute, and their separation, we may safely say, leads to the absurd. A subject *per se* and an object *per se* are alike not so much unknowable as actually unreal. A psychical substance, to which experience is only incidental, is an abstract possibility of which psychology can make no use; but for every experience an actual subject to which it pertains is essential, so surely as experience connotes presentation and feeling and impulse. If we are to be in downright earnest with the notion of substance, we shall probably find that Spinoza was right, and there is only one. But though we stop short of regarding the subject of experience as a substance, it is, I think, a mistake to speak of it as a phenomenon. If the actual subject of experience is to be a phenomenon, it must be such for some other experience; and one experience may, of course,

have phenomenal relations to another. But as I cannot be my own shadow, so there is a like inconvenience — as Kant humorously put it — in my being wholly the subject and yet solely the object in my own experience. Just as little as we can identify centre and circumference, organism and environment, because the one implies the other; just so little can subject and object be identified, because the one implies the other. The real contradiction, then, lies not in accepting, but in denying, this dual relation, one term of which is *being* subject, and the other a certain continuity of *known* object. For psychology the being of this subject means simply its actual knowing, feeling, and striving as an Ego or Self confronted by a counterpart non-Ego or not-self: the two constituting a universe of experience, in which, as Leibnitz held, activity is the fundamental fact, — *am Anfang war die That*.

But this subjective activity itself furnishes us with another problem, and one of the acutest at the present time. Bradley some years ago went so far as to call the existing confusion concerning this topic the scandal of psychology. Quite recently, however, views have been propounded that make the old confusion worse confounded. One distinguished psychologist,<sup>1</sup> whilst seemingly accepting entirely an analysis of experience such as I have just endeavored to sketch and admitting its validity within the moral sciences, or *Geisteswissenschaften*, as he terms them, nevertheless regards subjective activity as lying altogether beyond the purview of psychology, because it can neither be described nor explained. Another,<sup>2</sup> starting from a diametrically opposite standpoint, finds subjective activity, or psychical energy, essential to the explanation of any and every experience, but finds it actually experienced in none. According to his view, it belongs entirely to the unconscious processes underlying the contents of consciousness or experience: in these contents as such there is no working factor, but only the symptoms or phenomenal accompaniments of one. A “*feeling of activity*,” he allows, has place within those contents; but it is only a feeling, it is not activity. A necessity of thought, he holds, constrains us to affirm the existence of real psychical activity, power, or energy; though we never actually experience it, because it resides ultimately in the “*world-ground*,” and how experience proceeds from this is ineffable (*unsagbar*). Yet a third psychologist thinks that he has disposed of subjective activity by maintaining that introspection discovers no causal laws. In agreement with the first author mentioned, and in opposition to the second, he regards all psychological connections as really psycho-physical. Efficaciousness, as he calls it,

<sup>1</sup> Münsterberg, in his *Grundzüge der Psychologie*, pp. 77 ff. 1900.

<sup>2</sup> G. T. Lipps, *Leitfaden der Psychologie*, pp. 51 ff. 1903; *Psychische Vorgänge und psychische Causalität*, *Zeitschrift f. Psychologie*, xxv, pp. 15 ff. 1901. Lipps distinguishes between *Kraft* and *Energie*.

he derides as a "mere bauble." The vitally important thing in experience is a certain teleological quality or significance which the talk about "capacity to accomplish the causal production of deeds" does but obscure. Self-activity he proposes to regard "from the purely psychological point of view," as the conscious aspect or accompaniment of a collection of tendencies of the type which Loeb has called "tropisms," or movements "determined by the nature of the stimulus and of the organism."<sup>1</sup> In brief, we have in three recent writers of mark three conflicting positions: (1) Subject activity is a fact of experience, but psychology cannot deal with it, because it is neither describable nor explicable. (2) Subject activity is not a fact of experience, but it is a transcendent reality without which psychology would be impossible. (3) Subject activity is neither phenomenal nor real: the apparent "originality" or "spontaneity" of the individual mind is, for psychology at any rate, but the biologist's "tropisms."

I cannot attempt fully to discuss these views here, but I trust I have described them sufficiently to show that the scandal of which Bradley complained is still a stumbling-block in the way of psychological advance. On one or two remarks I will, however, venture. In the first place, these authors seem entirely to ignore the distinction between immanent action, or doing, and transcendent action, or effectuating: the former directly implies an agent only, the latter a patient also. Nor do these authors appear to distinguish between the so-called logical principle of causation, or natural uniformity, and the bare notion of cause, *Ursache*, as active. They must of course be well aware that these distinctions exist; and we are therefore left to conclude that they regard them as invalid; for otherwise these distinctions have surely an important bearing on the problem before us. The so-called logical — I should prefer to say epistemological — principle of causal connection has two forms: (1) Given a certain complex of conditions *A*, then a certain event *B* must follow, as we say in the more empirical sciences; and (2) the cause is quantitatively equivalent to the effect, as we say in dynamics. Into neither of these does the notion of activity enter at all: the inductive sciences find no place for it and the exact sciences have no need of it. "Causation," as one of these writers says, "'marries only universals' . . . and universals conceived as the *common* objects of the experience of many."<sup>2</sup> On this point they seem to be all agreed, and we also shall probably assent. Very good; but if so, they argue, must you not admit that this causation has no place in individual experience? Granted, but then comes the question:

<sup>1</sup> J. Royce, *Outlines of Psychology*, pp. x, ff.; Review of Stout's *Analytic Psychology, Mind*, [N. S.] vi, pp. 379 ff.

<sup>2</sup> Royce, *Mind*, *l. c.* p. 383.

Does the fact that I find no laws within my individual experience, but only a succession of unique events, *eo ipso* preclude me from experiencing immanent activity, and convict me of contradiction when I talk of myself as a real agent, or *Ursache*? Quite the contrary, as it seems to me: precisely because I am an individual agent, or Ego, with an equally individual counterpart, Non-Ego, is my experience unique: were it, in fact, from end to end but the outcome of universal laws or deducible from such, as the psychophysical theory implies, then certainly all efficient activity would be as absent from it as from other mere mechanisms. It is just this uniqueness and seeming contingency which defy mechanical explanations that conative activity explains. True, this activity is itself indescribable and inexplicable in other terms. But to say this is only to say that it is our immediate actual being, that we cannot get behind or beyond it, cannot set it away from us or project it.

To admit this *eigene Aktivität* as *das wirklich Wirksame, die zentrale Innerlichkeit* that for immediate experience leaves *kein unerklärter Rest*,<sup>1</sup> as the first of these writers does, and yet to eliminate it from psychology in order with the help of psycho-physics to convert psychology into a natural science, is surely a desperate procedure, the motives for which it is hard to conjecture. To turn *geistige Aktivität* out of the science, in order to separate it from the *Geisteswissenschaften*, is like giving a dog a bad name, taking away his character, in order to hang him.

With the views of the second writer I have personally much more sympathy. There is here no heroic inconsequence to bring psychology into line with mechanism at any cost; but a serious metaphysical problem, perhaps the most fundamental of all problems, that, namely, of the Absolute One and the Finite Many, seems to have biased him in the treatment of the problem before us. For the Finite Many he conceives that we are necessitated to postulate a transcendent "real" as *substratum*, and so they figure as phenomena, dominated and determined by the law of causality, and this in precisely the same sense, whether they are psychical or physical. For the Absolute One, the World-ground, however, there is no transcendent, no substratum; here the causal becomes the teleological, and we have pure actuality. The Absolute, in short, is a World-consciousness. But, if so, we naturally ask at once, must there not be a correspondence between this absolute consciousness and phenomenal consciousness which does not exist between it and the physical phenomena, over which the law of causality is supreme? Or, if there is no such correspondence, if what the author calls the *voluntarisch-teleologischer Standpunkt* has no place in finite experience, whence do we derive this concept

<sup>1</sup> Münsterberg, *op. cit.* p. 578.

of actuality, which in absolute purity is predicated of the One? I admit the utter disparity between the finite and the Infinite, but may there not be degrees of reality, and may not the continuity of these be infinite? Such degrees of reality our author recognizes. He says: "Je mehr Realität, d. h. je mehr Kraft, Reichthum und innere Einstimmigkeit das einzelne Individuum hat . . . desto mehr wird [es] von seiner Vereinzelung befreit. Es wird zu jenem 'überempirischen und überindividuellen.' Dies ist nicht ein 'Sich-verlieren' derselben in Welt-ich, sondern ein Finden des wahren oder positiven Ich in ihm."<sup>1</sup> If this progressive development is to mean anything, it surely must imply an experienced efficiency, and not merely a higher reality, of which there is no immediate experience, — which, in truth, is never "found." How there can be a finite actuality, which is yet not pure actuality; in other words, how I can be for myself more than phenomenon and yet not absolute reality, we cannot say. But our author, as I have already observed, acknowledges that even the procession of phenomena from the Absolute is *unsagbar*. But surely, if either way the problem of the One and the Many is insoluble, it is better to accept that alternative which does not seem in direct conflict with our actual experience.

The third writer, too, finds a justification for his position in philosophical views to which he refers as "elsewhere in part already set forth." I do not propose to follow him in search of these, but only to question the possibility of explaining the initiation of new forms of behavior by means of the biological doctrine of tropisms. This question leads us to a new problem. The idea of tropism is due, I believe, to the botanists. Certain plants flourish only in the full sunshine, others only in the deepest shade: the first the botanist would call positively, the second negatively, heliotropic. In like manner certain animals seek the light, while others shun it; and their behavior Loeb would describe in the same fashion, — that is to say, as due respectively to positive and negative heliotropisms: and, like some botanists, he looks solely to the physical and chemical properties of the several protoplasmic substances concerned to explain this difference. Instincts, again, are for him but complexes of tropisms; and so throughout. The striking diversities in the habitats and behavior of animals, equally with the like diversities among plants, he regards as resting at bottom on the physics of colloidal substances. A satisfactory development of this branch of physics Professor Loeb is expecting "in the near future." I very much doubt if there is a single physicist who shares his confidence, and shall be surprised if this physics of the near future does not prove to be that sort of hylozoism

<sup>1</sup> Lipps, *op. cit.* p. 343.

which Zöllner and Haeckel have championed, and which Kant long ago declared would be the death of natural philosophy, or physics proper. For hylozoism in so many words attributes to matter a certain sensibility incompatible with the absolute inertia essential to matter in the proper sense of the word. Such sensibility implies a psychical factor operative throughout organic life; whereas, if biology is to be reduced to physics in the strict sense, such a factor is then and there altogether excluded. Philanthropy and misanthropy, likes and dislikes of all sorts, everything we call conative, in short, will fall into line with other physical "polarities," or tropisms, and psychology and biology — so far from working together — must each give the other the lie. Either way, then, it is important to consider how far psychology can explain the bewildering variety of forms under which life now appears. Structure and function are undoubtedly correlative, but which is the determining factor? At one extreme we have the answer suggested by the conception of *ἐντελέχεια*, or formative principle, which we find in Aristotle, Leibnitz, Lamarck, and other vitalists; at the other we have the answer of Lucretius, Loeb, and the neo-Darwinians. According to the one, function is primary and determines structure; according to the other, structure is primary and determines function. In the first what I have called subjective selection, the selection of environment by the individual, would be important; in the other, natural selection and "the physics of colloidal substances" would be everything. For the one, subjective initiative will be real and effective; for the other, it will be illusory and impotent. Among ourselves subjective selection shows itself in the choice of a career, and in the acquisition of the special knowledge and skill which entitle a man to be called an expert, or a *connoisseur*. It would surely be regarded as extravagant to maintain that human proficiencies in all their manifold variety were the outcome solely of physical conditions and natural selection, and that they were altogether independent of subjective initiative and perseverance. The spur of competition may be necessary to urge a man to seek new openings and to try new methods, but the enterprise and the inventiveness are due, none the less, to his spontaneity and originality. Now it seems to me reasonable to assume that the like holds in varying degree among lower forms of life, that here, too, it is through subjective selection that the poet's words are fulfilled:

"All nature's difference keeps all nature's peace."

So, and not by calling the one negatively, the other positively heliotropic, I would explain the fact that the owls and the moths, for example, are active by night, while the hawks and the butter-

flies are active by day. And similarly in innumerable other cases. No doubt plant life raises a difficulty. Here there is a diversity at least as great as that which we find in the animal world, and here again there is as striking a differentiation of special environment. Can we refer this to anything psychical or subjective, or must we here at last fall back solely on "fortuitous" variation of structure and natural selection? This is a perplexing and in some ways a crucial question. On the whole, it seems safest to assume with Aristotle a certain continuity between life and mind, the psychical and the organic. Anyhow, the higher we ascend the scale of life, the more the concept of subjective initiative and adaptation forces itself upon us; and, till the chemical theory of life which Professor Loeb awaits is forthcoming, the principle of continuity forbids us to dogmatize as to the limits within which subjective selection is confined and beyond which tropisms take the place of conations.

Passing now from the subjective factor in experience to the objective factor, we are confronted by a new problem in the recrudescence of atomistic or sensationalist psychology that we find amongst us to-day. "Atomism in psychology must go wholly," it was said some twenty years ago by a writer much given to *dicta*. But atomism has not gone; on the contrary, in certain quarters it is advocated more strenuously than ever. It is easy to see the causes for this, but hard to justify it. These causes lie partly in the influence of analogy, partly in a natural tendency to imitate. The order of knowledge, it is said, is from *exteriora* to *interiora*, and accordingly the whole history of psychology and its entire terminology is full of analogies taken from the facts of the so-called external world. The ancient *species sensibiles*, the impressions of Locke and Hume, the adhesions, attractions, and affinities, in a word, the mental chemistry of Brown and Mill, are instances of this. Again, the tendency of the moral sciences to imitate the methods of the more advanced physical sciences is shown in the dominance of mathematical ideals from Descartes up to Kant, as in the *Ethics* of Spinoza, the theological demonstrations of Clarke, and the formalism of the Leibnitz-Wolffians. When a gifted mathematician and physicist in our own day, W. K. Clifford, turned his attention to the facts of mind, he at once broached a psychological atomism of the extremist type. It is, indeed, only natural that the wonderful grasp which the atomic theory has given of the physical world should have provoked anew the emulation of psychologists to proceed on similar lines. Moreover the structure of the brain — when superficially regarded as a congeries of isolated neurones — encourages a like attempt. And yet the moment we regard the brain functionally, — and not the brain merely,



but the whole organism, — the atomistic analogy fails us at once. Functionally regarded, the organism is from first to last a continuous whole; phylogenetically and ontogenetically it is gradually differentiated from a single cell, not compounded by the juxtaposition of several originally distinct cells. There is in this respect the closest correspondence between life and mind; one of the best things Herbert Spencer did was to trace this correspondence in detail. If a chemical theory of life is for the present improbable, a quasi-chemical theory of mind is more improbable still. The individual subject we must regard — so it seems to me — as *en rapport* with a certain objective continuum characterized by indefinite plasticity, or possibility of differentiation, retentiveness, and assimilation. The progress of experience, alike in the individual life and in the evolution of mind as a whole, may then be described as one of continuous differentiation or specialization; diffused and simple changes of situation giving place to restricted and complex ones, vague presentations to definite ones. But under all, the objective unity and continuity persists, and we never reach a mere aggregate or manifold of chaotic particulars, such as Kant assumed to start with.

Yes, but to describe experience as progressive differentiation and organization on more or less biological lines is mere natural history, the psychological atomist objects: it is only description, not explanation. But then psychology, or more exactly its subject-matter, individual experience, *is* historical; that is to say, though psychology is not biography but science, does not narrate but generalizes, yet its generalizations all relate to individual experience as such; and here what we may call the historical or biological categories — teleological categories, in other words — are surely supreme. It is remarkable how long the physical or atomistic bias has prevailed in human thought, but happily at length modern ideas of evolution have secured a juster recognition of the claims of the historical: I may refer in passing to the admirable philosophical expositions of these claims which we owe to Professors Windelband and Rickert. And surely it may be contended that an orderly and coherent account of the development of individual experience — one exhibiting its *rationale*, so to speak — is better entitled to be called explanatory than any theory can be that sets aside the essential features of experience as life in order to make room for the categories of mechanism and chemistry, which are inadequate and inappropriate to the living world. As I have just said, such attempts are natural enough, but they are also naïve, and their inaptness becomes increasingly manifest as reflection and criticism deepen. At the outset men talk of thoughts as if they were isolated and independent existences, just as they

talk of things; nay, ideas are then but offprints or copies of things. Locke's "simple ideas," for example, are pretty much of this sort: as simple and single they come, and as such they are retained, save as they may be afterwards variously compounded and related. True, for Locke such compounding and relating was "the work of the mind," the result, that is to say, of subjective interest and initiative. But soon the inevitable further step was taken: the "compounding and relating" of these isolated and independent elements was transferred by Hume to certain "natural" processes, and then connected by Hartley with brain *vibratiuncles*; and thus the supremacy of psychological atomism was assured for a century or more. But it is the first step that costs, as the French say, and that is what we have to challenge. The disorderly, unrelated aggregate of simple sensations is a pure chimera, an *Unding*. If genetic and comparative psychology prove anything, they prove this. The earliest phases of experience are as little chaotic and fragmentary as are the earliest forms of life. In the so-called "contents of consciousness" at any moment, the psychologist may distinguish between field and focus, what is perceived and what is apperceived, and may allow that, as we descend in the scale of life, this distinction is less pronounced or even disappears altogether; but discontinuity he never reaches, either in the objective or in the subjective factor of experience. And when similar situations recur, the new is not ranged beside the old like beads on a thread, but the one is assimilated and the other further differentiated; and so there results a growing familiarity and facility, as long as such situations awaken interest at all. Presentations, in short, have none of the essential characteristics of atoms, they may come to signify things, but never to be them,—and the growing complexity of psychical life is only parodied by treating it as mental chemistry.

How, then, it may reasonably be asked, do I propose to account for the long predominance of associationism and for the recent revival of psychological atomism in a modified form? For instance, it has been said that the so-called "laws" of association are for psychology what the law of gravitation is for physics; surely they must be of substantial importance to make so extravagant a claim even possible? Yes; as I have allowed, they deal with nine tenths of the facts. A man at forty is a bundle of habits, we say; and a bee seems to be such a bundle from the first. Again, the poet exhorts us to rise on stepping-stones of our dead selves to higher things. Now it is solely in the wide region of already fixed, already organized experience that associationism finds its province. It can deal with so much of experience as is already grown, formed, and so far, in a sense, dead; with what has become reflex, "secondarily automatic,"

to use Hartley's phrase, *i. e.*, more or less mechanical. But here as little as elsewhere can the mechanical account for itself; these psychical "quasi-mechanisms" have to be made, and the process of making them is the essential part of psychical life. Presentations do not associate themselves in virtue of some inherent adhesiveness or attraction: it is not enough that they "occur together," as Bain and the rest of his school imply. They must be attended to together: it is only what subjective interest has integrated that is afterwards automatically reintegrated. Were association a purely passive process so far as the experient is concerned, it would be difficult to account for the diversities which exist in the organized experiences of creatures with the same general environment; but subjective selection explains this at once.

But the plasticity of the objective continuum, upon which this process of organizing experience depends, opens up a whole group of problems, which I may perhaps be permitted briefly to mention, though they may seem to belong to psycho-physics rather than to general psychology. How are we to conceive this plasticity? J. C. Scaliger is reported to have said that two things especially excited his curiosity, the cause of gravity and the cause of memory, meaning thereby, I take it, pretty much what we are here calling plasticity. Had Scaliger known what we now know about heredity, his curiosity would have been still more keenly excited. The facts of heredity have led biologists again and again to more or less hazy — but withal interesting — speculations concerning "organic memory," as Hering has called it; "organic memoranda" would perhaps be a better name. Memoranda, however, imply both the past and the future presence of mind, of experiencing subject, though they may exist as materialized records independently of past writer or future reader. Heredity treated on these lines commits us to a more or less poetical personification of nature; it is nature, the biologist supposes, which makes, and equally it is nature, he supposes, which uses these organic memoranda. The continuity of life — as the biologist is wont to regard it — renders such a view possible. *Omne vivum e vivo* is the formula of this continuity. But of any corresponding psychical continuity we not only know nothing, but what else we do know leads us to regard it as inconceivable. We have, then, continuity of life between parental and filial organisms, and yet complete discontinuity between parental and filial experiences. But is there after all complete discontinuity even between the two experiences? Yes, we incline to answer, the more we consider feeling, attention, initiative, the individualizing aspect of experience, or the higher and later phases of it in which these are most pronounced. No, we are tempted to answer, the more we consider the instinctive and inherited aptitudes which constitute most of what is objective in

the lowest forms of life, and the beginning of what is objective in all forms. May it not be said that we here come upon the problem of the One and the Many in a very concrete form, and that it is as intractable for psychology as is the more abstract, perhaps more legitimate form, in which it presents itself to metaphysics?

Simpler and less intractable is the somewhat cognate problem of subconsciousness. We hear of subconscious sensations as well as of subconscious memories or ideas: here I refer only to the latter. They are sometimes spoken of as traces or *residua*; sometimes as "dispositions," psychical or neural or both; the one term implying their actual persistence from the past, the other their potentiality as regards the future. The nature of this potentiality is what chiefly concerns us. Even here there must be something actual if we are to escape the absurdity of *puissances ou facultés nues*, with which in this very connection Leibnitz twitted Locke. Disposition is a somewhat ambiguous term. It means primarily an arrangement or collection, as when we talk of the disposition of stones in a mosaic or of troops in a battle. But it usually carries a second meaning, which, however, presupposes, and is consequential on, the first. Every actual combination entails a definite potentiality of some sort, and usually several, one or other of which will on a certain condition become actual. Sometimes this condition is something to be added, sometimes it is something to be taken away. A locomotive with the fire out has no tendency to move, but with "steam up" it is only hindered from moving by the closure of the throttle-valve or the grip of the brake. Now presentational dispositions may be assumed to be of this latter sort, to be, that is to say, processes or functions more or less "inhibited," the inhibition being determined by their relation to other presentational processes or functions. This, of course, is the Herbartian view. On this view the use of the term "subconscious" is justifiable, as long as the latency is relative and not absolute. But if we regard the so-called *disposita* merely structurally, if such an expression may be allowed, if, in other words, we suppose all functioning to be absent, then there seems no warrant for the term "subconscious," nor yet for such a phrase as "physiological disposition," meaning tendency, and still less for that of "psychical disposition" or tendency. But on the physiological side, at any rate, it seems reasonable to assume the persistence of a certain neural "tone" or activity: what is known as "skeletal tone" or muscular tonicity is indeed evidence of such persistence. Yet from the psychological side there comes the supposed fatal objection: it is surely incredible that all the incidents of a long life, and all the items of knowledge of a well-stored mind, that may possibly recur, are continuously presented in the form and order in which they were originally experienced or acquired. But no advocate of subcon-

sciousness has ever maintained anything so extravagant. Sub-consciousness implies what Leibnitz called involution, or the existence of what, taking a hint from Herbart, I have ventured to call the ideational tissue, or continuum. Though the explicit revival of what is retained is successional, recurs, so to say, in single file, yet a whole scheme, in which a thousand ideas are involved, may rise *towards* the threshold together; and, conversely, in the case, say, of a play which we have followed throughout, there is a like involution when at the end we express our opinion of it. It is a mistake, then, to suppose that all the impressions that have successively occupied our attention persist *item for item* in that *multum in parvo* apparatus which — with due reserve — we may call our ideational mechanism. But of their subconscious persistence as thus assimilated and elaborated there is, I think, abundant evidence. If such subconscious continuity be denied, we can accord to voluntary attention no more initiative in the revival and grouping of ideas than belonged to non-voluntary attention in the reception of the original impressions: the immediate determinants of both alike would be physical stimuli. And apparently — to judge by their terminology — some psychologists believe this to be the case.

This whole topic of the growth and development of reminiscence and ideation has been too much neglected, largely in consequence of the spurious simplicity of the atomistic psychology; particularly its crude doctrine that ideas are mere copies or traces of impressions, its adoption of a physiological hypothesis, now seriously discredited, viz., that the seat of ideas is the same as the seat of sensations, and its failure adequately to distinguish between assimilation and association, or to recognize the wide difference that exists between the processes which it describes as association through contiguity and association through similarity. We owe much, I think, in the treatment of this topic to Professor Höffding's article, *Ueber Wiederkennen, Association und psychische Aktivität*, especially to his distinction of "tied" and "free" ideas, a distinction, however, which I find Drobisch had previously drawn. I regret that there is no time left for further remarks on this problem.

Among other problems particularly deserving of consideration, I should like at least to mention the genesis of spatial and temporal perception; the whole psychology of language, analytic and genetic; psychical analysis, objects of a higher order, the so-called *Gestalt-qualitäten*, — in a word, the psychology of intellection generally. All of these, including the topic of ideation previously mentioned, lead up to what might be termed epistemological psychology, the psychology, that is, of universal experience on its individualistic side. Perhaps other members of this Congress may see fit to broach one or other of these problems. But I confess that those on which I have

enlarged somewhat, the definition of psychology, the nature of subject activity, and the criticism of the atomistic theory, seem to me now fundamentally the most important. I wish I had been able to deal with them in a way less unworthy of my audience.


---

### SPECIAL BOOKS OF REFERENCE

The following works, among many that might be mentioned, will probably suffice (along with those mentioned in the text) to place the interested reader *au courant* with the topic of this address.

- W. WUNDT, Ueber die Definition der Psychologie, Phil. Studien, XII, p. 1 ff., 1895.  
H. EBBINGHAUS, Ueber erklärende und beschreibende Psychologie, Zeitsch. f. Psych. u. s. w. IX, 161 ff., 1896.  
R. WILLY, Die Krisis in der Psychologie, 1899.  
W. HEINRICH, Zur Prinzipienfrage der Psychologie, Zurich, 1899.  
G. VILLA, Contemporary Psychology. Eng. trans., 1903.  
H. HOEFFDING, Philosophische Probleme, 1903.  
G. H. MEAD, The Definition of the Psychical, Chicago, 1903.  
J. WARD, On the Definition of Psychology, British Journal of Psychology I, p. 1 ff., 1904.

**SECTION B — EXPERIMENTAL PSYCHOLOGY**





## SECTION B — EXPERIMENTAL PSYCHOLOGY

---

(Hall 2, September 23, 10 a. m.)

CHAIRMAN: PROFESSOR EDWARD A. PACE, Catholic University of America.

SPEAKERS: PROFESSOR ROBERT MACDOUGALL, New York University.

PROFESSOR EDWARD B. TITCHENER, Cornell University.

SECRETARY: DR. R. S. WOODWORTH, Columbia University.

---

### THE RELATIONS OF EXPERIMENTAL PSYCHOLOGY TO OTHER BRANCHES OF SCIENCE

BY ROBERT MACDOUGALL

[Robert MacDougall, Professor of Descriptive Psychology, New York University. b. June 12, 1866, Dewitville, Quebec, Canada. A.B. McGill University, 1890; A.M. Harvard, 1893; Ph.D. *ibid.* 1895; Morgan Fellow (Harvard), 1894-95; at University of Berlin, and The Sorbonne, Paris, 1895-96; Walker Fellow, *ibid.* 1895-96. Member of Field Staff of Canadian Geological Survey, 1891-92; Instructor in Philosophy, Western Reserve University, 1896-97; Associate Professor of Pedagogy, *ibid.* 1897-98; Instructor in Philosophy and Assistant Director of Psychological Laboratory, Harvard University, 1898-1901; Professor of Descriptive Psychology, New York University since 1901. Member of American Philosophical Association; American Psychological Association; American Natural History Society; Fellow of American Association for the Advancement of Science; Fellow, and Vice-president, of New York Academy of Science. Author of numerous articles in scientific journals.]

In this paper it is my privilege to present briefly those aspects of the science which it seems important to keep in mind in characterizing the place and function of experimental psychology. I shall first point out the considerations which influenced me in the choice of that particular class of relations which has been selected for comment. A series of distinctions will next be made, defining the relation of psychology to philosophy, of experimental to theoretical psychology, and of physiological psychology to physiology. Thereafter will be taken up in succession the bearing of experimental psychology upon the normative and historical sciences; and the paper will close with a short consideration of its contribution to utilitarian science and the arts of practical life.

Classification of the sciences proceeds by a logical analysis of their functions in relation to certain general concepts. The form of the resulting arrangement depends upon the nature of the fundamental principle assumed; and as this determining point of view is a reflection of the thinker's purpose, which is not necessarily fixed by any set of objective conditions, the scheme which results must be called subjective. All classification, however, is in this sense subjective. Some regulative principle must be assumed, and the

question is really one as to the basis of selection among the various governing concepts which may be adopted. Such sources of preference of course exist. Not all logical schemes for the subdivision of a given set of phenomena are equally valuable; and the classifications which as a matter of fact we make are those which serve our practical or scientific purposes, not those whose appeal rests solely upon logical simplicity or completeness. The purely logical analysis of any subject-matter declines in importance as the range of phenomena with which it deals is amplified; and in every general classification of the sciences it will be found that while within certain of its component groups the arrangement appeals to the observer by the practical fitness of its affiliations, in regard to other parts of the field the correlation of elements seems to have been made with a view to logical completeness only, instead of reflecting those associations which are most interesting or most important for the scientist.

The reason for this inadequacy does not lie in any failure to carry out the divisions involved in the logical principle assumed, nor, indeed, in any lack of value in the governing concept itself. On the contrary, it arises from a deficiency which reappears as persistently in the relations in which we view the objects of our scientific activity as in those of our practical life. It is not our habit — except, indeed, when the problem of classification itself is in question — to carry a single logical principle continuously through the whole series of related activities in which our thought is expressed. Within a narrowly limited field a given principle may be of such dominating importance that the single system which results from its application is of both logical and practical value. But with every fresh extension a point is more nearly approached where it will be displaced in significance by some other concept; in which case the usefulness of the logical classification will be reduced in proportion as the set of relations prescribed by this fresh point of view acquires greater importance in the mind of the thinker.

This dualism must always be faced by the systematizer if his interest in the subject-matter be other than formal, and whose is not? All logic worth the name is instrumental, not final. The mental attitude which erects consistency into a principle of absolute value is branded as scholastic pedantry; for all rational interest in the logical relation of concepts roots somewhere in the desire to understand the historical connections of things. Classification is good only in so far as it helps us to group things according to their most important aspects. When it ceases to have this value, we turn to some other principle which in its turn has gained the ascendancy.

The logical systematization of any order of phenomena is thus supplemented and controlled by a consideration of the various classes of associated phenomena upon which in our thought we find ourselves most frequently and seriously depending. If the physiologist constantly refers to the work of the chemist, and finds the theorems of that science indispensable to the successful prosecution of his own investigations, the methods and subject-matter of the two disciplines must have common elements in theory as well as practice, and their relations cannot be overlooked in any scheme of classification which includes both sciences. For those, therefore, who have more than a formal interest in the matter there must always be profit in a study of the various special sciences with which in the actual progress of knowledge any given type of investigation is most frequently brought into contact. I shall therefore put aside as far as possible questions of purely logical import, and confine my attention to associations of the latter type.

Two orders of relationship are here presented. The first of these is the question of historical origin, the second that of functional interaction. The consideration of the series of historical developments out of which a given science has arisen, however, leads one to an importantly different set of associates from those with which its activities at the time being are most frequently and significantly allied. Psychology did not arise either by division or exclusion from physiology, yet the methods and results of that science are more frequently discussed and made use of by the psychologist than those of philosophy, from which his science has had its historical origin.

It is to relations of the second type, it may be assumed, that expectation chiefly turns in discussions concerning the place of any given science. These fall into two general classes according as they express relations of dependence or support. By their side both matters of logical classification and questions of origin are of secondary importance. One wishes to know of a science, as of a man, what it is doing in the world rather than its descent and family connections. A knowledge of the sciences to which it is indebted, — for points of view or for results, — and of those to which in its turn it contributes, will go farther toward affording an understanding of its place in the general system of knowledge than any amount of formal and antiquarian information regarding it.

Before taking up the discussion of these positive relations, however, it may be advisable to discriminate psychology from two adjacent branches of study with which its function has not infrequently been confounded. On the one hand, psychology has been

regarded as a form of philosophy, depending for its completeness upon metaphysical assumptions and not presenting the results of experimentally determined knowledge. On the other it has been charged that what we term psychology, though admittedly a science, is not a science of mind, but merely a branch of physiology. Like a person pulled in opposite directions by two companions, if we wrench ourselves free from the grasp of metaphysics on the right, the tug of physiology is in danger of drawing us bodily over to the left.

Every science in its progress has to face the awkward problem of its own descent. Its ancestors are on its hands. It has arisen from that which in many cases is not merely unlike, but essentially repugnant to its own true aims. Its methods have been debased by charlatanry, its imperfect rationalization of phenomena has been eked out by speculations subsequently discredited as absurd, and its aims have been distorted by an admixture of metaphysical concepts which hamper its progress and cast doubt upon its credentials as a science. Through these stages our knowledge of the configuration and motions of the earth, of the forms and adaptations of life, of the functions of man's will and the relation of human destiny to the processes of the suns has passed. Above all has psychology felt this hereditary incubus in the establishment of its methods upon an inductive basis.

In considering the claim of any system of thought to a place among the sciences, it must be remembered that its standing is not to be determined by the largeness of its results. That a science is an organized body of knowledge about a specific class of phenomena is a definition which none of us would willingly relinquish. It is to the system of truth which has resulted from its investigations that the world looks for evidence of the rise of a new science. But there is a more essential aspect to the matter than this. Such a system of knowledge, because progressive, is necessarily incomplete; and all discrimination between its successive stages is merely relative. It is a science in becoming, as well as in being. If it be worthy of the name at any time, it must in the deepest sense be a science at all times. So long as only the range of facts which it rationalizes is changed, and not its methods and point of view, the scientific character of its work must remain unaffected. The moment of its birth is the instant in which that mode of approach to a problem of knowledge which we call inductive method is first applied to its subject-matter. Only the subsequent body of knowledge which gathers about it may indeed be said to give substantial reality to the new science, since it alone gives continuity to the study. Yet when we are called upon to say of a given piece of work whether it is scientific or not our judg-

ment must hinge upon the consideration of method and method alone. If psychology adopts the assumptions and criteria of positivism, of which question is no longer made, its place is amongst the descriptive sciences, though the bulk of that organized body of knowledge in which the work of every science must result lies still *in futuro*.

In establishing its position as an inductive science, however, one has answered the question concerning the relation of psychology to philosophy in one of its bearings only. There still remains to be considered their mutual relations to the whole system of legitimate problems which human consciousness presents, and the validity of their respective methods in approaching them.

The early history of every science is confused by an admixture of fable and false interpretation. Wherever a gap in our knowledge exists, these airy fabrics are woven; whenever discovery throws its solid connections across the hiatus, they are brushed aside to be reconstructed elsewhere. These pseudo-explanations commonly employ the terms of speculative thought, and appeal to the realities with which the philosopher deals. In homologating philosophy with such a fringe of speculation its function is wholly misconstrued. Philosophy supplements science, but by no such process of interpolation. The hypothetical completion of the web of empirical knowledge, at which these fables aim, belongs essentially with the descriptive sciences, however wild its assumptions or fantastic the order which it imaginatively constructs. When the borders of science thus become confused through a failure to discern the absolute discontinuity of scientific explanation and philosophical interpretation, there arises a false hope that by patience in perfecting the methods of science and thoroughness in their application the whole range of problems which the world presents to our intelligence may progressively be solved. Finality is indeed inconceivable either in the nature of the specific problems to be solved or in the adaptation of method to their investigation. The limitation of the scientist at any time, however, is but the correlative of the stage which his analysis of phenomena has then reached, and is not due to any insufficiency of his method *per se*.

In consequence of this belief the position has been taken again and again in the intellectual history of the world that all reality is the object of positive knowledge and that naturalistic science is the single method of approach to every conceivable problem. Whatever justification this attitude had in relation to the function of physical science it possesses in an intensified form in estimating the part which a thorough experimental investigation of the phenomena of consciousness may be expected to play in the

solution of those general speculative problems which arise in our meditation upon the nature of consciousness and the world of knowledge. Once establish the conditions under which consciousness is manifested, by determining the special laws of mental functioning and tracing the course of its evolution, and the last stronghold of speculation will be taken. A scientific psychology will replace those philosophies of mind which, while seeking to make plain the nature of mental processes and their relation to the world at large, have but replaced real by fictitious problems, and darkened understanding thereby.

This expectation is necessarily unrealizable, not because of the mechanical difficulties of the work, — which may be insurmountable, — but because it is based upon a misconception of the scope of empirical psychology and of the relations which exist between its conclusions and those of metaphysical interpretation. Psychology we call a descriptive science because it is an analytic study of mental functions. The fullest possible account of mind from this point of view will still leave untouched the whole problem of an object of knowledge and of the origin of the order which appears within the content of consciousness. The advance of psychological science may legitimately entail a succession of philosophical reconstructions by rendering untenable the forms in which those most general relations of existence have hitherto been cast; but can never hope to supersede the function of either epistemology or metaphysics by supplying the conclusions toward which their analyses are directed. The break is as absolute as that between mind and matter. Nerve-physiology can never hope to discover consciousness, nor psychology to reach the region of metaphysics; not because any part or aspect of mental phenomena is excluded from the field of scientific investigation, but for the reason that there exists a problem to which the very nature of his assumptions precludes approach. This is the interpretation of the place and meaning of consciousness, together with the whole realm of phenomenal existence of which it forms a part, in the ultimate system of things which constitutes the universe of reality.

So long as the assumption which lies at the basis of all science — namely, the existence of an object of knowledge — continues, no condition is conceivable in which there will not be the same demand which exists to-day for an epistemological analysis of the foundations of knowledge and for a metaphysical interpretation of reality. The reduction of experience to a field which can be regarded from a single point of view can be accomplished only through ignoring the existence of the problem of knowledge. The process of consciousness must be treated as self-existent and subjected to a wholly internal analysis. Yet in the adoption of such

a subjectivistic point of view the metaphysical problem is not faced, but assumed to be non-existent, and with the elimination of philosophy vanishes also the validity of science through the denial of the fundamental assumption upon which the whole force of its appeal depends.

Within the field of descriptive psychology as thus defined we are apparently met by a division into two sub-provinces of theoretical and experimental science. The discrimination, however, is a false one, if two separable processes are conceived, or two independent systems of truth, however closely related. There is but one science of psychology, as there is but one physics and one biology. Every hypothesis in science must be susceptible of experimental verification, and the result of every test must either confirm or correct an hypothesis. Theoretical science is but the continuously elaborated structure which is rising on the basis of experimental method, — at once the inspiration and the product of inductive research. In the concrete process by which knowledge advances these are aspects of an activity which in its essence is single. It is only for didactic purposes that a logical analysis is made, whereby the results are presented in isolation from the complicated and difficult procedure through which they have been reached. All descriptive science is popularized science, a résumé of conclusions presented in abstraction from their premises, and in such a simplified form as may be grasped by minds which from lack of information or discipline are unfitted to make independent deduction of them. It is an indication of the undeveloped status of our science that alongside of its legitimate subdivision according to subject-matter there is also a division according to method, into general (or theoretical) and experimental psychology. The same general principles govern all research; the same criteria are employed in the validation of scientific results, irrespective of qualitative differences in their subject-matter; and the experimental method is the uniform approach of every science to its problems.

Experimental psychology has no special or independent class of phenomena to investigate by which it may be differentiated from psychology at large. It has therefore no place — as psychology itself has — in a classification of the sciences which proceeds upon the logical subdivision of the orders of reality and the connections which obtain among them. The relation of experimental psychology to the general science of mind is that of a method of investigation to the body of doctrine which results from the solution of the problems to which it offers a mode of approach. Wherever discriminable ranges of phenomena are treated, the investigation of each may be conceived independently. Thus the

habits of the adult mind and the processes of its earlier development, the types of mental action in the normal subject and their variations under conditions of disease, the phenomena of human consciousness and those of lower forms of life afford data for systems of knowledge which, while forming mutually assistive parts of one general science, are yet profitably regarded as separable groups of organized facts. But no such differentiation can legitimately be made between experimental and theoretical psychology. By virtue of its very demonstration, each fact becomes at once an element in the system of relations which theoretical psychology is constructing. Experimental psychology is thus a term which describes the whole process by which our knowledge of mental functions and relations is put upon an inductive basis. It connotes the transformation which has withdrawn psychology from affiliation with philosophy and has placed it among the natural sciences. It is by its very nature coextensive with the field of theoretical psychology, for the subject-matter is a continuum, and therefore admits of but one mode of approach.

The range of instances to which the experimental method has been applied, and the fruitfulness of its results in any given subclass of mental phenomena depend upon the special conditions under which these experiences arise; and the value of its contributions varies greatly from one group of psychoses to another. But the existence of these difficulties is a thing wholly mechanical and irrelevant. The entire field of psychology belongs to the psychological experimentalist; and only when every part of systematic psychology has been put upon a substantial inductive basis shall we be in possession of a secure body of doctrine.

The functional relation which I have just indicated is subject to confusion through the rise of a group of loosely related appellations, each of which in turn has been employed to designate the field of experimental psychology. Psychometry, psycho-physics, mental physiology, physiological psychology, experimental psychology, and empirical psychology are terms whose proper applications differ so significantly as to make their discrimination indispensable.

In the present connection, however, we are concerned only with indicating the limits of physiological psychology, — a field indicated also by the illogical and unhappy term mental physiology. This term has not infrequently been used as a substitute for experimental psychology, and in untechnical speech is perhaps most in vogue for this purpose. Properly it is a much more restricted term; for the system of physiological changes which in some form or another is the uniform accompaniment of mental phenomena comes under consideration only here and there in the general course of psychological investigation. This series of events is indeed one



of the most important groups which the investigator has to examine in his systematic analysis of the physical conditions of consciousness; and an elaborate mass of literature has accumulated in regard to it. Nevertheless the relations embraced under physiological psychology form but a fragment of the whole set of problems with which the investigator is concerned. Nay, more, an experimental science of mind of no mean proportions might exist in the absence of all consideration or knowledge of that mediating series of events which we call physiological action.

Experimental psychology embraces within its field the whole system of conditions under which consciousness works, whether intensive or qualitative, whether physiological or mechanical, whether functional or formal, whether occasional or predisposing. By experimental psychology, therefore, we shall mean the systematic investigation by inductive methods of all the internal connections of mental action, whether characteristic or pre-determining; and all its external conditions, both proximate, or physiological, and remote, or physical.

In contrast to the assertion that psychology is philosophy, it has been charged that the work done under that name is really physiology, that the subject-matter is properly described not as mental phenomena, but as physical events, and that the laws discovered are those of change within the processes of the nervous system. The name is a misnomer, and all the physiological psychologists are physiologists who have been mislabeled.

It is true that there is much in common between the two fields of investigation. The experimental psychologist must in so many instances be familiar not only with the general truths of physiology, but also with the mechanics of physiological experimentation, if he is successfully to pursue his investigations, that a working knowledge of the latter science may fairly be called an indispensable element in his preparation. The strongest confirmation of this is perhaps to be found in the number of eminent names which are common to both sciences. Much work of the highest rank in psychology, and perhaps its largest bulk, has been done by those who were either still primarily concerned with physiology or had come to an interest in the psychological aspect of their investigations through an earlier interest in their physiological significance alone.

It is also true that in methods the two sciences have much in common. The same things are measured in the two cases, namely, nervous change, glandular activity, muscular contraction, and their time-relations. In the one case, however, these measurements are final, while in the other they are purely instrumental. The physiologist is interested in the immediate facts which the measurements reveal, in the modes of action, the interrelation of processes, and

the curves of variability which characterize the metabolism of the body. When these laws have been worked out, the physiologist's task is completed. His aim is to make known the whole system of functional modes associated with the physical structures which compose the living body.

But for the psychologist these facts have in themselves no value whatever. He should indeed be an eager student of the whole literature of physiological research because of the potential significance of each new fact which is there revealed. But in no one of these, however momentous its discovery be for the physiologist, is he concerned, except in so far as it throws light upon the special and independent problems with which he is engrossed. Hence the interest of the psychologist is distributed in a manner wholly unlike that of the physiologist among the series of physical phenomena which constitutes the latter's field of investigation. For it is only such parts of this system of physical changes as can be immediately or mediately connected with discriminable variations in the associated mental content that enter into the calculations of the psychologist; though it may be at once acknowledged that as every function is necessarily dependent upon some distinctive organic form, so presumably it is likewise correlated with a real change in the quality of consciousness, even though the specific relation of the two may as yet have escaped detection. The problem of the latter, therefore, in so far as it is to be discriminated from that of the physiologist, is the analysis of the whole system of correlations which exist between these measurable physical processes and the immediately realized succession of modifications which we know as the flow of conscious life.

The relation of psychology to physiology is not wholly one of dependence. That science provides much of the terminology in which the results of psychological investigation are expressed. Moreover the complicated system of relations which physiology has worked out forms an organized body of truths which not only affords the symbols into which the relations of mental phenomena are translated, but may also be used to direct the progress of investigation and to forecast the yet undetermined connections which exist among associated states of mind.

On the other hand it is likewise true that the knowledge of mental functions and their relations has similarly been employed in framing the representation of many physiological processes to which access is difficult or impossible, and in guiding the experimentalist in his researches concerning the functions of the central nervous system. In much of our brain physiology constructive theory is directed rather by an analysis of mental functions, — such as perception, speech, and memory, — than by observation of the physical pro-

cesses under discussion. Indeed it is not too much to say that, unlike the work of the anatomist, it is just this systematic knowledge which we possess, — knowledge of the functional complexes of the conscious life, — which gives form and rationality to the large but undigested mass of facts which physiological investigation has made known to us, — a fact which the psychologist as well as the physiologist is perhaps prone to forget.

We turn next to those departments of thought and life to which experimental psychology makes a direct and positive contribution; and first of ethics, esthetics and religion. The common use of the term "normative" in connection with this general group of sciences has been made the ground for urging a distinction in point of view between their fields of study and the descriptive sciences. The latter, it is said, treat their subject-matter as sheer phenomena and profess to note only the types and sequences which it presents. To consider or desire an alternative event is beyond their scope. The natural scientist deals historically with an irrevocable, because given, system of facts.

In the normative sciences, on the other hand, it is said, the fact is considered not in relation to an actual type, which is itself but a certain mean of the series of existing individuals, but in relation to an ideal type, or norm, toward which the fact is conceived as tending. It is the function of the normative sciences to determine these standards and to pass judgment upon each of the facts as it appears, appraising its worth in terms of its approach to these ideals and apportioning praise and blame accordingly. It may seem a gratuitous quibbling where such a real and practically important distinction exists as that here in question. Yet I cannot but think it necessary to protest against the terms in which this difference is stated, or, if the terms be not misused, to deny the validity of the distinction which is intended.

All science is descriptive science, with a common nomenclature as well as a single task. Its work is to determine the relations, both qualitative and causal, which exist among phenomena. It always describes what is, and seeks an explanation in terms of its historical antecedents. No science, it has already been said, can be logically subdivided into theoretical and experimental on the ground of differences in procedure. Neither can the existing group of sciences be subdivided in virtue of variations in the methods employed.

The real distinction between the normative and descriptive mental sciences lies in their subject-matter, and not in the manner in which it is treated. Both alike deal with a system of phenomena, and both seek to analyze the given facts for the purpose of determining their character and order. The student of ethics, instead of treating the content of human consciousness at large, studies only

those ideals, judgments, and acts which constitute moral life. His interest, it is a truism to say, is not in the history of each individual judgment, but in the relation of these judgments and acts to the ideal which coexists in the mind of their subject. It is the existence of these ideals, together with the sense of realization or failure, and its consequent emotion, which makes the science of ethics possible; and its task is first to determine the content of the ideal, and secondly to give an account of its historical evolution. With the completion of this analysis the work of the ethical student comes to an end. It is not true that he has a further or independent function, — such as the establishment of a criterion of moral values and the apportioning of praise and blame in connection with the conduct under consideration. A comparative study of the moral ideals which obtain among the various races of mankind is indeed within the limits of his task; but an estimate other than this, such as the ranking of ends as absolute ethical ideals, is not a scientific process, but either an individual moral act expressing personal convictions, or a metaphysical speculation as to the place of the various goods of life in an ultimate system of reality.

To these sciences, whose subject-matter is the various norms of human conscious life, experimental psychology contributes directly and largely. In a word, it gives intelligible order to the content and developmental history of the various ideals which govern the actions and judgments of man in matters of feeling, conduct, and faith. In the absence of such a psychological analysis, I cannot conceive how the sciences of ethics, esthetics, and religion could ever be put upon a sound basis. Without it the literature of these departments of thought would consist of a mass of dogmas which, while susceptible of psychological rationalization, must present to the philosopher a series of contradictions irreconcilable with his fundamental assumptions. Under the concept of a descriptive science this *impasse* is avoided, since the various ideals are then treated simply as historical phenomena, and divergence of type involves no contradiction, but indicates only variety of nature and environmental conditions.

Experimental study has both given an historical content to the forms of moral law and brought about a rearrangement in our judgments of human action; and an analogous reconstruction has taken place in regard to religious experience. It follows that if we relinquish the concept of unconditional responsibility and supplement the principle of the moral will by a recognition of the significance of the system of external conditions under which it finds manifestation, our whole conception of the nature of ethical and religious development, and of crime, wrong, and sin, will thereby be affected; while educational, therapeutic, and preventive measures

will be modified in accordance with the nature of the influence which these factors have exerted. This change of view is represented in the recognition among dependents and criminals of an aberrant physical type. It is represented in the sliding scale of condemnation attaching to the same fault under different conditions and by different individuals. It is represented in the substitution of the concept of an orderly and explicable process in the religious development of the individual and of humanity for that of the miraculous and inscrutable working of a divine spirit. The experimental study of the relations of consciousness to its enviroing conditions has removed these provinces of action and judgment from the region of mysticism and supernaturalism, and made them part of the unitary system of forces which finds expression in the orderly development of the human life.

I do not attempt, nor desire, to touch the question of the essential character of moral law and the source and implications of our religious life, but simply to point out that these activities, which are part of that inner personal experience which no science has succeeded or can succeed in dissecting, are, like all our expressions of will, uniformly manifested under conditions which are accessible to scientific treatment, and that whatever analysis can be made, for example, of the economic activities of man, the same may be carried out in regard to his moral and religious life. And this working-out of the naturalistic sciences of ethics and religion has been done through a psychological study of the correlations which connect their variations with systematic changes in the individual and his environment.

With the historical sciences the case stands differently. The study of history is an expression of our uncontrollable sympathy with all that touches the self which makes human experience at large the reflection of our own personal life. This characterization throws history into the one group with fiction and the drama as objects of interest, and seems to do violence to truth. The work of the biographer and historian is commonly discriminated from that of the novelist and poet, by reason of a difference in the points of view from which they regard a common material, namely, the living experiences of men and nations. The historian does not aim at a dramatic reincarnation of persons and situations; he undertakes a systematic analysis of human motives in order that the process of life may be made intelligible. The distinction is a real and important one. All history, as it reappears in the individual imagination, is transmuted into epic poetry, endowed with a dominant note and a dramatic unity which the original experience inevitably lacked. This bias, which is inseparable from personal consciousness, the historian sets himself to correct by an exhaustive

study of the elements which his most complex material embraces. These he aims to set forth in the order of their importance considered from the point of view of the whole system of human interests involved. The attitude of the historian is essentially judicial, and sets up as its ideal the utmost impartiality which is compatible with the specific assumptions which limit his treatment, such as the concept of an individual life, a social evolution, the development of a political form, and the like.

Nevertheless the analyses of the historian necessarily concern persons and occurrences, both of which are individual and unique. They cannot, therefore, constitute a science in the ordinary acceptation of that term. Both biographer and historian seek the truth; they employ the same canons as the scientist in establishing the correctness of their observations; but in the end their aim is radically different from that of science, and cannot be expressed in its terms. Life, whether of an individual or a group, is composed of a series of experiences which have their existence and can never recur; and be the subject-matter of history conceived as a succession of events or as the reaction of wills which gives rise to them, the ideal of the historian is faithfulness in the representation of these unique experiences, and nothing more.

But the individual occurrence has no interest for the scientist and no place in his system. For the successive stages which constitute the life-history of a crystal, a plant, a man, or a nation he has no concern. Not the individual fact, but the general principle, not the event, but the law of its occurrence, not the unique reality, but the universal form, is that which the scientist seeks. With the methods and results of historical research, therefore, psychology has no direct relation. The affiliations of history are with the utilitarian, not the normative sciences. It is a study of human character which is made in the chamber instead of the market, by the thinker instead of the politician, and is reflective instead of practical in its outcome only because of the irreversible character of the series of phenomena with which it deals.

Such an analysis can be called scientific only by an extension of the term which strikes at the very root of the characteristic which science has consistently striven to maintain as its essential basis. By this statement only a qualitative distinction between these two fields of investigation is intended, without (it should be needless to say) any thought derogatory to the dignity or value of historical study. The history of men and of nations is of absorbing interest to the psychologist, and affords material for many sciences, — economical, political, psychological, and social, — but these are not history, which, whether its subject be an individual or a social group, whether it be a person or an institution, whether

it be objectively or subjectively conceived, is essentially biography. Psychology can contribute much to the whole body of sciences whose subject-matter is human consciousness in its various special relations, but to the reconstruction of individual evolution, whether of life itself or of its permanent expressions in literature, art, religion, and political forms, it can contribute only as a preparatory discipline of the historian himself.

The contribution of psychology to the utilitarian sciences, like that to history, is indirect and disciplinary; but with the significant difference that, since the conditions with which these sciences deal are plastic instead of irreversible, the experimental study of mind not only gives intelligible order to their materials, but also modifies action in their regard. Of the manifold special relations, physical and mental, educational and therapeutic, which are embraced within the group, I shall select medicine and pedagogy as typical examples.

I do not choose these as representative of distinct final aims. Health as well as character can ultimately be expressed only in subjective terms. If a bilious condition affected neither the stomach nor the head, if an excess of uric acid resulted in no rheumatic twinges, if a lack of red blood neither ruined our complexions nor lowered our capacity for happy activity, where is the man who would give a thought to these things, or care whether they were normal or not; since they affected neither the quality of his present consciousness nor its duration? The whole value of the art of healing roots in the transformation which is effected in the subject of consciousness, and in that alone.

It is, however, with the methodology of the science and not its ultimate aim that we have here to do, and with this also the mental factor is found to be inextricably interwoven. The causes which the physician seeks are indeed physical. He does not attempt to cure the mind immediately, but directs his efforts toward a rectification of the perverted bodily condition which is assumed as the basis of the abnormal mental state. Nevertheless he cannot safely direct his treatment toward the body alone, but must constantly take into account the patient's condition of mind and the bearing upon his own special problems of secondary conditions of excitement, depression, and irregularity manifested in the form of mental disturbances, which may have not only prime importance for his diagnosis, but also the greatest influence upon the success or failure of his treatment of the original source of trouble.

In the practice of the physician symptomatology is as much a matter of psycho-physical responses as of physiological tests. This is true whatever be the nature of the disease, but it is especially important in the case of functional disturbances, above all

where these affect the cerebro-spinal system. In nervous diseases diagnosis proceeds largely upon a psychological study of abnormalities in sensation, idea, and utterance. It is not necessary to complicate the matter by any discussion of the relations of mind and body, nor to take sides in the debate between interaction and parallelism. Stated in purely physical terms, it is but recalling to mind the necessity of taking into account the intimate and peculiar influence which conditions of excitement in the central nervous system exert upon the general metabolism of the body, and the question is solely as to the variety of indications of which the neurologist or alienist may avail himself and the range of alternatives from which his treatment is to be selected. In the cases under discussion the determination does not rest solely upon anatomical dissection or physiological measurements or chemical analysis, but involves constantly an interpretative discernment of conditions inaccessible to direct examination through an observation of the whole system of mental attitudes and expressions which the patient manifests. Temperament, mental habits, resiliency of will, the very creed and philosophical point of view of a patient, must be included in the system of factors which indicate or influence the history of his disease. May it not be said that into every persistent functional trouble these factors enter deeply, and that the treatment of hysteria and insanity and the hundred and one ailments which cluster about unstable nervous function achieves success in proportion to the adequacy of the neurologist's acquaintance with medical psychology? A thorough course in the general science of mind is desirable in the preparation of every practitioner; but for the nerve specialist a knowledge of the results of experimental research on normal function, as well as its variations, is absolutely indispensable. For it must be remembered that in his work practice as well as diagnosis is largely mental in its nature. Drugs take a secondary place. The patient must be soothed, encouraged, and guided into new mental habits by a process of suggestion, stimulation, and restraint. The establishment through mental therapeutics of a more normal central condition, supplemented by food, air, and exercise, is trusted to bring about a restoration of equilibrium among the secondarily disturbed processes of the body.

Psycho-physical investigation has transformed our views as to the nature and origin of idiocy and epilepsy, of hysteria and insanity, and all the troubles of that misused and afflicted class, the mentally deranged; and has made over the whole system of treatment to which they are subjected. It is affecting more and more widely the general practice of the physician, by emphasizing the significant part which mental attitudes play in the history of disease.



And it should strip mental healing in all its forms of the gross and fantastic claims made in its behalf, and at the same time make progressively clearer the place and importance of truths which men of genuine insight in the medical profession have always recognized, but which in our own day no less than in the past are travestied by the practices of charlatans and the doctrines of pseudo-philosophical cults.

The relation of psychology to pedagogy has been confused by a debate concerning the methodological assumptions of the two sciences. The psychologist conceives the mind of man as a system of phenomena to be resolved into its constituent elements for the purpose of explaining the succession of changes which occur within it. It is involved in his very point of view that that which alone gives to mind its inner significance, namely, its existence as a personality realizing itself through a series of purposeful acts, must be ignored; and its development, instead of being treated as a true process of growth, must be conceived purely as a succession of events in time. He may thus be said never to have come within sight of the materials which are shaped by those who educate the will, form the judgment, and appraise the conduct of men. The latter deal with the individual as a system of inner motives and purposes, not as a phenomenon to be analyzed and explained. The child must be sympathetically understood, the neighbor influenced by argument and persuasion, the criminal treated as a responsible person. To view the human soul as a thing acted upon by calculable forces with determinate results is to substitute for the living personality a system of inert objects; it is to convert teaching and the execution of justice into technical manipulation and prudential restraint.

Now it is of course true that these human relations are differentiated from that which exists, for example, between an artist and his clay by just this personal, purposive character which is the essence of the material as well as its mold, and that the teacher aims not at a result, — for routine or enforced performance is the negation of the educational ideal, — but at a process, the transformation of a living will. Nevertheless, personality does not meet personality directly. Both termini are ideal purposes, but these must first be translated into a system of objective forces, — the technical methods and conditions of education, — and reinterpreted by the child in terms of his own personal experience as part of a larger and modified self.

The process through which the human will is realized is not a free inner development whose form is determined by an unimpeded manifestation of subjective forces. It is an expression constituted by the reaction of these inner purposes upon a complex and resistant

material. The will works under conditions which may inhibit or transform the original impulse as well as provide material for its incarnation. It is by the control of these modifying objective conditions that the educator characteristically proceeds in his work of molding the will itself. All, therefore, that experimental science has determined concerning the influence either of remote physical conditions or of specific physiological states upon mental function and quality is thus part of the mechanism which the technique of the teacher involves.

Among the sciences which so contribute to educational method is experimental psychology. It is not because psychology investigates those things which constitute the object of the teacher's activity that its results are of value in the latter profession. That which experimental psychology studies is a fiction similar to the wage-earner of the economist, and the results which he arrives at can no more be interpolated in the series of real experiences which constitutes the life of each person than the living man can be expected to fulfill the laws of competition in independence of the innumerable other motives which affect his conduct. The life of the child is indescribable in the terms of experimental psychology, or indeed in that of any science whatever.

The availability of laboratory results rests upon an altogether different basis, which it possesses in common with all sciences treating of our humano-naturalistic environment. It is because psychology, in its study of mental processes, necessarily expresses its conclusions in terms of those general physical relations which constitute at once our sole means of social communication and the conditions under which our wills find expression for their activity. Whatever bearing hygiene and sanitation, climatology and physiology, pathology and anthropology have upon the mechanics of education, the same has experimental psychology in a yet more intimate sense. Its determination of the system of norms which characterize the successive stages of development, — a work which as yet is scarcely begun, — and its formulation of the relations between varying physical conditions and fluctuations in the mental activity enable the teacher to provide more fit and healthy conditions under which the development of the child shall take place, to adapt the technique of instruction to the irreversible relations which exist between the personality of the child and his material environment, and to treat in a more rational manner the conduct and accomplishment of those under his charge.

It is not only consistent with this relation, but also a logical result of its existence that the deductions of experimental psychology can be applied only in the mass. The individual soul is unquantifiable, and can be treated only intuitively. Its education is the

result of formative influences which can be expressed only in terms of will and personality. But this is a part of the truth only. Above the infinite variations which the universe of personalities presents arise the types which their common features compose; and wherever individuals are to be treated as a class the results of science, whether physical or mental, are available in manipulating them. Enlightened educational method is psycho-technical as well as inspirational, and necessarily involves a sensitive regard for the whole set of extrinsic conditions under which development takes place. To know the influence of air-space, light, exercise, and food upon human life and activity is part of the teacher's business. To understand the relation of respiration, posture, digestion, and nutrition to mental work is part of his business. To recognize the bearing of atmospheric changes, in temperature, humidity, pressure, and electric condition is part. The discharge of his office calls also for an understanding of the consequences of nervous instability, excitement, and depression; of the bearing of attitudes of hope, anxiety, confidence, trust, and suspicion, and of the significance, in a word, of the whole series of psycho-physical changes which take place in the individual in connection with specific alterations in his surroundings, condition, and prospects. And these are in large part worked out by the experimental psychologist as supplemental to his more immediate task of ascertaining the norms of mental function and thereby establishing criteria by which the treatment of classes of individuals may be intelligently controlled.

# THE PROBLEMS OF EXPERIMENTAL PSYCHOLOGY

BY EDWARD BRADFORD TITCHENER

[Edward Bradford Titchener, Sage Professor of Psychology, Cornell University, since 1895. b. Chichester, England, January 11, 1867. M.A. Oxon; Ph.D. Leipzig; LL.D. University of Wisconsin; Research Student in Physiology, Oxford, 1889-90; Extension Lecturer in Biology, Oxford, 1892. Assistant Professor of Psychology, Cornell University, 1892-95. Fellow of Association for the Advancement of Science; Member of American Philosophical Society; Neurological Society, London; Aristotelian Society, London; Fellow of Zoölogical Society; Hon. Member of Mind Association. Author of *An Outline of Psychology*; *A Primer of Psychology*; *Experimental Psychology*; and translations of several psychological works.]

THE first difficulty that confronts one, as one attempts to envisage the problems of experimental psychology, is the difficulty of definition. What is a psychological experiment? What is the scope of experimental psychology? Is experiment simply a method of work, applicable to all or to some special parts of the psychological system; or is experimental psychology a distinct branch of psychology, sharply marked off from other and coördinate branches?

The programme of this Congress would seem to have decided the issue in the latter sense; for we find sections of General Psychology, of Comparative and Genetic Psychology, of Abnormal Psychology, and of Social Psychology, arranged alongside of our own Section of Experimental Psychology. If, then, I wished to take shelter behind the plan of the programme, I might, with some show of justification, confine myself to the discussion of those problems in normal, human, adult psychology which still form the staple material of experimental investigation in the laboratories, and might omit all reference to the extensions of the experimental method to outlying fields. Such a course would, nevertheless, be unsatisfactory. The extensions of the method are coming to play a larger and larger part in psychological discussions and in our psychological literature; and it behoves us to take up a stand with regard to them, positive or negative, appreciative or critical. I shall try not to shirk this duty. Let me say, however, at the outset — and I shall have more to say upon the matter presently — that, whatever else experimental psychology may be, there can be no doubt that the subjects to which the programme apparently limits us are experimental psychology. The examination, under strictly controlled and properly varied conditions, of the normal, adult, human mind, — this is psychological experiment in its pure, primary, and typical form. And it is this typical experimental psychology the problems of which we have, in the first place, to consider.

In approaching this question of the problems of experimental psychology, it seemed to me that the surest key to the future lay in the accomplishment of the past. The best way to find out what experimental psychology has to do is, I thought, to make certain of what it has already done. With this idea in mind, I naturally had recourse to our bibliographies, — the American bibliography of the *Psychological Review*, and the German of the *Zeitschrift f. Psychologie*. The result was not encouraging. We all knew, of course, that the plan of arrangement of these two yearly lists is by no means the same. What I, for one, had not realized was the fact that the plan of arrangement of both is eminently unsystematic. We use a bibliography, and find it useful; we do not need to inquire further regarding it. But I do not believe that any psychologist, of whatever school, could write a systematic psychology on the lines laid down in these bibliographies. This fact — if fact it is — seems worthy of a passing remark; for it indicates, in a concrete and definite way, that in spite of the enormous increase of our psychological knowledge, within the last few decades, we are still very far from any complete or rounded science of psychology. I am not so much disposed to blame the bibliographers — I take their lack of system to be unavoidable — as I am to draw a long breath at the amount of work which still remains for us to do.

Finding that I could not avail myself of the bibliographies, I took the bull by the horns, and went to the psychological journals. I listed and analyzed the experimental papers in the *Philosophische Studien*, the *Zeitschrift f. Psychologie*, the *Année psychologique*, the *American Journal of Psychology*, and the *Psychological Review*; not with any view of substituting a classification of my own for the classifications now employed, but simply with the intention of finding out what was there. If you object that these five journals are not coextensive with experimental psychology, I must reply that they are at any rate representative, and that the duration of human life is limited. Even so, I am not sure that the game was worth the candle. I earned, perhaps, by hard work, the right to stand upon this platform; but I found out very little that I did not know before.

If I am to indicate, briefly, the results of this inquiry, I must premise that we are agreed upon the distinction, within experimental psychology, between the properly “psychological” and the psycho-physical attitudes. The object of the “psychological” experiment, as I am now using the phrase, is introspective acquaintance with the processes and formations of a given consciousness. The object of the psycho-physical experiment, as we have recently been reminded by G. E. Müller, — I suppose that we are all fresh from a reading of his *Psychophysische Methodik*, — is a numerical determination. Thus, the object of the simple reac-

tion, regarded as a psychological experiment, is the introspective analysis of the action-consciousness, given under certain fixed conditions; the object of the same experiment, regarded psychophysically, is the ascertainment of a representative time-value and of the manner and limits of its variation. Both points of view are covered by the general term "experimental psychology"; both types of experiment are valuable; but the two must not be confused. If, now, we look at the contents of the *Philosophische Studien*, the oldest established of our five journals, we find that three departments of experimental investigation are preferred high above the rest: sensation, perception, and action. There is, moreover, a very definite trend toward psycho-physics, so that, *e. g.*, at least two fifths of the articles that deal with sensation must be classed outright as psycho-physical. The remaining experimental papers may be subsumed under the headings: association of ideas, attention, feeling, memory and recognition, the organic accompaniments of the mental life, the range of consciousness, the processes involved in the activities of reading and writing, and the time-consciousness. What we find in the other four journals is a continuance of interest in these same problems, but a continuance of interest which is combined with a shift of emphasis from psycho-physics to psychology, and a widening of the area of experimental work. Thus in the *Studien* there are about twice as many articles on sensation, psychological, and psycho-physical, as there are on perception; in the *American Journal*, the articles on perception are more numerous than those on sensation; in the *Psychological Review* there are, roughly, three articles on perception for every two on sensation, while the strictly psycho-physical papers may almost be counted upon the fingers of one hand; and the *Année psychologique*, if I have counted aright, has practically as many articles on memory as it has on perception, and more of either than it has on sensation, while the spirit of the work has, from the first, been adverse to psycho-physics. Or again, the contents of the *American Journal* may, with some manipulation, be brought under the same headings that served for the *Studien*, save that one additional caption must be made for studies of voluntary movement (other than reactions) and of the experiences of effort and fatigue; while those of the *Zeitschrift* and the *Psychological Review* require at any rate three or four new rubrics, to cover work done upon mental inhibitions, the process of learning, motor automatisms and motor dispositions, habit, etc. I do not wish to labor this point, even if I must leave it with some sense of injustice to the periodicals under review. You know, without my telling you, and I knew, without going to the magazines, that the course of experimental psychology in recent years has been away from

simple psycho-physical determinations, and towards introspective analysis; and that the experimental method has been continually extended from the simpler processes to the more complex — whether to complexes hitherto untouched by experiment, or to unfamiliar phases of familiar mental formations. All that a study of the journals can do is to quantify and define these facts. I should like to add, however, that their study has brought home to me, in a very vivid way, the immense complexity and far-reaching interconnection of the mental life. The contents of experimental papers are oftentimes so varied that only a classification *a potiori* is possible; and, oftentimes again, results that are but incidental to the given topic of investigation prove later on to be fundamental for problems from which this topic had seemed disconnected and remote.

So much, then, by way of preparation. Let us now, in the light of it, attempt to formulate the present problems of experimental psychology. You will remember that I am speaking of experimental psychology *sensu stricto*, — of the experimental investigation of the normal, adult, human consciousness. I wish that I could proceed systematically. But, in the existing condition of the science, it is better to be topical. We may, however, begin in a quasi-systematic way, by considering the three fundamental problems of sensation, affection, and attention.

(1) *Sensation*. The senses, viewed from the standpoint of psychological knowledge, fall into three principal groups. We know a great deal about sight and hearing; we know a good deal about taste, smell, and the cutaneous senses; of the organic sensations, with a very few exceptions, we know practically nothing. There is work to be done — I say this emphatically — in every field; there is probably no single chapter in sense-psychology that may not, with advantage, be reopened. Nevertheless, we know a great deal about sight and hearing; the literature of these senses is voluminous; advance in our knowledge lies (I am speaking in the large, and quite roughly) in the hands of the few experts who have occupied themselves particularly with visual and auditory problems. And we know a good deal about taste, smell, and the cutaneous senses; although here, doubtless, there is much steady work, rank-and-file work, yet to be done. We know something of the organic complex concerned in active touch, and something of the static sense. On the other hand, of the organic sensations in general we know practically nothing. Here, then, as I take it, lies the immediate sense-problem for experimental psychology. When we remember the importance of organic sensation in the affective life, its importance as the vehicle of sensory judgments in psycho-physical work, the part it plays in the mechanism of memory and recognition or in the motives to action,

its importance for the primary perception of self; when we remember the widespread character of the organic reaction set up by any sensory stimulus; when we realize that some psychological systems have recourse to it from beginning to end, while others (Wundt's recent *Grundzüge* is an example) practically ignore it; when we remember that certain questions of prime systematic importance hinge upon it, — the question of the duality of the conscious elements, of the relative range of sensation and image, of what is called affective memory, and so on, — we can hardly fail to see that here is a great gap in our psychological knowledge, the filling of which calls for a persistent application of the experimental method. Of all problems in the psychology of sense that are now before us, the problem of the number, nature, and laws of connection of the organic sensations appears to me to be the most pressing.

In the domain of psycho-physics, I see no single problem of supreme import, but rather a need for patient, continuous work by the methods already formulated. The inherent aim of psycho-physical investigation is, as I have said, the determination of the psycho-physical constants. Now it is by no means difficult to vary a psycho-physical method, and so to set up a claim of originality; but it requires patience and some self-sacrifice to work through a psycho-physical method to the bitter end. What we now want is less ingenuity and more work, — accurate, continuous work all along the line. We have methods and we have formulæ. Let us give them a thorough test. The results will be of extreme value for psycho-physics, and no one need fear that they will be barren for psychology. On the contrary, no small part of our analytical knowledge of the higher processes, as they are called, — processes of judgment, of comparison, of abstraction, — derives straight from the method-work of psycho-physics. It would, in my opinion, be time and energy well spent, if every existing laboratory were to undertake what one might term the routine work of testing-out, without modification, one or other of the classical methods.

I am aware that psycho-physics trenches upon large problems. I ought, indeed, to be keenly alive to these problems, seeing that for the past three years they have occupied me, with but little intermission. There is the great problem of mental measurement itself; there are the minor problems of the validity of the difference limen, the equality of just noticeable differences, the range of Weber's Law, the correlation of functional constants, and what not. If I were speaking of the history of experimental psychology, and not of its present status, I might hope to show you that more has been done towards a solution of these problems than the current statements in text-books and magazines would lead one to



suppose. But, with these problems in mind, I insist that the immediate demand in psycho-physics is for careful, straightforward work by the approved methods. We shall gain more from such work than from anything else.

(2) *Affection*. When we turn to the affective processes, we have no such difficulty in selecting our problems. This whole chapter in experimental psychology is one single problem. Will you believe — I had myself not realized it before — that in all the five and thirty volumes of the *Zeitschrift* there is not a solitary experimental article on the feelings? This, although the same volumes contain, roughly, two hundred contributions to experimental psychology! The *Studien* has about one hundred and forty experimental papers, of which nine deal with affective psychology or experimental esthetics: that is the best record I have found. Now look at the problems. We are not at one as regards the nature and number of the elementary affections; there are experimental psychologists who reduce all the elements of consciousness to sensations. We are not agreed whether the diversity of feelings is to be referred to a diversity of affective process proper or to a diversity of organic sensation. Some of us think that a given affective process is coextensive with consciousness; others maintain that consciousness may be a mosaic of affections. Some assert that the feeling-element is effective for association; others deny it this effectiveness. Some find the best illustrations of the law of contrast in the sphere of feeling; to others, contrast may itself be a feeling. Our facts are few, our laws dubious. Surely, it is time to gird up our loins and make serious business of these affective problems.

I have insisted on the paucity of the experimental articles upon feeling. I do not, by this, mean to accuse experimental psychology of idleness or neglect: Lehmann's two books would save us from such a charge, if we had nothing else to offer. But these two books are characterized by their reliance upon the expressive method, — a method which, as you are aware, has stood in the forefront of many recent discussions. I have been at the pains to make out a complete table — complete, that is, so far as I was able to make it complete — of the results obtained by the method of expression. There is much to be learned from them. But I cannot believe that the method will help us very greatly towards an affective psychology. The organic reactions which the expressive method registers are closely interwoven and interdependent, and the task of differentiation presents difficulties which, if not insurmountable, have at least not yet been surmounted. I am disposed to think, *e. g.*, that the plethysmograph, as a differential instrument, is doomed to disappear from our laboratories. The sphyg-

mograph, and especially the pneumograph, hold out better hope; but I doubt if, at the best, a differentiation of affective qualities is to be expected from them. From the method of suggestion, which really takes us over into social psychology, I expect still less. There remains, at present, only the method of impression, which has done good service in a limited field, and which should be capable of modification and expansion. However, I am fortunately not called upon here to propose methods of work, but only to indicate problems. And the facts and laws of the affective life, the life of feeling and emotion, form one of the largest and one of the most insistent problems of modern experimental psychology.

(3) *Attention*. The prominence given to the state of attention is characteristic of experimental psychology, as contrasted with the empirical psychology of associationism. It is, indeed, one of Wundt's greatest services to the new psychology that he early divined the cardinal importance of attention in the psychological system, and began that series of experiments of which we can by no means see the end to-day. For I imagine that we must all admit, if we are honest with ourselves, that the body of facts at our disposal, large and varied as it is, is yet not adequate to a theory of the attentive state. We must know more of the constitution of the attentive consciousness, and of the mechanism of distraction; much remains to be done before we can settle the vexed questions of the distribution of attention; we must work out, experimentally, the relation of attention to affective process; even the familiar problems of the range and duration of the attentive state are — well, are still problems. I am not sure that we shall not have to manifold the study of attention, as we have that of memory; and to speak in future of the facts and laws of visual attention, auditory attention, and so on, instead of taking "attention" as a single state. I am certain that we must have a more specialized psychology of the great variants and resultants of attention — a specialized psychology of expectation and habituation, of practice and fatigue.

If, then, I have seized the situation correctly, we have in these three fundamental departments of psychology three problems of different orders, the solution of which calls for a diverse endowment of psychological skill and insight. There is an outlying group of sensations that can, we must believe, be successfully attacked by the analytic methods which have been successfully employed in the other sense departments. The experimental study of the affective processes calls for a much greater gift of originality and constructive imagination; we have to shake off literature and tradition, and to begin almost at the beginning. In the case of attention, we have to push on and make progress along paths already marked out, but insufficiently explored.

What holds in this regard of the attention seems to me to hold also (4) for that mixed medley of formations which we include under the general term *perception*. I wish that we could banish the word perception to the special limbo reserved for unregenerate concepts, and could put in its place a round dozen of concrete and descriptive terms! But it has, so far, held its own, and I can hardly avoid its use. We know, now, a great deal about tonal fusion, about space-perception, about rhythm, — if rhythm be a perception; we know something about time-perception. You will, however, agree with me that no one of these topics is a closed chapter. I see no very pressing problem, as I look over the field; but I see, in every quarter of it, good work that needs doing. I am sorry if this opinion appears indefinite; it is the opinion that I have come to after a study of more than a hundred and fifty articles that deal with perception in the five journals referred to just now: and I cannot make it more definite without going so deeply into detail as far to exceed the time allotted to me.

We can speak a little more concretely of (5) *recognition, memory, and association*. Association was, at first, handled in rather step-motherly fashion by experimental psychology. Of late years, however, we have come to see the importance of detailed analyses of the associative, as also of the recognitive consciousness; we have, I think, finally broken free from the traditional schemata, and are approaching the problem with open minds. Something has already been done; much more remains to do. The experimental study of memory was begun, by Ebbinghaus, rather in a practical or psychophysical than in a psychological spirit. In the development of the work since Ebbinghaus, we can trace two tendencies: a tendency towards psychological analysis of the memory-consciousness and the explication of the psychological laws of memory; that on the one hand; and on the other, a tendency towards the application in practice of psychological results. While, now, I take the recent experimental work on memory and the associations involved in memory to be work of a high order; and while I believe, in particular, that certain of the methods employed are a valuable addition to our psychological repertory, I cannot but think that the two tendencies just mentioned have not been kept as distinct as they should have been, and that experimental psychology has suffered in consequence. We can hardly hope to get a psychology of memory and association on the ground of *Reproduktionstendenz* and *Perseverationstendenz*; we can hardly hope to get practical rules, if they are what we want, out of the published studies on economy of learning. The *Tendenz*-concepts are psycho-physical, and tend to cover up the complexity of actual experience; the practical studies are made under conditions widely remote from those that obtain in ordinary practice.

Let us realize that we may attempt here any one of three distinct problems. We may aim at a psychology of memory and association; *i. e.*, we may seek to record our experience, to trace the introspective patterning of the memory-consciousness. We may aim at a psycho-physics of memory; *i. e.*, we may try to establish formulæ akin to the well-known formula of Ebbinghaus's *Gedächtnis*, which represents retention as a function of time elapsed. Or we may aim at an applied psychology of memory; we may work out, experimentally, an art of acquisition. I do not say that an investigation into one of these three topics will throw no light on the other two; on the contrary, I have already insisted on the value of indirect results in psychological inquiries. But in our thought, at any rate, the three problems should remain separate and distinct. They offer, without doubt, a wide field for future research. I would suggest, though with all reserve, that the psychological study of memory and association may, in the long run, help us to clear up the much-disputed question of the subconscious. There are, as you know, experimental psychologists who work simply in terms of introspection and of physiological process; there are others who interpolate between these terms an unconscious or subconscious mentality. I cannot go into detail; but it seems to me that, if these differences of opinion can in any connection be brought into the laboratory for adjustment, it is here, in the investigation of memory and association, that we may hope to introduce them.

I come next (6) to *action*. You will remember that, in its early years, experimental psychology was much concerned with the psycho-physics of action; indeed, the problem of the "personal equation" is a good deal older than our laboratories. This interest has never flagged. If we have not heard so much of late about reaction experiments, we have heard a great deal about the psycho-physiology and psycho-physics of voluntary movement. And I think that we can leave these things to take care of themselves; we may, without any question, look to the next few years for improvements of technique, for revision of numerical determinations, for recasting of theories. That work is under way. What I should like now to emphasize is the need for investigation of the more strictly psychological kind. Our knowledge of the action-consciousness is still very schematic, very rough, in part very hypothetical. It has been recognized for some years that the reaction experiment may be turned to qualitative, *i. e.*, to analytical account; but so far more use has been made of this idea in laboratory practice than in research. We must start all over again, and take the action-consciousness seriously. I once made a sort of reaction experiment of the setting-up and taking-down of an inductorium; the student made the manipulations continuously, under time-control, and gave his introspective

record at the end of each experiment. We worked at the problem for a year, only to learn that we had been too ambitious; we had, as even with experience one is apt to do, underestimated the complexity of consciousness. At the same time, we decided that the problem was soluble; we gathered in a good store of introspective results, even if they were too individual, and too discrete, to be employed for generalization; with more time and more observers, or with a simpler set of voluntary movements for study, we should have accomplished something for psychology. I regard such studies as those recently made on the control of the *retrahens* of the ear, or on the control of the winking reflex, as extremely promising in this field. At any rate, whether we work from the classical reaction experiment, or whether we take voluntary movement under more natural conditions, the problem is quite definite: we must submit action to an introspective analysis as detailed and as searching as that to which we have subjected perception.

I have put off (7) *imagination*, because I am a little afraid of the term. It is a word which, like perception, I should be glad to see discarded from the vocabulary of experimental psychology. I think that we employ it more vaguely even than we employ perception; and I think that the future will substitute for it a number of descriptive terms. If we begin with the elementary process, the image itself, we must plead ignorance on two fundamental points: whether image-quality is coextensive with sensation-quality, and whether image-difference is adequate to sense-discrimination. If we go to the other extreme, and regard imagination as the general name for a group of typical formations, — as a concept coördinate with memory, — we must surely say that experimental psychology is, as yet, hardly over the threshold of the subject. We know, perhaps, how to set to work: some investigations have been made, and some hints toward method have been given; but, in the large, this chapter of experimental psychology remains to be written.

(8) Of the more complex *affective* formations we can say but little until we have a better psychology of feeling. No doubt, there are certain problems in the psychology of sentiment, and more especially in that of the esthetic sentiments, that can, within limits, be handled without regard to the ultimate categories of feeling. I should, however, consider these limits as very strictly drawn.

(9) For the higher *intellectual* processes we have, I think, three sources of knowledge: direct experiment, — that, as you know, has been well begun, — the indirect results of experiment upon sensation, and *Völkerpsychologie*. I am inclined to lay great stress upon the second of these sources. Experimental psychology has often been reproached, on the one hand, because it devotes most of its time to sensation, and on the other because the results of its dealings with

the higher processes are jejune and meager. To the former charge I plead guilty, in so far as we have avoided the affective problems, though this neglect is not at all what the framers of the accusation have in mind. And even so, I might offer in extenuation the experimental work upon attention. But this apart, I think that experimental psychology is justified in its choice of topics. The only way to catch the higher intellectual processes in course of formation is to work from the periphery, by way of the sense-organs. It is when we are working with tones, or with lifted weights, that the amazing diversity and complexity of judgment becomes apparent. If, on the contrary, we take any one of these higher processes full-formed, and attack it directly, we are very likely to find that the vehicle of the mental function is extremely simple; there is a law of reduction, running all through mind, whereby a highly complex formation tends to degenerate, to reduce to a stereotyped simplicity. It is, to my mind, a distinct merit of experimental psychology that it has brought to light this meagerness of content in the examination of "higher" mental functions of an habitual order; and it is a healthy instinct that sends us back and back again to the channels of sense, as we seek an appreciation of the fullness and richness of the mental life. I may add, though I say this a little hesitatingly, as a merely personal impression, that the introspective attitude of the observer seems to me to be more nearly normal, less artificial, in cases where the avowed object of experimentation is comparatively simple. If you are asked overtly to grapple with a complex psychosis, you are likely to brace yourself to the task, to put on an armor of preconceived opinion; if the psychosis meets you unawares, finds you off guard, the facts will have their own way with you. A distinguished English psychologist once declared that it is futile to attempt the problems of recognition by way of rotating disks of black and white sectors. I should say, on the contrary, that these disks are, in principle, the very best means to an understanding of the higher intellectual formations.

As for the ultimate goal of experimental endeavor, I suppose that we may call it (10) the problem of *consciousness*, — not in the sense in which that problem is understood by the theorist of knowledge, but in this sense: that, as hitherto we have analyzed and traced to their conditions certain mental processes of lesser or higher degrees of complication, so now we analyze and trace to their conditions total consciousnesses, given in varying states and constituted of various formations. The difficulty of this problem is enormous. Only those of you who have attempted it, in one case or other, for yourselves, who have discarded classificatory terms, and faced the living facts; only these, even of experimental psychologists by profession and training, can form any proper idea of its difficulty.

It is a problem for which we are not yet ripe. We can approach it only by way of theories which we know to be inadequate, and by help of hypotheses which we cannot substantiate by facts. But it is the problem towards which we are trending, and the road to its solution lies, as in my judgment all such roads in our science lie, not through brilliant suggestion and ingenious forecast, but through patient and steady work. This work must be in part the work of experimental psychology, as we are here interpreting that phrase; in part the work of what is called individual psychology — though, indeed, from perception onwards, the difference between these two departments of psychological investigation is simply a difference of accent. Or, to put the matter concretely, we must work not only with the doctrine of states of consciousness, comparing experimentally the attentive and the inattentive, the hypnotic and the dreaming, all sorts of normal and abnormal states of consciousness, but also with the doctrine of conscious types which we owe (and the debt is great) to the psychologists of individual variation.

So I finish the first part of my review. If I have omitted anything of consequence, or if I have seemed to do injustice to any department of work, I must ask for pardon and correction; I have spoken with the utmost possible brevity. My own habitual thought in experimental psychology is positive, not negative; that is, I am accustomed to look upon our problems rather as continuations of work already begun than as gaps and lacunæ in our system of knowledge. I could wish that it had fallen to my lot to address you in this positive way, to show what experimental psychology has done, how in the past few decades it has changed the face of systematic psychology, rather than to insist upon the tasks that still lie before it. I have, however, tried to be entirely honest; I have, I think, rather exaggerated than concealed our deficiencies; and I would have you remember that this definite formulation of things to do presupposes and implies that much has been done. When Wundt wrote his famous essay, *Ueber die Aufgaben der experimentellen Psychologie*, the problems that loomed before him were the psychophysics of sensation, the analysis of perception, the time-relations of the higher processes. To-day, the list is longer and the range wider. But it is only because we already possess that we can say, in such detail, what still needs to be added to our possessions: in which fact let us take encouragement.

I pass, with some diffidence, to a consideration of wider issues, — of those extensions of the experimental method, proposed or attempted, of which I spoke at the beginning of this address. Most psychologists, I take it, would agree that the picture I have drawn of experimental psychology in what has preceded is drawn too

narrowly. The title of psychologist is, indeed, given at the present day to two distinct types of scholar. On the one hand, we have the psychologist as I have represented him: a man keenly interested in mind, with no purpose beyond mind; a man enamored of introspection; a man to whom the most fascinating thing in the universe is the human consciousness; a man to whom successful analysis of an unresolved mental complex is as the discovery of a new genus to the zoölogist or a new river to the explorer; a man who lives in direct companionship with his mental processes as the naturalist lives with the creatures that are ordinarily shunned or ignored; a man to whom the facts and laws of mind are, if I may so put it, the most real things that the world can show. On the other hand, we have men to whom mind appeals either as a datum or problem, or both, to be dealt with by philosophy, by theory of knowledge and theory of being; or as a natural phenomenon, something that must be taken account of whenever life is taken account of, in evolutionary biology, in anthropology, in medicine, and where not. Of the psychologists of this second order, the philosophers, you will say, do not concern us. Yet they do, somewhat. I suppose that all sciences — certainly, all young sciences — are liable to be told by well-wishers that they have mistaken their work; that they would advance more quickly, and more solidly, if they would put off their present business, and settle down to this or that suggested problem. At any rate, experimental psychology has always received such hortation from friendly philosophers. If, now, I have ignored this advice, it is not from lack of gratitude, but simply because, after consideration, I have come to believe that experimental psychology knows what she is about, and can walk without assistance. Outsiders, we are told, see most of the game. I venture to urge that the insider better knows how the game is to be played.

We are left with the two opposed types: what shall I term them? — the inner and the outer, the subjective and the objective, the narrower and the broader. What, then, of the outer, wider, objective problems of experimental psychology?

Let us be clear, first of all, — the matter admits of no hesitation or compromise, — that the experimental psychology of the normal, adult, human mind must take the form that I have described, — the form of introspective analysis. I have little sympathy or patience with those experimentalists who would build up an experimental psychology out of psycho-physics and logic; who throw stimuli into the organism, take reactions out, and then, from some change in the nature of the reactions, *infer* the fact of a change in consciousness. Why in the world should one argue and infer, when consciousness itself is there, always there, waiting to be interrogated? This is but a penny-in-the-slot sort of science. Compared with intro-



spective psychology, it is quick, it is easy, it is often showy. We have been a little bit corrupted by the early interest in psychophysics; or perhaps, more truly, we have not all learned instinctively to distinguish between psycho-physics and psychology proper; and so we are apt to take the tables and curves of reactions for psychological results, and the inferences from them for psychological laws. Now the results, where they are not purely physiological or anthropometrical, are psycho-physical results. As such, they have their usefulness; and the psychological laboratory is their right place of origin. But there is no reason why one should gain psychological credit for them — still less for erecting a speculative psychology upon their foundation. This mode of psychologizing is inherently as vicious as any of the constructive modes of the older psychology, the psychology before experiment. Historically, it has proved disastrous; <sup>1</sup> it falsifies problems and obscures real issues; we must set our faces against it now and for all time. How, indeed, shall one call a man a psychologist who deliberately turns his back upon the one psychological method, in the one field to which that method directly applies? There is no excuse, in psychology, for the neglect of introspection, save the one — and that must be demonstrated — that introspection is impossible.

Having said this much by way of preface, I may take up the further question. We can hardly open a magazine nowadays without finding applications of the experimental method beyond the limits of the normal, adult, human mind. In animal psychology, in child psychology, in various departments of mental pathology, the experimental method is employed. Even the conservative *Studien* contains articles on the state of sleep and dreaming, and Wundt has looked more favorably upon experiments under hypnosis, since they promise to confirm his theory of feeling. Experiments on children and animals have for some years past occupied the attention of leading American psychologists; work on child psychology is characteristic of the *Année psychologique*, and is being published more and more freely by the *Zeitschrift*; you all know the avowed purpose of Kraepelin's *Arbeiten*. I need not multiply references. Wherever psychological interest has gone, in these fields, the experimental method has gone with it. Sometimes the particular experiment is borrowed forthright from the normal practice of the laboratory, sometimes the procedure has been recast to suit the novel problem; sometimes the experimental method is taken seriously, employed with care and knowledge, sometimes it is thrown in as a makeweight, without responsibility or understanding; sometimes

<sup>1</sup> Is proof needed? Think of the early work upon the just noticeable difference, upon the simple reaction, upon the "time-sense;" or think of Wundt's current discussion of Weber's and Merkel's laws!

it is praised, sometimes decried. All this is natural. The important thing for us is, I think, the recognition that the experiments are a part of "experimental psychology," in the sense of this paper, and must be taken account of in any general review of the problems of experimental psychology. The psychologist of the laboratory is apt to emphasize the crudity and roughness of the work, and its neglect of introspective control; the psychologist of the clinic or the school-room or the animal-room is apt to consider his colleague narrow and his colleague's work finical and meticulous. The transcending of this difference, the reconciliation of these views, I take to be a very real problem for experimental psychology, — though a problem of a different order from those that I have been discussing. And I suggest the following points for your consideration. First, that one cannot be too nice or too careful in experimenting on mind. There is no such thing as over-refinement of method.<sup>1</sup> Let those who doubt this fact read Martin and Müller's *Unterschiedsempfindlichkeit*; the more delicately one analyzes, the more subtle does mental process reveal itself to be. Galton's questionnaire results on visualization are psychology, and valuable psychology; but they are also pioneer psychology. Now, the pioneer may pride himself on his work, but not on the roughness of his work. When the laboratory psychologist smiles at the charcoal sketches of objective experiment — well, he does wrong to smile, because honest work should not be laughed at; but he is right in his conviction that the details are all to come, and that the simplification of the lines means over-hasty generalization. Mind is, so to say, our common enemy; and the laboratory psychologist learns, by dearly bought experience, not to underestimate his opponent. Secondly, I would remind you that, after all, objective work in psychology must always be inferential; introspection gives the pattern, sets the standard, of analysis and explanation. If we interpret the animal mind by the law of parsimony, our only justification is that introspection discovers the reign of this law in the human consciousness; if we subsume the evolution of mind in the animal series to the principle of natural selection, our only justification is, again, that introspection discovers the working of this same principle in our own case. As I put it just now, there is but one excuse for the neglect of introspection in psychology, and that is that introspection is impossible; but even here our neglect is methodical only, and does not — must not — extend to interpretation. These things have been said so often<sup>2</sup> that they have become

<sup>1</sup> A method may be too refined for the man who is using it, or for the problem upon which he is immediately engaged. But these are different matters.

<sup>2</sup> In saying them, from the "narrower" point of view, I am, of course, hoping for similar cautions (at any rate, for varied advice and information) from the more "objective" psychologists. What they will have to tell their colleagues of the laboratory, I do not know; but I have no doubt that it will be worth listening to.

commonplaces; but even a commonplace may be true — and it makes a difference, too, whether the truth be urged with polemical or with friendly intent. I should like to see more coöperation between the alienist, or the student of comparative psychology, and the laboratory psychologist; quite apart from practical results, such coöperation would be of great advantage to the psychological system. We can hardly hope — this point should be borne in mind — that the two interests, the objective and the subjective, will be combined in the same person. When one has once stepped inside the ring of the normal, adult consciousness, there is very little temptation to step out again; the problems that I listed a little while ago are enough to occupy several generations of workers, and the fascination of the work is like the fascination of the mountains or the sea. And if one begins from the outside, with the child or the animal or the abnormal mind, there is little likelihood that one can breathe the confining air of the laboratory, or that one will presently limit one's range of interests to one's self. Partly it is a matter of temperament, partly a matter of chance introduction or of continued occupation. The two types of psychologist are distinct: all the more reason that they should work in harmonious coöperation.

I hope that, in this latter portion of my address, I have not traveled too far out of the record. Some men have problems thrust upon them. And, after all, if what I have said contributes ever so little to the furtherance of mutual aid and the increase of mutual esteem, as between psychologists of different camps, I may hope for forgiveness, even though I have exceeded the letter of my instructions. Now let me briefly summarize what I have said. I began, you will remember, by pointing out that, above and apart from the many special problems of experimental psychology, there lies the great problem of self-definition, of the range and scope of the experimental method in psychology. Then, under the headings of psychology proper and of psycho-physics, I called your attention to a series of laboratory problems that, more or less insistently, more or less immediately, call for solution. Whatever else experimental psychology may be, I said, these issues are issues of experimental psychology. Incidentally, I deprecated any departure, at the bidding of philosophy, from the straight path of psychological investigation; and I deprecated also that neglect of introspective control in psychology which has been the besetting sin of many whose direct interest lies in psycho-physics. I then went on to include in experimental psychology the more objective applications of the experimental method in child psychology, in animal psychology, in abnormal psychology. It was not my province to detail the special questions in these fields; they form the topic of other

addresses in other sections. But I should regard as incomplete any review of the problems of experimental psychology which omitted reference to them. Their consideration helps us to attack that first problem of definition, clarifies our method, and furnishes an opportunity for the give-and-take of criticism and encouragement. We cannot afford to misunderstand one another, as we cannot afford to waste our time on unreal and constructive problems. The work presses; the rule of work is definite and unmistakable; there is room in the workshop for all sorts and conditions of men. I do not think that the outlook of any science could be more hopeful; I do not think that we need fear a lessening of that quiet enthusiasm which, from the first, in the beginner as in the mature student, has been the salient characteristic of the experimental psychologist.

**SECTION C**

**COMPARATIVE AND GENETIC PSYCHOLOGY**



## SECTION C

### COMPARATIVE AND GENETIC PSYCHOLOGY

---

(Hall 6, September 24, 10 a. m.)

CHAIRMAN: PROFESSOR EDMUND CLARK SANFORD, Clark University, Worcester, Mass.

SPEAKERS: PRINCIPAL C. LLOYD MORGAN, University College, Bristol.

PROFESSOR MARY WHITON CALKINS, Wellesley College.

SECRETARY: DR. R. M. YERKES, Harvard University.

---

THE Chairman of the Section of Comparative and Genetic Psychology was Professor Edmund Clark Sanford, of Clark University. In opening the Section the Chairman stated that the field of the Section was indeed no narrow one.

"We have nothing less than the full breadth of existing mental phenomena from man to micro-organisms, and the whole history of them onward from their first beginnings in the universe and in the individual. This immensity is, for the most part, obscure enough, but light has begun to dawn at two adjacent spots: in the study of mind in animals, and of the growth of it in the human child; and these areas have already overlapped a little in the study of animal infants.

"Progress at the first of these points has been, until yesterday, one might almost say, of all things the slowest. From the beginning of time there has extended in an almost unbroken stretch what may in all literalness be called a mythic period, a period when animal psychology consisted for most people in simply imagining, with a variable discount, how they themselves would think and feel if they were in the animals' place, and, for certain philosophers, in the opinion that animals were pure automata. Though this mythic period has not passed even yet for many who busy themselves with the doings of animals, but remains as a survival, another day has dawned, a day of experiments and co-operating workers, a day of science in earnest. And the progress at the second focus had been by no means rapid till the genius of Preyer made clear how one might study children scientifically, and proved that it could be done, by doing it. Since then it has spread in proportion to its natural fascination and importance.

"To the interrelations of these focal points of knowledge with other sciences, and to the problems which lie adjacent to them, we are, according to the plans of the General Committee, to give our

chief attention. By the happy choice of that committee we shall be addressed upon a subject suggested by the first of these topics by Principal C. Lloyd Morgan of University College, Bristol, *the* psychologist of the animal mind for all of English tongue. On the other topic we shall listen to Professor Mary Whiton Calkins of Wellesley College, whose demonstrated balance of judgment and critical insight amply justify her selection to outline present problems, while in her own person she represents for us the source from which in the end we shall probably get our fullest and most reliable data of human psychogenesis, — the sympathetic and yet scientifically faithful observations of sisters, aunts, and mothers. In those also who have consented to make the briefer addresses of the occasion we have those who will speak with authority upon the matters with which they deal.

“I wish very briefly to point out the importance, as it seems to me, of still another plot within, or closely adjacent to, our general field, which ought well to repay cultivation. I refer to the study of the mentally deficient — not at all from a pathological point of view, but from that of comparative and genetic psychology.

“Philanthropy has been interested in such cases now for many years, and an enormous literature has accumulated with regard to the practical questions of their housing, feeding, care, and education, and upon the medical, anatomical, and etiological aspects of them as medical cases, but only here and there has an investigator tried to gather something definite with regard to their psychical condition; and in doing so very few have made use of anything like systematic observation or experimentation. There has, no doubt, been abundant reason for this, but the time has come, I believe, when something more may be undertaken with advantage alike to the special department of applied knowledge upon which their care and treatment rests and to psychology in general.

“Where in the world can we expect to find a better control for the stages of human development as we have worked them out in normal human children than in these infinitely graded cases of arrest, — even if the arrest is not by any means a simple persistent *status quo*? The normal child is fluid, exposed to, and deflected by, a thousand incalculable influences, whereas the defective child is by his very defect put into simpler and more permanent and more calculable relations. Most mothers would surely resent an argument that sought to prove that their babies are now idiotic, because they would inevitably turn out to be idiots if they should halt in their course of daily development; and the mothers would be right; but there is enough resemblance between the conditions to make cross-reference illuminating.



“ But this is not all. The idiot and the feeble-minded ought to offer us the best possible means of getting at that all-important framework of later development, — the original stock of innate tendencies, emotional, impulsive, reflex, with which the human being comes into the world, and into which he fits his earliest experiences. Here we should be able to discover the nature and characteristics of that “going concern” in which, in Principal Morgan’s phrase, every young mind finds itself a partner when it first comes to a realization of itself. Complicated and overgrown by experience and training these tendencies surely are, even in defectives, but not so complicated and not so overgrown as in the normal individual.

Or where, again, could we hope to find a better opportunity to study in unsophisticated purity the broad and general expressive movements of face and members — the mimetic and other movements in which Wundt sees the foundation of language, and Lipps the germ of much of our esthetic comprehension?

The methods of attack must resemble in a considerable degree the simple ones of animal psychology and child-study, — observation of spontaneous activities and simple experiments. The imbecile cannot become the subject of any difficult or delicate tests. But on the other hand, he can command a few words, and can now and then answer a simple question comprehendingly. And here, as in all cases where we deal with the human subject, our anthropomorphizing tendencies, though still to be kept in restraint, have a larger justification in the facts than in the study of animal forms far remote from man. It may reasonably be assumed that what psychic life an idiot or imbecile may have is more like our own psychic life in its simpler expressions than anything else in the world, and that, if comparative psychologizing is anywhere justifiable, it is here.

Let me not give the impression that I think this field could be cultivated without difficulty, — that there are nuggets lying about on its surface for any one to pick up, if you will let me change my figure a little. Far from it; the field has been looked over already; what can be picked up easily has for the most part been picked up. It has also difficulties of its own, but not insuperable ones. All that I desire now is to point out clearly that this is really a portion of our field of comparative and genetic psychology, and a promising one, — one that, when we meet in future congresses, may possibly have an independent place upon the programme.

# THE RELATIONS OF COMPARATIVE AND GENETIC PSYCHOLOGY TO OTHER BRANCHES OF SCIENCE

BY CONWY LLOYD MORGAN

[Conwy Lloyd Morgan, Principal of University College, Bristol, England, since 1887. b. London, February 6, 1852. Educated at Royal College of Science (Duke of Cornwall scholar, Murchison Medalist, De la Bêche Medalist and Associate in Mining). Lecturer in English and Physical Science, Diocesan College, near Capetown, 1878-84; Professor of Geology, University College, Bristol, 1884-1901; Professor of Psychology, *ibid.* 1901. F.R.S. L.L.D (Aberdeen). Author of *Animal Biology*; *Animal Life and Intelligence*; *Introduction to Comparative Psychology*; *Psychology for Teachers*; *Habit and Instinct*; *Animal Behaviour*.]

THE central purpose of this Congress is the unification of knowledge, and the discussion of those general principles and fundamental conceptions which underlie the related problems of allied sciences. Now comparative and genetic psychology takes its place between biology, on the one hand, with its doctrine of variation and elimination, with its organic values in terms of survival, and, on the other hand, such normative sciences as ethics and esthetics, with their doctrines of worth for the ideal life of man. In any case the starting-point is in close touch with purely biological reactions, and the goal is our systems of knowledge and our ethical conceptions. And the fundamental principle underlying and giving unity to these departments of study, in their genetic and strictly scientific aspect, is evolution.

It may be well at the outset to state that the province of comparative and genetic psychology, as I conceive it, is to investigate the nature and mode of development of mental processes, dealing with them in their synthetic rather than their analytic aspect, at any rate employing the methods of comparison and analysis with a predominantly synthetic aim and in such wise as to enable us to reach general principles which may be applied to the elucidation of particular cases. Incidentally it may have occasion to classify mental products, to distinguish and group certain modes of instinctive behavior, to mark off from each other sundry types of association, and so forth; but it only does so in strict subservience to its central aim and object. That aim is explanatory rather than descriptive. Every piece of comparative and genetic work should be so planned as to contribute something to the establishment or the support of the principles of psychology. It should add fresh ideas to the ideal construction of the science. Only on these terms can we claim, and shall we receive, the cordial recognition of those who are working in other fields of psychological research — on these terms, and, as a matter of course, on those of constant and

faithful appeal to the facts of observation and a rigid adherence to the canons of scientific interpretation. If we undertake our work in this spirit and with no narrower aim, the whole psychological brotherhood will gladly admit that such research is indispensable and of lasting value. In any case it should be our aim, in this section, to contribute to the basal principles of psychology by employing comprehensively the comparative method, and by special inquiries in the field of development and evolution.

My own studies, as some of my hearers may know, have lain in close relation to certain aspects of biological investigation, and I may perhaps assume that I shall be expected to respond to the honor done me by the invitation to speak on this occasion, by indicating in broad outlines some of the conclusions to which I have been led in so far as they bear upon psychological genesis. If, then, I be asked to give expression to one or two of the most salient points which strike one who approaches psychology from the biological side as of cardinal importance, I should perhaps place first and foremost as genetically fundamental the way in which, in the lower ranges of mental development and evolution, everything hinges on practical behavior and activity. Psychological process is indeed a middle term between the results of complex stimuli from the environment on the one hand, and the results of complex reactions to that environment on the other hand. But in the earlier stages of genetic process this middle term is wholly subservient to the practical needs of an eminently active and practical life. It does not attain a position of relative independence. It is never divorced from its natural outcome in behavior. It does not assume that peculiar, and, from the purely biological standpoint, abnormal preëminence which it is apt to assume in the treatment of a predominantly intellectualist psychology of the earlier school founded mainly on the mental processes and products of philosophers and sages.

A second point which comparative and genetic study brings out with almost equal clearness is the complexity of the biological foundations on which the beginnings of the psychology of the individual are laid, and the consequent fact that, in individual genesis, the initial data are already grouped wholes and not sporadic and isolated sensation-elements. One of the problems which the earlier psychology essayed to solve is by what process of coalescence and elaboration isolated sensations could build themselves up into the complex wholes of perception and how these could relate themselves with the similarly-built complex wholes presented to consciousness when active movements were carried out. It assumed that the several sensations which may be distinguished through the application of a difficult and prolonged process of

analysis and abstraction were independent psychological units separately given, and sought to render an account of the manner in which these mental elements threaded themselves on the strands of association. A biological treatment has more and more clearly tended to emphasize the fact that the individual organism comes into the world as a going concern, the recipient of groups of stimuli giving psychological net-results, on the one hand, and capable, on the other hand, on purely organic grounds, of complex modes of behavior which supply also their net results, the two sets of net results coalescing so as to constitute felt unity-wholes. It has thus tended to relegate many of the problems of mental ontogenesis to biology, and has come to regard association itself as in large degree dependent on factors which are primarily organic and physiological.

If this be so, the starting-point of genetic study lies in the borderland region where distinctively biological evolution passes up into, and is increasingly influenced by, psychological development. And for this reason many observers have selected the phenomena of instinct as most likely to throw light upon some of the lower phases of psychogenesis.

From the phylogenetic point of view we are at present, I fear, very much in the dark as to the earliest stages in the evolution of effective consciousness as capable of exercising, in association with its physiological concomitants, guidance in the course of behavior. By effective consciousness I mean that which does, in some way, control organic activities. The only criterion we have of its presence is the observable fact that the organism profits by individual experience. It is, I admit, a difficult criterion to apply. But I confess that I am disposed to regard the introduction of consciousness into an ideal scheme of explanation without the application of some such criterion — the introduction it would sometimes seem of a sort of consciousness which is not a mode of experience — as a bit of mythology, which is harmful rather than helpful. Of effective consciousness, however, having demonstrably a guiding value, there is no evidence in plants. Dr. Jennings finds little or no sign of it in the lower Infusoria; nor can Dr. Yerkes find much or any proof of its presence in the Medusa. This is the region of tropisms and chemism and the like. Just when and how effective consciousness first comes into play we are, as yet, scarcely in a position to determine. Hence the problem has to be attacked in the main ontogenetically, by considering the connection between automatic behavior and that which affords evidence of conscious control, in organisms which exhibit both, each in relation to the other.

If there is one feature which is essentially characteristic of the

popular conception of the influence of mind in the conduct of affairs, it is that effective consciousness is a controlling influence standing in some way apart from the organic happenings over which its control is exercised. Is this popular conception wholly without scientific foundation and erroneous, as some physiologists would assure us? Take any simple case of accommodation to circumstances through a modification of behavior due to pleasurable or painful experience in like cases, — let us say the avoidance of nauseous insects by young birds, — or any other example of the intelligent control of instinctive procedure. Can we conceive how the feeling-tone, as the concomitant of nervous processes involved in the instinctive procedure as such, could modify the direction of the discharge — could either augment or inhibit it. I for one am completely incapable of doing so. Reduce what we may suppose to take place to the simplest schematic form. A stimulus excites a nerve-centre and the excited nerve-centre distributes a response. I am utterly unable to see how any conscious concomitant of the physiological action of that nerve-centre, *per se*, can in any way influence the response. Something must be added which in some way influences the discharge; and this is what we term experience, embodied in other nerve-centres, or in parts differentiated from the automatic centres.

It seems to me, therefore, that we are inevitably forced to assume that the physiological foundation of conscious guidance is, in organisms possessed of a nervous system, a differentiation of control-centres from the centres concerned in automatic response; and that the ascent of mind is the concomitant of the evolution of a differentiated control-system which, during individual life, is constantly playing down upon the system which is concerned in merely organic reflex acts biologically coördinated as instinctive procedure. It is between these two systems, thus differentiated, that interaction takes place.

According to this conception the control-system plays the part of environment to the automatic system which is the physiological mechanism for purely organic adjustment; and this harmonizes with the popular conception of mind as a selective environment. And the characteristic of this environment is that it includes, as modes of experience, on the one hand the surrounding life-circumstances, and on the other hand the responsive organic activities, and brings them into those relationships which we term psychological values. It is this controlling environment which is constantly influencing the course of procedure due to the hereditary modes of response of the automatic centres.

I am well aware that this conception of an environment within the organism itself runs counter to established usage of the term.

It will be said that the word implies those external conditions to which the organism as a whole is adapted through heredity or accommodated through acquired modifications of structure or function. It will be urged that it is this external environment with which the control-system is in relation, and that the suggestion I put forward involves an unwarrantable departure from all the recognized canons of biological interpretation. And yet, having all this in view, I venture to put forward the conception in the interests of psychological interpretation. There is not time now adequately to discuss it, even were this the appropriate occasion; only the salient features can be indicated and that very briefly. The determining conditions of psychologically-guided or intelligent behavior, as distinguished from responses which are purely automatic, are what we sum up under the term experience. It is commonly said that this experience is that which stands for, or represents, or symbolizes the environment. I wish to suggest that it is the psychological environment under the influence of which automatic responses and instinctive modes of procedure are modified, and that in all cases it includes more than the actual presentations of the environment as that term is used by the biologist. It includes the meaning which that environment has acquired. A chick that has had some acquaintance with the nature of wasps inhibits the instinctive tendency to pick at one when it is presented to sight. That and that alone is the presentation of the external environment at the moment when inhibition is brought into play. That and that alone is not the determining factor in the intelligent avoidance of the insect. This controlling factor is the meaning within experience which the presentation suggests. It may be said that what is suggested is a potentiality of the external environment. But the controlling influence of potentialities is hardly a satisfactory conception. What is actually present then and there is the experience, modifying the output of automatic response. This is to be regarded, according to the suggestion I put forward, as the psychological environment. But it is physiologically embodied in the control-system which is the actually present material environment under which the further functioning of the automatic centres is conditioned in intelligent behavior. The essential points, then, are these: (1) Experience, in so far as it controls behavior, may be regarded as the environment which supplies the conditions of guidance; (2) what the biologist terms the environment is a product of experience; (3) for the physiologist, experience must be translated into its neural concomitants in the control-system; (4) hence, if, psychologically, experience may be regarded as a conditioning environment, then, physiologically, the control-system, as its organic embodiment, may be so regarded.

Now there are diversities of opinion as to the range which should be included under a definition of instinct as contrasted with intelligence, and there are diversities of opinion as to the relations of the one to the other in genetic process, especially as to how far the modifications of behavior produced through the exercise of environing intelligence are directly inherited as variations of instinctive endowment. I do not propose to discuss the *pros* and *cons* of that difficult subject the inheritance of acquired characters. It suffices to say that in accordance with an hypothesis, in the development of which I am proud to be associated with Prof. Mark Baldwin and Prof. Henry F. Osborn, intelligent modification of behavior, if it be not the mother of congenital variations of hereditary instinct, may none the less be regarded as their fostering nurse.

This is not the occasion, however, on which to discuss diversities of opinion or indeed to enter, in any detail, into the more distinctively biological aspect of the study of instinct. From our point of view the essential feature of instinctive procedure lies in the fact that the behavior thus characterized is on its initial occurrence prior to and independent of individual experience. It wholly depends, as such, upon how the automatic centres have been built through heredity. And from the standpoint of genetic psychology it appears to me that the really important contribution which the study of instinct offers for our consideration is this: that in any given case of hereditary behavior what we may term an instinctive situation is presented to consciousness, as, ontogenetically, a primary unit-complex of experience, and that, as such, it is developed independently of any guidance in terms of experience. By the situation as presented to the environing consciousness I understand the whole of the initial stimulation, including both external and internal factors, the net results of the behavior as the situation develops, and the satisfaction or dissatisfaction which is attached thereto. We, as psychologists, analyze the instinctive situation. But I conceive that it is presented to consciousness as one developing whole. And the mode of its development is an organic legacy; it is essentially a flow of physiological process in the automatic centres; but it entails a flow of consciousness in the environing control-centres; and this flow of consciousness in its entirety, within a given situation, I am disposed to regard as a primary datum in ontogenetic development.

This thesis, which I purposely express in a somewhat extreme form for the sake of emphasis, involves a protest, I do not say against a too analytic treatment of the early phases of mental process (for it is our function to analyze and compare), but against the assumption that the products of our analysis are, psychologically considered, genetic units. We sometimes fail to realize to how great

an extent we are apt to become the slaves of the disintegrating tendencies of scientific procedure. Because we can break up a situation into what we call its constituent elements, we think that they are separately felt elements in the primary experience. I do not think that this is the case. I regard it as much more probable that the developing situation is collectively felt as it is unfolded; and that complex wholes, biologically integrated, rather than constituent elements, analytically disintegrated, are for ontogenetic treatment the primary data.

On this view, then, instinctive procedure presents to the environing consciousness, embodied in the control-system, ready-made situations. And, on the subsequent occurrence of like situations, under substantially similar circumstances, these are dealt with in accordance with the meaning which their predecessors had acquired.

One cannot, however, too strongly emphasize the fact that, in passing from biological responses and reactions, to conscious behavior founded on experience, we introduce a wholly new order of values — values not in terms of organic survival but in terms of feeling-tone. The two sets of values are so often and, of necessity, so predominantly consonant — their interrelations are so many and so close — that we are apt to forget that they are radically distinct. Physiology, as such, knows nothing whatever of that order of pleasure-pain values, which for us, as psychologists, are essential. They form no part of the ideal construction of physiology: they are dominant factors in the ideal construction of psychology.

And it is here, just where the strictly biological and the distinctly psychological factors begin to interact, that the difficulties of analysis make themselves felt. I have distinguished between the automatic system, the functioning of which is determined entirely by biological values in terms of survival; and the control-system, the functioning of which in its psychological aspect is determined entirely by a different order of values in terms of feeling-tone. The outcome of the one is instinctive behavior; the outcome of the other is intelligent behavior. But both are dependent on heredity. And it is therefore, I think, essential to distinguish, in our ideal construction, between two orders of heredity: first, that which obtains within the automatic system and which thus determines the nature of the hereditary responses; secondly, that which obtains within the control-system and which thus determines the nature of the hereditary likes and dislikes. For analysis these are independent each within its appropriate sphere; but they are developed within the same organism in close synthetic relationship.

At the outset of ontogenetic development instinctive and automatic responses are due to the purely biological order of heredity; but their results are reflected in the conscious environment and



therein are subject to the psychological order of heredity, so that the controlling influence of the environment is determined by feeling-tone and values for conscious experience. If then we speak of the development of a situation in conformity with the satisfaction it affords, as in accordance with the psychological end, and its development in conformity with the preservation and conservation of the race as in accordance with the biological end, the salient fact is that the two ends are consonant. This has, of course, been fully recognized by evolutionists from Herbert Spencer onwards. I will not here lay stress upon the noteworthy fact, which has not, I think, been sufficiently recognized by the Lamarckian school of evolutionists, that this consonance of biological and psychological end, is admitted to be the outcome of the survival of those in which the consonance obtained, and the elimination of those in which it was absent — that is to say is admitted to be dependent on natural selection. I would rather lay stress upon the fact that this consonance affords a striking link of continuity between the more distinctively biological and the more distinctively psychological factors of the genetic process.

The relation between the two has been well brought out in Professor Groos's discussion of the so-called play of animals. Indeed such play admirably illustrates the twofold influence of heredity; for on the one hand, it is founded on unquestionably instinctive modes of behavior; and on the other hand, it not less obviously appeals to an innate sense of satisfaction. Why do animals begin to play and keep on playing? From the psychological point of view because they like it: from the biological point of view because they thus gain practice and preparation for the serious business of their after-life. But why do they like it? Because under natural selection, those who did not like it, and therefore did not undergo the preparatory training and discipline of play, proved unfit for life's sterner struggle, and have been therefore eliminated. I have contended that inherited modes of behavior present to consciousness ready-made situations which develop automatically on biological lines, and that the rôle of environing intelligence is to lead to modifications in their redevelopment in accordance with their psychological values. I have also called to remembrance the fact that in the animal world, under normal conditions, these psychological values with their appeal to feeling are consonant with biological values in terms of survival. Throughout the course of mental development, in the perceptual sphere, there is a constant interaction between the two factors broadly classed under the heads, "instinct" and "intelligence." And it is the province of detailed study to assess at their true value the rôles played by these two factors in the particular cases which fall under consideration. A biological survey

of the field discloses the fact that when the conditions of life are constant and uniform, the instinctive factor, subject to organic selection, predominates, and complex groups and trains of reflexes assume a stereotyped form. This is due to what we may term a biological coalescence of unit-situations into a coördinated whole. What we call the instinctive behavior of many of the insects, for example, seems to be the inherited grouping in biological sequence of inherited units of response. But in relation to more varied circumstances the intelligent factor predominates. The hereditary unit-situations may not be fewer, may indeed be more numerous. But the manner of their coalescence and coördination is rather psychological than biological. The higher animals exhibit an intelligent plasticity which enables them to meet the requirements of the more complex surroundings into which their life has risen, and which is reflected or symbolized by the psychological environment. Here a stereotyped coördination of the hereditary units of behavior would be rather a hindrance than an advantage. The winning animal in life's struggle would be the one in which behavior was most rapidly and most surely modified to meet particular needs — the one in which the teachings of experience were most promptly used in effective action. The inevitable tendency of the evolution of intelligence must be the disintegration of stereotyped modes of behavior as biologically coördinated wholes and the dissolution of instinctive complexes into relatively independent instinct-units which would be thus free to coalesce into new groups under the guidance of experience. Thus it is that in the more highly developed animals and in the human subject the instinctive units assume rather the form of a number of congenital tendencies or propensities than of instinctively coördinated wholes of behavior, the former being less stereotyped than the latter. And thus it is that in them there is a shorter or longer period of inefficiency during which the inherited unit-situations are coördinated psychologically in new groups under the influence of individual experience as a shaping environment.

Throughout the whole range of perceptual development under these conditions there is progressive integration and differentiation of the unit-situations, always on essentially practical lines, always in closest touch with active behavior. Even perception itself, as genetic psychology has helped us more fully to realize, is dependent on acquired habits of action. Perceptual meaning and value are ever dependent on some activity directed toward that which is so perceived. All differentiations within the presented situations are due to the call for some directed behavior, are due to the demand for some focusing of active manipulation. Thus is the mouse differentiated for the practical interests of the kitten. And all integration of diverse situations is due to their

assimilation in terms of like modes of behavior in dealing with them, in terms of the similar responses which they evoke. Thus there is an integration of the situations of so-called play and earnest. But in perceptual process, far as differentiation may be carried, it never reaches the stage of intentional analysis; and, far as integration through assimilation may be carried, it never reaches the level of intentional generalization. These are the results of ideational process.

It will be noticed that I here lay marked stress on the distinction between perceptual and ideational process. I said at the outset that comparative and genetic psychology takes its place between biology on the one hand, with its doctrine of values for organic survival, and, on the other hand, such normative sciences as ethics and esthetics, with their doctrines of worth for the ideal life of man. It appears to me that in the relation of biology to psychology the essential point is to grasp the analytic distinction between the instinctive and intelligent factors, and I have therefore so far mainly dealt with this distinction. But it also appears to me that in the relations of psychology to normative science, the equally essential point is to grasp the distinction between perceptual and ideational process. In the study of the higher ranges of animal psychology and of child-life this distinction has scarcely yet received adequate emphasis.

The study of the mental processes of the higher animals has of late years passed into a new phase. In the first place, it is now realized that, so far from being easy, it is full of peculiar difficulties and beset with special snares which entrap the unwary interpreter. In the second place, it is generally admitted that adequate training is required to enable an observer, no matter how accurate and faithful his record of facts may be, to diagnose inferentially the psychological conditions of which the facts themselves are significant. And in the third place, it is recognized that far more is to be gained by the systematic study of the doings of animals under controlled conditions and in test cases, than by the casual observations of credible but often uncritical witnesses. The new phase of the study of animal intelligence is thus characterized by experimental research in the hands of those who are trained psychologists, and who are fully aware of the difficulty and delicacy of the task which they undertake.

We must remember that in the early days of Darwinism, the first business of those who sought to place the conception of mental evolution on a secure basis was to establish the basal principle of continuity in the series of mental products; to show that in animals are to be found the germs of all the higher endowments of man; and to abolish all such radical distinctions in kind as were

then held to form an impassable gulf between the brute beasts and man with his spiritual capacities. This tendency, which was inevitable as a stage in the progress of thought, led to the utmost widening of the limits within which psychological terms, such as "inference," "abstraction," "generalization," and "reasoning" were used; the extension being designed so as to render these terms as comprehensive as possible and to enable them to cover not only fully differentiated processes but the earlier — even the embryonic — stages of their development. But when the conception of evolution had won its way to acceptance, when the principle of continuity had taken its place as part of the recognized scheme of scientific interpretation, the emphasis of thought changed from the evolutionary curve as a whole, now freely and fully accepted as continuous, to the differentiated stages which could analytically be distinguished therein. They were applied again in more restricted senses; the restriction being designed to render them distinctively applicable to certain higher phases of differentiation within an admittedly continuous process.

In any case it is necessary to bear in mind the fact (of which I have suggested the probable cause) that the same terms are applied by different authors with wide differences of limitation — by some in a more extended and by others in a more restricted sense. From this it follows that some at least of the divergences of interpretation in the comparative psychology of animals are more apparent than real.

The influence of the terms we employ, closely connected as it is with our early training, is often deep and abiding. It has been a special merit of Dr. Stout's treatment of psychological topics that he has emphasized, so clearly and in so many ways, the fundamental distinction, as I conceive it to be, between perceptual and ideational process. As he himself has pointed out, one of the great difficulties in the way of its general acceptance, is due to the fact that the existing terminology grew up at a time previous to any serious attempt to render clear the distinction. Some of my hearers may remember the almost pathetic words in which Dr. Stout laments the misleading influence of the terms we are at present almost forced to employ. If I may be allowed slightly to modify his statement without, as I believe, introducing anything foreign to his thought, his contention is that "human language is especially constructed to describe the mental processes of human beings [in ideational terms], and this means that it is especially constructed so as to mislead us when we attempt to describe the workings of minds which differ in any great degree from the human," and even the workings of our own minds on the perceptual plane. "A horse, having had a feed at a certain place one day, stops of his own accord

at that place on a second journey. People say that it remembers being fed here before, and infers that it will be fed here again. In all probability these words with their human implications [on the ideational plane] are quite misleading. Suppose that the master of the horse is a bibulous person, who takes a drink as a matter of course whenever he comes to a public-house on the road. In order to do this he need not go through the process of remembering that he has had a drink at a public-house before, or of inferring that he can have a drink at a public-house again. He simply has a bias to stop at a public-house whenever he comes to one. Probably the horse's act implies just as little of remembering or inferring."

It will be noticed that the difficulty which Dr. Stout indicates, does not apply only to the mental processes of the horse, but also to some at least of those which are characteristic of his bibulous master. No doubt, taking men and women as we find them, there is the closest interaction between ideational and perceptual process, just as there is between instinctive and intelligent procedure. But there is, I conceive, an analogous relation. Just as the instinctive factor provides data which intelligence deals with so as to shape it to more adaptive ends, so does the perceptual factor provide the more complex data which, through ideational process, are raised to a yet higher level in rational conduct. And in both cases notwithstanding, nay largely in consequence of, the closeness of the interaction, it is the business of analysis to distinguish with the utmost clearness the essential features of the constituent factors.

I take it that the leading characteristic of perceptual process is the dealing with situations as wholes in their unanalyzed entirety. When the integration of which I have spoken has been carried far, any relatively new situation is assimilated to the past experience gained in similar situations wherein certain salient features have been differentiated through their intimate relation to practical activities. The associations thus begotten are not associations between separate ideas, but in every case essentially between the situation and the practical behavior it calls forth. Even this expression savors too much of analysis. Let us rather say that the type of association distinctive of perceptual process is that between an early phase of a situation and the succeeding phase, so that what is suggested in any given case is a mode of development of the situation as a whole through practical behavior. That is the essential feature of the doctrine of meaning in perceptual process. It is meaning in terms of a specific development of the situation as a whole; it is meaning closely bound up with a felt impulse to act in a certain way; it is the meaning which attaches to the public-house as the result of practical experience on the part of the horse and of his bibulous master.

Now, it appears to me that recent researches all point to the fact that the mental processes of animals are mainly — I do not say entirely, though I myself still incline to that opinion — but at all events mainly, on the perceptual plane. They tend to show that animals, even the monkeys, deal with situations as complex unity-wholes. The method of learning is chiefly dependent on practical behavior which, carried out with varied and persistent — often restless — activity, leads the animal unsystematically to stumble on new associations between such behavior and the situation within which it arises. But it also appears to me that a very large proportion of human process is predominantly upon the perceptual plane. I say “predominantly” because even this section of human activity is inevitably influenced by the ideational section which is superinduced thereon. And there is, I repeat, no little difficulty in determining its range, as perceptual, just because our psychological language almost necessarily leads us to describe it in ideational terms — the terms begotten of comparison, analysis, and synthesis.

It is through such steps, and such steps alone, that, upon the basis of perceptual experience, systems of knowledge can be built. This is the product of ideational process. It involves an ideal or schematic construction. And when situations are viewed from the standpoint of a system of knowledge their salient features have not only meaning for practical behavior, but also significance in relation to that system. They are apperceived as particular examples which illustrate some general scheme or principle. They are subject to the influence of a new environment. And it is here that psychology comes into touch with normative science. No doubt, normative science, as its name implies, deals with standards of reference — in ethics, for example, with standards of “ought.” But this is only an implication of the fact that the particular act is viewed in its relation to an ethical scheme of conduct. Impulses arise within the situations as they occur and as they are dealt with in and for themselves. But motives, as the term is used in ethics, imply the relations between these several situations and a system of ideals. Only on the ideational plane do there emerge considerations looming up beyond the situations into a prudential, moral, or other scheme; behavior is thus raised to the level of conduct; and a situation is developed, not only in accordance with the impulse-value arising therein, but in accordance also, and in greater degree, with the motive-worth for a system.

One of the characteristics of ideational, as contrasted with perceptual reference, is, that, whereas in the latter the salient feature of the situation is always the centre of development, in the former the comparison is with independent centres, or an independent

scheme, to which many situations may be referred. This may be illustrated by the different attitude of the two types of process to relationships in the surrounding world. For perceptual process these relationships are not disentangled in analysis from the complex within which they are imbedded, nor are they synthetically rebuilt into new unity-wholes; but they are none the less contributory, within the complex, to practical behavior. Suppose one is shown into a strange room and deals with the situation in purely perceptual fashion. One assimilates the various impressions in terms of past experience. At any given moment some object — say the clock on the mantel-shelf — is in the focus of vision. The others are grouped around it in the margin of the visual field — the picture above, the fireplace below, the bookcase on one side, the cabinet on the other. These are the spatial relationships within the field for perceptual experience. But in and for the situation as such the centre of reference is always the focus of the field. It is a constantly shifting centre. As the eyes flit from object to object the focal impression changes again and again. And with each change the space-relations of other objects, more dimly seen in the margin of vision, are rearranged. But always for the situation itself, as contrasted with systematic knowledge, the centre of reference is the focus of vision (or other mode of perceptual experience) at the time being. It is an essentially practical centre. It *means* that so much movement of the eyes or hands or body as a whole, in this or that direction, will bring this or that impression, at present marginal, into the focus. Practically perceptual folk constantly tend to deal with a spatial situation in this way. They picture how they would act in the midst of it. Ask a farmer's lad whereabouts the church is in his native village. He will probably reply that as you leave the Blue Boar public-house (his focal point) you must first turn this way, then that way, and then go straight down the street till you get there. The distinguishing feature is that the spatial relationships which are disentangled in ideational process for the purposes of schematic construction and rebuilt in a conceptual scheme of three dimensions — a scheme independent of, but applicable to, particular situations — are, for experience on the perceptual plane, parts of a given complex, having meaning for practical behavior, but as yet no significance for systematic thought. They are not subject to the influence of an environment of ideational constructions.

For we are now in a position to extend the conception of conscious environment. Intelligence, in the perceptual sphere, embodying the coalescent representation of concrete situations, plays the part, as I suggested, of environment to the automatic responses. And this undergoes evolution to higher and higher levels in per-

ceptual process. But in ideational process there is superimposed a further environment, under the influence of which intelligent procedure is itself controlled. This higher environment is constituted by systems of knowledge, ideals of conduct, and artistic conceptions. Just as intelligence, fulfilling its function of environment, plays down upon organic procedure, shaping it to more perfect adjustment to the circumstances of perceptual life, so does reason, as environment, play down upon intelligent procedure, molding it to more perfect adjustment to the conditions of ideational life.

According to this conception, there are superimposed upon the pleasure-pain values in terms of feeling-tone, yet higher motive values of a new order in terms of logical, ethical, or esthetic worth. And if we attempt to translate this into physiological terms, not only is there a differentiation of a control-system from the automatic nerve-centres, there should also be a further differentiation within the control-system itself, yet higher intellectual centres being differentiated from those which are concerned in perceptual process.

There is, however, a further distinction which is important for the comprehension of the social influence of ideational process. Perceptual intelligence is, in the main, receptive and representative of a natural environment which takes form independently of the exercise of its influence. Only in a limited degree are its products in behavior so applied as to modify and enrich that natural environment. The beaver indeed constructs its dams, the bird builds its nest, the spider spins its web, and so forth. Some amount of choice of environment through subjective selection is possible. Some products of behavior are projected on to the plane of its organic or inorganic surroundings. But it is a characteristic feature of ideational process that it is constantly, in an indefinitely larger degree, embodying the products of its rational environment, as developed in consciousness, in concrete form, so as to constitute part of the physical and intellectual surroundings. Subjective selection is a most potent factor in human life. To an extent only foreshadowed in the animal world does man both create and select his own environment of circumstance. And this is the keynote of the higher human evolution as contrasted with that which obtains among the lower animals. It involves a transference of evolution from the organism to the social environment.

Now if the distinction between perceptual and ideational process is sound in principle, it is of fundamental importance in dealing with the higher ranges of psychological development. In any case, whether the subject be man or child, dog or monkey, it is our duty to devise such methods of observation as shall enable



us to apply these principles in such a way as to analyze out the two factors, supposing that both coexist. As I read the results of the recent researches of Dr. Kinnaman, Professor Thorndike, Mr. Hobhouse and others, on the intelligence of the primates, there seems however, but little evidence, even in them, of the schematic products of ideational construction. And the question arises whether such products are possible without language as an instrument of analysis and synthesis.

In attempting to deal, I fear very inadequately, with the subject committed to my charge, I have essayed to give a very broad and general survey of the genetic sequence. Starting with biological reactions and bringing these into touch with the early stages of intelligent guidance, the essential feature is the occurrence of a new order of values, those of feeling-tone in terms of pleasure-pain. So long as situations are dealt with naïvely in and for themselves, these values are the determining psychological factors, but always in close and vital relationships with the survival values of the biological mode of explanation. At some stage, however, of the evolutionary process a new order of values has its rise and origin — these are connected with ideal schemes and systems; and they are in terms of worth for the ideal life. Just as intelligence forms the environment under which automatic responses are guided to higher ends, so does some sort of rational system form the environment under which perceptual processes are controlled. Here we have the scientific foundations of ethics. But here too, important as these scientific foundations may be, many of us feel that they are insufficient; and we are thus brought into close relations with those metaphysical postulates which are outside the sphere of comparative and genetic psychology, *quâ* science — with relations which no doubt have been or will be discussed in another section of this comprehensive Congress of Arts and Science.

# THE LIMITS OF GENETIC AND OF COMPARATIVE PSYCHOLOGY

BY MARY WHITON CALKINS

[Mary Whiton Calkins, Professor of Philosophy and Psychology, Wellesley College, since 1897. b. Hartford, Connecticut, March 30, 1863. A.B. Smith College, 1885; A.M. *ibid.* 1887. Student by special permission in Graduate Seminaries and Psychological Laboratory, Harvard University, 1890-91, 1893-95. Instructor in Greek, Wellesley College, 1887-90; Instructor in Psychology, *ibid.* 1891-93; Associate Professor, *ibid.* 1893-94, 1895-97. Member of the American Psychological Association; American Philosophical Association. Author of *Association; An Introduction to Psychology*; and contributions to psychological and philosophical journals.]

As a mere student of general and of adult psychology, and no first-hand investigator of the consciousness of animals, little children, and primitive men, I have no especial right to treat of this topic. I have been induced to do so by the conviction that comparative and genetic psychology, even more than other branches of the science, urgently need to-day a fresh survey of their boundaries, a definite formulation of their basal conceptions.

For such a critical consideration of fundamental problems, the general psychologist has, perhaps, a peculiar fitness. He may not, it is true, penetrate, as the specialist can, into the thicket of the phenomena of animal behavior, infant activity, and primitive customs, but he may yet avoid the specialist's danger of failing to see the forest for the trees, of entangling general considerations with irrelevant details.

The terms "genetic" and "comparative psychology" are commonly employed without discrimination.<sup>1</sup> This, however, is an unjustifiable confusion, for genetic psychology is a mixture of comparative, or inferential, with direct, or introspective, psychology. Its study of the consciousness of animals and of primitive men, and most of its studies of the child consciousness are, it is true, pursued by the indirect or comparative method, the comparison of their behavior and their bodily structure with the conduct and the structure of the normal human adult. But an introspective, yet genetic, study of successive phases of the conscious life of the adult may be made; and such a study, though genetic, obviously need not be comparative. The distinctive feature of genetic psychology is, in truth, not its method — that may be direct or indirect — but a certain character of its subject-matter. The material

<sup>1</sup> Cf. for an example of this frequent misuse, D. G. Brinton, *The Basis of Social Relations*, p. 3, in which he describes comparative psychology in terms applicable to genetic psychology only: "Its province," he says, "is to trace the evolution of human mental powers to their earlier phases in the inferior animals."

of a genetic science is anything in its development: whether it study life or consciousness, animal or child or adult, a genetic science studies this object as developing.

Logically antecedent to all special problems of genetic and of comparative psychology is the question of the scope, and, conversely, of the limits of each. These problems constitute the main subject of this paper. The first to be considered is:

### I. *The Limits of Genetic Psychology*

At the very outset, genetic psychology is met by the challenge to its logical existence. The question is seriously raised whether there is any sense in which consciousness may be said to develop, whether, in other words, there is room for any genetic science of consciousness. It is evident, at once, that consciousness, conceived after the atomistic, Humian fashion, as a succession of phenomena or events, — a chain of ideas, in the widest sense of that word "idea," — cannot be said to develop. Development presupposes a unit of change, that is, some one reality which expands or narrows, grows or decays, and yet retains, throughout its change, a certain identity. The Humian, "linked-idea," conception of consciousness has, as its only unit of reality, the single idea, that is, state of consciousness; and the idea does not develop, since it exists for the moment only.<sup>1</sup> Thus, the Humian conception, since it recognizes no reality which underlies that of these evanescent states of consciousness, leaves no room to conceive of consciousness as developing. Consistent advocates of this system<sup>2</sup> rightly, therefore, reject the conception of a strictly genetic psychology. They concern themselves, it is true, with genetic biology, in the effort to explain concrete psychic phenomena, explaining, for example, the fear of empty spaces by the fact that empty spaces were dangerous to our animal ancestors, and that therefore those of them who escaped, through instinctive flight, survived to propagate offspring. This, however, is no genetic psychology; it is a psychological use of the facts of genetic biology. Psychology, as study of succeeding states or processes of consciousness, is not, and may not become, a genetic science.

A genetic psychology is possible, in truth, only on a radically different view of the nature of consciousness. According to this second doctrine, consciousness is not a mere succession of ideas: it is a self-conscious of itself, of other selves, and of its own ideas. The unit of psychology is, from this standpoint, not the single state of consciousness, the idea, but the conscious self. This is not the time

<sup>1</sup> *Treatise on Human Nature*, bk. I, part iv, sec. 6.

<sup>2</sup> Cf. Münsterberg, *Grundzüge*, chapter xiii.

in which to expand this conception and to distinguish it sharply from the metaphysical doctrine of the self with which it is too often confused. It is essential, however, to suggest the justification for such a conception of consciousness. The ground for the doctrine is, simply, this: Introspection discloses that every state of consciousness is immediately known as the state, or idea, of some self. Thus, consciousness of any idea involves also the consciousness of a self, conscious of this idea. On direct introspection, therefore, not on philosophical demonstration, this conception of consciousness is based.<sup>1</sup>

It seems evident that a self, thus conceived, does undergo a development which is psychic and not physiological. The progress from infancy to maturity, or the advance from the savage through the barbaric, to the civilized epoch of human life, illustrates what is meant by self-development, a change which is correlated with physiological processes, but is surely not identical with them.<sup>2</sup> My ten-year-old self, shrinking with a terror which I still revive from a new face, and my present self which welcomes every stranger with a genial interest, are related by an identity and a difference. I am the same self — the childish terror still is realized as mine — and yet I am another self with a new attitude to the world. In just this progressive reconciliation of sameness and difference, self-development consists.

To psychic development, thus conceived, as characteristic of a self in its relations, there is not of course the decisive difficulty which faces the theory of psychic development, when consciousness is looked upon as series of ideas. An idea, a momentary psychic occurrence, lacks — as has been pointed out — the permanence which is necessary to a developing reality. A self, on the other hand, has both identity and permanence, and may therefore be conceived as growing and expanding. Yet the theory of self-development has its own characteristic obstacle: A self, it is urged, is not a temporal reality at all; on the other hand, time is the peculiar category of the idea-series, and a self must be regarded without reference to temporal realities. Only in its connection with its body is it necessarily considered as a past or present or future self: essentially it is the same self, in spite of these distinctions.<sup>3</sup> And if this be true, the development conception may not be applied directly to a self.

It must be admitted that this difficulty has its roots in a just conception of the nature of a self. Selves are, in truth, primarily untemporal; and their basal relations are the untemporal ones of common experience, of sympathetic emotion, of self-assertion,

<sup>1</sup> Cf. the writer's *Introduction to Psychology*, chap. xii.

<sup>2</sup> Cf. E. C. Sanford, *Mental Growth and Decay*, *American Journal of Psychology*, vol. XIII, pp. 426 seq., 1902.

<sup>3</sup> Münsterberg, *Grundzüge*, chap. iii (1) and (2); and Royce, *The World and the Individual*, *Gifford Lectures*, Second Series, III, vi.

and of loyalty<sup>1</sup> to others. It is therefore impossible to dispose of this objection to the theory of self-development, on the ground that it involves purely metaphysical considerations. For psychology, as well as metaphysical reflection, discloses this untemporal quality of conscious selves.

On the other hand, this difficulty cannot be admitted to be final. A scientific study of selves, in untemporal relation to each other, is indeed possible; but the temporal relation of selves to their own past and future, as well as to the temporal experience of other selves, must be admitted as a second possibility. For science is, after all, but a systematization of the every-day experience, and the facts of self-development are unquestionably matters of every-day observation. In other words, a self may be regarded, from the scientific as perhaps contrasted with the metaphysical point of view, now as temporal and again as untemporal; now as presenting a complexity of untemporal qualities and relations, again as presenting a succession of unfolding phases.

Genetic psychology, the study of developing selves, is therefore a legitimate science. This admission leads the way to a more precise definition of development. At the outset, it must be insisted that development, in the technical sense of evolutionary biology, cannot possibly be predicated of conscious selves. This will be admitted, when it is considered that heredity and natural selection are essential features of biological development. But it is simply impossible for one self to transmit its characters to another. Every self, on the other hand, has a certain independence and identity, which is quite incompatible with a transmission of characters. The traditional conception of psychic heredity, as set forth, for example, by Ribot,<sup>2</sup> is nothing more nor less than an empirical observation of the psychic likenesses between children and their parents.<sup>3</sup> In this sense of mere similarity, psychic heredity is, of course, a fact. Such similarity does not, however, involve a transmission of mental characters. The conception of development, so far as it includes that of heredity, in this stricter sense, is applicable not to conscious selves but to animal bodies.

This ruling out of the factor of heredity sufficiently proves it impossible to conceive a self as developing in biological fashion. The position is strengthened by the reflection that natural selection, the preservation of certain individuals through the destruction of others, is altogether incompatible with one important tendency of psychic progress. This is the social tendency to protect and to help the weak. Every discussion of the doctrine of human evolution

<sup>1</sup> Cf. the writer's *An Introduction to Psychology*, chaps. xiv-xxi

<sup>2</sup> *L'Hérédité Psychologique*, 1902.

<sup>3</sup> Cf. Ribot's virtual admission of this, *op. cit.*, p. 387.

emphasises this "failure of natural selection." Those who could not unaided, win in the struggle for existence, are cherished and protected, by parental care, by philanthropic effort, or by religious zeal, in opposition to the workings of natural selection.<sup>1</sup>

Development, in its well-marked biological sense, is then impossible within the domain of related selves. It is important to reiterate this conclusion, in the face of the cheap and easy theories of transmission of traits, and of natural selection working in the sphere of social relations. But development is not necessarily conceived after the fashion of modern biology.<sup>2</sup> In a broad sense, development may be defined as the succession of the more complex upon the simpler states — or, conversely, of the simpler upon the more complex states — of a unitary being. Such a psychic development the normal adult self, who remembers his own past experience, may introspectively observe in himself.

Genetic psychology, thus conceived, is evidently in the first instance individual psychology: it is a study of the individual self — human or animal, child or adult — either in the process of learning, that is, in the progress from simple to complex consciousness, or in the reverse order from complex to simple. This learning-consciousness, as will later appear, is of two chief sorts: individual and social. That is to say, a developing self either profits mainly by its own experience, without realized relation to other selves; or it learns by its attitude, imitative or inventive, toward these other selves.<sup>3</sup> Each of these basal forms of learning — individual and social — has, in turn, two subdivisions. The individual learning-consciousness either is mainly associative, or it involves analytic reasoning. And the social type of learning, by imitation and opposition, is distinguished as it refers to contemporary or to past selves. In the latter case, genetic psychology may indeed be called a race-psychology. The child imitates its parents, and the parents have learned by imitation of an earlier generation, each imitation involving an allied invention, a supplementing of the copy. Material for a genetic race-psychology is found thus, in the indirect dependence of an individual, through imitative and inventive consciousness, on other individuals who, from the time-standpoint, have preceded. Most of these distinctions will be illustrated, in the second section of this paper.<sup>4</sup>

<sup>1</sup> Cf. F. T. Headley, *Problems of Evolution*, pp. 282 seq., 334; L. T. Hobhouse, *Mind in Evolution*, chap. xiv, pp. 387 seq. and 395.

<sup>2</sup> Cf. Hobhouse, *op. cit.*, pp. 375 seq., 383, seq.

<sup>3</sup> Cf. J. M. Baldwin, *Social and Ethical Interpretations*, chap. viii, sec. 4; J. Royce, *Psychological Review*, 1898, pp. 113 seq.

<sup>4</sup> Genetic psychology must be sharply distinguished from the study of the psycho-physical organism in its development. The unit of this sort of development is neither psychical nor physical, but a compound of psychical and physical. In the current phrase, this compound is known as the psycho-physical organism: it is the body regarded as possessed of a soul, or self, or the self regarded as the

The foregoing pages have attempted to vindicate the existence of genetic psychology and to outline briefly both its scope and its limits. It will be necessary to discuss at greater length the second topic of this paper.

## II. *The Limits of Comparative Psychology*

The bare existence of comparative psychology is nowadays called in question by no one. All psychologists admit that babies, primitive men, and some animals are conscious, and consequently grant the need of a science to study these forms of consciousness. The limits of comparative psychology are simply, therefore, limits in the application of its indirect method. Its initial problem may be formulated thus: what classes of animals and what stages of child-life and what levels of primitive life are conscious? To the consideration of this question, the remainder of this paper is chiefly devoted. For lack of time, the problems of ethnic psychology will be utterly neglected, and the main stress will fall on the facts of animal consciousness. The analysis of the consciousness of animals will be incidentally undertaken.

To determine what sorts of animals and what stages of the child-life are conscious, it is necessary to formulate some objective, or indirect, test of consciousness. Even if, as in common with many psychologists the speaker believes, the direct consciousness of other selves is involved in every self's consciousness of itself, such direct consciousness is evidently not present in the mere scientific study of animals, of babies, and of primitive men. That these organisms are conscious is not, under these conditions, directly or positively known: their consciousness is affirmed or denied by infer-

possessor of a body. The "question of genesis" is, from this point of view, as Baldwin says (*Development and Evolution*, pp. 8 and 10; chap. ix, sec. 3, p. 129) a question of "the development of mind and body taken together. . . . Changes in mind and body go on together and together they constitute the phenomenon. Both organism and mental states . . . may be appealed to in our endeavor to trace the psycho-physical order of events."

This conception of development as neither exclusively physical nor as exclusively mental, but as both at once, has its greatest significance in the fact that it introduces consciousness as an important factor in biological evolution. To be sure, widely different rôles are assigned to consciousness by different upholders of this general doctrine. But beneath these divergences is a fundamental agreement — the admission that consciousness, as such, plays a part in the development of the composite psycho-physical organism.

There are two grounds for refusing to regard this science of psycho-physical development as a genetic psychology. The first, advanced by those only who deny the truth of the interaction of mind and body, objects to the theory of psycho-physical development, that it implies not only the influence of physical on psychical, but conversely the influence of psychical on physical. The second objection, urged even by those who grant the possibility of interaction, consists in the assertion that a psycho-physical science would be biology and not psychology at all, a composite of physiology and psychology, in which psychology would play the subordinate rôle.

ence from structure, from behavior, or from product. A basis for this inference, that is, a test of the presence of consciousness, has, therefore, to be found.

There are two widely opposed doctrines concerning the nature of this test. The first of these may be called the continuity doctrine. In its unmodified and most consistent form, it ascribes consciousness to all living organisms, on the ground that life implies consciousness. In other words, the continuity theory interprets animal movements by their analogy with human conduct. Opposed to this doctrine is the mechanistic theory, which conceives of all plants and of the lower forms of animal life as mere mechanisms, on the ground of their unvaried and perpetually recurring reactions. The test of consciousness is, on this view, non-mechanical — that is, adaptive — behavior.

Upholders of the continuity theory have two arguments for their doctrine that consciousness is a property of animal life. The first is a metaphysical argument, based on that principle of continuity from which I have named the theory. Some animal organisms, it is argued, have consciousness, and the forms of animal life succeed so closely on each other that it is irrational to suppose the sudden appearance of consciousness at any one stage; hence it must have accompanied animal life from the first. The second argument is empirical, not metaphysical in character. It is based on a two-fold analogy of the animal with the human organism: the likeness of certain structures of animal bodies with those of human bodies, and — more important — the similarity of animal activities to movements consciously performed by human beings. This analogy is extended to the lowest forms of animal life. "The Infusory," Binet says, "guides itself while swimming about; it avoids obstacles; . . . its movements seem to be designed to effect an end. . . . In short, the act of locomotion, as seen in detached Infusoria, exhibits all the marks of voluntary movement."<sup>1</sup> After the same fashion are explained the movements of bacteria toward grains of chlorophyl in a drop of water which contains no oxygen,<sup>2</sup> the amœba's rejection of foreign substances,<sup>3</sup> and the movements of animals higher in the scale of life — of echinoderms, for instance — from dark places into well-lighted ones.<sup>4</sup>

In all these cases, the underlying argument is the same: infusoria, bacteria, and amœbæ, echinoderms and higher animals perform acts like those which are voluntarily, or at any rate consciously, carried out by human beings; therefore, infusoria and the rest are conscious. The analogy is strengthened when to simi-

<sup>1</sup> *The Psychic Life of Micro-Organisms*, translation, Open Court Co., p. 46.

<sup>2</sup> *Ibid.* p. 32.

<sup>3</sup> *Ibid.* p. 41.

<sup>4</sup> G. H. Schneider, *Der thierische Wille*, chap. v, p. 164.



larity of conduct is added likeness of structure. So Binet<sup>1</sup> describes the ocular spot of a ciliated infusory, "composed of a convex crystalline humor, having the form of a watch-crystal enveloped by pigment," and concludes that the "identity of structure" with that of the eyes of higher animals "naturally leads to the assumption of the identity of functions."

An examination of these arguments discloses, however, certain flaws, of which the more significant are the following: In the first place, the law of continuity proves too much. If the sudden appearance of consciousness at any stage of organic development be irrational, so also is the sudden appearance of consciousness at any point of development — inorganic as well as organic. Consciousness must, in other words, be attributed to vegetable as well as to animal organisms, and must be claimed also, on this same principle, for inorganic matter: it must be attributed to the iron filings attracted by the magnet, no less than to the infusoria attracted by the food.

The chief objection to the empirical argument of the continuity theory is less readily stated in a compact form. The argument, it will be remembered, rests on the analogy of such acts as the movements of bacteria to the light or the hiding of young gulls in the crevices of rocks, with corresponding acts of human beings, which — it is assumed — are consciously performed. But this assumption is obviously in fault, as far as individual human acts are concerned. Motions even more complicated — for example, the avoidance of obstacles in walking and the muscular contractions necessary to a musical performance — may be unconsciously performed by human beings; and the mere likeness with human movements cannot, then, prove animal actions to be conscious. To rescue the analogy, modern upholders of the continuity theory therefore make a further hypothesis. They admit that even complex human acts may be unconsciously performed, but they conceive all such acts as habitual, and they assume that all habitual movements were originally performed with consciousness and that they have grown unconscious with practice.<sup>2</sup> Many of these unconscious human movements may be traced back, it is shown, to consciously performed acts in the past life of the individual. Others, for example the characteristic bodily expressions of emotion, have remained unconscious throughout individual experience, but these, it is urged, were consciously performed by the animal ancestors of the human being: in a word, they have grown unconscious through racial experience.

<sup>1</sup> *Op. cit.*, p. 28.

<sup>2</sup> Cf. Spencer, *Principles of Psychology*, vol. II, part ix, chap. iv, pp. 546 seq.; Wundt, *Grundriss*, 6th edition, IV, sec. 19, p. 339; Schneider, *op. cit.*, v, pp. 150-155; E. B. Titchener, *Pop. Sci. Mo.*, vol. LX, pp. 465-467, 1902.

The complete argument, restated, in accordance with this fresh hypothesis is then the following: All animal activities are psychic because they resemble human activities, and all human activities are psychic, because they either are, or originally were, performed with consciousness.

But even in its new form the argument is invalid. In the first place, admitting its premises, it does not prove of any particular animal activities that they are conscious, but only that they once were conscious — perhaps not even in the experience of the individual. In the second place, the conception of unconsciousness, as attained through racial practice, involves the assumption that the effects of practice are transmitted, and has thus to reckon with all the formidable objections brought to bear against this revival of Lamarckianism. Finally, even if this difficulty be waived, the continuity argument loses all its force with the appeal to racial experience. For the strength of the argument lies in the analogy between animal behavior and directly observed human consciousness. When once, however, it is admitted that some human activities are and have remained unconscious through individual human experience, then the analogy becomes futile. To call the animal reactions psychic because analogous to human actions, when these human actions may be conceived as psychic only on the hypothesis that they once were consciously performed by the animal ancestors of human beings — this is an obviously circular argument.

The admission of this radical defect in the argument of the continuity theory leads naturally to a consideration of the teaching of the mechanists. This doctrine, it must be remembered, is less sweeping than the one which it opposes; for that asserts that all forms of animal life are conscious. The mechanists, on the other hand, are far from teaching that all animals are unconscious. They insist, however, that only those animals are conscious which behave in a non-mechanical way, those whose actions vary in such wise as progressively to adapt themselves to their environment. Negatively, then, the mechanists contend that those animals are unconscious whose movements are repeated and unvaried reflexes; and after this mechanical fashion they interpret many of the activities, which their opponents regard as psychical, notably the merely instinctive activities of animals.<sup>1</sup> Their argument also is twofold, theoretical and empirical. Against the metaphysical law of continuity, they array the logical law of parsimony, the

<sup>1</sup> This mechanistic theory must not be confounded with the utterly unjustified conception of consciousness as identical with nerve-process, which is current among certain modern physiologists — one may instance Loeb. (Cf. *Comparative Physiology of the Brain and Comparative Psychology*, pp. v, 12, 213.) This revival of the outworn doctrine of Vogt and Büchner is obviously a result of defective observation and of the unwarranted intrusion of a one-sided metaphysic into psychology.

alleged necessity of explaining every phenomenon in the simplest possible way. Now the physiological antecedent of a movement has always to be admitted, so that the introduction of consciousness as part-condition of a movement certainly adds a complicating factor. It follows on this principle of parsimony that any animal movement which can be explained as unconscious should be so explained, in other words, that the simplicity of the unconscious reflex conception gives it right of way.

The empirical argument of the mechanists, against the continuity theory, is in the main the development of a counter-analogy: the likeness of the supposedly purposive and conscious acts of animals with plant changes, and with mechanical processes. The argument has three distinguishable forms. In the first place, it has been experimentally demonstrated, by Loeb, Bethe, and others, that many animal activities which have been called psychic are, in reality, direct responses to mechanical, chemical, or electrical stimuli.<sup>1</sup> Even the home-seeking activity of ants, Bethe has shown, depends on the traces of food which has been dropped on the outward road. Bethe argues that the home-seeking is, therefore, an unconscious reaction to a chemical stimulus.<sup>2</sup>

It has been shown by the mechanists, in the second place, that instinctive animal activities, usually conceived as conscious on account of their purposive character,<sup>3</sup> are persisted in when they have become useless, and even positively harmful. Loeb, for example, has experimented on the crevice-crawling instinct of animals,<sup>4</sup> which is usually cited as an activity performed for the purpose of self-preservation, a movement to escape pursuit by seeking obscurity. Loeb, however, finds by ingenious experiments on butterflies and on worms, that the instinct persists when the crevice is brightly lighted, and therefore at least unsuited for a place of concealment. By similar experiments, Yerkes has shown that certain crustaceans persist in a hurtful instinctive activity;<sup>5</sup> and Jennings has proved the same for several forms of infusoria.<sup>6</sup>

<sup>1</sup> Loeb lays great stress on the teaching that the nervous system, so far from being functionally distinct from protoplasm, merely "plays the part of a more sensitive and quicker conductor for the stimulus." This doctrine, though well established (cf. Loeb, *op. cit.*, pp. 4 seq., 38 *et al.*, and *Der Heliotropismus der Thiere*, Würzburg, 1890, sec. 69, and p. 113; Goltz u. Ewald, *Pflüger's Arch.*, LXIII, p. 374, 1896; Schrader, *Pflüger's Arch.*, XLII, 1887, pp. 75 seq., and XLIV, 1888, p. 175), has no direct bearing on the present discussion, except for those who start from the *a priori* conviction that nerve-excitation is an inevitable and theoretically necessary condition of consciousness.

<sup>2</sup> *Pflüger's Arch.*, LXX, pp. 15 seq., 1898.

<sup>3</sup> Cf. p. 724, below.

<sup>4</sup> *Op. cit.*, pp. 184-185. Cf. *Der Heliotropismus der Thiere*, p. 1.

<sup>5</sup> R. M. Yerkes, *Reaction of Entomostraca to Stimulation by Light*, ii, *Reactions of Daphnia and Cypris*, *Amer. Jour. of Physiology*, vol. iv, p. 419, 1900.

<sup>6</sup> H. S. Jennings, *Studies on Reactions to Stimuli in Unicellular Organisms*, ii, *Amer. Jour. of Physiology*, vol. ii, p. 330, 1899.

In the third place, the direct analogy is emphasized between animal instincts, on the one hand, and inorganic as well as vegetable processes, on the other. The upward crawling tendency of young caterpillars and the upward migrations of pelagic animals are mere mechanical responses, Loeb insists, "similar to that which forces the stem of the plant . . . to bend toward the source of light";<sup>1</sup> and the changes produced by electric currents in the postures of *amblystoma* are closely analogous to the phenomena observed in inorganic bodies under the influence of electric currents.<sup>2</sup>

A careful examination of these three arguments will disclose, however, that no one of them is an entirely decisive proof that instinctive activities are unconscious. To begin with the argument last stated: the likeness of instinctive animal reactions to inorganic processes stamps the animal reactions as non-psyhic, only on the supposition that the inorganic movements are non-psyhic. This assumption is, to be sure, commonly made; and it is made, in particular, by most of those who support the continuity hypothesis. By them, therefore, the logic of this argument from the analogy of animal with inorganic movements may not be challenged. Any one, who argues, "the echinoderm, like the human being, turns toward the light, and is, therefore conscious," cannot object, on formal grounds, to the counter-argument, "the nereid crawls into the lighted tube as inevitably as the needle turns to the pole, and is therefore unconscious." (From metaphysical considerations, on the other hand, this argument might well be assailed.) So far as the second of their empirical arguments is concerned, the mechanists are certainly right in insisting that actions which are mechanically repeated, even when useless or dangerous, are not purposive. Nevertheless this argument also falls short of its ulterior aims. Acts which are purposeless may well be conscious; and the caterpillars, worms, and butterflies may have the sense-consciousness of crawling, even without the purpose of self-preservation. So, also, the successful demonstration that animal reactions are direct responses to an external stimulus disproves the selectiveness or discrimination of animal reactions, but does not disprove their consciousness. Bethe's ants, for example, though incapable of finding their way home, by means of visual imagination, may none the less have been conscious of odor, as they followed the food dropped by the way. And, finally, the law of parsimony, the theoretical stronghold of the mechanist, cannot be admitted as a controlling consideration. It is true that, other things being equal, the simplest explanation is to be

<sup>1</sup> *Op. cit.*, p. 181. Cf. *Der Heliotropismus der Thiere*, pp. 74, 88, 109, 1890.

<sup>2</sup> *Ibid.*, p. 160. Cf. Loeb and Garrey, *Zur Theorie des Galvanotropismus*, II Pflüger's *Archiv*, LXVI, p. 41, 1896.

preferred, but no methodological test can be allowed to determine a question of fact; nor—in the opinion of the speaker—can it have the authority of a metaphysical principle. In other words, granting the equal significance of each in its own sphere, the methodological law of simplicity ought not to outweigh the metaphysical law of continuity.

Evidently, then, the mechanist does not make his point. He has tried to show that unvaried reflex movements are unconscious, but has succeeded only in proving that they may be unconscious, and that it is simplest to conceive them thus. His opponent, however, is not more successful. He has tried to prove that all animal activities are *ipso facto* conscious; but has shown merely that they may be conscious, and that there is a certain metaphysical support for this conclusion. With regard to organisms whose reactions are unvaried reflexes, it thus appears that neither doctrine is justified on purely scientific grounds. The one proves the possibility that these fixedly reacting animals may be conscious, but does not empirically disprove the possibility of their unconsciousness; and the other empirically proves the possibility that they are unconscious, but does not disprove the possibility of their consciousness.

It is, however, highly important to observe that this unsettled issue does not concern the animals which make adaptive movements. For even the mechanists are agreed that non-mechanical behavior, that is, adaptive reaction to a fixed environment, is a sufficient guarantee of the presence of consciousness. Verworn,<sup>1</sup> Bethe,<sup>2</sup> and Loeb<sup>3</sup> unite in admitting this test of consciousness. "Es scheint mir," Bethe says, "der Nachweis ob ein Wesen im Stande ist modifiziert zu handeln, der einzige Prüfstein zu sein um auf psychische Qualitäten zu schliessen." It is therefore wise to waive the disputed question, does consciousness belong to animals whose reactions are mere fixed reflexes? and to ask, instead, the question, what animals meet that test of consciousness which is admitted by all, in other words, what animals make adaptive reactions? It is hardly necessary to remark that this argument from the occurrence of adaptive movements constitutes no absolute proof of the presence of consciousness, since the argument rests on a mere analogy. Yet the completeness of this analogy of the adaptive animal acts with conscious human movements and the utter absence of an analogy with mechanical processes combine to justify the conclusion that animals which act adaptively are conscious. Fortified by the metaphysical argument from con-

<sup>1</sup> *Protisten-Studien*, pp. 137, 141.

<sup>2</sup> *Op. cit.*, Pflüger's *Archiv*, LXX, p. 19.

<sup>3</sup> *Comparative Physiology, etc.*, pp. 12 *et al.*

tinuity, and by the conviction gained by direct relations with the higher animals, we do admit with practical unanimity that animals who respond in varied fashion to a fixed environment are to be counted as conscious.

It will be well to illustrate with more care the exact nature of this criterion of consciousness. It has been described already as the occurrence of adaptive, that is, of varying, reactions. Not only are the movements of animals at this stage discriminative, that is, different for different environments, but they are also varied in the same environment: in other words, though the environment remains unchanged, the animal, far from responding with one fixed movement, reacts with progressively increasing complexity and effectiveness. The dogs and cats, for example, in Thorndike's experiments, who succeeded in learning to let themselves either out of boxes or into them by unfastening latches of varying difficulty, at first responded to the stimulus of the closed door, by a relatively fixed, indiscriminate response to the entire environment, for instance by clawing at the whole surface of the door. Among these repeated and ineffective movements, however, a specialized action presently emerged, which drew the fastening; and this successful movement was repeated, at first by accident; and the casual repetitions resulted at length in the formation of a new motor response, a variation of the original reaction. Adaptive variation of response, as thus described, is — it will be observed — identical with the first stage in the developing consciousness of a self, the process of learning through association.<sup>1</sup> This criterion of the presence of consciousness implies thus the existence of a truly developing consciousness.

In passing, this criterion of consciousness should be distinguished from two others, current in modern psychology. By some psychologists, as, for example, by Schneider, the purposiveness of an act, that is, its utility, is made the voucher for its psychic character. There are two objections to this doctrine. In the first place, it defines non-mechanical actions from the standpoint not of the reacting organism but of the observer; in the second place, it makes the doubtful assumption that there are simple reflex actions which are not purposive. A second criterion of consciousness has recently been proposed by Dr. Minot: the ability to "dislocate reactions in time, that is, to delay reactions to a given stimulus."<sup>2</sup> To this, it has reasonably been objected<sup>3</sup> that "unconscious mechanisms could be constructed and indeed do exist

<sup>1</sup> Cf. p. 716, above.

<sup>2</sup> *The Problem of Consciousness in its Biological Aspects*, *Popular Science Monthly*, 1902, vol. LXI, pp. 289 seq., esp. p. 293.

<sup>3</sup> H. S. Jennings, *Studies on Reactions to Stimuli in Unicellular Organisms*, ix, *Amer. Jour. of Physiol.*, vol. VIII, p. 57, 1902.

in which there is a dislocation in time between the action of an outer agent — and the reaction of the machine." This time-adjustment is, in fact, merely a subordinate form of that general ability to vary the response to a fixed environment, which constitutes a non-mechanical, and thus an admittedly conscious activity.

At last, the way has been cleared for the definite question, what animals have been proved to react adaptively, that is, to learn? To begin with the unicellular animals: Verworn<sup>1</sup> and Jennings<sup>2</sup> have shown that most of them make a fixed and utterly unvaried response to a given environment. Many of them even react in but one way to all surroundings, giving the same response to every stimulus, however localized. The Paramecium, for example, as described by Jennings, "responds to any stimulus by swimming forward. . . . The direction of motion is the same whether the source of stimulation is at the anterior end, the posterior end, the side. . . . If the stimulus is at the posterior end [the animal] swims towards it even though this results in . . . destruction." Other organisms of this class have more than one form of reaction, but respond invariably by the same reaction to a given stimulus: the changed response is, in other words, called out only by altered surroundings. In the Dileptus, for example, and the Loxodes — forms of Ciliata — the reaction varies slightly with differently located mechanical stimuli:<sup>3</sup> a stimulus in front causes the Dileptus to swim backward, whereas a posterior stimulus is followed by forward motion. The essential feature of both types of reaction, of the indiscriminate and the discriminate response alike, is the fact that, in both cases, the movements are fixed and unvarying if the environment do not change.

There is, however, at least one experimentally observed exception to the rule that unicellular animals react in this unvaried fashion. This is the case of fixed infusoria, Stentor and Vorticella, which not only vary their response to different stimuli, according as these are harmful or beneficial; but which markedly alter their response to a given stimulus, when it is prolonged.<sup>4</sup>

Observation and experiment have, however, mainly had to do not with unicellular organisms but with animals of more complex structure. Romanes and Loeb have studied the radiates. Romanes attributes sense-consciousness both to jelly-fish and to

<sup>1</sup> *Psycho-physiologische Protisten-Studien*, Jena, 1889. Cf. pp. 137 seq., p. 141. Cf. for similar studies of plants: Pfeffer, *Untersuchungen aus dem botanischen Institut*, II, Tübingen, 1888.

<sup>2</sup> *Studies on Reactions to Stimuli in Unicellular Organisms*, II, *The American Naturalist*, vol. 33, p. 386, 1899.

<sup>3</sup> H. S. Jennings, *On the Movements and Motor Reflexes of the Flagellata and Ciliata*, *Amer. Jour. of Physiol.*, vol. III, pp. 242 seq., 1900.

<sup>4</sup> H. S. Jennings, *Studies on Reactions to Stimuli in Unicellular Organisms*, IX, *Amer. Jour. of Physiol.*, VIII, pp. 23 seq., esp. 52 seq.

starfish, but he reaches this conclusion from the disputed standpoint of the continuity hypothesis. "The starfish," he says, "perceived the proximity of food, as shown by their immediately crawling towards it."<sup>1</sup> He thus argues consciousness from simple reaction, instead of experimenting on the starfish to discover if they would not react similarly to unodorous stimuli. Other experiments on different orders of radiates have not to my knowledge resulted in the discovery that they make adaptive reactions, though Loeb's experiments offer evidence of their discriminate movements.<sup>2</sup> The tentacles of actinians, for example, draw in meat, and reject paper; but so far as is reported, they do not handle the meat or paper with increasing expertness.

Studies of mollusks, also, so far as I know them, have consisted in examination of their sense-organs,<sup>3</sup> in the study of the function of their nerve-systems, and in experimental observation of their immediate reactions, but have not included any effort to train them to adaptive reactions. None the less, Loeb concludes that cephalopods may possess associative memory.<sup>4</sup> It is certainly to be wished that some investigator might study different orders of the radiates and the mollusks, with the express aim of discovering whether they may be trained to adaptive reactions. For herein, and not in the possession of acute sense-organs nor in the capacity for discriminated yet invariable reactions, is the trustworthy test of consciousness.

Different orders of the articulates have been studied with this special end in view, with the result that they have been trained to simple motor habits. Loeb, to be sure, interprets the movements of worms as mere reflexes, but he argues mainly from the inconclusive premise that their most complex reactions seem not to require coördination through brain-centres. Yerkes,<sup>5</sup> Yerkes and Huggins,<sup>6</sup> and Spaulding<sup>7</sup> have experimented on crustacea and have proved that both crayfish and crabs can learn by the trial and error method to find their way through simple labyrinths. Spaulding's experiments are noteworthy, since he trained his crabs to a habit opposed to their instinctive heliotropism, namely, to seek food in the dark.<sup>8</sup>

<sup>1</sup> *Jelly-fish, Star-fish and Sea-urchins*, p. 321.

<sup>2</sup> Loeb, *op. cit.*, chap. iv, pp. 50 seq.

<sup>3</sup> Cf. J. W. Spengel, *Die Geruchsorgane u. das Nervensystem der Mollusken Zeitschr. f. wiss. Zool.*, xxxv, p. 333; W. A. Nagel, *Bibliotheca Zoologica*, Heft 18, 1894; Loeb, *Der Heliotropismus der Thiere*; J. Steiner, *Die Functionen d. Central Nerven Systems der wirbellosen Thiere, Sitzungsberichte d. Akad. d. Wissensch.* 1, p. 32, zu Berlin, 1890.

<sup>4</sup> Loeb, *op. cit.*, p. 227.

<sup>5</sup> *Biological Bulletin*, III, 5, Oct. 1902.

<sup>6</sup> *Harvard Psychological Studies*, I, pp. 565 seq., 1903.

<sup>7</sup> *Journal of Comparative Neurology and Psychology*, 1904, vol. iv, pp. 49 seq., esp. p. 58.

<sup>8</sup> The opposed results of Bethe's experiments on crabs (*Archiv für mikroskop. Anatomie*, LI, p. 447, 1898, quoted by Yerkes, *Harvard Psychol. Studies*, I, p. 565) are evidently due mainly to the insufficient number of his experiments (five or six).



Close observation and careful experiment have been devoted to the study of insect behavior. Bethe alone argues energetically that the movements of ants and of bees alike are unvarying responses to environment, usually to chemical stimuli. But the position, clearly, is untenable. It is contradicted by such observations as that of Forel<sup>1</sup> and others, that "bees, wasps, etc., can find their way in flight through the air, notwithstanding wind and rain (and hence under circumstances precluding the existence of any possible odoriferous trail)." Loeb, also, offers a detailed observation of a wasp which returned to its nest, carrying a caterpillar, and therefore walking not flying. The wasp had flown from the nest, so that it was not following any trail when it carried the caterpillar to the nest.<sup>2</sup>

Advancing to the vertebrates, we find a number of experimental observations. Triplitt has experimented on perch, repeating and supplementing the classic experiment of Möbius on pike. He finds that perch may learn both to avoid one side of an aquarium and to inhibit the instinct to feed on smaller fish.<sup>3</sup> Yerkes has performed the only experiments which I know on reptiles.<sup>4</sup> His turtles learned to find their way through simple labyrinths, by perpetuating successful movements—even the chance movement, unforeseen by the experimenter, of falling from the side of an inclined plane, instead of crawling to the bottom of it.

To the well-known experiments of Douglas Spaulding, Morgan, and Thorndike on young chickens, Porter<sup>5</sup> has added a set of experiments on the English sparrow. The investigators all agree that birds learn through progressively varying reactions. Thorndike's chicks learned to open the fastenings of boxes; Porter's sparrows opened boxes and found their way through labyrinths; and Morgan's chicks and pheasants were taught by experience to avoid distasteful food.

For the mammalia, Small<sup>6</sup> and Watson<sup>7</sup> and Miss Allen<sup>8</sup> have proved that rodents learn to make their way through labyrinths of varying difficulty; Morgan<sup>9</sup> and Mills,<sup>10</sup> Thorndike<sup>11</sup> and Hob-

<sup>1</sup> *Ants and Some Other Insects*, p. 18. Cf. Forel's ingenious experimental proof of the memory of bees (not, as he thinks, of their inference), *op. cit.*, pp. 22-27.

<sup>2</sup> *Op. cit.*, pp. 224-227.

<sup>3</sup> *Amer. Jour. of Psychol.* 1901, vol. XII, pp. 354 seq.

<sup>4</sup> *Pop. Sci. Mo.*, 1901, vol. 58, pp. 519 seq.

<sup>5</sup> *Amer. Jour. of Psychol.* xv, pp. 313 seq., 1904.

<sup>6</sup> *The Psychic Development of the Young White Rat*, *Amer. Jour. of Psychol.* 1899, vol. XI, pp. 80 seq.; and *Experimental Study of the Mental Processes of the Rat*, *ibid.*, vol. XI, pp. 133 seq., vol. XII, pp. 206 seq.

<sup>7</sup> *Animal Education: The Psychological Development of the White Rat, Correlated with the Growth of Its Nervous System*, University of Chicago Press, 1903.

<sup>8</sup> *The Associative Processes of the Guinea-Pig*, *Journal of Comparative Neurology and Psychology*, 1904, vol. XIV, pp. 293 seq.

<sup>9</sup> *An Introduction to Comparative Psychology*, chaps. 5, 7, 12, 14, 16.

<sup>10</sup> *The Nature and Development of Animal Intelligence*, pt. iii.

<sup>11</sup> *Animal Intelligence*, *Psychological Review*, *Monograph Supplement*, VIII.

house<sup>1</sup> — though they differ in specific interpretation — all agree, as the result of independent observation and experiment, that dogs and cats learn, by the repetition of accidentally successful movements, to open difficult fastenings or to find their way through strange ways. Finally, Thorndike,<sup>2</sup> Kinnaman,<sup>3</sup> and Hobhouse<sup>4</sup> have experimented on different species of monkeys and have found that they learn more swiftly and with greater accuracy than the other vertebrates to perform relatively complex acts.

It follows from the results of these investigations that the scope of comparative psychology probably is as wide as that of animal life. No form of animal organisms is *a priori* excluded, by its structural simplicity, from the group of adaptively reacting animals. Distinctions of behavior and of consciousness, in other words, are not closely parallel with those of structure. Every order of animal life may, therefore, be studied with the possibility in view of discovering indications of non-mechanical, adaptive behavior, and, by consequence, of psychic life.

The boundaries of comparative psychology are, from this point of view, very wide. If, however, one consider not the number of animals that are conscious, but the nature of their consciousness, then the conception of animal consciousness viewed, thus in intension — not in extension, — shrinks to lesser limits. This problem, the nature of the animal consciousness, can be here discussed in briefest outline only.

The minimal consciousness which an animal may be proved to have is, as has been shown, the consciousness which accompanies the trial and error type of learning. This process must, therefore, be carefully scrutinized. On its physiological side, that is, so far as observed behavior and inferred nerve-process are concerned, this sort of learning includes the following stages: There occur, *first*, purely instinctive reactions to environment, for example, the rapid running, hither and yon, of a rat at the entrance of a labyrinth, with food at the centre. Among these different instinctive reactions, there chances, *second*, to occur a successful movement — one which secures the satisfaction of some instinct, in this case, the attainment of food. In the *third* place, this movement which satisfies the instinct is repeated — presumably more than once. The reason for this repetition need not here be discussed. The interactionist would of course explain it as an effect of the pleasure which accompanies the satisfaction of the instinct. The opponent of interaction, while admitting the occurrence of

<sup>1</sup> *Mind in Evolution*, chaps. 7-9.

<sup>2</sup> *The Mental Life of Monkeys*, *Psychol. Review*, *Monograph Supplement*, xv.

<sup>3</sup> *The Mental Life of Two Macacus Rhesus Monkeys in Captivity*, *Amer. Jour. of Psychology*, 1902, vol. xiii.

<sup>4</sup> *Op. cit.*

the pleasure, would explain the repetition as effect of some physiological function of the satisfied instinct — as effect, perhaps, of heightened nerve-vigor. Whatever the condition of the repetition, its result is, *finally*, a strengthening of the nerve-connection between the nerve-centre stimulated by the original environment and the nerve-centre whose excitation has brought about the successful movement. In other words, the animal forms the habit of reacting to the original environment by that movement only which satisfies desire. The present question is, what sort of consciousness accompanies the conduct, thus characterized, of the animal which learns by experience? As parallel of the preliminary random performances there is no need to assume any save a sensational and a primitively affective consciousness excited by the animal's environment and by its own movements. But what is the nature of the consciousness which accompanies the immediately successful performance from which these instinctive, random movements have dropped away, so that perception of environment is, at once, followed by the acquired reaction? Psychologists are agreed, in the first place, that these acquired reactions, gained by repeated satisfactions, require imagination on the part of the animals (and of the children) who learn them. The rat which unerringly makes the successively correct turnings through the labyrinth, in which he at first ran about ineffectively, certainly seems to be guided by an image of the food which he has repeatedly found at its centre. (The possibility that the mere smell of the food sets off purely motor reflexes, whose success is due to habit — that the rat, in other words, does not imagine the food, but actually smells it — is excluded by experimenting in a fresh labyrinth, without food at the centre. In this case, the rat's movement evidently is not initiated by an external stimulus.)

The significance of imagination to animals which learn by experience is, indeed, admitted by practically all psychologists. Thorndike alone minimizes its importance, but even Thorndike holds that he has proved imagination in the mental life of his cats. These animals, who had repeatedly heard him speak a sentence and then had seen him rise and give them food, learned to climb up for the food on hearing his voice — that is, before they saw or smelled the food.<sup>1</sup> Of course, it does not follow that these animals remember in the sense of referring experience to their own

<sup>1</sup> *Animal Intelligence*, p. 65. For confirmatory experiments, cf. Kinnaman's accounts of experiments on monkeys (*Amer. Jour. of Psychol.* XIII, 129); also Hobhouse, *op. cit.*, p. 229 *et al.*: "If the direct way into a room is barred, a dog or cat will at once betake itself to any other route. . . . This adoption of alternatives suggests that their action is to be referred not to an impulse urging them to move in a particular direction, but rather to a desire to be in a particular place." Hobhouse gives experimental evidence of the occurrence of these images of places.

past life, of reflectively dating them, as it were. It is indeed unlikely that such relational consciousness occurs, and in any case it is impossible to prove its presence by our necessarily objective methods.

This consideration leads at once to a discussion of the most disputed problems of the analytic section of comparative psychology. It has just been shown that animals possess the simplest form of the learning-consciousness. Do they, in addition, learn by analytical reasoning, that is, have they relational as well as sensational and affective consciousness? And, second, have they the consciousness characteristic of the social type of learning, that is, do they reflectively imitate or oppose themselves to other selves?<sup>1</sup>

As regards the question of relational consciousness, it is probable that animals of every order, primates to infusorians, do sometimes perform acts which might conceivably be performed through analytical relational consciousness. To take an example from among unicellular organisms: the movement of the *Stentor* when it reacts to a persisting harmful stimulus by giving up its normal position, that is, by abandoning completely its tube and swimming away to form a new one, might be regarded as performing this movement by analyzing out the relational elements of the situation, by reflecting, "this stimulus recurs perpetually, and so to be unharmed by it, I must avoid it." But the fact that an act is such as might have been performed through the analytical consciousness of relations is far from proving that it has been thus performed. The fact, for example, that animals react in a similar way to distinct yet similar stimuli does not prove that they have analyzed the stimulus and that they realize similarity as one of its elements. On the other hand, it is far more likely that they react to the situation as a whole, noticing neither its difference nor its similarity as compared with that which has preceded. So also the use of implements, noted by many observers in the vertebrates,<sup>2</sup> by Wasmann and others in ants,<sup>3</sup> and by the Peckhams<sup>4</sup> in wasps, though it might be carried out through analysis of implement and of situation,—this latch to be opened by this supple wire, or this nest-surface to be pounded down by this hard pebble,—is not, in all probability, due to such analysis. For it is a matter of experimental proof that even the higher vertebrates are incapable of analyzing situations except in a very limited way. To a degree they presumably learn to discriminate—else they would probably not react to more and more limited portions of their

<sup>1</sup> Cf. p. 716, above.

<sup>2</sup> Cf. Romanes, *Animal Intelligence*, pp. 466, 481, 490.

<sup>3</sup> *Das Seelenleben der Ameisen*, 1900, p. 83.

<sup>4</sup> *Instincts and Habits of the Solitary Wasps*, *Bulletin of Wisconsin Geological and Natural History Survey*, 1898, p. 22.

environment, but the discrimination must be of relatively concrete parts of total situations, and the analysis into abstract elements is doubtless beyond them.

There is a twofold proof of the incapacity of animals for abstract analysis. In the first place, the apparent results of an analytic consciousness in animals' behavior often lack the permanence of the conduct characteristic of the truly analytic consciousness. Thorndike's animals, for example, after six or seven times performing some mechanical operation, would "forever after fail to do it."<sup>1</sup> This persistent failure would have been impossible had the animals, in their initial success, analyzed the situation and discovered the precise adjustment of means to end; for such analysis and the resulting consciousness of relation are not readily forgotten. On the other hand, the failure to repeat the successful movement is comparatively natural, if learning is due to the chance connection of total situation with total movement.

The insignificant character of an animal's mental analysis is further shown by the typically gradual advance in its learning-process. The complete analysis of situations — such as is involved, for example, in solving problems and in guessing riddles — is normally achieved suddenly:<sup>2</sup> it comes, not as gradual dawn, but as a sudden flash of light. The generally regular progress in an animal's acquirement of activities and the lack of permanence of these acquired movements tend, therefore, to discredit the significance of analysis in the psychic life of animals. But the consciousness of relations certainly requires a high degree of the capacity to analyze: the elements of similarity, difference, connection, and totality are with difficulty held by attention. The fact that animals to such slight degree analyze their experience is a strong indication, therefore, that they do not reason analytically. The presence of a faint consciousness of relation, nearly swamped by concrete experiences, is, however, not to be disproved by objective tests. Certain acts of animals and of young children, reported by trustworthy observers, are indeed most naturally thus interpreted. Such are the cases of Hachet-Souplet's *coati*, who reached the eggs on a high shelf by drawing up a distant chair with a scarf twisted around its legs;<sup>3</sup> and that of the child of fourteen months, who was observed "to feel his own ears and then his mother's, one day, when looking at pictures of rabbits."<sup>4</sup> In the main, however, it is fairly certain

<sup>1</sup> *Psychol. Review*, vol. v, p. 552, and *Animal Intelligence*, p. 44. Cf. also *The Mental Life of Monkeys* (p. 15), for the account of a monkey who had learned to pull a loop of wire from a nail, and who "failed thereafter to pull off a similar loop made of string."

<sup>2</sup> Cf. Lindley, *A Study of Puzzles*, *Amer. Jour. of Psychol.* 1897, vol. viii, pp. 473 *seq.* and 481.

<sup>3</sup> Hachet-Souplet, *Examen psychologique des animaux*, pp. 70 *seq.*

<sup>4</sup> F. Tracy, *The Psychology of Childhood*, p. 44, 1893.

that animals react to situations as wholes, that they seldom or never analyze, that they consequently lack relational experience, which, of course, means that they reason — if at all — from concrete to concrete.

The second fundamental disagreement among students of descriptive animal psychology concerns the question, do animals learn by the second sort of learning-consciousness; do they, in other words, possess the social consciousness involved in reflective imitation and opposition? The main reason urged by those who contend that animals do not imitate, in the social sense, is that imitation and its converse, opposition, involve the consciousness of one's self in relation to other selves,<sup>1</sup> and that animals are incapable of self-consciousness. In the opinion of the writer, this position is entirely untenable. Animals, if they are conscious at all, must be self-conscious, for consciousness of any other sort is inconceivable. To be conscious simply means to be conscious of one's self, in this or that or the other situation. The only ground for questioning this view is, in truth, the old tendency to confuse the implicit self-consciousness of every experience with the definite, discriminated, reflective, self-consciousness of the psychologist or the philosopher. Self-consciousness, in the latter sense, is as impossible to the animal as to the child, and is properly opposed by the ordinary argument: animals and babies, because incapable of abstraction, are therefore incapable of self-consciousness. But self-consciousness, as a vague, undifferentiated sense of what Hobhouse calls "self as a pervading identity and permanent character,"<sup>2</sup> every animal which is conscious at all must possess.<sup>3</sup> Indeed, all who admit, as most psychologists do, that animals possess the primal emotions of affection and aversion — not to mention sympathy and jealousy — thereby grant the self-consciousness of animals.

It does not, however, follow, that the self-consciousness of animals is either as explicit or as complex as that of adult human beings. And, in particular, it does not follow that any animals have attained the explicit self-consciousness involved in reflective imitation. The great majority of cases of alleged animal imi-

<sup>1</sup> There is not time to defend the position, here assumed, that imitation is primarily personal, though, secondarily, it may come to have an impersonal "copy."

<sup>2</sup> *Op. cit.*, p. 312.

<sup>3</sup> Cf. Hachet-Souplet, *Examen psychologique des animaux*, p. 81: "Un chien est assis sur un banc, je crie: Ici! il vient immédiatement. Six chiens se trouvent assis sur un banc, et, parmi eux, a pris place le premier . . . Je crie: Ici! sur le même ton que précédemment; aucun ne bouge. Chacun attend donc que je dise: Dick! Tom! ou Pompon! . . . ils savent qu'il existe d'autres chiens qu'eux. Cela prouve clairement que le chien a la notion de sa personnalité." Cf. also C. L. Herrick, *The Beginnings of Social Reaction in Man and the Lower Animals*, *Jour. of Comp. Neur. and Psychol.*, April, 1904. And cf. Verworn, *Protisten Studien*, esp. p. 210.

tation, for example, the imitations involved in the so-called social life of insects,<sup>1</sup> fall into two classes: they are either fortuitous repetitions of actions instinctive in a large group of animals, — and in this case, they are not in any true sense imitations, — or they are merely mechanical imitations, known as such by the observers, not by the performers, in which the action of one animal serves as direct stimulus of another animal's act. Reflective imitation on the other hand, implies the purpose of the imitator to model his own act on that of another self.<sup>2</sup> Among recorded cases of animal imitation, Hachet-Souplet's record of dogs who imitate the trainer's voice,<sup>3</sup> and Kinnaman's<sup>4</sup> account of his monkey's imitation of its fellow, represent what seems most like reflective imitation; yet neither case is decisive. An objective test of imitation of this sort, and of the correlated experience, reflective opposition to other selves, would, however, be so hard to find, that it is not fair to deduce merely from the lack of proof the positive impossibility of the experience. It is still less justifiable to base an argument against the occurrence of animal imitation on the fact,<sup>5</sup> noted by Thorndike, that animals fail, often, to perform actions which the experimenter or a fellow animal has repeatedly performed in their presence. For in these cases, it is likely that attention, certainly a prerequisite to imitation, is distracted.

A discussion of the scope of child psychology, were there time to introduce it, would follow a similar plan. The first question of child psychology differs, however, from the initial problem of animal psychology. There is no reason to ask: What children are conscious? For there is here no question of different species, but only of different individuals. In other words, it is generally admitted that all normal human beings, at some period of their development, become capable of both sorts of learning through individual experience, first, learning by trial and error in dealing with concrete situations; second, learning by analysis of these same situations. It is admitted also that all normal human beings develop in the social fashion, by reflective imitation and opposition, both concrete and analytic. The basal question of genetic child psychology is, therefore, at what age is a child proved to be conscious? The method of solving the problem has already been indicated. As that animal which reacts adaptively is thereby proved to be conscious, so a child is proved to be conscious at that age at

<sup>1</sup> Cf. Wasmann, *op. cit.*, chap. 1.

<sup>2</sup> For development of the doctrine that imitation is primarily personal, cf. J. Royce, *Century Magazine*, 1894; also, the writer's *An Introduction to Psychology*, p. 341.

<sup>3</sup> *Op. cit.*, p. 106.

<sup>4</sup> *Op. cit.*, *American Journal of Psychology*, XIII, pp. 122 and 199.

<sup>5</sup> *Animal Intelligence*, pp. 60-62; *The Mental Life of Monkeys*, pp. 34 *seq.* Cf. Hobhouse, *op. cit.*, pp. 148 *seq.*

which it varies its response to the environment. The uncertainties of child psychology, it may be noted, — the problem, for example, of the age at which a child first reasons, and the problem of the origin, imitative or spontaneous, of the child's language, — belong mainly to the period of infancy when the occurrence and the nature of the child's consciousness must be established by objective tests. The more important domain of child psychology is, on the other hand, the study — supplemented by the introspection of the older child — of its relatively developed processes of thought, of its realized imitations of other people, and of its self-assertive oppositions to them.

This address has aimed to suggest the scope and the limits of genetic and of comparative psychology. In particular, it has attempted: first, to vindicate the right to existence of genetic psychology, viewed as a science of developing selves; and second, to formulate and to apply a safe objective test for use in the comparative study of consciousness. Incidentally, this paper can hardly have failed to show that the experimental method, already so fruitful in psychology, may be employed also to great advantage in the solution of genetic and of comparative problems, provided, first, that it be based on sound conceptions, and second, that it be applied in accordance with the claims of a rigid logic.



SECTION D — ABNORMAL PSYCHOLOGY



## SECTION D—ABNORMAL PSYCHOLOGY

---

(Hall 6, September 24, 3 p. m.)

CHAIRMAN: DR. EDWARD COWLES, Waverley, Mass.  
SPEAKERS: DR. PIERRE JANET, Collège de France, Paris.  
DR. MORTON PRINCE, Boston.  
SECRETARY: DR. ADOLF MEYER, New York City.

---

### THE RELATIONS OF ABNORMAL PSYCHOLOGY

BY PIERRE JANET

(Translated from the French by Dr. J. W. Baird, Johns Hopkins University)

[Pierre Janet, Professor of Psychology, Collège de France; Director of the Psychological Laboratory at The Salpêtrière. b. Paris, France, May 30, 1859. Ph.D. 1882; Litt.D. 1889; M.D. 1893; Officer of Public Instruction; Chevalier of the Legion of Honor. Assistant Professor of Psychology at The Sorbonne, 1898-1902; Professor of Experimental and Comparative Psychology at the Collège de France, since 1902. Member of Medico-Psychological Society; Medical Society of Paris; Society for Psychological Research; Italian Psychiatry Society. Author of *Psychological Automatism; The Mental State of Hystericals; Nervous Afflictions and Fixed Ideas; Obsessions and Psychasthenia.*]

GENTLEMEN: I feel that it is a great honor to be called upon to address the Section of Pathological Psychology in the St. Louis Congress. The United States has done much for psychology; your magnificent laboratories, your important publications, and your eminent men who have devoted themselves in great numbers to psychological investigation, have contributed abundantly to the development of the science. We are pleased to come and admire your work; we are proud to bring to you the results of our own investigations.

I am the more encouraged to present to you the greetings of the psychologists of France, by the fact that we have been concerned chiefly with the somewhat specialized topic of pathological or abnormal psychology to which this Section of the Congress is to be devoted. If I mistake not, the investigators of other countries tend to separate two branches of study which we are disposed to unite; they study on the one hand, the psychology of the normal individual, or the individual who is regarded as being normal, and on the other hand, they are concerned with mental diseases, their analysis, and especially their classification. It seems to me that we in France, under the influence of two of my masters, Ribot and Charcot, whose names I am pleased to recall to you, have endeavored rather to throw light upon psychiatry by a study of

normal psychology, and to regard mental diseases as experiments which have been cunningly devised by nature to show us such suppressions and modifications of function as the experimental method demands. Our psychological laboratories, situated as they often are in hospitals for nervous and mental diseases, as at the Salpêtrière, at Ste. Anne, and at Villejuif, have endeavored to unite the psychologist and the alienist in a common investigation.

This union, alike in France and in other countries where it has also been accomplished, seems to me to have been advantageous to both sciences. In psychiatry it has to some extent turned the investigator aside from investigations which are actually useless because they cannot be utilized. One is scarcely able, even to-day, to make a complete classification of mental disorders from a single point of view as is required by logic. As Ziehen has remarked, mental diseases are classified differently from the standpoint of symptoms, of etiology, of evolution, and of pathological anatomy. Moreover, it must be confessed that we do not know the real causes of mental diseases; and it is bootless to disguise our ignorance by a cloak of philosophical speculation or of hypothetical anatomy. The pathological psychologist has recognized that he must begin at the beginning. He has endeavored to penetrate more thoroughly and more sympathetically into the mental states of the diseased; he has attained greater accuracy in the analysis of symptoms; he has observed and, so far as possible, has measured the alterations of psychical function. In short, psychological experimentation has introduced into psychiatry a rehabilitation and a refinement of the clinical method.

The older psychology, permeated as it was throughout with philosophical speculation, claimed to find that the mental states were as simple and as unchanging as its theories. It studied memory in general, reason in general, the theoretical and abstract will, without first taking up the question as to what constitutes memory, reason, and will in a particular individual, under particular conditions, at a particular age, in a particular state of health. The investigation of pathological conditions has forced it to recognize that these phenomena are not fixed and immutable; it has come to see that they wax and wane, that they are subject to change, and that a multitude of degrees are represented in their developmental transformations. Psychology has thus been led to seek, even in the normal individual, for those changes and oscillations which it has found to be characteristic of the abnormal individual; it is no longer abstract, but has become a more real and living thing. If one may use the expression, it has ceased to be purely static, and has become dynamic. The study of the oscillations of

mind which have been brought to light by pathological psychology, has called attention to a group of phenomena which can scarcely be classified among the older faculties, and have been neglected as being of no significance — the phenomena of fatigue, of sleep, of the emotions, of the various forms of intoxication, of the neuropathic disorders. It has also called attention to the opposite modifications which occur in repose, in the waking state, in calmness and *sang froid*, and in convalescence (even though it be but temporary). These modifications constitute the most apparent oscillations of mind. Permit me to lay emphasis upon these depressions and these excitations, and to remind you of the investigations which have been made in this connection. These topics are of even greater significance; they represent the most important of the present problems of pathological psychology.

One of the first modifications of mental states to which I wish to call attention, is illustrated by the semi-normal, semi-pathological condition which is induced by fatigue. It is a familiar fact that the physical and mental being does not always maintain a constant condition; that it is incapable of manifesting uniform phenomena when submitted to prolonged effort; that its functions vary from the beginning to the end of a period of work. And the change induced is essentially of the same character whether the work be physical or mental. The investigation of mental fatigue dates from an early period. You doubtless recall an old observation by Holland which has been cited by Ribot.<sup>1</sup> "An engineer relates the following experience: 'When I was down in a mine, I felt myself overcome by fatigue and lassitude to such a degree that I found it impossible to converse with the German inspector who accompanied me. Every word, every phrase of the German language had escaped my memory, and I recovered them only after taking nourishment and rest.'" Here we have a first well-marked opposition between the normal state and the state of fatigue. Oppositions of this sort have been the object of numerous investigations, among which may be mentioned Galton's interesting study of the influence of fatigue and overwork in schools, the investigations of a great many German authors, instigated for the most part by Kraepelin, the remarkable observations of the French physician Tissié, who made a physiological and psychological examination of the contestants in various forms of athletic sports, the investigations of Féré, of Binet and Henri, etc. All of these investigations show the presence of modifications of constant character.

It is to be noted, first of all, that an apparent exaggeration of

<sup>1</sup> Ribot, *Maladies de la Mémoire*, p. 114.

function occurs with the advent of fatigue. This functional change makes its appearance in the form of a physical agitation, or in other words, an exaggeration of movement. Galton found signs of fatigue when he examined the posture of a subject to whom a difficult passage was being read aloud. The fatigued auditor yawns, stretches himself, shifts his position, and contracts certain facial muscles. In school-children one may observe movements of the eyebrows, of the lips, of the forehead, and of the fingers; and if the degree of fatigue be increased, these movements soon pass over into chorea and tics. Experimental investigations, such as those of Sommer and Bettmann, have revealed the presence of a modification of the reflexes and an increase in the number of tremors in the ergographic curve. Pathological investigations have shown an exaggeration of the reflexes, an extension of innervation to the unused muscles, an involuntary laugh, a muscular tremor, and spasms of various sorts, etc. The agitation induced by fatigue may also be visceral; I cannot lay too much stress upon the spasms of the digestive organs, the changes of respiratory rhythm, the profuse perspirations. The agitation may even be mental; Galton observed irritability, ill-humor, a tendency to magnify small things; and more recently, attention has been called to various forms of fancies which take possession of the mind and even degenerate into pathological obsessions.

The subject is well aware that something abnormal is taking place within him; he is conscious of certain abnormal sensations. Galton emphasized the feeling of incapacity which increases with increase of fatigue; Oehr, in 1895, and more particularly Tissie, laid stress upon the feeling of weariness as a characteristic symptom of fatigue. These phenomena are observed alike in bicyclists, in children who do mental work, and in subjects who repeatedly perform an experiment. These feelings correspond to something which is perfectly real; it is possible to demonstrate in various ways that a decrease of mental function runs parallel with the agitation. Whether we examine the subject's penmanship, or measure his capacity to insert a needle into holes in a perforated plate, — as I did in 1889, and as Bryan has also done, — we invariably find a lack of dexterity, a lesser precision of movement. The diminished rapidity which is found to be characteristic of reactions and of all sorts of motor adjustments has been demonstrated in innumerable ways (Kraepelin, Oehr, Burgerstein, Vaschide, Binet and Henri, etc.). On the other hand, attention and power of apprehension also decrease in considerable degree; and one finds an increase in the number of errors in tasks whose accomplishment depends upon automatic mental processes, or the mechanical association of ideas (Cattell, Finzi, Sikorsky, Hopfner,

Burgerstein, Laser, Thorndike, Binet). The memory undergoes a change, as we saw from the illustration cited by Ribot; acquisition becomes more difficult (Ebbinghaus, Finzi, Schneider); the power of recollection, the certainty and the correctness of response, decrease (Ranschburg), and certain classes of memories disappear entirely as I have several times shown. The disturbance even extends to perception (Grote, Marine, Griesbach, Leuba). All of these phenomena are in striking contrast with those that occur in repose. This opposition between the mind in the state of rest and in the state of fatigue, is of prime importance for pathological psychology.

Similar phenomena are to be observed in the various forms of intoxication; here, too, is to be seen an interesting opposition between the mental state of the intoxicated and of the non-intoxicated individual. Numerous investigations, such as those upon haschish by Moreau de Tours, those upon alcohol by Richet, and many others, have established phenomena which are analogous to the phenomena of fatigue. But I wish to direct your attention to a class of investigations which has reached a high degree of development in France — those of sleep, or rather of sleeps, for there are many states to which this general name may be applied.

Sleep is a type of oscillation which is particularly deserving of notice in this connection, because it is a wholly relative condition; its phenomena can be determined only in relation to the waking state. An essential characteristic of sleep is the fact that it is attended by a lesser activity of the vital functions. It is not enough to say that sleep is a state in which the temperature of the body averages  $36^{\circ}$ , the pulmonary expiration is two liters, and the pulse is 54. One must add that these phenomena occur in an organism which is capable when in another condition, of having a temperature of  $37^{\circ}$ , a respiration of nine liters, and a pulse of 70. It may be said that the organism is unable to keep up its more active form of existence continuously, and that it practices economy during a part of its life. Nor is the oscillation solely physiological; it is mental as well. Dreams are the thoughts of the sleeping man. I need not remind you of all the investigations of dreams which have been made from the time of Hervey de Saint-Denis and of Charma, down to the recent publication of Sante de Sanctis. Let me mention, however, that dreams are attended by a mental agitation which manifests itself in hallucinations, and in a ready association of images which arrange themselves into tableaux with interminable kaleidoscopic changes. Sense-impressions of slight intensity give rise to complex dreams of similar modality (Maury, Sergueyeff, Mourly-Vold). These dreams are characterized by ex-

aggeration and repetition; the Cartesian flea-bite becomes a sword-thrust, and a trifling weight seems an Etna upon the chest. The same dream recurs countless times with wearying monotony. The memory of experiences long since past is vivified; the instincts and the habitual tendencies have free play and develop immoderately; even the hereditary tendencies may intervene in intense degree. It is true that the dreamer may feel that it is all unreal and fictitious, but he is carried along by the turbulence of his imagery, and he frequently experiences the most violent emotions from his images.

Side by side with this exaggeration of certain mental functions there occurs a diminution of other mental functions; and some of the latter are most peculiar and extremely characteristic. It is evident that the consciousness of personality is disordered, and that a duality of personality tends to rise. Charma and Delboeuf report dreams in which a school-master asks them a question; they are unable to answer, but a school-mate rises at their side and to their astonishment gives the correct answer. In another case the dreamer says to a child, "Be careful that you do not tumble," and he himself slips. Thereupon the child replies, "Why don't you follow the advice which you give so freely to others?" Again, a dreamer who has a pain in his head meets a child who is also suffering from headache, and asks the child to suggest a remedy. Will and attention are wholly lacking in dreams. There is no real adaptation either to internal, to external, or to future conditions. There is no resistance, no control, no criticism.

I should like to mention a particular form which the diminution of attention assumes in dreams. Several authors (Egger in France, Schneider in Germany) have pointed out that in dreams only the centre of the mental picture is illuminated; the outlying parts are invisible, or rather they are non-existent. The pictures appear without any setting. And it is just this absence of surrounding objects, *i. e.*, of environment of thought, which explains the absence of comparison and criticism that is characteristic of dreams.

The study of one's memory of dreams reveals other interesting characteristics of the enfeeblement of attention. In the first place, dream-experiences do not become firmly fixed upon the memory. When we awake, we fail to remember what we have dreamed, and dreams which do not recur are forgotten as soon as they take place. This is the form of oblivescence which, in another connection, I have called continuous amnesia,<sup>1</sup> and it is interesting to note that it is to be found in dreams. But there is an even more peculiar feature; Delage, de Sanctis, and Pilez have observed that the striking events and the intensive emotions of the day do not reappear in the dreams

<sup>1</sup> *Névroses et idées fixes*, 1898, 1, p. 109.



of the following night. The mother who has just lost a child is surprised to find that she does not dream of her loss, although that subject has occupied her mind all day long. The memory of the lost child may appear in her dreams, but not until some months or some years afterwards. These authors furnish different explanations of this fact, which need not be discussed here. Let us remark, however, that the obliscence of recent experiences is well known under the name of retrogressive amnesia. In this disturbance, as in dreams, events reappear in memory only after they have long since been experienced.<sup>1</sup> By way of summary, we may say that dreams are characterized by a narrowing of the field of consciousness, by continuous and by retrogressive amnesia.

Other phenomena which are equally semi-normal and semi-pathological, appear in the emotions. When an individual finds himself suddenly placed in a position to which he is not already adapted by previous habituation, when he lacks the time or the strength required to adapt himself to the new conditions, he experiences certain forms of physical and mental perturbation which are of prime importance. In this country where the James theory of the emotions was developed, I need not discuss the emotional value of the visceral excitations. The increase of heart-beat and of respiration, and the spasms of the digestive organs, are well-known features of the state of emotion. It is also known that hunger assumes an exaggerated form in emotion, a phenomenon which in all probability gave rise to the custom of feasting at funerals. These internal excitations extend to the muscles of the members, and in many emotions one may observe an indefinite repetition of violent and useless movements, grimaces, and convulsive contortions of all sorts. Numerous authors have been pleased to find in these incoordinated movements a trace of more or less complete acts which are inhibited in their initial stages in the modern subject; that is, to regard them as vestigial products of movements which attained complete execution when our human or animal ancestors were exposed to similar conditions of stimulation. Stanley Hall's and Dewey's investigations of anger give us a great deal of information upon this point. Moreover it frequently happens that the tics, the various forms of tetanus, and the impulses to flee or to cry out, remain undeveloped in the presence of emotional states.

But we must not confine ourselves to the peripheral manifestations of emotion. The weak point of the famous theory is to be found in the dictum that "We are sorry because we cry"—an objection which has been urged by many authors (Irons, Gardiner, Soury, Dearborn, Sherrington, Baldwin, and others). Side by side with

<sup>1</sup> Cf. *Névroses et idées fixes*, pp. 149, 192.

these motor phenomena, which have quite correctly been called extra-motions, there occur intra-motions which constitute modifications of consciousness; and these psychical resultants are no less important than their physiological concomitants. Emotion is attended by a mental agitation just as it is attended by a physical agitation. A multitude of ideas surge into consciousness and disturb the equilibrium. Some years ago, attention was called to a phenomenon which has since been referred to as the hypermnesia of the dying. Those who have escaped from imminent danger report that at the moment of impending death they saw before them, as in a panorama, the chief events of their lives. This is simply a case of the phenomenon of hyper-ideation which characterizes many of the emotions. Dreams, muttering in somnambulistic states, hallucinations, and even indefinite interrogations are only an exaggerated form of the phenomena observed in the normal individual who talks to himself of an event which has made a violent appeal to his emotions.

Then, too, the emotions are characterized by feelings which are analogous to those already discussed — feelings of weariness and of powerlessness. The subject's personality undergoes a change; he no longer feels like himself, and even the external world loses its reality in greater or less degree.

Depression is no less a feature of emotion than is agitation. The depression may be visceral; it may manifest itself in a diminution of circulation or of respiration (which in emotion as in sleep assumes the intermittent type of Cheyne Stokes),<sup>1</sup> in impairment of digestion, and in gastro-intestinal debility. It may be motor, and evince itself in all the forms of weakness and paralysis which are found to attend certain emotions. A passage from Tolstoi which has been cited by Dumas in his book on *La tristesse et la joie*, furnishes an excellent illustration of this feature: "The assassins could easily have escaped from the scene of their crime, but they were so overcome by emotion, so enfeebled in all their limbs, that they found themselves incapable of flight. Feeling wearied as though by a long walk, they lay down upon the road, and there they remained until they were arrested." The mental depressions are particularly interesting. Popular observation noticed long ago that the individual, when overcome by emotion, is "not himself," that he is "beside himself." And I have shown on numerous occasions that the characteristics which have been acquired by education and moral development may suffer a complete change under the influence of emotion. People who have learned to speak correctly revert to dialect or resume a foreign accent when they are deeply moved. Their writing

<sup>1</sup> The rhythm of Cheyne Stokes, determined by emotion. *Comptes rendus du IV Congrès de Psychologie*, 1901, p. 924.

becomes confused, clumsy, boyish, and full of defects; their whole character becomes coarse and debased. These general depressions are analogous to more definite disorders, and here again the disturbances of memory must be mentioned. Oblivescence of the event which occasioned the emotion, and inability to remember facts which immediately preceded, have frequently been found to accompany intensely emotional experiences in the form of continuous and retrogressive amnesia.<sup>1</sup> But it must not be thought that these phenomena are merely pathological caprices. They are an exaggerated form of a general disturbance of memory which is characteristic of all emotions.

In his celebrated book on *Mind and Body*, Hack Tuke remarked that emotions frequently render the subject insensible, and he reported having seen subjects become blind and deaf as the result of violent emotion. I too have described many similar observations and they have now become a commonplace. These disorders of sensibility and memory are analogous to certain disturbances of perception and attention; and the analogy holds alike whether the object of apprehension be one's self or whether it be the external world. As to will, there can be no doubt that it disappears in the depressive emotions and that the subject, when under intense emotion, is unable to decide what to do; indeed he even loses the power to act upon previous decisions. Hence one may well ask whether the mental commotion is not a more important characteristic of the emotion than is the visceral change. And one seems justified in regarding the consciousness of an emotional state as being something more than a mere counter-effect of peripheral disturbances. These intellectual modifications, these losses of memory, these lacks of decision, these doubts, these failures to see reality as it is and to react upon it as one has previously learned to do, together with the feelings of depression which result from the changed mental conditions, constitute, in my opinion, the essential feature of emotion; and the sensations which arise as a "back-stroke" from the peripheral disturbances are nothing more than a reinforcement, like the added tone in the chord.

It is a remarkable fact that certain emotions are attended by effects which are diametrically opposite to those just described. This second type of emotion may induce calmness, strengthen the visceral functions, arrest the useless mental agitation and replace it by an increased activity of attention and will. This improved condition of attention and will strengthens the tenacity of memory; it gives rise to valid representations of reality and to effective reactions upon one's environment. There are emotions which

<sup>1</sup> Cf. *L'amnésie et la dissociation des souvenirs par l'émotion*, *Journal de psychologie normale et pathologique*, September, 1904.

elevate as well as those which depress, emotions which heal as well as those which destroy. And here again, as in fatigue and in repose, in sleep and in the waking state, we find a remarkable illustration of the oscillations of mind.

Let us now leave those phenomena which may be regarded as normal and examine the characteristics of mental diseases. Here we shall find phenomena of exactly the same sort as those which have already been discussed. Pathological psychology owes much to the study of hysteria. That hysteria is characterized by phenomena which are analogous to those which have been established in fatigue, in the sleeps, and in the emotions, is clearly evident from the different theories of hysteria which have been advocated. Certain investigators have insisted that hysteria is a purely emotional disturbance (the old theory of Briquet). Others have held that hysteria is a sleep-disease — a neurotic disturbance which is due to an excess of sleep (Sollier). Others, again, find an analogy between hysteria and fatigue, and make the former the effect of an excessive degree of the latter (as Féré did in 1885). As for myself, I am an out-and-out eclectic; I believe that hysteria is a disorder of emotion, of sleep, and of fatigue, because all of them are at bottom precisely the same thing. In hysteria one may observe the same intensely exaggerated agitations as are to be found in convulsions, crises, spasms, hallucinations, and in all other cases in which ideas develop automatically as a result of suggestion. One may observe the same feelings of weariness, of powerlessness, and of automatism. "I can see my arms and my legs moving, but it does not seem to be myself. I am a marionette and somebody is pulling the string." One may observe especially the same depressions and the same inefficiency of the higher cerebral functions. Permit me to recall my investigations upon aboulia, aprosexia, and amnesia in hystericals.<sup>1</sup> If an act is even moderately novel, if a situation presents a problem to be solved, the hysterical remains inert and powerless.

It is a remarkable fact that the disturbances of mental synthesis which occur in hysteria bear a close resemblance to the oscillations of mind which have already been described. For example, suggestion, which plays so important a rôle in this disease, can only be explained from the absence of antagonistic ideas which might counteract the idea suggested. This fact shows that the idea remains isolated in the mind of the hysterical, that it develops in the midst of a void, that the picture is not inclosed in a frame. And this is exactly what has been found to be characteristic of dreams. The anesthetics, and frequently the paralyses, of the hysterical, alike consist of a reduction or narrowing of consciousness which is

<sup>1</sup> *The Mental State of Hystericals*, translated by C. C. Corson, 1901, p. 117.

no longer able to make a simultaneous fusion of all the sensations and all the images which come in from without. This is well explained from the remarkable facts which relate to the transference, or better, the equivalence of phenomena in hystericals. One symptom gives place to another, one paralysis is cured and another supervenes, as though the mind were incapable of constituting a single system, and could resume control of one side of the body only at the expense of losing control of the other side. In hysteria we again find interesting disturbances of memory — continuous and retrogressive amnesia — which are identical with those that occur in dreams and in emotion. It is a familiar fact that at the end of an emotion we find that we have forgotten the preceding events, and we are incapable of acquiring the memory of new events. But hysteria is nothing more than this; and that is the reason why an endless discussion has arisen as to whether the hysterical is not merely an individual who has been overcome by emotion, and as to whether traumatic neurosis is not simply hysteria. The narrowing of the field of consciousness seems to me to be the characteristic form which the mental depression assumes in hysteria; and it is of the same sort as that which one finds in sleep, in fatigue, and in emotion.

Let us now consider another disease which I have studied these many years, and which I have discussed in my most recent volumes.<sup>1</sup> Let us take a glance at the innumerable disorders which have been designated obsessions, impulsions, insanity of doubt and of touch, tics, phobias, etc. No matter how various their symptoms may appear, it is possible to find certain fundamental characteristics which are common to all of these diseases. Motor, visceral, or mental agitation manifests itself in unmistakable form in all of these crises of motor agitation, these contortions and tics of all sorts, and in the anguish which constitutes the essence of all the phobias. Everybody knows the peculiar mental agitation of those abnormal individuals who busy themselves incessantly with some insoluble problem; who spend whole days in an endeavor to remember what they did at a certain hour on a certain day ten years ago; who exhaust themselves in attempts to understand why trees are green, or why people have noses; who try to count all the objects they see, or to atone every act by an appropriate exorcism.

All of these agitations seem to have their source in certain feelings which are extremely varied and interesting. I shall mention only the most familiar forms. In connection with all his acts the subject experiences feelings of difficulty, of inutility, of incapacity, of indecision, of uneasiness, of automatism, of domination, of discontent, of humility, of shame, of intimidation, and of revolt. In

<sup>1</sup> *Obsessions et psychasthénie*, 1903.

connection with his intellectual operations he has feelings of difficulty, of insufficiency, of instability, of imperfect perception, of gloom, of strangeness, of *jamaïs-vu*, of mal-orientation, of isolation, of mal-recognition, of *déjà-vu*, of presentment, of unreality, of dreaming, of the lapse of time, of lack of intelligence, of obscurity, of doubt. In connection with his emotions there occur feelings of indifference, of weariness, of anxiety, of ambition, of need of excitement. In connection with his personality, one may note feelings of self-estrangement, of double personality, of depersonalization, of death, etc.

These feelings are far from being fictitious; they are based upon a real depression of the physiological and psychological functions. It is possible to establish real disorders of will which are manifested in indolence, irresolution, slowness, enfeebled effort, fatigue, failure of achievement, absence of resistance, misoneism, social aboulia with insurmountable timidity, professional aboulias and inertias of all sorts. One may establish disorders of intelligence which are manifested in amnesias, doubts, arrests of instruction, unintelligibility of perceptions, inattention, reveries, and veritable eclipses of mind. In connection with the emotions one may note indifference, melancholy, need of loving and of being loved, fear of isolation, and a return to childhood.

It is quite probable that depression phenomena similar to those just discussed, and that feelings of imperfection similar to those just summarized, are fundamental to many of the deliriums. In the delirium of persecution there are many phenomena of this sort, along with disturbances which are vaguely designated disorders of the general sensibility, and which characterize the first period of inquietude.

If these symptoms of depression — the motor retardation, the difficulty of apprehension and of association — become aggravated, one finds various forms of melancholia, whose interpretation constitutes an important problem of pathological psychology. Indeed, it is the chief problem as Kraepelin and his pupils have pointed out. Certain of these depressions are definitive and irreparable; they terminate more or less rapidly in one or other of the forms of dementia. Other depressions are transitory and curable. Is it possible to distinguish them from the outset? That is, at the present time, one of the most important practical problems.

It is a remarkable fact that almost all of the depressions which we have discussed — hysteria, psychasthenia, as well as melancholia — may, under certain circumstances, disappear or change into the opposite condition. We may designate this change as an

excitation in order to distinguish it from the previous agitation which accompanied the depression. An hysterical subject may find herself changed as the result of a crisis, a somnambulism or a suggestion. "I am no longer the same," she says, "I feel new life. My head seems new." She is impressed by the fact that she perceives things much more distinctly than before. "I seem now to see the present objects for the first time. I saw them before, it is true, but they appeared to be in a distant fog. It is only now that I really recognize them." These feelings extend to other functions; it seems to her that she breathes more freely, that her arms and her legs are stronger, but at the same time she has a much more intensive feeling of fatigue. The subject's conduct has undergone a complete change; she sets to work; she resumes her trade without ennui and even with interest. She is capable of making whatever coördinations are necessary, while in her previous condition she remained passive and inert for an indefinite period of time. Her sociability and her natural feelings return to full activity. I have elsewhere described changes of this sort in connection with the influence of hypnotism, and the necessity of direction in hystericals.<sup>1</sup>

It is to be noted that these changes appear in exactly the same form in psychasthenic subjects, as the result of certain emotions, as the result of acts which they have been made to perform, or simply in consequence of exhortation or advice after their confidence has been won. Their disorders of perception, their doubts as to the reality of things and of themselves, disappear, and are replaced by feelings of certainty which delight the subject beyond measure. He comes to know himself again, and he experiences deep feelings of emotion, of joy and sorrow, to which he had formerly been a comparative stranger. This change is accompanied in many cases by feelings of joy and delight which it is very important for us to know if we are to understand the mental states of certain religious ecstasies which science is only now beginning to analyze.

I can only indicate the most striking phenomena which I have observed in connection with the influence of toxins in determining these periods of excitation. Of prime importance for the theory of these diseases is the fact that the fever induced by an intercurrent disease frequently suffices to cause the disappearance of depression and of all disorders depending upon it. I have called attention to certain curious cases in which the development of phthisis has brought about a cure of mental diseases. Women who have been subject to obsessions or agoraphobia for twenty years without interruption, regain their calmness and moral assurance during

<sup>1</sup> *Névroses et idées fixes*, 1898, 1, p. 423.

the last months of their lives, when the progress of tuberculosis induces a slight degree of continuous hectic fever. But what I wish to emphasize here is the simple fact that all the symptoms of depression may disappear and give place to an opposite condition.

This is still more evident in the melancholic states of which we have just been speaking. It is known that melancholia may give place to a state of more or less normal excitation in which many of the preceding phenomena are reversed. This is what the older French alienists (Morel, Baillarger), and more recently Ritti, studied under the name of intermittent insanity, circular insanity, and insanity of dual form. This too is what the German alienists are taking up again under the name of depressive insanity, to which they rightly ascribe a great importance. The physiological and the mental conditions presented by these two contrary forms which alternate in the same individual were carefully investigated by Dumas in his work on *La tristesse et la joie*. It would, in my opinion, be most desirable to analyze the states of mental excitation with the same care as has been given to the states of depression. It would be well to discover if the apparent exaltation of mind is real, to determine what pathological phenomena it manifests, and to ascertain whether it can, like depression, become the starting-point of delirium. It is at least certain that depressed subjects believe the ascending oscillation to be possible, that they desire it, and that they make every effort to attain it. Many of the impulses are due to this fact. Dipsomania is in reality a crisis of depression in which the subject feels the need of being excited by means of a poison whose effects he knows only too well, *i. e.*, by alcohol. And there are many impulses of the same sort.

The phenomena which we have just passed in review, are unquestionably of very different sorts; an analysis of their characteristics, and a study of the conditions of their development, leads one to distinguish the fatigues, the sleeps, and the emotions from one another. I myself have done enough in the way of distinguishing the hysterical from the psychasthenic states, and even of differentiating their various varieties, to escape the charge of confusing them. But however important these distinctions may be, it must be recognized that all of these facts possess certain features in common, which indicate the existence of a general law. These common characteristics, which, I repeat, manifest themselves in very different forms in the different cases, may be divided into three groups. In the first place, there are phenomena of motor visceral or mental agitation; then there are the specific feelings for which I have proposed the name "feelings of incompleteness,



(*incomplétude*);”<sup>1</sup> and finally there are the phenomena which are characteristic of depression, of diminution of physiological, and especially of psychical functions. In states of excitation one finds the three groups of phenomena occurring in inverse form, — the phenomena of agitation disappear, feelings of incompleteness are replaced by feelings of satisfaction, and the physiological and psychical functions undergo an elevation. Of these three groups of facts, the third, which is constituted by diminution and augmentation of function, seems to me to be by far the most important and the most necessary for us to attempt to understand.

How are we to envisage these transformations which are still far from being understood? It will suffice to summarize them in the form of a general hypothesis which may serve at once to résumé a great many facts, to provoke discussion, and to instigate investigation. The phenomena which we have passed in review testify to the fact that the various functions of the nervous system are not all of equal difficulty. Certain functions are more facile than others, and require a lesser amount of nervous energy for the production of their mental phenomena. These functions seem to be arranged in a hierarchy of increasing degrees of difficulty; for when a nervous system loses or regains its strength, its functions disappear or reappear in a regular sequence. The functions which are the first to disappear are evidently the most complex, *i. e.*, those which are concerned with the synthesizing of a great number of sensations and images. We must therefore take account, as has been done particularly in England since the work of Hughlings Jackson, of the order of development of cerebral centres and cerebral functions. The functions which are the last to be developed in the race and in the individual are evidently the most complex and difficult; they will naturally be most readily affected in fatigue, in sleep, in emotion, and in diseased conditions of the nervous system. Finally, I believe that these two notions may be united by the introduction of an additional conception. The mental operations which are at once most difficult of accomplishment and most recent in origin are those whose function it is to bring the individual into relation with the given reality of the moment. They are most complex because reality is in touch with us at so many points, and most recent because the world about us is constantly changing. Evolution is not a thing of the past alone; we are constantly called upon to adapt ourselves to new situations, and to evolve new organs and new functions as our animal ancestors did in developing to our present condition. Now, one can readily see that it is just the adaptation to the present reality, the reaction upon reality, the feeling and enjoyment of reality, which disap-

<sup>1</sup> *Obsessions et psychasthénie*, 1903, I, p. 264.

pears in all depressions, and which, on reappearing in the subsequent excitations, gives rise to feelings of joy and gladness.

Below these highest functions are to be placed those mental operations which occur when present reality is to a certain extent ignored, and the present reaction consists in an automatic repetition of the past. "I must not pay attention; my work will not proceed satisfactorily if I become absorbed in it." Still lower down we must place the abstract mental operations; these have to do solely with few and non-complex images, nor are they concerned with new adaptations. It is a mistake to suppose that abstract reasoning, imagining, and remembering are the highest mental operations. These are of value only when they are engaged upon the (concrete) present; so soon as they become abstract, they cease to be difficult, and prove to be most commonplace achievements. A high degree of development of purely representative memory is frequently attained by savages, by children; by the feeble-minded, and by the insane. Still lower down, we would have uncoördinated visceral excitation, such as is present in the emotions, in the uncoördinated motor agitations, in tics, and in convulsions.

In short, the mental functions disappear more readily in proportion as their coefficient of reality is higher, and persist longer in proportion as their coefficient of reality is lower. Thus from the point of view of knowledge and of action, or of their correspondence with each other (Spencer), the mental functions constitute a series of decreasing difficulty, according as their relation to reality diminishes. If we consider these conceptions in connection with the philosophical views of Spencer, Höffding, Ribot, and Bergson, they throw light upon many of the observations and experiments of pathological psychology.

If this is true, one can understand that there are degrees of psychical tension, and that to these different degrees there correspond modifications not only in the intensity, but also most interesting modifications in the quality or nature of phenomena. *The degree of psychical tension or of elevation of mental level is indicated by the place in the hierarchy which is occupied by the highest phenomena to which the subject can attain.* Confidence, perception of reality, and reaction upon reality, require the highest degree of tension; these are phenomena of high tension. Reverie, motor agitation, and visceral agitation require much lesser degrees of tension; these may be regarded as phenomena of low tension, corresponding to a lower mental level.<sup>1</sup> The changes in psychical function which we have observed may then be summarized by the conception of a definite lowering or elevation of psychical tension, by the conception of an oscillation of mental level.

<sup>1</sup> *Obsessions et psychasthénie*, 1903, 1, pp. 499 ff.

If we put this interpretation upon the essential fact of depression, the feelings of imperfection are only the expression in the mind of the subject, of a real lowering of the mental level. The apparent agitation seems to me to be a sort of derivative; the psychological tension, since it is not employed upon the higher mental phenomena which it is no longer capable of producing, is expended upon lower phenomena; and it may now give rise to a veritable explosion of phenomena which are infinitely numerous and powerful, but which always occupy an inferior place in the hierarchy.<sup>1</sup> These feelings and this derivation will disappear when the higher phenomena have again become possible in the opposite state of excitation.

This rapid sketch shows us what has been the direction taken by the chief investigations of pathological psychology. We have summarized the results of numerous investigations which have already been made, and have indicated the trend of those that are to come. What problems are set for us to solve by the notion of an oscillation of the mental level? What phenomena are characteristic of the depression and of the reëlevation (excitation) of the level? In other words, what precise position in the hierarchy is occupied by each mental function? A rapid association of ideas, and a development of automatism do not always indicate an elevation. There are agitations which coincide with depressions, and which may be regarded as a sort of derivative. How does the derivation come about? How do the phenomena belonging to a lower level replace a vanished phenomenon of a higher level? What are the characteristics of excitation, which has been studied much less than depression? What factors determine these two groups of phenomena? How does it come that in different diseases these phenomena appear now in one form, now in the alternate form? What is the mental result of the indefinite prolongation of a state of depression or of excitation? The answers to these questions will doubtless some day help us to solve the difficult problem of the classification of mental diseases. Finally, is it possible to discover therapeutic agents, whether physical or mental, which will act upon the oscillations? Our knowledge upon all of these points is still in a rudimentary stage. But it seems safe to assert that the notion of the elevation of mental levels is beginning to assume a definite form; and that it has opened up to us an important chapter of pathological and of normal psychology.

<sup>1</sup> *Obsessions et psychasthénie*, I, p. 994.

## SOME OF THE PRESENT PROBLEMS OF ABNORMAL PSYCHOLOGY

BY MORTON PRINCE

[Morton Prince, Professor of Diseases of the Nervous System, Tufts College Medical School, and Physician for Diseases of the Nervous System, Boston City Hospital. b. Boston, Massachusetts, 1854. A.B. Harvard University, 1875; M.D. *ibid.* 1879. Physician for Diseases of the Nervous System, Boston Dispensary, 1881-86; Physician for Diseases of the Throat and Nose, Boston City Hospital, 1882-85. Member of the Massachusetts Medical Society; Boston Society for Medical Improvement; Boston Society of Psychiatry and Neurology; Boston Society of Medical Sciences; Association of American Physicians; American Neurological Association. Author of *The Nature of Mind and Human Automatism*; *The Dissociation of a Personality*. Collaborator in *American System of Practical Medicine*; and *Nervous Diseases by American Authors*, etc.]

To discuss the present problems of abnormal psychology without acknowledging the debt we owe to the distinguished psychologist who has addressed us to-day would be as impossible as it would be ungrateful. One may be permitted to question whether a section on abnormal psychology would have appeared upon the programme of this Congress if Dr. Pierre Janet had not already gone before and opened up this great field of investigation through his brilliant researches. It is not too much to say that numerous as are the problems awaiting solution, there is scarcely one which has not already been illumined by this investigator's penetrating observations.

In our own country, too, we owe much to Boris Sidis, a patient student and keen investigator of psychological problems, whose researches in the dissociation of consciousness and genesis of hallucinations have given precision to our conceptions of these abnormal conditions. The time at my disposal will not allow me to refer by name to the work of other students, though I cannot forbear calling attention to the great impetus given to the study of this fascinating field of research by the labors of Charcot and of the brilliant Salpêtrière group of scholars who still love to call their old chief, Master. Certain problems in subconscious automatism will always be associated with the names of Breuer and Freud in Germany, and Alfred Binet in France. It is encouraging to see the growing interest in this field, and the increasing number of students who are pursuing its problems.

As a field of research abnormal psychology belongs both to the psychologist and the physician. It has thrown much light on the mechanism of normal mental processes, for disease dissects the mind and brings into view the mechanism of its processes much

better than can the introspective study of the psychologist. In the department of medicine it has furnished an intelligible explanation of many previously incomprehensible derangements of the mind and body. With this increase in precision of our knowledge of mental processes it has ceased to be sufficient for the physician to know that an anesthesia or paralysis or other disturbed function of the body is due to some mysterious mental influence, but medical culture requires that he should know the exact mechanism of this influence. The researches of recent years have furnished this knowledge in many important particulars.

### *Dissociation and Automatism*

Abnormal psychological phenomena, as phenomena, may be divided into two great groups, according as they are manifestations of (A) dissociations or weakened syntheses of conscious states, or (B) of automatisms.

In the first group (A), the dissociations and imperfect syntheses, may be placed the losses of memory (amnesias), the losses of perceptions (anesthesias), the losses of motor functions (paralyses), the alterations of character, the division of personality, etc.

The second group (B), the automatisms, would include all those phenomena which are the expressions of an activity beyond the will and control of the personal consciousness and involve abnormal syntheses. It would include the fixed ideas, the hallucinations, the deliriums, the obsessions, impulsions, tics, contractures, convulsive seizures, and various perversions of the visceral processes. The automatisms may be still further classified according as they are syntheses of dissociated (so-called subconscious) elements, so characteristic of hysteria, or syntheses of the personal consciousness characteristic of psychasthenic states. Both may exist together.

These two classes of phenomena (A and B) bear a reciprocal relation to one another, in that *pari passu* with the development of a weakening of the power of synthesis, or of a complete dissociation, the remaining restricted elements of the personal consciousness, or the dissociated elements, respectively tend to take on automatic activity; as an example, take the obsessions of psychasthenia confined entirely to the personal consciousness, and the hysterical attack due to the automatic activity of dissociated (subconscious) memories of past experiences. And *vice versa*, the development of automatism with its abnormal syntheses tends to induce dissociation, as when an artificially induced idea robs the personal consciousness of its sensory perceptions (anesthesia) or produces retrograde amnesia. Thus in any particular syndrome, such as the hysterical state, or the psychasthenic obsessions, we have combined the

manifestations of dissociation or weakened synthesis with those of automatism.

The problems of abnormal psychology become, then, very largely problems of dissociation, weakened syntheses and automatism; and if the laws which govern these processes can be determined, we shall be able to correlate most, if not all, abnormal psychological states. As dissociation and automatism are also principles of normal mental life, as, for example, the phenomena of absentmindedness and the artifacts of suggestion, in these same laws we may find a correlation of abnormal psychology with normal psychology. Thus simply as manifestations of, or perverted working of, the normal dissociating and synthesizing process, whether psychical or cerebral, we may find an explanation for and correlate:

- (1) Physiological states, like
  - Sleep,
  - Dreams,
  - Normal forgetfulness (amnesia),
  - Moods,
  - Absentminded phenomena,
  - Natural somnambulism.
- (2) Artifacts like,
  - Hypnosis and post-hypnotic phenomena,
  - Motor automatisms (automatic writing and speech),
  - Artificial sensory automatisms (crystal visions).
- (3) Pathological states; such as,
  - The hysterical state and its manifestations,
  - Trances,
  - Obsessions,
  - Hallucinations,
  - Deliriums,
  - Alterations of character,
  - Multiple personalities,
  - Epileptoid states, etc.

I think we may also, though perhaps debatably, include certain insane states, like moral and certain forms of circular insanity. It is certain that abnormal phenomena like retrograde amnesia, hysterical anesthesia, hallucinations, alterations of character, etc., do not stand apart as facts without kinship to normal life; for phenomena, which are absolutely identical in form, content and behavior to the environment, whether spontaneous or artificially induced, occur as manifestations of the activity of the health mind. Thus certain types of normal amnesia may, in every way, give the same reactions and show the same relations to the personal consciousness as abnormal amnesia; normal absentmindedness as abnormal abstraction; crystal visions as hysterical

visions; normal or induced somnambulism as hysterical somnambulism; post-hypnotic suggestion and fixed ideas, automatic writing, and the dowsing-rod as the motor automatisms and fixed ideas of disease. The difference between normal and abnormal dissociated states probably depends upon differences in the lines of dis-aggregation, psychical and physiological, and not upon the differences of process.

If Virchow's great generalization is true, namely, that disease is only life under altered conditions, we may say that the phenomena of abnormal psychology are only the normal processes of the mind and brain submitted to changed conditions. One great vantage-point of abnormal psychology is that by altering the conditions at will, as we often can do, we can study the alterations in the normal processes and thus find out what those processes are.

It has been, indeed, through a study of the abnormal, that is, a study of natural forces under altered conditions, that the physical sciences have received their development. It was by such a study of abnormal phenomena that Galileo was able to demonstrate the laws of inertia and of falling bodies; that Archimedes proved the theory of his lever, and that Pascal demonstrated his hydrodynamic paradox. In fact, all physical research depends upon the study of abnormal phenomena.

#### *The Mind not a Unity*

One of the great truths taught by abnormal psychology is that while the mind under ordinary conditions is for practical purposes a unity, under altered conditions it may cease to be a unity, and may exhibit multiple activity of a complex sort. It is even questionable whether under habitual conditions it is ever an absolute unity, whether *within certain limitations* it does not always exhibit a certain degree of multiplicity. It remains a problem, which I have thought well worthy of special consideration at this time, to investigate what those limitations are.

#### *Influence of the Mind on the Body*

Again, considered from the two points of view of dissociation and automatism, we are able to approach those puzzling problems which belong to practical medicine and which have long baffled clinical research. From the earliest times to these days of scientific skepticism about the veridity of phenomena which cannot be explained, the influence of the mind on the body for ill or for good has been and is recognized. Its influence for evil is evident in the nervous manifestations which mimic organic disease, in the per-

verted functioning of the organs of the body, and even, in its deleterious effect, upon organic pathological processes; its influence for good, in the dissipation of these same manifestations and perversions through faith-cures, fads, modern therapeutic suggestion in its various forms and mental hygiene. The lack of precise knowledge of the psychology of these states and of the *modus operandi* of the therapeutic agency employed has given rise to all sorts of pseudo-scientific therapeutic systems (including the misuse of drugs), and to the growth of dogmas, philosophies, and religions. The hopeless muddling of even the educated medical mind in this field of abnormal psychology is made manifest by a casual perusal of the standard text-books on medicine as well as the latest monographs on mental therapeutics. In the laws of dissociation, weakened synthesis, and automatism, abnormal psychology offers a basis upon which to support an intelligible explanation of these perplexing phenomena — slight as is our knowledge of the details of these processes. Thus in the automatic activity of subconscious fixed ideas we have a demonstrated casual factor in many so-called hysterical phenomena (attacks, tics, anesthetics, etc.); and in the nervous radiations from these subconscious automatisms down through the lower nervous centres we find the origin of various disturbances of the body, as when subconscious, or partially subconscious, emotional states excite cardiac, vaso-motor, secretory, and other visceral derangements.

### *Hysteria*

The study of abnormal psychology has completely revolutionized our conception of that remarkable disease, hysteria, as much so as the discovery of germs has altered the surgical conception of inflammation. We understand to-day that it is not only a disease of the mind, but more precisely that fundamentally it is a splitting of the personality with or without a doubling of consciousness and automatism. We are still, however, entirely in the dark regarding the *modus operandi* of many of its manifestations. The exact mechanism, for instance, by which such phenomena as contractures, epileptiform seizures, and vaso-motor disturbances are brought about, though recognized as dissociated automatism, remains a problem for the future.

### *Character*

Another problem which must be approached along these same lines is the modification of character which occurs in diseased conditions like hysteria, particularly that special type known as disintegrated multiple personality, and in certain psychoses like



circular and so-called moral insanity. The lesser states of depression and exaltation as commonly observed in such conditions, each accompanied or represented by altered points of view of the individual, when closely studied seem not to differ essentially from the similar conditions experienced by normal individuals and called *moods*. These alterations of character can be studied most advantageously in disintegrated personality where they can be watched as they take place under the very eye of the observer. They may include even changes in the physiological reactions, like the effect of alcohol, tobacco, sunlight, and the environment, and may or may not be accompanied by alterations of memory. Thus, to take an actually observed example, an individual at one moment amiable, religious, forbearing, the typical saint of literature, one who loves the quiet idealism and subdued light of the cloister, and whose moral and physiological tastes lead her to dislike coffee, cigarettes, wine, the glare of sunlight, gaudy fashions of dress, and a score of other pleasures of the flesh, becomes suddenly, in a moment of time, strong, resolute, "quick and sudden in quarrel," without religious tastes, one who delights in cigarettes, wine, the pleasure of the table, gay fashions of dress, and above all, in the strenuous Rooseveltian life. More than this, the character of an individual of this instability can be modified almost at will by artificial methods, or indirectly through the effect of fatigue and emotion. A certain number of the traits of one state being swapped for those of another, and *vice versa*.

Similar alterations of character have been artificially brought about by one experimenter in an individual with an apparently healthy nervous system, five different character states being obtained without changes of memory.

Such phenomena as these raise the problem of what is character, or more specifically, what is the fundamental process which brings about the alterations observed in special diseased conditions? The data at our disposal do not allow us to answer completely these questions, but we have enough facts at hand to show that a very large share in the process must be attributed to either psychical dissociation, or incapacity to make complete syntheses, in consequence of which the "personal perceptions" are very much restricted.

The fact that the same sort of alterations occur in the profound psychoses, in hysteria, and even in the moods of normal life, suggest that all are different types of disaggregation of the field of consciousness and perversions of the same mechanism, though the exciting cause may be different in each case.

The problems of functional dissociation, abnormal syntheses and automatisms belong to those which are fundamental to ab-

normal and therefore normal psychology. We enter upon more debatable ground when we try to determine the exact nature of these processes and give greater precision to our knowledge. Are the anesthetics, amnesias, and other forms of dissociation, for instance, to be classified, as held by Dr. Janet, as "failure of personal perception," that is, simply as special types of normal absent-mindedness, or must some physiological principle be invoked? This is a question of interpretation of the observed facts, and it seems to me is one which we are not in a position as yet to answer definitely, although, as I shall later point out, we can frame a reasonable hypothesis.

II. *Do Subconscious States habitually exist normally, or are they always either Artifacts or Abnormal Phenomena?*

I have already referred to the doubling of the mind and the formation of subconscious states that may result from this dissociation, even to the formation of a second personality. Now, if abnormal dissociation is only an exaggeration, or perversion of normal dissociation, the question arises, To what extent is there a division of the healthy mind of such a character as to give it multiplicity? Are the well-known abnormal dissociations and automatisms, *i. e.* the manifestations of abnormal subconscious processes, merely perverted types of similar processes which go on in every healthy mind? This is one of the most pressing problems for abnormal psychology to settle, for the idea that there is a subconscious mental life of elaborate activity which habitually plays a large part in all our mental processes has received such wide acceptance that it shows evidence of dominating psychological thought, and has even furnished a groundwork for a new philosophy. As a problem in dissociation and automatism, I propose, therefore, to inquire to what degree this hypothesis is justified by actually demonstrated data in our possession to-day.

The problem may be thus stated: Do subconscious states habitually exist normally, or are they always either artifacts or abnormal phenomena? If they form a part of the normal mind, what is the extent of the subconscious field? There is a very wide tendency at the present day to account for a large variety of phenomena, including both normal and abnormal experiences, by what used to be called "unconscious cerebration" but which now is spoken of as "subconscious thought" or the "secondary consciousness."

Now at the outset, in approaching this problem, we should have a clear idea of what is meant by subconscious ideas and their relation to the personal consciousness. It is difficult to state the theory of a secondary consciousness in a way that will be accept-

able to all students, for probably no two observers are agreed as to the interpretation of the facts, or, if the fundamental notion be accepted, whether the theory includes a limited or a large category of facts. All, however, are agreed that, *under certain artificially induced or abnormal conditions*, correlated with our brain-processes at any moment of time, there may be a certain number of elementary conscious states of whose existence we are ignorant, but which nevertheless coexist with that habitual waking consciousness which we term our self, or our own personality.

Now as to the *conditions* under which this secondary consciousness develops, and to its *extent* — the number of sensations, emotions, and other psychical states composing it, and, above all, the degree to which they are organized into a self-acting system (or personality) — there is considerable difference of opinion, so that there may be said to be several theories of the secondary consciousness, according to the point of view of the writer, and the interpretation given to the accepted facts. While all agree that under *special* conditions every mind may be made up of certain states of which we are conscious and certain states of which we are not conscious, some think that in *healthy* minds the secondary consciousness — if existent at all — is limited to only a number of more or less dissociated and isolated states, like sensations and perhaps emotions, without being synthesized into a personal self-unity, or even self-acting system. Others think that these dissociated states are always woven into a systematized unity and are capable of considerable intellectual and independent activity. Some think that these secondary states play but a small subordinate part in our mental lives; others think that they have a very large share in our daily acts, particularly in those acts to which we do not give our conscious volition (habit acts, absent-minded acts, etc.). Still others seek to explain our highest intellectual feats through this secondary consciousness. It will be borne in mind that we are now speaking of normal healthy minds. In diseased minds, it is agreed by all that the psychical states making up this secondary consciousness may become highly organized into a self-acting system and become capable of playing a rôle almost as controlling and independent as the habitual self. But some (Janet) think a doubling of consciousness is always a sign of disease.

Now subconscious ideas are dissociated ideas — dissociated from the main system of ideas which make up the personal consciousness. They are thrown off, so to speak, as satellites may be supposed to be thrown off, from their planet. The term "subconscious" is an unfortunate one, for it is metaphorical, and, while descriptive does not precisely express the true relation of these ideas to the personal

consciousness, extra-conscious, concomitant, or better, dissociated, are more exact terms. Now being dissociated from our personal consciousness, we are ignorant of them. Our knowledge of the existence of such dissociated mental states is largely derived from a study of pathological and artificially induced conditions, where their presence can be positively and accurately determined. The researches of recent years have proved very conclusively not only that the mind may be split in two in such a way that certain groups of ideas may be dissociated from the main consciousness, but that a number of these dissociated states may become synthesized among themselves, and that in this way is formed a second consciousness capable of a certain amount of activity. This activity may be manifested contemporaneously with that of our personal consciousness. There is then a doubling of consciousness. The mind becomes dual. Thus in the subject of disintegrated personality just referred to, known as "The Misses Beauchamp," a secondary group of dissociated states has existed for many years contemporaneously with the personal consciousness. These secondary states are so extensive and are so well organized into a personality that I have been able to obtain an autobiography of the subconscious life of this concomitant personality, disclosing a mental life which claims to have run along side by side with, but unknown to, the personal self from childhood to the present day. The subject is twenty-eight years of age. Similar though less extensive manifestations of a double life are common as phenomena of hysteria. In the automatic writing and speech of mediums and of psychological experiment, in the dowsing-rod, in so-called post-hypnotic phenomena, and in the automatic acts of artificial and spontaneous abstraction, we have the same manifestations of the splitting of the mind and the formation of an extra-conscious self of which the personal consciousness is ignorant. The dissociated states may or may not take on contemporaneous activity. If they do so, the secondary phenomena thus produced are called *automatisms*, as they occur outside the cognition of the personal self. They form the subconscious fixed ideas of hysteria now so well known. When the dissociated ideas include the kinesthetic and sensory spheres we have hysterical paralyses and anesthetics. At times these dissociated ideas break out in insurrections, kick up didos, and turn our peaceful mental arrangements topsy-turvy. We then have the hysterical attack.

Now allowing for such differences of opinion as have been already stated, there still seems to be a tacit acquiescence on the part of many psychologists in the theory that in normal healthy minds similar dissociated ideas of greater or less complexity have their place and play a well-regulated part in the mental economy. In other words, according to this theory, the normal mind is not a unity

any more than the hysterical mind. It requires but a slight extension of this theory to assume, as some do, that these dissociated mental states become normally synthesized into a second consciousness of considerable intellectual capacity, which takes part in our every-day intellectual processes. In every mind the activity of the primary consciousness is supposed to be accompanied by that of a secondary consciousness. On the basis of actually substantiated data, one would think that this was as far as the hypothesis could be logically carried, but the fact that we are not conscious of dissociated ideas gives a certain mysticism to their existence and has offered a temptation to extend further the hypothesis until, in the hands of certain of its advocates, it has outgrown even all demonstrated pathological facts. The subconscious ideas, instead of being mental states dissociated from the main personality, now become the main reservoir of consciousness and the personal consciousness becomes a subordinate stream flowing out of this great storage-basin of "subliminal" ideas as they are called. We have within us a great tank of consciousness, but we are conscious of only a small portion of its contents. In other words, of the sum total of conscious states within us, only a small portion forms the personal consciousness. The personal self becomes even an inferior consciousness emerging out of a superior subliminal consciousness present in a transcendental world, and this subliminal consciousness is made the source of flights of genius on the one hand, while it controls the physical processes of the body on the other. It is hardly necessary to follow this new "tank" hypothesis into its different applications. I merely refer to it as it has unquestionably colored the orthodox conception of subconscious ideas. Thus Professor Stout,<sup>1</sup> while contending against this doctrine, himself apparently influenced by it, postulates normal dissociated states (he adopts the term "subliminal") and gives them functions of wide scope.

"Consider," he says, "the process of recollecting a name. . . . It may happen that we fail to revive the name while we are trying to do so, and that it suddenly emerges into consciousness after an interval during which we have been occupied with other matters or have been asleep. This implies that our conscious effort has set going a subliminal process which continues after the conscious effort has ceased."

Professor Stout then goes on to argue that our conscious process has a way of exciting these dissociated states into trains of thought of which we are wholly unconscious and which solve our problems for us while we attend to other things.

"In such cases" [solving problems], he says, "conscious endeavor to find an ideal combination which shall satisfy certain conditions

<sup>1</sup> *The Hibbert Journal*, October, 1903.

serves only to set in operation subliminal processes which may or may not yield the requisite result. Here also the process may continue after the consciousness which prompted it ceased. The ordinary man no less than the man of genius may find that what relatively to *him* are original ideas develop while his thoughts are occupied with disconnected topics, or even while he is asleep. In general, we take an utterly false view of mental construction when we regard it as a mere putting-together of data already present in consciousness analogous to the putting-together of the parts of a puzzle spread out on the table before us."

It seems to me that these are pure assumptions. As far as my own conscious experience goes, I am compelled to agree with Mr. Andrew Lang,<sup>1</sup> in that as "an ordinary man" I do not find that my conscious activity appeals to "anything else" but my own conscious processes, or that I am conscious of any such easy way of settling my own problems. As an ordinary man, I do not find I can rely upon any other consciousness to write this address but the thoughts which I laboriously elaborate.

This theory of the normal occurrence of subconscious dissociated thought seems to have arisen as an interpretation of certain well-known but exceptional spontaneous experiences of the kind which Professor Stout accepts as evidence of normal subconscious mental activity, but the theory has a more substantial basis in data which have been obtained through direct objective experimentation. These include (1) various hysterical phenomena, (2) hypnotic experiments, (3) various motor automatisms, particularly automatic writing, and (4) phenomena of absentmindedness or abstraction. A critical analysis of these data will show that they do not permit of inferences applicable to normal and habitual conditions.

(1) That secondary subconscious states, capable of being synthesized into a self, may be developed by disease is a well-attested observation. But, being pathological, they are evidence only of the abnormality of subconscious states.

(2) As to hypnotic states, it is sometimes assumed that the hypnotic self represents a persistent consciousness having a continuous existence after the awakening of the personal consciousness. There is no evidence for this. The hypnotic self is a dissociated state of the waking consciousness. On awaking the synthesis of the original self is again made and the hypnotic dissociation ceases to exist. Nor is there any particular hypnotic state. There may be almost any number of such states in the same individual — as many as there are possible states of dissociation. In the second place, hypnosis is an artifact — an artificial dissociation, not a state of normal life. The phenomena of post-hypnotic suggestion, which are entirely

<sup>1</sup> *The Hibbert Journal*, April, 1904.

phenomena of subconscious processes, are likewise artifacts, produced by the methods of the experiment. They prove that the mind may be artificially made to exhibit duality but not that this is true of normal mental life.

(3) As to the evidence from automatic writing and similar phenomena, it seems to have been overlooked that these phenomena too are artifacts. Although they are plainly manifestations of dissociation of consciousness and automatism of the dissociated elements, nevertheless this dissociation is the product of the conditions of the experiment. Abstraction, which means dissociation of a greater or less degree, is induced, and suggestion directly excites the phenomena. But all such experiments have great significance in another respect. The ease with which the mind, in perfectly healthy persons, can be dissociated, and the dissociated states synthesized into an autonomous system, shows that subconscious synthesized states are not always evidence of disease, as maintained by Janet, though they may be artifacts, but that the whole is dependent upon a physiological process. When a physiological stimulus, like the mere sound of a spoken word, a suggested idea, is capable of inciting a dual activity of the mind in healthy university students, the process is unintelligible unless it is psycho-physiological, that is to say, a normal reaction of the mind to specially devised stimuli. When critically examined, then, the experimental evidence which is relied upon to establish subconscious ideas as normal processes of mentation is found to be fallacious. The resulting phenomena are made subconscious by the very conditions of the experiment. For this reason the problem is impossible to solve by the usual experimental methods. There is, however, some experimental evidence of a different sort which may be utilized, and which I propose presently to point out.

(4) The phenomena of absentmindedness, or abstraction, a normal function, indicate both dissociation and automatism. It is not difficult to demonstrate experimentally that auditory, visual, tactile, and other images, which are not perceived by the personal consciousness during this state, may be perceived subconsciously. Thus, under proper precautions, I place various objects where they will be within the peripheral field of vision of a suitable subject, C. B. Her attention is strongly attracted listening to a discourse. The objects are not perceived. She is now hypnotized and in hypnosis describes accurately the objects, thus showing that they were subconsciously recognized. It is the same for auditory perceptions of passing carriages, voices, etc. Likewise, on the *motor* side the numerous absentminded acts of which we are not conscious show intelligent subconscious automatism. C. B., in hypnosis, remembers each step of such an act (putting a book in the bookcase),

of which she is completely oblivious when awake. This duality of the mind in normal absentmindedness has been pointed out by various observers. Its phenomena simulate those of artificial abstraction as they occur in automatic writing and hysterical states. There is nothing surprising in this as the term "absentmindedness" means dissociation of consciousness,—a failure to perceive that which before was perceived, and a failure to be conscious of acts intelligently performed. On the other hand, normal absentmindedness is a distinctly special condition. We don't go about in an absentminded state, or as if we had lost our heads, when we have work to be done. Absentminded phenomena are manifestations of the temporary disintegration of the personal self, and doubling of consciousness, but not evidence of the persistence during the ordinary waking life of subconscious states. It does not follow that on waking from reverie complete synthesis does not take place. But here the significant fact, the most significant of all, should not be lost sight of, that in the normal process of abstraction we find evidence of the existence of a normal prearranged mechanism for dissociating consciousness and producing subconscious states. Dissociation is plainly a function of the mind or brain.

Now, the nub of the problem is, in healthy persons are these subconscious states limited to absentmindedness? and, if not, what part do they play in the mental economy? Indeed, whether so limited or not, what is their extent? *i. e.* (a) are they purely isolated phenomena, isolated sensations and perceptions? or (b) are they synthesized, as imagined by Professor Stout, into logical subconscious processes of thought, capable of sustained action, and as imagined by some sufficiently complex to form a personality—something that we are justified in calling a subconscious self? or (c) are subconscious states when synthesized always either artifacts or pathological?

The question is at the root of many important problems in abnormal psychology, but is difficult to answer by experimental methods, owing to the danger of artifacts. In illustration of this danger I may point to the phenomena of subconscious solution of arithmetical problems which are sometimes cited in evidence. In favorable subjects, as in an instance under my own observation, it is not difficult by means of suggestion in hypnosis to obtain the solution of arithmetical problems during the waking state by some other consciousness than that of the waking personality. For example, while in hypnosis, two numbers are given to be added or multiplied, say  $453 + 367$ , or  $4326 \times 3$ , to take actual examples, and the subject waked instantaneously the moment the last figure is given. The addition or multiplication is correctly solved subconsciously, the subject not having any conscious knowledge that any



task whatever has been set. The exact method of mentation by which the problem is extra-consciously solved is learned by catechizing the hypnotic personality. But such experiments are plainly artifacts. The dissociation and automatism are the products of suggestion. The results are of value, however, as cannot be too often insisted upon, in that they show the ease with which duality of the mind may be effected by what is plainly a psycho-physiological stimulus, a suggested idea. But to obtain subconscious phenomena free from artifice such phenomena must be *spontaneous*. Information regarding the presence and character of subconscious states at any given time can be easily obtained owing to the well-known fact that ideas<sup>1</sup> dissociated from the personal consciousness awake may become synthesized with this same consciousness in hypnosis, and then be remembered. A person in hypnosis may thus be able to analyze and describe the ideas which were spontaneously present as an extra-consciousness when awake, but which were not then known to the personal consciousness. This method is far more accurate than the device of tapping the subconsciousness by automatic writing, though the same in principle. I am obliged here to refer to a series of observations of this kind which I have personally made with a view of obtaining light upon this question, as I know of no others that have been limited to spontaneous phenomena and are not open to the objection of artifacts. A systematic examination<sup>2</sup> was made of the personal consciousness in hypnosis, regarding the perceptions and content of the secondary consciousness during definite moments, of which the events were prearranged or other-

<sup>1</sup> This word is used as a convenient expression for any state of consciousness.

<sup>2</sup> I have adopted this custom of treating the hypnotic self as a sane consciousness, instead of a freak affair, fit only to be played with and to be made to perform all sorts of antics. I am certain this method of study will throw more light on the composition of normal consciousness than that of inducing hallucinations and other artifacts. The hypnotic self, if treated like a reasonable being, will be found able to give important information. It knows the waking self, it knows its own thoughts, and it knows the thoughts of the secondary consciousness. It can give very valuable information about each. On the other hand, it is very easily disintegrated by suggestion; and ideas, hallucinations, and what not, are very easily created in it. Experiments of this latter kind have their use, but for the purpose of learning the mode of the working of the normal mind, a still greater advantage is to be obtained by treating it as a rational consciousness capable of accurately observing and imparting information derived from its own experiences.

I would here insist that it is a mistake to confuse the personal consciousness in hypnosis with the secondary consciousness when such exists. They are not identical or coextensive. An hypnotic self, as ordinarily observed, is still the personal consciousness, but in hypnosis the previously dissociated states are synthesized with this self and remembered. The whole becomes then a unity, and the hypnotic personal consciousness remembers the formerly dissociated ideas and its own and speaks of them as such. This has given rise to the wrong interpretation that identifies the hypnotic self with the secondary or subconsciousness. But the hypnotic self includes a large part of the waking personal self. On waking, this part regains the rest of its own syntheses and loses the second states. A failure to recognize these facts has led to much confusion in interpreting abnormal psychological phenomena.

wise known, the subject not being in absentmindedness. It is not within the scope of an address of this sort to give the details of these observations, but in this connection I may state briefly a summary of the evidence, reserving the complete observations for future publication. It was found that —

(1) A large number of perceptions — visual, auditory, tactile and thermal images, and sometimes emotional states — occurred outside of the personal consciousness, and therefore the subject was not conscious of them when awake. The visual images were particularly those of the peripheral vision, such as the extra-conscious perception of a person in the street, who was not recognized by the personal waking consciousness; or the perception of objects intentionally placed in the field of peripheral vision and not perceived by the subject, whose attention was held in conversation. Auditory images of passing carriages, of voices, footsteps, etc., thermal images of heat and cold from the body, were similarly found to exist extra-consciously, and to be entirely unknown to the personal waking consciousness.

(2) As to the content of the concomitant (dissociated) ideas, it appeared by the testimony of the hypnotic self that as compared with those of the waking consciousness the secondary ideas were quite limited. They were, as is always the experience of the subject, made up for the most part of emotions (*e. g.*, annoyances), and sensations (visual, auditory, and tactile images of a room, of particular persons, people's voices, etc.). They were not combined into a logical proposition, though in using words to describe them it is necessary so to combine them and therefore give them a rather artificial character as "thoughts." It is questionable whether the word "thoughts" may be used to describe mental states of this kind, and the word was used by the hypnotic self subject to this qualification. Commonly, I should infer, a succession of such "thoughts" may arise, but each is for the most part limited to isolated emotions and sensorial images and lacks the complexity and synthesis of the waking mentation.

(3) The memories, emotions, and perceptions of which the subject is not conscious when awake are remembered in hypnosis and described. The thoughts of which the subject is conscious when awake are those which are concentrated on what she is doing. The others, of which she is not conscious, are sort of side thoughts. These are not logically connected among themselves, are weak, and have little influence on the personal (chief) train of thought. Now although when awake the subject is conscious of some thoughts and not of others, both kinds keep running into one another, and therefore the conscious and the subconscious are constantly uniting, disuniting, and interchanging. *There is no hard and fast line*

between the conscious and the subconscious, for at times what belongs to one passes into the other, and vice versa. The waking self is varying the grouping of its thoughts all the time in such a way as to be continually including and excluding the subconscious thoughts. The personal pronoun "I," or, when spoken to, "you," applied equally to her waking self and to her hypnotic self, but these terms were not applicable to her unconscious thoughts, which were not self-conscious. For convenience of terminology, it was agreed arbitrarily to call the thoughts of which the subject is conscious when awake the *waking consciousness*, and the thoughts of which when awake she is not conscious the *secondary consciousness*. In making this division the hypnotic self insisted most positively on one distinction, namely, that the secondary consciousness was in no sense a *personality*. The pronoun "I" could not be applied to it. In speaking of the thoughts of this second group of mental states alone, she could not say "I felt this," "I saw that." These thoughts were better described as, for the most part, unconnected, discrete sensations, impressions, and emotions, and were not synthesized into a personality. They were not therefore self-conscious. When the waking self was hypnotized, the resulting hypnotic self acquired the subconscious perceptions of the second consciousness, she then could say "I," and the hypnotic "I" included what were formerly "subconscious" perceptions. In speaking of the secondary personality by itself, then, it is to be understood that self-consciousness and personality are always excluded. This testimony was verified by test instances of subconscious perception of visual and auditory images of experiences occurring in my presence.

(4) Part played by the secondary consciousness in

(a) Normal mentation. The hypnotic self testified that the thoughts of the secondary consciousness do not form a logical chain. They do not have volition. They are entirely passive and have no direct control over the subject's voluntary actions.

(b) Part played by the secondary consciousness in absentmindedness. (1) Some apparently absentminded acts are only examples of amnesia. There is no doubling of consciousness at the time. It is a sort of continuous amnesia brought about by lack of attention. (2) In true absentmindedness there does occur a division of consciousness along lines which allow a large field to, and relatively wide synthesis of the dissociated states. The personal consciousness is proportionately restricted. The subconscious thoughts may involve a certain amount of volition and judgment, as when the subject subconsciously took a book from the table, carried it to the bookcase, started to place it on the shelf, found that particular location unsuitable, arranged a place on another shelf, where the book was finally placed. No evidence, however, was obtained

to show that the dissociated consciousness is capable of wider and more original synthesis than is involved in adapting habitual acts to the circumstances of the moment.

(c) Solving problems by the secondary consciousness. So much is to be found in the literature about subconscious solutions of problems that the following testimony of the hypnotic personality is of interest:

“When a problem on which my waking self is engaged remains unsettled, it is still kept in mind by the secondary consciousness, even though put aside by my waking self. My secondary consciousness often helps me to solve problems which my waking consciousness has found difficulty in doing. But it is not my secondary consciousness that accomplishes the final solution itself, but it helps in the following way. Suppose, for instance, I am trying to translate a difficult passage in Virgil. I work at it for some time and am puzzled. Finally, unable to do it, I put it aside, leaving it unsolved. I decide that it is not worth bothering about and so put it out of my mind. But it is a mistake to say that you put it *out* of your mind. What you do is, you put it *into* your mind: that is to say, you don't put it out of your mind if the problem remains unsolved and unsettled. By putting it *into* your mind I mean that, although the waking consciousness may have put it aside, the problem still remains in the secondary consciousness. In the example I used, the memory of the passage from Virgil would be retained persistently by my secondary consciousness. Then from time to time a whole lot of fragmentary memories and thoughts connected with the passage would arise in this consciousness. Some of these thoughts, perhaps, would be memories of the rules of grammar, or different meanings of words in the passage, in fact, anything I had read, or thought, or experienced in connection with the problem. These would not be logical connected thoughts, and they would not solve the problem. My secondary consciousness does not actually do this, *i. e.*, in the example taken, translate the passage. The translation is not effected here. But later when my waking consciousness thinks of the problem again, these fragmentary thoughts of my secondary consciousness arise in my mind, and with this information I complete the translation. The actual translation is put together by my waking consciousness. I am not conscious of the fact that these fragments of knowledge existed previously in my secondary consciousness. I do not remember a problem ever to have been solved by the secondary consciousness. It is always solved by the waking self, although the material for solving it may come from the secondary. When my waking consciousness solves it in this way, the solution seems to come in a miraculous sort of way, sometimes as if it came to

me from somewhere else than my own mind. I have sometimes thought, in consequence, that I had solved it in my sleep."

The subject of these observations was at the time in good mental and physical condition. Criticism may be made that the subject being one who had exhibited for a long time previously the phenomena of mental dissociation, she now, though for the time being recovered, tended to a greater dissociation and formation of subconscious states than does a normal person, and that the subconscious phenomena were therefore exaggerated. This is true. It is probable that the subconscious flora of ideas in this subject are richer than in the ordinary individual. These phenomena probably represent the extreme degree of dissociation compatible with normality. And yet, curiously enough, the evidence tended to show that the more robust the health of the individual the more stable her mind, the richer the field of these ideas. However this may be, the very exaggerations increase the value of the evidence for the limitation of the extent, independence, and activity of the subconscious states. If in such a subject we do not find, as is the case, evidences of subconscious automatism, excepting in absent-mindedness, it is highly improbable that such activity exists in a perfectly healthy subject.

These observations are only suggestive, not conclusive. To solve the whole problem of concomitant, extra- or subconscious states, further and numerous observations are required, but conducted under conditions which shall exclude artifact and abnormal states. It is interesting, however, here to notice that the direct evidence derived from these observations confirms the theoretical scheme of personal perception offered by Dr. Janet. That scheme is almost a literal representation of the facts as obtained by this method of experimentation.

Summarizing all the evidence which is at our disposal to-day, derived from actually observed facts, we may say, that *while a greater or less number of isolated dissociated states are constantly occurring under normal conditions, there is no satisfactory evidence that they normally become synthesized among themselves and exhibit automatism excepting in states of abstraction and as artifacts.*

A study of subconscious states is highly important for the determination of the mechanism of consciousness, and I am convinced that such studies will throw much light upon the problem of how we think.

At this time considering the fundamental importance of the problem of the subconscious, it has seemed to me wise to stop and review the evidence for the existence of normal dissociated mental states, and this for the further reason of the enormous part which these states play in pathological conditions and because of the

credence which has been given to the theory of a normal subconscious self.

If the foregoing review is sound, it would seem that great caution is required in applying the inductions derived from a study of abnormal subconscious phenomena to normal conditions, and that the tendency has been to attribute too extensive a field and too great capabilities to this hidden mental life. The facts at our disposal do not support the hypothesis of a normal subconscious mind excepting within very strict limitations.

### *Nature of the Dissociating Process*

But the problem of the subconscious brings into stronger relief the still broader problem. What is the nature of the dissociating process by which the duality is brought about? Is the explanation to be found in psychical or in physiological laws? It was a great advance to show, as has been done, that a large number of abnormal functional phenomena like anesthesia, amnesia, paralysis, aboulia, are all different types of the splitting of consciousness. They must, therefore, be due to some dissociating process. Janet interprets these different mental conditions as *chronic forms of absentmindedness*, a persistent failure of the personal consciousness to make more than a few syntheses. This failure is the consequence of exhaustion. The dissociation is, therefore, primary and the resulting automatism secondary. Janet is careful to point out that this is not an explanation. It is in fact only a classification. Breuer and Freud, on the other hand, would make the dissociation secondary to the development of what they call the hypnoid state, a group of fixed ideas, which are unable to make the synthesis with the personal consciousness.

None of these theories are satisfactory as explanations. Absentmindedness is not only insufficient as an explanation of the process, but even as a classification fails to take into account the differences in phenomena, such as the dissociation brought about as artificial abstraction by merely whispering in the subject's ear. I whisper in the ear of B and straightway she does not hear, but inquires, "Where have you gone to?" I speak aloud and she hears again. (The whispered voice is of course heard by a momentarily dissociated group of states which respond.) Why, if this phenomenon is the same as absentmindedness, and is due to exhaustion, cannot the "personal perception" (Janet) synthesize the whispered voice as well as the conversational voice? Again, multiple personalities with alternating memories are not exhausted, but can make any amount of other syntheses, including their own respective memories: Why not also with the lost memories of

another personality? There is not a failure of *perception* of the ego, but a splitting of the ego itself. What has produced it?

Any theory to be sufficient must take into consideration all the facts not only of abnormal but of normal dissociations, including those artificially induced by experimental devices (suggestion, automatic writing, etc.). When we do this we find in the first place, as already pointed out, facts indicating a normal process for dissociating consciousness, through which process normal and abnormal phenomena may be correlated. Normal absentmindedness, certain types of normal amnesia, sleep, spontaneous somnambulism, hypnosis, etc., can experimentally be shown to be types of dissociation, splitting of the ego, differing from one another in the extent and pattern of the fields of consciousness remaining to the personal ego. The process which brings these states about is probably fundamentally the same as that governing the abnormal splitting of consciousness.

In the second place a study of abnormal and induced dissociation shows that, while normal syntheses and automatisms largely follow psychological laws, the lines of *disaggregation* do not follow the lines mapped out by these laws. For instance, they do not follow the boundaries of associated ideas.

The hand that performs automatic writing becomes anesthetic, though the subconscious ideas which control the hand have nothing to do with tactile sensation. A subconscious fixed idea of fear of personal injury robs the personal consciousness of our subject M——<sup>1</sup> of perceptions from the peripheral field of vision and from one half of his body. In another subject all the memories for a certain epoch in her life disappear in consequence of a shock. An emotional shock in A. P., excited by a slight fall during a high-kicking act, robs the personal consciousness of the power to move the arm and leg which are rigid in contracture. In Madam D., a subject of Charcot and Janet, continuous amnesia for each succeeding moment of the day follows the announcement of a piece of bad news. There are no psychological associations in any of these examples between the ideas and the resulting dissociations, and psychologically we can find no reason why sensory and motor images are dissociated in one case, and memories in another. It would seem from the points of view of our present knowledge that we shall have to look for an explanation in some physiological process. All must admit that the final explanation must be in terms of the neuron, in the dissociation of the as yet unknown neuron systems which are correlated with the psychological systems. But without attempting such an explanation, what I wish to point out is that the data of abnormal

<sup>1</sup> *Boston Medical and Surgical Journal*, vol. CL, no. 25, pp. 674-678, June 23, 1904.

psychology go to show that the psychological disaggregation does not follow as much psychical as physiological lines. The cleavage is brought about by psychological influences — trauma — (ideas, emotions, etc.); but when the fracture occurs, it tends to follow the physiological map. Just as when a blow shatters a mineral, the lines of fracture follow the natural lines of crystallization, so, while a psychical trauma shatters a psycho-psychological system, the cleavage follows very closely the neuron association systems.

Thus when Louis Vivé passed into one state in which he had left hemiplegia, into another in which he had right hemiplegia, another with paraplegia, each with its own group of memories, the alterations can only be explained on the ground that these states were determined by some sort of physiological dissociating system. Likewise, when our subject M——I developed a complete amnesia for the English language, and understood and spoke only German, if we take into account all the phenomena, it would seem this amnesia was determined by physiological dissociation excited by a primarily conscious and later subconscious fear of injury.

Sally Beauchamp's general anesthesia is in no way the result of ideas psychologically in association with it. When B I and B IV exhibit a complete amnesia for each other's lives and exhibit their contradictory traits of character and physiological reactions, it must be because different neurons are brought into activity in each case.

B IV in hypnosis, while slightly groggy from ether, talks intelligently and narrates the history of an adventure of the preceding day. I suggest to her that she shall open her eyes, wake up and be herself, a suggestion I have given a hundred times successfully. She opens her eyes and straightway she does not know me, or her surroundings, or who she herself is. An enormous dissociation of psychologically associated ideas has taken place, whether as the effect of the ether or some other cause, I do not know, but according to psychological laws her syntheses should have been enlarged. I close her eyes again and she regains intelligence, remarking that — “when my eyes are open I do not know who I am.”

On the other hand, automatism and abnormal *syntheses* seem to be affected by psychical laws, particularly that of the law of association of ideas. Abnormal psychology then points strongly to the conclusion that there is a normal physiological dissociating mechanism which is the function of the nervous organization. It is this mechanism which brings about such spontaneous normal states as absentmindedness, sleep, normal induced states, like hypnosis; and through its perversions the dissociations underlying abnormal phenomena.



## SHORT PAPER

PROFESSOR JOHN B. WATSON, of the University of Chicago, read a paper for this Section on "A Suggested Method in Comparative Psychology," in which a brief discussion of some of the most recent theories in reference to the teaching of animals by the perception of result, imitation, etc., was given, as well as the relative use of the senses in animals and lower organisms.

## BIBLIOGRAPHY: DEPARTMENT OF PSYCHOLOGY

(Prepared by *R. D. Williams, Fellow of Johns Hopkins University*)

### I. GREAT WORKS OF THE PAST

- ARISTOTLE, *Psychology* (English translation by Wallace), Cambridge University Press, 1882. (English translation by Hammond), Macmillan Co., New York, 1902.
- BENEKE, *Psychologische Skizzen*, 2 Bände, Vandenhoeck und Ruprecht, Göttingen, 1825.
- BERKELEY, *Principles of Human Knowledge* (edited by Fraser), Oxford Clarendon Press, Dublin, 1710.
- BIRAN, MAINE DE, *Essai sur les Fondements de la Psychologie*, Naville, Paris, 1895.
- BROWN, *Lectures on the Philosophy of the Human Mind*, 4 vols., Tait, Edinburgh, 1820.
- CABANIS, *Rapports du Physique et du Moral de l'Homme*, Paris, 1802.
- COMTE, *La Philosophie Positive*, Bachelier, Paris, 1830.
- CONDILLAC, *Essai sur l'Origine de la Connaissance Humaine*, Paris, 1746.
- DROBISCH, *Empirische Psychologie*, Voss, Leipzig, 1842.
- HARTLEY, *On Man*, 2 vols., Hitch & Austen, London, 1749.
- HEGEL, *Philosophy of Mind*, trans. by Wallace, Oxford Press.
- HERBERT, *Lehrbuch der Psychologie*, Unzer, Leipzig, 1816.
- HOBBS, *Human Nature*, and *De Corpore Politico*, Bohn, London.
- HUME, *Philosophical Works*, 4 vols. (edited by Green & Grose), Longmans, Green & Co., London, 1874.
- LEWES, *Problems of Life and Mind*, 2 vols., Osgood & Co., Boston, 1873.
- LOTZE, *Medicinische Psychologie*, Weidmannsche Buchhandlung, Leipzig, 1852.
- LOCKE, *Essay Concerning Human Understanding*, 2 vols., Oxford Clarendon Press, 1844.
- MILL, JAMES, *Analysis of the Phenomena of the Human Mind*, 2 vols., Longmans, Green & Co., London, 1878.
- MILL, J. S., *Examination of Sir William Hamilton*, Holt & Co., New York, 1874.
- SPENCER, *Principles of Psychology*, 2 vols., Appleton & Co., New York, 1873.
- TAINÉ, *On Intelligence* (English translation), 2 vols., Holt & Co., New York, 1875.
- WAITZ, *Lehrbuch der Psychologie*, Fieweg, Braunschweig, 1849.

### II. GENERAL PSYCHOLOGY

#### JOURNALS

- Archives de Psychologie*, Publiées par Th. Flournoy et E. Claparède, Genève, Switzerland.
- American Journal of Psychology*, edited by G. Stanley Hall, Worcester, Mass.
- The British Journal of Psychology*, edited by James Ward and W. H. H. Rivers, Cambridge, Eng.
- Journal de Psychologie*, directeurs, Janet et Dumas, Paris.
- Mind*, N. S., edited by G. F. Stout, London, Eng.
- Revue Philosophique*, dirigée par Th. Ribot, Paris.

## BIBLIOGRAPHY : DEPARTMENT OF PSYCHOLOGY 777

- Philosophical Review, edited by J. E. Creighton and E. Albee, Ithaca, N. Y.  
Psychologische Studien, edited by W. Wundt, Leipzig, Germany.  
The Psychological Review and Psychological Bulletin and Supplements, edited  
by J. Mark Baldwin, H. C. Warren, and C. H. Judd, Baltimore, Md.  
Zeitschrift für Psychologie, edited by Herm. Ebbinghaus, Leipzig, Germany.

### HANDBOOKS AND REFERENCE BOOKS OF PSYCHOLOGY

- BALDWIN, Handbook of Psychology, 2 vols., Holt, New York, 1890.  
Dictionary of Philosophy and Psychology, 3 vols., Macmillan,  
1900-06 (contains extensive and select bibliographies).  
BAIN, The Senses and Intellect, 4th edition, Appleton, New York, 1902.  
The Emotions and the Will, 4th edition, Appleton, New York, 1894.  
BRENTANO, Psychologie, Band 1, Duncker & Humboldt, Leipzig, 1874.  
CALKINS, Introduction to Psychology, Macmillan Co., New York, 1902.  
EBBINGHAUS, Grundzüge der Psychologie, Veit und Co., Leipzig, 1902.  
FOUILLÉE, La Psychologie des Idées-Forces, 2 tomes, Alcan, Paris, 1893.  
L'Évolutionnisme des Idées-Forces, Alcan, Paris, 1890.  
HOEFFDING, Outlines of Psychology (English translation), Macmillan Co., New  
York, 1892.  
HOEFLER, Psychologie, Tempsky, Wien und Prague, 1897.  
JAMES, Principles of Psychology, 2 vols., Holt & Co., New York, 1890.  
JODL, Lehrbuch der Psychologie, 2 vols., 2d edition, Gottsache, Berlin, 1903.  
KUELPE, Outlines of Psychology (English translation), Macmillan Co., New  
York, 1895.  
LADD, Psychology, Descriptive and Explanatory, Scribners, New York, 1894.  
LIPPS, Grundtatsachen des Seelenlebens, Max Cohen, Bonn, 1883.  
MÜNSTERBERG, Grundzüge der Psychologie, Barth, Leipzig, 1900.  
PAULHAN, L'Activité mentale et les Éléments de l'Esprit, Alcan, Paris, 1889.  
Les Phénomènes affectifs et les lois de leur apparition, 2d edition,  
Alcan, Paris, 1901.  
RIBOT, The Psychology of the Emotions, Scribners, New York, 1897.  
STOUT, Manual of Psychology, Hinds & Noble, New York, 1899.  
Analytic Psychology, 2 vols., Macmillan Co., New York, 1896.  
SULLY, The Human Mind, 2 vols., Appleton, New York, 1892.  
TITCHENER, Outlines of Psychology, Macmillan Co., New York, 1896.  
v. VOLKMANN, Lehrbuch der Psychologie, 2 vols., Schulze, Cöthen, 1884.  
WARD, Article on Psychology in the Encyclopædia Britannica, 9th edition.  
WUNDT, Human and Animal Psychology, Macmillan Co, New York, 1894.  
Grundzüge der Physiologischen Psychologie, 3 vols., 5th edition, Engel-  
mann, Leipzig, 1902.

### III. EXPERIMENTAL PSYCHOLOGY

- FECHNER, Elemente der Psychophysik, Breitkopf & Hartel, Leipzig, 1889.  
FOUCAULT, La Psychophysique, Paris, 1901.  
HELMHOLTZ, Handbuch der Physiologischen Optik, Voss, Hamburg, 1866.  
Tonempfindungen, Vieweg, Braunschweig, 1863.  
LADD, Elements of Physiological Psychology, Scribners, New York, 1892.  
LEHMANN, Die Hauptgesetze des menschlichen Gefühlslebens, Reisland, Leipzig,  
1892.  
LOTZE, Medicinische Psychologie, Weidmann'sche-Buchhandlung, Leipzig, 1852.  
MUELLER, Zur Grundlegung der Psychophysik, Theodor Hofmann, Berlin, 1879.  
MÜNSTERBERG, Beiträge zur experimentellen Psychologie, Mohr, Freiburg, 1889.

- SANFORD, *Experimental Psychology*, Heath & Co., Boston, 1903.  
 SCRIPTURE, *The New Psychology*, Scribners, New York, 1898.  
 STRATTON, *Experimental Psychology and Culture*, Macmillan, New York, 1903.  
 STUMPF, *Tonpsychologie*, Hirzel, Leipzig, 1883.  
     *Beiträge zur Akustik und Musikwissenschaft*, Barth, Leipzig, 1898.  
 TITCHENER, *Experimental Psychology*, vol. I, Qualitative. Part I, Student's Manual, Macmillan Co., New York, 1901. Part II, Instructor's Manual, Macmillan Co., New York, 1901.  
 TOULOUSE, *Bibliothèque de psychologie expérimentale* (40 vols.), in course of publication, by various authors, Paris, Doin, 1900.  
 WUNDT, *Beiträge zur Theorie der Sinneswahrnehmung*, Winter'sche Verlagshandlung, Leipzig, 1862.  
 (See also Baldwin's Dictionary — Lists under Experimental Psychology.)

#### IV. SOCIAL PSYCHOLOGY

- BALDWIN, *Social and Ethical Interpretations*, 3d edition, Macmillan Co., New York, 1902.  
 BARTH, *Die Philosophie der Geschichte als Sociologie*, I, Reiland, Leipzig, 1897.  
 COMTE, *Système de politique positive*, Paris, 1852.  
 DURKHEIM, *De la division du travail*, Alcan, Paris, 1902.  
     *Le Suicide*, *Biblioth. de Philos. Contemp.*, Paris, 1897.  
 DE GREEF, *Le transformisme Social*, Paris, 1901.  
 GIDDINGS, *The Principles of Sociology*, Macmillan Co., New York, 1896.  
 GROOS, *The Play of Man* (English translation), Appleton, New York, 1901.  
 HIRSCH, *Genius and Degeneration*, Appleton, New York.  
 LE BON, *The Crowd*, Walter Scott, London, 1903.  
 ROUSSEAU, *The Social Contract*, Swan, Sonnenschein & Co., London, 1895.  
 SCHAEFFLE, *Soziale Organismus*.  
 SIMMEL, *Soziale Differenzierung*.  
 SMALL, *General Sociology*, Chicago University Press, 1905.  
 STEIN, *Die soziale Frage*, Enke, Stuttgart, 1903.  
 TARDE, *Laws of Imitation* (English translation), Holt, New York, 1903.  
     *Social Laws* (English translation), Macmillan Co., New York, 1898.  
 TOENNIES, *Gesellschaft und Gemeinschaft*.  
 (See also Baldwin's Dictionary, for References under Topics.)

#### V. COMPARATIVE AND GENETIC PSYCHOLOGY

- BALDWIN, *Mental Development in the Child and the Race*, 2d edition, Macmillan Co., New York, 1895.  
     *Development and Evolution*, Macmillan Co., New York, 1902.  
 BINET, *Psychic Life of Microorganisms* (English translations), Open Court Co., Chicago, 1894.  
 BREHM, *Das Thierleben*, Leipzig, 1877.  
 DARWIN, *The Expression of the Emotions*, Appleton, New York, 1873.  
     *Origin of Species by means of Natural Selection*, Appleton, New York, 1881.  
 GROOS, *The Play of Animals* (English translation), Appleton, New York, 1898.  
     *The Play of Man* (English translation), Appleton, New York, 1901.  
 GROSSE, *Die Anfänge der Kunst*, 1894.  
 HIRN, *The Origins of Art*, Macmillan Co., New York, 1900.  
 HOBHOUSE, *Mind in Evolution*, Macmillan, 1904.

- HUDSON, *The Naturalist in La Plata*, Chapman & Hall, London, 1892.
- LUBBOCK, *Ants, Wasps, and Bees*, New York, Appleton.
- MORGAN, C. LLOYD, *Habit and Instinct*, Arnold, London, 1896.  
*Animal Life and Intelligence*, Arnold, London, 1890.  
*Animal Behavior*, Arnold, London, 1900.  
*An Introduction to Comparative Psychology*, Scribners,  
 New York.
- ROMANES, *Mental Evolution in Man*, Appleton, New York, 1902.  
*Mental Evolution in Animals*, Appleton, New York, 1884.  
*Darwin and after Darwin*, 3 parts, Open Court, Chicago, 1892.
- SCHNEIDER, *Der thierische Wille*, Ambr. Abel, Leipzig, 1880.  
*Der menschliche Wille*, Harwitz und Gossman, Berlin, 1882.
- WUNDT, *Human and Animal Psychology*, Macmillan, New York, 1894.  
 (See also Baldwin's Dictionary, Lists under Comparative Psychology.)

## VI. HISTORIES OF PSYCHOLOGY

- BALDWIN, *Library of Historical Psychology*, by various authors. 13 vols. in course of publication (1906), New York, Scribners.
- DESSOIR, *Geschichte der neueren Deutschen Psychologie*, Duncker, Berlin, 1902.
- ERDMANN, *History of Philosophy*, 3 vols., Macmillan Co., New York, 1890.
- HÖFFDING, *History of Modern Philosophy*, 2 vols., Macmillan Co., New York, 1900.
- HARMS, *Geschichte der Psychologie*, Hofman, Berlin, 1879.
- RIBOT, *English Psychology*, Appleton, New York, 1874.  
*German Psychology of To-day*, Scribners, New York, 1886.
- SIEBECK, *Geschichte der Psychologie von Aristoteles bis Thomas v. Aquino*, Gotha, Perthes, 1884.
- UEBERWEG-HEINZE, *History of Philosophy*, 2 vols., Scribners, New York, 1876.
- VILLA, *Contemporary Psychology* (English translation), Swan, Sonnenschein & Co., London, 1901.
- WINDLEBAND, *A History of Philosophy*, Macmillan Co., New York, 1893.

SPECIAL WORKS OF REFERENCE FOR SECTION OF  
ABNORMAL PSYCHOLOGY


*(Prepared by courtesy of Dr. Morton Prince)*

- AZAM, Hypnotisme, Double Conscience et Alterations de la Personnalité, 1887.  
BINET, ALFRED, Alterations of Personality (translated by Helen Green Baldwin), 1896.  
    La Suggestibilité, 1900.  
    La Psychologie du Raisonnement.  
BERNHEIM, Die Suggestion, 1886.  
BOURRU and BURET, Variations de la Personnalité, 1888.  
BREUER and FREUD, Studien über Hysterie, 1895.  
DESSOIR, M., Der Doppel-Ich, 1889.  
FÉRÉ, CH., Sensation et Mouvement, 1887.  
    La Pathologie des Emotions, 1892.  
FLOURNOY, TH., From India to the Planet Mars, 1900, a Study of a Case of Somnambulism.  
FOREL, Der Hypnotismus.  
FREUD, Traumdeutungen, 1900.  
    Psychopathologie des Alltagsleben, 1904.  
GURNEY, EDMUND, The Problems of Hypnotism, etc., Proceedings of the Society for Psychical Research.  
HOPPE, Erklärung der Sinnestauschungen, 1888.  
JANET, PIERRE, L'Automatisme Psychologique, 1889.  
    Etat Mental des Hystériques, 1892.  
    Nevroses et Idées Fixes, 1898.  
    Les Obsessions et la Psychasthénie, 1903.  
KENDIRISKY, Kritische Klinische Betrachtungen in Gebeit der Sinnestauschungen.  
KRAEPELIN, Psychiatrie.  
    Arbeiten aus dem Heidelberger Institut.  
LOEWENFELD, Der Hypnotismus.  
MOLL, ALBERT, Der Hypnotismus.  
MOSSO, Fatigue.  
    Fear.  
PARISH, Hallucinations, 1897.  
PITRES et REGIS, Les Obsessions et les Impulsions, 1902.  
PRINCE, MORTON, The Dissociation of a Personality.  
RANSCHBURG and HAJOS, Neue Beiträge sur Psych. der Hysterischen Ghisterzustandes, 1897.  
RADESTOCK, P., Schlaf und Traum.  
RIBOT, Les Maladies de la Mémoire, 1881.  
    Les Maladies de la Personnalité.  
    Les Maladies de la Volonté.  
    The Psychology of the Emotions. 1897.  
RICHER, CH., Recherches Expérimentales et Cliniques sur la Sensibilité, 1877.  
ROBERT, Der Traum, 1886.  
SCHWARTZKOPF, Das Leben im Traum.  
SANCTIS, S. DE, Die Traume.

- SCHRENCK-NOTZING, *Über Spaltung der Persönlichkeit*, 1896.
- SIDIS, BORIS, *The Psychology of Suggestion*, 1898.  
*Psychopathological Researches*, 1902.  
*Multiple Personality*, 1904.
- SOLLIER, PAUL, *Genèse et Nature de L'Hystérie*, 1897.  
*Les troubles de la mémoire*, 1892.
- SULLY, *Illusions*, 1895.
- SOMMER, *Lehrbuch der Psychopathol. Untersuchungsmethoden*, 1899.
- STORRING, *Vorlesungen über Psychopathologie*, 1900.
- SPITTA, H., *Die Schlaf- und Traumzustände*, 1883.
- VASCHIDE, N., and PIERON, *La Psychologie du Rêve*, 1902.
- VOLKELT, *Die Traumphantasie*, 1875.
- WALDSTEIN, L., *The Subconscious Self*, 1897-1898.









DEPARTMENT XVI—SOCIOLOGY



## DEPARTMENT XVI — SOCIOLOGY

---

(Hall 7, September 20, 4.15 p. m.)

CHAIRMAN: PROFESSOR FRANK W. BLACKMAR, University of Kansas.

SPEAKERS: PROFESSOR FRANKLIN H. GIDDINGS, Columbia University.  
PROFESSOR GEORGE E. VINCENT, University of Chicago.

---

THE Chairman of the Department of Sociology was Professor Frank W. Blackmar, of the University of Kansas, who in opening the work of the Department said :

“It affords me great pleasure to call to order the first meeting of the Department of Sociology of this remarkable Congress and to introduce the eminent speakers provided for this occasion. We are to be congratulated on the rapid advance of the science of sociology during the past fifteen years. Perhaps there is no parallel to the progress in the United States of this science in our universities and colleges unless it is the rapid development of natural science within the last half-century.

“While sociology has made marvelous gains in the pedagogical world, its progress in the realm of pure sciences is less certain, although out of the numerous writings of learned men in Europe and America and the results of their investigations from many points of view, there is to be recorded substantial and positive gains to sociology as an independent and self-constituted science.

“The progress of sociology has been made by each investigator following a particular line of investigation from his own standpoint. As a result there is yet no common consensus of opinion as to the nature and scope of the science. But a stage of development has been reached, common to the growth of all sciences, when synthesis is necessary. What is needed now is harmony of all of the apparent conflicts of sociological theory. I say apparent conflicts, for I am sure that the differences of opinion that exist among scholars arise from independent individual investigation rather than from any vitally antagonistic views. Sufficient data have been gathered, sufficient truth discovered, adequate principles enumerated, and adequate laws demonstrated to permit the formulation of the science of sociology along definite lines easily recognized and cheerfully acknowledged by all. Recently our foremost sociologists have been making rapid progress in this way.

“The classification of the sciences of this Congress has done more to throw the subject into confusion than any other event of recent years. I regard it as a retrograde movement so far as sociology is concerned. I trust it will be considered by scientists as merely a temporary arrangement. To classify sociology as a mental science and to divorce it from concrete social studies, as in the present classification, is to narrow its scope, dwarf its usefulness, and imply that there is no place for a science of society called sociology. If such a course of classification is followed, sociology will eventually be considered as a feeble branch of psychology. But this must not be, for sociology has a greater service to humanity, a greater scope, and a greater destiny. No subjective classification arising from *a priori* assumptions, proceeding from a psychological source, will satisfy the demands of a working classification for science, which must of necessity arise from objective conditions. Comte performed a service in the classification of the positive sciences, but the course of scientific investigation since his time has been such as to cause a similar classification, *à la Comte*, to be neither desirable nor serviceable.

“Sociology must occupy an independent position, as the youngest sister of the social sciences, but in close touch with politics, ethics, political science, political economy, and history. Whatever abstractions may be used in formulating the science, it should not lose its method of concrete work. Hence, the sooner we can have a consensus of opinion as to its position, nature, and scope, the greater will be its progress. The sooner we can have a synthesis of the work already done, the sooner will sociology assume its rightful position as an independent and dignified science, with the unqualified respect of all students of man and nature.”

# THE CONCEPTS AND METHODS OF SOCIOLOGY

BY FRANKLIN HENRY GIDDINGS

[Franklin Henry Giddings, Professor of Sociology, since 1894, Columbia University. b. Sherman, Connecticut, March 23, 1855. A.B. Union College, 1877; A.M. *ibid.* 1889; Ph.D. *ibid.* 1897; LL.D. Oberlin, 1900. Journalist, 1877-1888; Lecturer, Political Science, Bryn Mawr College, 1888-89; Associate, *ibid.* 1889-91; Associate Professor, *ibid.* 1891-92; Professor, *ibid.* 1892-94; Lecturer on Sociology, Columbia University, 1890-94. Member of the American Economic Association; American Sociological Society; Philadelphia Academy of Natural Science; American Ethnological Society; Institut International de Sociologie, Paris. Author of *The Principles of Sociology* (French, Russian, Hebrew, Bohemian, Spanish, and Japanese translations); *Democracy and Empire*; *Inductive Sociology*; and other minor works.]

To set forth in a brief paper the fundamental conceptions of any modern science is a difficult task. The difficulty increases as we pass from the relatively simple sciences that have to do with inorganic matter, to the highly complex sciences of life and of mind. And when we come to the phenomena presented by aggregations of living beings — phenomena of the interaction of mind with mind, phenomena of the concerted activity of many individuals working out together a common destiny — we have a subject for scientific study too many-sided, too intricate, for description in a few comprehensive phrases, and the scientific study itself arrives at fundamental conceptions only after a long and extensive process of elimination. Fundamental conceptions in such a field are necessarily general truths, expressing the relations that endless facts of detail bear to one another, or to underlying groupings, processes, or causes. A brief account, therefore, of the fundamental conceptions of sociology, and of the methods available for the scientific study of society, must remorselessly exclude those concrete particulars that lend to our knowledge of collective life its preëminently real — its human — interest. It must be restricted to conceptions that are elemental, general, and in a degree abstract.

Conforming to this necessity, I shall group the fundamental conceptions of sociology in three divisions, namely: first, concepts of the subject-matter of sociological study, that is to say, of society; second, concepts pertaining to the analysis and classification of social facts, and incidentally to the corresponding subdivisions of sociological science; third, concepts of the chief processes entering into social evolution, and of the inferred causes.

The word "society" has three legitimate significations. The first is that of the Latin word *societas*, meaning "companionship,"

"good-fellowship," "pleasurable consorting together," or meaning the individuals, collectively regarded, that consort. Examples of society in this original sense are afforded by the commingling of familiar spirits at the tavern or the club, the casual association of chance acquaintances at the summer resort, the numberless more formal "functions" of "the season." In the second signification of the word, "society" is a group of individuals coöperating for the achievement of any object of common interest or utility, as, for example, a merchant guild, an industrial corporation, a church, a Congress of Arts and Science. Finally, in the third signification of the word, "society" is a group of individuals dwelling together and sharing many interests of life in common. A nest of ants, a savage horde, a confederation of barbarian tribes, a hamlet or village, a city-state, a national state, a federal empire — all these are societies within the third and comprehensive definition of the term. A scientific conception of society must lie within the boundaries fixed by these three familiar meanings, but it must seize upon and make explicit the essential fact, whatever it may be, that is a common element in all social relations.

At the present time we find in sociological literature two competing conceptions of the essential nature of society. They are known respectively as the organic and the psychological conception.

The organic conception assumes that the group of individuals dwelling and working together is the true, or typical, society, and that it is as much a unity, although made up of individuals, as is the animal or the vegetable body, composed of cells and differentiated into mutually dependent tissues and organs. Sketched in bold outlines by Herbert Spencer in his essay on *The Social Organism* in 1860, the organic conception has been elaborated by Schäffle and Lilienfeld, and is to-day accepted as the working hypothesis of an able group of French sociologists, whose work appears in the proceedings of L'Institut international de Sociologie.

The psychological conception assumes that, whether or not the organic conception be true and of scientific importance, it fails to get to the bottom of things. It assumes that, even if society is an organism, there is necessarily some interaction of individual with individual, or some form of activity common to all individuals, which serves to bind them together in helpful and pleasurable relations, and that this activity, instead of being merely physical, like the cohesion of material cells, is a mental phenomenon. It assumes that all social bonds may be resolved into some common activity or some interactivity of individual minds. It is, in short, a view of society as a mode of mental activity.

This is the psychological conception in general terms. It takes,



however, four specific forms in attempting to answer the question: What definite mode of mental action is the most elementary form of the social relation?

According to the most pretentious of these answers, one that dates back to Epicurus and lies at the basis of all the covenant or social-contract theories of political philosophy, the psychological origin of society is found in a perception of the utility of association. It assumes that men consciously and purposely create social relations to escape the ills of a "state of nature" and to reap the rewards of coöperation. This rationalistic theory offers a true explanation of highly artificial forms of social organization in a civil, especially an industrial, state, but it throws no light upon the nature of elemental, spontaneous coöperation. For this we must turn to the other three conceptions—all of them, I venture to think, modernized forms of certain very ancient notions.

According to one of these, the most elementary social fact is seen in the constraining power, the impression, the contagious influence that an aggregation, a mass, of living beings exerts upon each individual mind. Society is thus viewed as a phenomenon closely allied to suggestion and hypnosis. This view of society is most fully set forth in the writings of Durkheim and Le Bon.

A third conception, identified with the life-work of our lamented colleague, Gabriel Tarde, assumes that impression, contagion, influence, as forms of the interaction of mind with mind, may themselves be accounted for. It explains them as modes of example and imitation. All society is thus resolved into products of imitation.

In strict psychological analysis these "impression" and "imitation" theories must be classed, I think, as scientifically developed forms of the "sympathy" theories of society, that may be traced back through the literature of political philosophy to very early days. They offer proximate explanations of the great social facts of resemblance, of mutuality, of solidarity; but do they, beyond a doubt, trace concerted activity back to its absolute origin? Above all, do they account not only for similarity, but also for variation, for the differentiation of communities into leaders and followers, for competition as well as for combination, for liberty as well as for solidarity?

The fourth conception, put forth some years ago by the present writer, should be classed as a developed form of the instinct theory, dating back to Aristotle's aphorism that man is a political animal. It assumes that the most elementary form of social relationship is discovered in the very beginning of mental phenomena. In its simplest form mental activity is a response of sensitive matter to a stimulus. Any given stimulus may happen to be felt by more

than one organism, at the same or at different times. Two or more organisms may respond to the same given stimulus simultaneously or at different times. They may respond to the same given stimulus in like or in unlike ways; in the same or in different degrees; with like or with unlike promptitude; with equal or with unequal persistence. I have attempted to show that in like response to the same given stimulus we have the beginning, the absolute origin, of all concerted activity — the inception of every conceivable form of coöperation; while in unlike response, and in unequal response, we have the beginning of all those processes of individuation, of differentiation, of competition, which, in their endlessly varied relations to combination, to coöperation, bring about the infinite complexity of organized social life.

It is unnecessary to argue that this conception of society not only takes account of individuality as well as of mutuality, but that also it carries our interpretation of solidarity farther back than the theories of impression and of imitation, since both impression and imitation must be accounted for — in ultimate psychological analysis — as phenomena of reciprocal, or interstimulation and response. Indeed, the very language that Tarde uses throughout his exposition tacitly assumes as much. Example is stimulus, the imitative act is response to stimulus. The impression that the crowd makes upon an individual is stimulus, and the submission, obedience, or conformity of the individual is response to stimulus. Moreover, the formation of the crowd itself has to be accounted for, and it will be found that, in many cases, the formation of a crowd is nothing more nor less than the simultaneous like-response of many individuals to some inciting event, circumstance, or suggestion. In short, impression, imitation, and conformity are specific modes, but not by any means the primary or simplest modes of stimulation and response; and some of the most important phenomena of concerted action can be explained only as springing directly from primary like-responses, before either imitation or impression has entered into the process.

This conception meets one further scientific test. It offers a simple and consistent view of the relation between social life and the material universe. It assumes that the original causes of society lie in the material environment, which may be regarded as an infinitely differentiated group of stimuli of like-response, and therefore of collective action; while the products of past social life, constituting the historical tradition, become in their turn secondary stimuli, or secondary causes, in the social process.

A mere momentary like-response by any number of individuals is the beginning of social phenomena, but it does not constitute a society. Before society can exist there must be continuous ex-

posure to like influences, and repeated reaction upon them. When this happens, the individuals thus persistently acting in like ways become themselves mentally and practically alike. But likeness is not identity. The degrees of resemblance or of difference in the manner of response to common stimuli manifest themselves as distinguishable types of mind and of character in the aggregate of individuals; while the differing degrees of promptitude and persistency in response have as their consequence a differentiation of the aggregate into leaders and followers, those that assume initiative and responsibility, and those that habitually look for guidance. These differences and resemblances have subjective consequences. Differing individuals become aware of their differences, resembling individuals become aware of their resemblances, and the consciousness of kind so engendered becomes thenceforth a potent factor in further social evolution.

Summarizing our analysis to this point, we may say that we conceive of society as any plural number of sentient creatures more or less continuously subjected to common stimuli, to differing stimuli, and to interstimulation, and responding thereto in like behavior, concerted activity, or coöperation, as well as in unlike, or competitive, activity; and becoming therefore, with developing intelligence, coherent through a dominating consciousness of kind, while always sufficiently conscious of difference to insure a measure of individual liberty.

Which of these various conceptions of the ultimate nature of the social relation shall in the long run prevail must depend upon a certain fitness to account for all the phenomena of social life in the simplest terms. That fitness can be determined only through the further evolution of social theory.

But whatever the finally accepted view may be, there are certain classifications of social facts that may be accepted as among the elementary notions of any sociological system.

And first there are types or kinds of societies. The broadest groupings correspond to the familiar demarkations made by Natural History. There are animal societies and human societies; and the human societies are further divided into the ethnic, or communities of kindred, and the civil, or communities composed of individuals that dwell and work together without regard to their blood-relationships.

More significant for the sociologist, however, is a classification based on psychological characteristics. The fundamental division now is into instinctive and rational societies. The bands, swarms, flocks, and herds in which animals live and coöperate, are held together by instinct and not by rational comprehension of the

utility of association. Their like-response to stimulus, their imitative acts, the frequent appearance among them of impression and submission, are all purely instinctive phenomena. Not so are the social relations of human beings. There is no human community in which instinctive like-response to stimulation is not complicated by some degree of rational comprehension of the utility of association.

The combinations, however, of instinct and reason are of many gradations; and the particular combination found in any given community determines its modes of like-response to stimulus and its consciousness of kind — establishes for it a dominant mode of the relation of mind to mind, or, as Tarde would have phrased it, of intermental activity. This dominant mode of intermental activity — inclusive of like-response and the consciousness of kind — is the chief social bond of the given community, and it affords the best distinguishing mark for a classification of any society on psychological grounds. So discriminated, the kinds of rational or human societies are eight, as follows:

(1) There is a homogeneous community of blood-relatives, composed of individuals that from infancy have been exposed to a common environment and to like circumstances, and who, therefore, by heredity and experience are alike. Always conscious of themselves as kindred, their chief social bond is sympathy. The kind or type of society, therefore, that is represented by a group of kindred may be called the Sympathetic.

(2) There is a community made up of like spirits, gathered perhaps from widely distant points, and perhaps originally strangers, but drawn together by their common response to a belief or dogma, or to an opportunity for pleasure or improvement. Such is the religious colony, like the "Mayflower" band, or the Latter-Day Saints; such is the partisan political colony, like the Missouri and the New England settlements in Kansas; and such is the communistic brotherhood, like Icaria. Similarity of nature and agreement in ideas constitute the social bond, and the kind of society so created is therefore appropriately called the Congenial.

(3) There is a community of miscellaneous and sometimes lawless elements, drawn together by economic opportunity — the frontier settlement, the cattle range, the mining camp. The newcomer enters this community an uninvited but unhindered probationer, and remains in it on sufferance. A general approbation of qualities and conduct is practically the only social bond. This type of society, therefore, I venture to call the Approbational.

The three types of society thus far named are simple, spontaneously formed groups. The first two are homogeneous, and are found usually in relatively isolated environments. The third is heterogeneous, and has a transitory existence where exceptional

economic opportunities are discovered on the confines of established civilizations.

Societies of the remaining five types are in a measure artificial, in part created by reflection — by conscious planning. They are usually compound, products of conquest or of federation, and, with few if any exceptions, they are of heterogeneous composition. They are found in the relatively bountiful and differentiated environments.

(4) A community of the fourth type consists of elements widely unequal in ability: the strong and the weak, the brave and the timorous, exploiters and the exploited — like enough, conquerors and conquered. The social bonds of this community are despotic power and a fear-inspired obedience. The social type is the Despotic.

(5) In any community of the fifth type, arbitrary power has been established long enough to have identified itself with tradition and religion. Accepted as divinely right, it has become authority. Reverence for authority is the social bond, and the social type is, therefore, the Authoritative.

(6) Society of the sixth type arises in populations that, like the Italian cities at their worst estate, have suffered disintegration of a preëxisting social order. Unscrupulous adventurers come forward and create relations of personal allegiance by means of bribery, patronage, and preferment. Intrigue and conspiracy are the social bonds. The social type is the Conspirital.

(7) Society of the seventh type is deliberately created by agreement. The utility of association has been perceived, and a compact of coöperation is entered into for the promotion of the general welfare. Such was the Achæan League. Such was the League of the Iroquois. Such was the confederation of American commonwealths in 1778. The social bond is a covenant or contract. The social type is the Contractual.

(8) Society of the eighth type exists where a population collectively responds to certain great ideals, that, by united efforts, it strives to realize. Comprehension of mind by mind, confidence, fidelity, and an altruistic spirit of social service, are the social bonds. The social type is the Idealistic.

Of these varieties of society the higher, compound communities or commonwealths, may, and usually do, include examples of the lower types, among their component groups.

All of these eight types, and the instinctive type exhibited by animal bands, have been observed from the earliest times and have suggested to social philosophers as many different theories of the nature of society. Thus in the totemistic lore of savagery we find endless suggestions of an instinct theory. In the mythologies of tribally organized barbarians we find sympathy, or natural-brother-

hood, theories, which later on are borrowed, adapted, and generalized by the great humanitarian religions, like Buddhism and Christianity. Suggested by societies of congenial spirits we have the consciousness-of-kind theories, voiced in the proverb that "birds of a feather flock together," in the saying of Empedocles that "like desires like," in the word of Ecclesiasticus that "all flesh consorteth according to kind, and a man will cleave to his like." From approbational societies have come our natural-justice theories. From despotic societies have come our political-sovereignty theories that "might makes right," in the sense of creating law and order. From authoritative societies have come theories of the divine right of kings; from conspiratorial societies have come Machiavellian theories of the inevitableness of intrigue and conspiracy; and from societies long used to deliberative assemblies, to charters of liberty, and bills of rights, have come the social covenant or contract theories of Hobbes, Locke, and Rousseau. Finally, from societies that have attained the heights of civilization have come the Utopian theories, from Plato until now.

Whatever the kind or type of the society, there are found in it four great classes or groupings of facts.

Every society presupposes a certain number of concrete living individuals. The basis of every society, therefore, is a population. Every Social Population offers for observation phenomena of aggregation, or distribution of density; phenomena of composition, by age, sex, and race; and phenomena of amalgamation or unity.

The social life, however, as we have seen, is a phenomenon of mind, and the varied modes that the common activity and interplay of minds assume, present the second great class of social facts. These facts of the Social Mind, as we may call them, include the phenomena of stimulation and response in their generic forms; phenomena of resemblances and differences, that is to say, of types; phenomena of the consciousness of kind, and phenomena of concerted volition.

The common mental activity, taking habitual forms, creates permanent social relationships, that is to say, a more or less complex Social Organization. In this we meet the third great class of social facts. Two general forms may be observed. In one form, individuals dwell together in groups that, by coalescence and federation, compose the great compound societies. These groups collectively may be called the social composition. In the other form, individuals, with more or less disregard of residence, combine in associations to achieve specific ends. Such associations collectively represent the social division of labor, and therefore may be called the social constitution. In its entirety and in its subdivisions the

social organization is of one or another type, according as it is on the whole coercive, or on the whole liberal, in character.

The fourth class of social facts pertains to the great end, to the attainment of which the social organization is a means. That end is the Social Welfare. The social welfare is seen in its most general form in certain public utilities, including security, justice and liberty, economic opportunity, and opportunity for culture. It is seen finally in the type of personality that the social life creates, and which must be studied as vitality, mentality, morality, and sociality.

Not every society individually considered survives long enough to pass through all the possible stages of social evolution, but society in the aggregate, and in historic continuity, displays to us four distinguishable stages of evolutionary advance. There is, first, the stage of Zoögenic Association, in which the mutual aid and protection practiced by animal bands plays an enormously important part in the differentiation of species and in the survival of those best endowed with intelligence and sympathy. There is, next, the stage of Anthropogenic Association, in which, through unnumbered ages, the creature that was destined to become man was acquiring the distinctly human attributes of language and reason. There is, later on, the stage of Ethnogenic Association, wherein is evolved that complex tribal organization characteristic of savage and barbarian life. Finally, there is the stage of Civic or Demogenic Association, in which great peoples outgrow tribal organization, and create a political organization based on common interests, irrespective of blood-relationships.

These categories of social fact have established certain natural subdivisions in social science. Corresponding to the historical order, we have, first, studies in animal sociology; second, studies of primitive human culture; third, the great sciences of ethnography and ethnology, investigating tribally organized mankind; and, fourth, history, the narrative and descriptive account of the evolution of civil society. Corresponding to the four great divisions of phenomena in contemporaneous society, we have, first, demography, or the study of social populations; second, social psychology, and the culture-studies of comparative philology, comparative art, comparative religion, and the history of science, all of which are investigations of the social mind; third, the political sciences, devoted to a study of social organization; and, fourth, such sciences of the social welfare as political economy and ethics, the scientific study of education, studies of pauperism, and criminology.

Such being our conceptions of the nature of society, and of the proper analysis and classification of social facts, let us pass on to

examine our concepts of the great processes of social evolution, and of the causes in operation.

We accept the evolutionist point of view, and regard all the transformations that occur within any social group as a phase of that ceaseless equilibration of energy taking place throughout the universe. Every finite aggregate of matter is in contact or communication with other finite aggregates, no two of which are equally charged with energy. From the aggregate more highly charged, energy is given off to aggregates that are undercharged, and in this process the strong absorbs, or disintegrates, or transforms, the weak. Every social group, animal or human, since time began, has been in ceaseless struggle with its material environment and with other social groups. Whatever has happened to it or within it is most intelligibly accounted for if we view the process as one of equilibration of energies, between the group and its environment, or between group and group, or between unequal and conflicting elements within the group itself.

The modes that this equilibration assumes are many.

There is, first, the external equilibration of the society with its surroundings. This gives rise to the processes of migration, in which populations move from place to place in search of new food-supplies. Social groups are thus brought into conflict with one another, and the activities of militarism are engendered.

There is, next, a process of combined external and internal equilibration. Migration is its chief manifestation, but the migration is not now one of entire populations organized for war and conquest. It is one of individuals or families, moving from land to land in search of economic opportunity or of religious or political liberty, and its consequence is that exceeding heterogeneity of the demotic composition which is seen, for example, in the population of the United States.

There are, thirdly, the processes of internal equilibration. First among these is the differentiation of the mind of the population, consequent upon some degree of unlikeness and inequality in the responses of differing individuals to the common stimuli to which all are subjected. This is followed by the segregation of resembling products into types and classes. Secondly, there is an evolution of the consciousness of kind, with increasing attention to means of communication and association. Thirdly, there is a struggle between strong individuals and weak, between leaders and followers, between strong and weak classes. This equilibration may take one of three possible forms: (1) the subjugation and perhaps the enslavement of the weak by the strong; (2) economic exploitation; (3) the uplifting of the weak by the strong through education, justice, and economic aid. The moral advance of society is a progress from equilibration through subjugation and



exploitation to equilibration through uplifting, and it depends upon the broadening and deepening of the consciousness of kind.

A fourth phase of internal equilibration appears in the struggle among differing groups of the like-minded in the community. Some elements of the population are sympathetically emotional, or are alike in beliefs or dogmas. Others are alike intellectually, rationally: they attain agreement through deliberation. In every community the reasoning and the unreasoning elements are in perpetual conflict.

To the extent that the community is controlled by its deliberative element, it exhibits a policy — a more or less consistent attempt consciously made to control its destiny. In the history of human society there have been three great groups of policies, namely: (1) policies of unification — attempts to make all members of the community alike in type, in belief, and in conduct; (2) policies of liberty — attempts to give wide scope to individual initiative; (3) policies of equality — attempts to prevent the disintegration of society through an excess of individual liberty. The struggle of conflicting interests in the community, which these three modes of policy represent, is yet another form of internal equilibration.

To the extent that a policy of equality is adopted, the community is democratic. Political equality, equality before the law, and some approach toward equality of economic opportunity, are the essential elements of democracy. No sooner is democracy evolved than we see a struggle between the forces that make for absolutist, and those that make for liberal, democracy. Either the majority is permitted to rule at will, or it is compelled to leave inviolate certain rights of the minority and of individuals.

The outcome of all equilibration, external and internal, is a certain relation of the individual to the social organization. In low types of society, the individual literally belongs to the various social groups in which his lot is cast. He belongs to them for life. To leave them is to become an outcast. He may not leave his clan, his guild, his caste, his church, or his state. In superior types of society we discover a high degree of individual mobility combined with a marvelous power to concentrate enormous numbers of individuals, in moments of emergency, upon any work needing to be done. The individual may go freely from state to state, from parish to parish, in search of his best economic opportunity. He may sever connection with his church to join another, or none at all. He may be a director to-day in a dozen corporations, and to-morrow in a dozen different ones. The goal of social evolution is a complex, flexible, liberal organization, permitting the utmost liberty and mobility to the individual, without impairing the efficiency of organization as a whole.

On the methods of sociology, remark at this time must necessarily be brief.

Dealing as we do with highly concrete materials, we place our main reliance upon systematic induction. The experimental method of induction, however, is of little avail in the scientific study of society. Although social experimenting is at all times going on, it is difficult to isolate causes or to control conditions with scientific thoroughness. Observation, therefore, and critically established records of observations made in bygone days, must be our main dependence, so far as the accumulation of data is concerned.

Yet in a field so vast, observation itself would be a fruitless toil if it were not directed by scientific rules. Canons of guidance we find in the so-called comparative and historical methods. Selecting any social fact, or correlation of facts, observed in any given society, we systematically search for a corresponding fact or correlation in all contemporaneous societies, animal and human, ethnic and civil. This search has one clearly defined object, namely, to determine whether the observed fact is a universal, and therefore an essential, an elementary phenomenon of society, and, if it is not universal, to ascertain just how wide its distribution is. By such research we discover those resemblances and differences in social phenomena that are the bases of scientific classification.

Having in this manner arrived at a scheme of classification, we use it in subsequent observation precisely as the chemist or the botanist uses the classifications that have been established in his science. We systematically look for the facts and the correlations that the classification leads us to anticipate.

In like manner, following the historical method, we search for a given social fact at each stage in the historical evolution of a given society, and thereby determine what social phenomena are continuous.

A complete scientific theory of natural causation is established only when our knowledge becomes quantitatively precise. Often the law that we seek to formulate eludes us until the correlations of phenomena have been determined with mathematical exactness. Sociology has unjustly been reproached for neglecting that attention to precision which is the boast of other sciences. The indictment of vagueness may be a true bill against individual sociologists. It is demonstrably not a true bill against sociology. It is to the scientific students of sociology that the world owes the discovery and development of an inestimably valuable form of the comparative and historical methods, namely, the statistical method. Every inductive science to-day is adopting this method. Physics, chemistry, astronomy, and geology, would be helpless without it. The biologists have acknowledged their dependence

upon it by the establishment of a statistical journal, *Biometrika*. It is not too much to claim that the possibilities of this now indispensable method of all the sciences were first demonstrated in the epoch-making social studies of Jacques Quetelet, and that its employment in sociology has been out of all proportion to its employment elsewhere. As developed in recent years by the Dane, Westergaard; by Germans like Steinhauser, Lexis, and Meyer; by Italians, like Bodio; by Frenchmen, like Lavasseur and Dumont; by Englishmen, like Charles Booth, E. B. Tylor, Galton, Bowley, and Karl Pearson; by Americans, like Weber, Norton, Mayo-Smith, Cattell, Thorndike, and Boas, it has become, and will continue to be, the chiefly important method of sociology; and assuredly, in the course of time, it will bring our knowledge of society up to standards of thoroughness and precision comparable to the results attained by any natural science.

## THE DEVELOPMENT OF SOCIOLOGY

BY GEORGE EDGAR VINCENT

[George Edgar Vincent, Professor of Sociology, University of Chicago, since 1900. b. Rockford, Illinois, March 21, 1864. A.B. Yale, 1885; Ph.D. Chicago, 1896. Graduate, Chicago, 1896. Principal of Instruction, Chautauqua Institution, 1892. Author of *The Social Mind and Education*; *An Introduction to the Study of Society* (with A. W. Small).]

THE turbid stream of social theory which flowed out of the past into the nineteenth century carried a confused mass of knowledge and speculation about every aspect of collective life. The penetrating idealism of Plato, the realistic insight of Aristotle, the semi-humorous sanity of More, the shrewd analysis of Machiavelli, the upheaving dialectic of Hobbes, the wide vision of Vico, the contagious paradoxes of Rousseau, the naturalistic explanations of Montesquieu, the scientific generalizations of Adam Smith, the optimistic dreams of Condorcet, the mystical interpretations of Lessing and Bunsen — all these conflicting, overlapping, or partial theories formed a bewildering tradition which it has been the task of nineteenth-century philosophers and scientists to sift, enlarge, and systematize. The one common idea appearing in many forms throughout this mass of speculation was that of law as finding expression in the affairs of men. This recognition of inevitable sequences and coexistences, to whatever cause attributed, was the fundamental principle which the social philosophy of the nineteenth century received from the past.

The elaboration of this vast tradition has involved both analysis and synthesis. The mass had to be classified, differentiated. At the outset economic science alone had begun to assume a distinctive form. With the increase of observation and reflection still other facts were set off into specialized fields of research. Thus one outstanding achievement of the century has been the division of a confused tradition into a number of fairly well-defined social sciences. But there has also been a persistent effort to resist this dissolution into parts, to restore to their larger relationships the abstracted elements; *i. e.*, to preserve the unity of social theory as a whole. Such is the secular antithesis between analysis and synthesis, between science and philosophy.

The term "sociology" is used in at least four different senses, two of which are directly related to the present discussion: (1) as a vague general term to include the entire field of social fact and theory; (2) as a social philosophy which aims at a unifying conception of society as a whole; (3) "pure" or "general" sociology seeks recognition as a science, classifying facts and discovering

the laws which underlie association as such; (4) "practical" sociology describes the scientific treatment of the problems of social organization and welfare.<sup>1</sup> To the development of sociology as philosophy and as science this survey must be confined.

As to method of treatment, several ways lie open. Each has certain advantages. The division of sociologies into (1) classificational,<sup>2</sup> (2) biological, (3) organic, and (4) psychological, affords seemingly definite criteria and a natural developmental series. Traditional philosophic dualism displays itself also in social theories, which may be classified as objective or naturalistic on the one hand, and subjective or idealistic on the other. Again, the division into individualistic and collectivistic has a certain significance. So also the chronological treatment of men and theories is of unquestioned value. In the present case, however, no one of these methods seems sufficiently flexible or comprehensive. While, therefore, reference will be made, as occasion may demand, to one or another of these classifications, this survey will select certain typical problems of social science and philosophy, and will attempt to show (1) what kind of problems have engaged the attention of sociologists, and (2) what development of theory has been associated with each. The problems which have been selected for this purpose are the following:

- (1) The problem of conceiving society as a whole.
- (2) The problem of race-conflict and group-struggle.
- (3) The problem of the psychical nature of the group — the social mind.
- (4) The problem of the individual and society.
- (5) The problem of the influence of natural environment on the social group.
- (6) The problem of social progress.
- (7) The problem of the province of sociology as a science.

The conception of society as an organic whole enduring through secular time, extending over wide areas, and unified by natural forces from without and by conscious consensus from within, was fundamental with Comte. His "law of the three stages" swept into its ken an unbroken continuity of generations which were later idealized into an object of worship — Humanity. True, this idea had been implicit in all the philosophies of history, and the organic simile is traceable to remote antiquity, but Comte was the first — with the possible exception of Vico — to present in a realistic and vivid way this view of the unity of mankind. The "hierarchy of the sciences" was only another means of empha-

<sup>1</sup> This should be not an isolated art, but organically related to "general sociology."

<sup>2</sup> Barth, *Die Philosophie der Geschichte als Sociologie*, p. 58.

sizing this idea. Step by step the mind is led up from physical and chemical combinations to organic and thence to social unities. This conception, familiar as it seems, was in Comte's time by no means obvious, and to-day it is far from generally accepted. Persons and small groups, not vast social wholes, are the striking surface facts which hold the attention of the average observer.

Biological sociology has elaborated the conception of social unity and centralization. Comte merely outlined the idea of the social organism. Spencer carried the analogy to a high degree of definite detail, insisting especially upon parallels of structure. Lilienfeld laid all the stress upon the nervous system, as does Novicow in his theory of the social élite.<sup>1</sup> So, too, Fouillée classifies social organisms according to the degree of centralization they have attained; *i. e.*, according to their nervous organization.<sup>2</sup> Schäffle emphasized functional analogies rather than structural correspondences, and made much of the integration of social activities in a complex common life.<sup>3</sup> Worms has carried the biological analogy almost to the point of asserting an identity.<sup>4</sup> Beneath all these variations in emphasis, underlying a mass of commonplace, fanciful, and even grotesque parallelisms, one discovers always the fundamental idea of social unity, structural and functional. If the biological sociologists have not always seen society steadily, they have at least tried to see it whole.

The so-called classificationalists who, following Comte's example, have sought to solve the problems of sociology by classifying social phenomena into hierarchical orders, have also contributed to the idea of social unity. Thus Littré discovers four social systems which appear in this order: economic, political, artistic, and scientific.<sup>5</sup> De Greef increases the number to seven;<sup>6</sup> La Combe, with his theory of urgency in human motives, arranges these in an order practically the same as De Greef's.<sup>7</sup> Others still have made classifications, although not of the hierarchical kind. A. Wagner classifies human motives under five heads,<sup>8</sup> while Small discovers six typical demands for satisfaction — demands which work themselves out into social activities and institutions.<sup>9</sup> It is to be noted that all these classifications, whether of phenomena, systems, or motives, assume a society which is unified by the dependence and interrelations of the analyzed elements.

<sup>1</sup> Novicow, *Conscience et volonté sociales* (Paris, 1897), pp. 32 ff.

<sup>2</sup> Fouillée, *La science sociale contemporaine* (Paris, 1878), pp. 161-168.

<sup>3</sup> Schäffle, *Bau und Leben des sozialen Körpers*, 2d ed. (Tübingen, 1896).

<sup>4</sup> Worms, *Organisme et société* (Paris, 1896), pp. 42 ff.

<sup>5</sup> Littré, *La science au point de vue philosophique* (Paris, 1873), pp. 367, 368.

<sup>6</sup> De Greef, *Introduction à la sociologie*, vol. I, pp. 46-65.

<sup>7</sup> La Combe, *De l'histoire considérée comme science*, pp. 69 ff.

<sup>8</sup> Wagner, *Grundlegung der politischen Oekonomie*, 3d ed. pp. ff.

<sup>9</sup> Small and Vincent, *An Introduction to the Study of Society*, pp. 175 ff.

With the shifting of emphasis from the biological to the psychological analogy this theory of the social whole has been inevitably modified. Division of labor and interdependence have yielded more and more to the idea of a unity in habit, feeling, and thought. Tarde, for example, conceives a constant tendency toward larger social groups by means of ever-spreading waves of imitation.<sup>1</sup> This conception of an increasing unification of mankind is traceable in part to the evolutionary philosophy of the second half of the century, in part to the rapid extension of commerce and the closer international relations which this has involved, and in some degree to that idealism which Condorcet suggested, which Comte exalted, and which finds expression in the dream of "a parliament of nations, the federation of the world."

Valuable as this philosophical idea of organic social unity and increasing centralization undoubtedly is, it has distinct limitations. The biological analogy is clearly recognized as having reached and often transgressed the limits of its usefulness. It is the descriptive philosophy of an observer from without rather than the science of the student at close quarters with the facts of association. Mallock has asserted that the Spencerian sociology, when tested by the practical demands of the times, utterly breaks down. It has no solution for the problems of the day because Spencer deals with society as a whole, while all so-called social problems arise from maladjustments and conflicts between the parts of society — classes, parties, sects, and other groups.<sup>2</sup> It is further true that the concept of society as a whole is a vague notion at best, and on ultimate analysis is likely to resolve itself into the idea of a national group defined by geographical boundaries and controlled by a single political system.

It was inevitable in the circumstances that to certain students society should present a picture, not of harmony and unity, but of conflict and struggle.<sup>3</sup> Thus Gumplowicz sees in the history of mankind a never-ending conflict of hordes, tribes, races, classes, and other groups. These struggles may change their forms, but never their essential character, the exploitation of the weak by the strong.<sup>4</sup> To Ratzenhofer society is an area of interests which first form individuals, then groups, then wider groups, and struggle perpetually for the realization of the dominant interest. Each interest forms a struggle-group in which leadership and authority

<sup>1</sup> Tarde, *Les lois de l'imitation* (Paris, 1890), pp. 42 ff.

<sup>2</sup> Mallock, *Aristocracy and Evolution* (London, 1896), pp. 8–16.

<sup>3</sup> Ross points out that Spencer and Tarde live in centralized and homogeneous states, while the leaders of the "conflict" school, Gumplowicz, Ratzenhofer, Loria, et al., have been reared among peoples characterized by racial and national antagonisms. *Recent Tendencies in Sociology, Quarterly Journal of Economics*, August, 1902.

<sup>4</sup> Gumplowicz, *La lutte des races* (tr. Baye), pp. 159 ff. and 340.

are developed under the reacting influence of the led.<sup>1</sup> Novicow elaborates the idea of conflict which he conceives as gradually passing from the crude form of violence and robbery, through exploitation, monopoly, and privilege, to the higher form of mental conflict — discussion.<sup>2</sup> Sighele in his study of sects and parties also makes much of the rôle of antagonism and struggle.<sup>3</sup> Marx utilizes the same general idea in his famous doctrine of class-conflict.<sup>4</sup> Loria, too, discovers everywhere the dominance of class interests with no concern for the common welfare.<sup>5</sup> Vaccaro, on the other hand, while recognizing the prevalence of upper-class control, describes the gradual mitigation of this struggle through concession until a larger social unity is achieved.<sup>6</sup> Here he approaches Spencer, who naturally makes much of group-conflict in the early stages of social evolution, but almost wholly overlooks, in modern life, the persistence under many disguises of these "struggle-groups."<sup>7</sup> The fundamental difference between the unity school and the conflict school is as to the degree to which unity has been attained. Of those who see chiefly group-struggle in society, only one, Gumpowicz, refuses to admit any progress toward an ultimate harmony. The rest, while emphasizing the struggle phase, leave room for a more or less remote possibility that this conflict may be in some measure mitigated, if not abandoned. As a means of interpreting contemporary or historical social facts the conflict theory — with the group-psychology which this involves — has obviously a practical value. The organic unity of a modern city or nation is an elusive idea in contrast with the contests of classes, sects, races, and parties, which lie upon the surface. Yet it would be a serious error wholly to lose sight of the larger unity which actually underlies these apparently endless group-struggles.

Comte based his idea of social unity not only on the organic or naturalistic analogy,<sup>8</sup> but on consensus or psychical community. Of late it is the latter concept which has been elaborated. The idea of a social or group-spirit is not new: it is a philosophical notion of long standing. The *Zeitgeist*, the popular will, public opinion, were familiar phrases long before the days of social psychology. Spencer, Schäffle, and Lilienfeld recognized the psychical

<sup>1</sup> Ratzenhofer, *Die sociologische Erkenntniss* (Leipzig, 1898), pp. 252 ff.; *Wesen und Zweck der Politik* (Leipzig, 1893), pp. 657 ff.

<sup>2</sup> Novicow, *Les luttes entre sociétés humaines et leurs phases successives* (Paris, 1893).

<sup>3</sup> Sighele, *La psychologie des sectes* (Paris, 1898).

<sup>4</sup> Marx, *Zur Kritik der politischen Oekonomie*, Introduction, p. v.

<sup>5</sup> Loria, *Les bases économiques de la constitution sociale*, 2d ed. (Paris, 1893), pp. 17 ff.

<sup>6</sup> Vaccaro, *Les bases sociologiques du droit et de l'état* (Paris, 1898), pp. 79 ff.

<sup>7</sup> Cf. Simmel, *The Persistence of Social Groups*, *American Journal of Sociology*, March, May, and July, 1898.

<sup>8</sup> Comte, *Cours de philosophie*, vol. iv, p. 460.



nature of society, but their attention was too much fixed upon the rounding out of their analogies.<sup>1</sup> They assumed what others have sought to analyze. The concept of the social mind is playing a more and more important part. It was a somewhat mystical idea with the founders of *Völkerpsychologie*, Lazarus and Steinthal, but it has become increasingly concrete and definite, until it may perhaps be regarded as the most fruitful field of contemporary sociological research. The need of such a theory was made clear by the failure of the biological school to supply an adequate explanation of social unity. Mere division of labor and an interdependence almost wholly economic left too much to be desired.

Beginning with a general statement like this from Lazarus, "A people is a collection of men who regard themselves a people. It is the spiritual achievement of those who compose it, who ceaselessly create it,"<sup>2</sup> it is instructive to trace the gradual closing-in upon the problem. Lewes made several illuminating observations. Psychologists like Wundt, James, and Baldwin were irresistibly drawn over into the new field. The phenomena of group opinion, feeling, and conduct began to be studied in earnest. Tarde announced his process of imitation, opposition, and invention; Giddings contributed "consciousness of kind" and outlined the "integration of the social mind;" Simmel based group-unity on common symbols, obedience, loyalty, and consciousness of group-honor;<sup>3</sup> Hauriou suggested the analysis into (1) grouping and the feeling of grouping, (2) individuality and the feeling of individuality, and (3) conciliation;<sup>4</sup> Baldwin offered his "dialectic" of personal and social growth; and Ross published a keenly analytic study of social control. Moreover, Boris-Sidis, Le Bon, Ross, Tarde, and Sighele made important contributions to the morbid psychology of the group, as displayed in mental epidemics and mob violence.

However various and conflicting these different theories may seem at first glance, they are actually in most cases complementary, and together they afford an admirable working theory. The rôle of suggestion is recognized as fundamentally important; the subordination of reflection to feeling, the persistence of custom and habit, the predominance of unconscious forces, the function of leadership, the control by group ideals, the modification of these ideals in adjustment to the changing conditions which the group confronts, the devices by which the group cozens its members into conformity — all these aspects have been combined into a psycho-

<sup>1</sup> It should be noted, nevertheless, that Schäffle made important contributions to social psychology in his studies of leadership and authority, and the reaction upon them of the public or group. *Loc. cit.*, vol. I, pp. 205-231.

<sup>2</sup> Lazarus, *Das Leben der Seelen*, vol. I, p. 372.

<sup>3</sup> Simmel, *loc. cit.*, March, 1898, p. 66.

<sup>4</sup> Hauriou, *La science sociale traditionnelle* (Paris, 1896), pp. 7 ff.

logy of group organization and activity which demands nothing less than a renovation of the assumptions of all the social sciences. The "consent of the governed" theory, the theory of value, the ideas of property, sovereignty, inalienable rights, free-will, must all reckon with social psychology. Indeed, there are those who go so far as to say that sociology as a science will turn out to be nothing else than this psychology of association.

This psychical nature of the group suggests another fundamental problem — that of the individual and society. Of Comte it has been said that he regarded the individual as an abstraction and society as the only reality.<sup>1</sup> On the other hand, it might be fairly asserted that the thorough-going individualists of the English school saw only persons, and thought of society itself as the abstraction. With Comte the family, not the individual, was the unit of the social organism. Spencer, in spite of occasional aberrations in favor of the family, represented the individual as corresponding to the cell in the animal body. Spencer's political views made him adhere to a conventional individualism not always congruous with the biological analogy. His influence told, therefore, in favor of the older idea of the individual as a reflecting, calculating unit, consciously coöperating in society for his own ends, and nicely weighing his own interests against those of his fellows. All the political philosophy of Rousseau, mediated through the French Revolution, chimed with this theory of the individual. Oddly enough, the "great-man" doctrine of Carlyle aroused Spencer to the defense of his biological conception of social evolution. In demonstrating the continuity of this process and vindicating the uniformity of causation, Spencer was obliged to explain the "great man" as a product of his age and social group — a theory which did not always jump with the implications of his political creed. Before this discussion was dropped, William James,<sup>2</sup> Fiske,<sup>3</sup> and Grant Allen<sup>4</sup> had been drawn into the lists. The latter in his *Psychology* dealt with the "social self" in a suggestive and enlightening way.<sup>5</sup> This was the first of a series of studies by various scholars which have radically modified the concepts of the individual and of personality. The same problem was also partially involved in the attempt of Mackenzie to abstract the organic idea from the biological sociology.<sup>6</sup> One of the elements of this organic idea is "an intrinsic relation between the part and the whole," *i. e.*, the person and society. The essential idea in

<sup>1</sup> Barth, *loc. cit.*, p. 55.

<sup>2</sup> James, *Great Men, Great Thoughts and the Environment*, *Atlantic Monthly*, October, 1880.

<sup>3</sup> Fiske, *Sociology and Hero Worship*, *ibid.*, January, 1881.

<sup>4</sup> Allen, *The Genesis of Genius*, *ibid.*, March, 1881.

<sup>5</sup> James, *Psychology* (New York, 1890), vol. 1, pp. 291-295.

<sup>6</sup> Mackenzie, *Introduction to Social Philosophy* (New York, 1890), pp. 127-182.

"intrinsic" is that each gets its meaning from the other. The individual can be understood only in relation to his group, and the latter has no meaning apart from the persons who compose it. In this view not only society but the individual is an abstraction from a complex unity which includes both.<sup>1</sup> This general thesis has been developed by several social psychologists, notably Baldwin and Cooley. The former explains the growth of personality as a process of give-and-take with the social group. This makes for a uniformity which is prevented from becoming identity because of the inventions or particularizations of individuals. Society grows by the generalizing or imitating of these particularizations.<sup>2</sup> The process as a whole closely corresponds with Tarde's, but the latter's psychological analysis of the social person is far less keen and detailed. This view of the individual as at once a social product and a social factor is a rational and scientific mean between the old individualism which made the person almost independent of his group, and the socialistic fatalism which represents the individual as merely the outcome of social forces over which he has no control.<sup>3</sup>

The danger that the new social psychology might over-emphasize uniforming tendencies and neglect the forces which individuate the members of a group has not been realized. Of late the tendency has been rather to investigate the facts and causes of individual differences. The influence of sex,<sup>4</sup> race, disposition, and occupation has been studied. Patten explains English evolution in terms of four types dominant at different periods — the clingers, sensualists, stalwarts, and mugwumps.<sup>5</sup> Giddings classifies character into four categories — the forceful, convivial, austere, and rationally conscientious.<sup>6</sup> Ratzenhofer regards only congenital differences which he assorts into nine subdivisions of three great classes — the normal, abnormal, and defective.<sup>7</sup> The differentiating influence of social institutions and occupations has been analyzed in a suggestive way by many investigators and students. While most of these essays are merely tentative, they are full of promise. The individual as to-day conceived by sociologists is a far cry from the abstraction who with inalienable rights, a preternatural rationality, and an unhampered will stalked out of the "social contract" into the nineteenth century.

<sup>1</sup> Cooley, *Human Nature and the Social Order* (New York, 1902), chap. 1.

<sup>2</sup> Baldwin, *Social and Ethical Interpretations in Mental Development* (New York, 1897), pp. 7-9, 455-465.

<sup>3</sup> A clear statement as to the transition from the old to the new theory of the individual may be found in Professor Ormond's article *The Social Individual*, *Psychological Review*, January, 1901.

<sup>4</sup> Thomas, *On a Difference in the Metabolism of the Sexes*, *American Journal of Sociology*, July, 1897; March, 1898.

<sup>5</sup> Patten, *The Development of English Thought* (New York, 1899), pp. 23-32.

<sup>6</sup> Giddings, *Inductive Sociology* (New York, 1901), pp. 82 ff

<sup>7</sup> Ratzenhofer, *Die sociologische Erkenntniss*, pp. 260-271.

The influence of physical environment on social organization and activity has long been a moot question. The contrast between materialism and idealism is as old as the *Politics* and the *Republic*. Is man the creature of contour, soil, and climate; or is he the master of his fate? The Physiocrats and Montesquieu gave materialism an impetus which brought it well into the century. Comte's interest in the subjective phase of social evolution diverted his attention largely from the objective. The rapid development of natural science, toward the middle of the century, again brought to the fore the naturalistic interpretation of social and individual differences. Buckle, Guyot, and Draper pushed this view to an extreme which seemed to make the continuity of natural forces from beginning to end not only complete but relatively direct. Buckle, for example, represented the "aspect of nature" as stamping its effect upon a people in an immediate and easily perceptible way.<sup>1</sup> The careful researches and inductions of geographers like Ratzel and Ripley, and the contributions of the Le Play school in France, have led a reaction against the theories of the direct influence of nature on society. Le Play and his followers insist that environmental influence is mediated in an indirect and complex way through a long hierarchy of conditions, activities, and institutions, beginning with place and ending with the rank of the society in the scale of civilization. Vignes states the main thesis of the school to be that nature determines work and reward, which in turn mold the society and differentiate its population.<sup>2</sup> Demolins in recent volumes has illustrated the Le Play theories concretely as applied to the creation of different local types in France, and as explaining the leading racial groups of the world.<sup>3</sup> A similar tendency is observable in the United States, where scientists like Shaler and Brigham, historians like Hart and Turner, geographers like Ripley and Miss Semple, and sociologists like Giddings, have been at work upon the problem of environmental influence. The general tendency away from the idea of immediate effects toward the theories of influence exerted indirectly through social institutions is attributable largely to the increasingly important part which sociology is playing, not only as a science, but as a social philosophy which affects all the social sciences.

The idea of social progress was fundamental with all the philosophers of history. Whether spiral as with Vico, or rectilinear as with Condorcet, the path of human advancement was not to

<sup>1</sup> Buckle, *History of Civilization in England*, 2d ed. (New York, 1863), vol. 1, pp. 85 ff.

<sup>2</sup> Vignes, *La science sociale, d'après les principes de Le Play* (Paris, 1897), pp. 57-63.

<sup>3</sup> Demolins, *Les Français d'aujourd'hui* (Paris, 1898); *Comment la route crée le type social* (Paris, 1901).

be missed. De Greef has traced the historical origin and development of this idea which was a part of the heritage of the nineteenth century from the past.<sup>1</sup> Rousseau's "back to nature" and the golden age of primitive innocence left this optimistic dream intact. Comte by his division of sociology into static and dynamic provided a new term for progress which he regarded as conditioned by the intellectual movement generalized in the law of the three stages. With the prevalence of positivism all differences of opinion — "intellectual anarchy" — would perforce disappear and complete harmony would reign in a final static order. The idea of evolution as illustrated by social changes is the great central concept of nineteenth-century sociology. It is everywhere dominant, and every problem has been stated or restated in terms of the developmental doctrine. But evolution and progress are by no means synonyms. Spencer naturally discovered in his law of evolution certain criteria which were sometimes assumed to be those of advance. Heterogeneity, coherence, definiteness, were often set up as tests — however abstract and difficult to apply — of social advancement. But Spencer really relied upon his two social types of militarism and industrialism with their characteristic status and contract. Here was an infallible criterion. Whatever tended toward military autocracy portended retrogression, while movement toward industrial liberty and free contract was to be reckoned progressive. Ward represents the Comtean theory that intellectual control is the guiding dynamic agency. *Telesis* — purposeful social action — is contrasted with *genesis* — unconscious, natural social growth — and likened to the calculated course of an ocean liner as compared with the drifting of an iceberg.<sup>2</sup> With Ward the diffusion of accurate knowledge is an automatic means of progress. Giddings, admitting that the problem is philosophic rather than scientific, sees three progressive stages in social evolution: (1) political centralization; (2) criticism and freedom; (3) industrial and ethical development.<sup>3</sup> By these he would test the degree of advancement and the trend of a given people or society.

In an address delivered in 1892, Mr. A. J. Balfour examined the popular belief in progress, taking up successively the arguments from biology, the increase of knowledge, and the elevation of ethics. His conclusion was that there are no rational or strictly scientific grounds for predicting progress, and that it is futile to raise the question.<sup>4</sup> While sociologists as a class would hardly take this

<sup>1</sup> De Greef, *Le transformisme social* (Paris, 1893).

<sup>2</sup> Ward, *Pure Sociology* (New York, 1903), pp. 463, 465.

<sup>3</sup> Giddings, *Principles of Sociology*, pp. 299 ff.

<sup>4</sup> Balfour, *A Fragment on Progress, Essays and Addresses* (Edinburgh, 1893).

view — while, as a matter of fact, they expect their researches to have social utility — their present interest may be said to turn not so much to large philosophic generalizations concerning vast secular movements as to the more definite scientific study of concrete social phenomena. They are concerned rather with the laws of change than with the formulation of world-theories. This is only a manifestation of a general tendency to be noted presently.

It remains to consider the scope and the phenomena peculiar to sociology as a science. Giddings asserts that it is “the general or fundamental science of society which occupies itself with the elements and first principles of social phenomena,” leaving detailed investigation to special social sciences.<sup>1</sup> In this view sociology bears the same relation to these social sciences that biology sustains to zoölogy, botany, anatomy, and physiology. Small, on the other hand, sees in sociology “a synthesis of all the particular social sciences” and regards sociologists as engaged in the task of “codifying the results of the special social sciences and in organizing these groups of scientific data into a coherent social philosophy.”<sup>2</sup> While these views at first seem radically different, they are not, after all, irreconcilable. Sociology is both a science and a philosophy. Moreover, sociology must discover the laws of association as such; but these laws are discoverable only in the concrete facts analyzed and organized by the special social sciences. If there be a distinction in these ideas, it is that the fundamental view fixes attention on principles, while the “synthetic” theory looks also over the border toward policy and practice.

Again, the phenomena peculiar to sociology are variously conceived. De Roberty’s “*socialité*,” Gumpłowicz’s “conflict,” De Greef’s “contract,” Spencer’s “coöperation,” Tarde’s “imitation,” Durkheim’s “coercion,” Simmel’s “subordination,” Giddings’s “consciousness of kind,” seem at first glance to form a chaos of ideas. But on examination these turn out to be simply various aspects of the structure and activity of the social group as such. They are different characteristics common to all types of social organization. The fact that these characteristics are almost wholly psychical is significant of the trend of scientific sociology and goes far to identify it with social psychology.<sup>3</sup>

Sociologists have by no means reached a consensus comparable, for example, with that of the economists, but when variations in terminology have been eliminated, a considerable and ever-widening area of agreement emerges from the apparent confusion.

<sup>1</sup> Giddings, article on *Sociology*, Johnson’s *Encyclopedia*, ed. 1895.

<sup>2</sup> Small, *loc. cit.*, pp. 54 ff.

<sup>3</sup> Cf. Caldwell, *Philosophy and the Newer Sociology*, *Contemporary Review*, September, 1898.

Thus as to society in general all agree that it is (1) a product of physical and psychical forces, (2) working in an evolutionary process, in which (3) at first predominantly instinctive activities later yield in some measure to (4) reflective and purposeful policies. This view regards society as (5) organic in the general, not specific, sense of the term. As to the social group as a type of common mental life it is further agreed (1) that individuals in their very personal growth unconsciously incorporate the standard of their group, by which they are, furthermore, (2) coerced into conscious conformity. The uniforming influence of imitation and group ascendancy is counteracted by (3) leaders or authorities who initiate new ideas and activities to be selected and appropriated by all. Between such leaders with their followers (4) a struggle for ascendancy ensues. This results ultimately in (5) a relatively permanent body of customs and institutions imbedded in feeling; *i. e.*, group tradition or character. When the members of the group are aware of common ideals and purposes (6) a social consciousness is developed.

If the tests of a science be formulation of laws and power to predict, sociology is not far advanced on the road to a scientific status. Such laws as have been put into definite form are too often either somewhat axiomatic or platitudinous, or are philosophical rather than strictly scientific. Nevertheless, especially in the field of social psychology, more successful results have been achieved. Principles closely approaching in insight and accuracy the unquestioned laws of economics have been enunciated, and promise of progress in this direction is not wanting.<sup>1</sup> As to prediction, which is conditioned on the formulation of principles, naturally the sociologist is even more cautious than the economist about foretelling a result in a given concrete case. Certainly the point has not been reached when the sociologist is justified in dogmatizing on the basis of his scientific principles.

In this rapid survey of the growth of sociology certain tendencies stand out in fairly distinct outline:

Sociology began by being a social philosophy, a philosophy of history,<sup>2</sup> and such it has been until very recently. To put social philosophy into the language of a natural science is not to make it a science. But as a philosophy it has rendered important service. It has preserved the unity of social theory — a unity constantly menaced by the specialization which has abstracted different groups of phenomena. It has afforded a point of view by which all the social sciences have been consciously or unconsciously influenced.

<sup>1</sup> Cf. Ross, *Recent Tendencies in Sociology*, *Quarterly Journal of Economics*, August, 1902.

<sup>2</sup> Barth, *loc. cit.*, pp. 10-13.

Of late sociology has given less heed to vague general consideration of society as a whole, and has come to closer quarters with certain phenomena of association—especially those of social psychology. The struggle-group as molded by conflict has received attention. The mental unity and processes of the group have been studied. The theory as to the relation of the individual to society has been reviewed and radically modified. Environment is thought of as exercising, not an immediate, but a complex and indirect influence on society. Vague concepts of secular progress have yielded to a more careful study of the conditions and laws of order and change. Finally, sociology is seeking to add to its service as a philosophy the contributions of a science which shall formulate valid laws as to the universal principles that underlie the phenomena of association.<sup>1</sup>

<sup>1</sup> Caldwell's statement may be quoted here: "The sociology of to-day is partly a philosophical theory, partly a science, and partly a gospel about the tendencies of what is called social evolution; it is a theory of the nature and development of the organization that is called society, of the manifestations in the actions of men of the principles of association." *Loc. cit.*



**SECTION A — SOCIAL STRUCTURE**



## SECTION A — SOCIAL STRUCTURE

---

(Hall 15, September 21, 10 a. m.)

CHAIRMAN: PROFESSOR FREDERICK W. MOORE, Vanderbilt University.

SPEAKERS: FIELD MARSHAL GUSTAV RATZENHOFER, Vienna.

PROFESSOR FERDINAND TOENNIES, University of Kiel.

PROFESSOR LESTER F. WARD, U. S. National Museum.

SECRETARY: PROFESSOR JEROME DOWD, University of Wisconsin.

---

### THE PROBLEMS OF SOCIOLOGY

BY GUSTAV RATZENHOFER

(Translated from the German by courtesy of Professor Albion W. Small, Chicago University)

[Gustav Ratzenhofer, Late Field Marshal of the Austrian Army. b. July 4, 1842, Vienna, Austria. Educated for military service, and served with distinction in the armies of the Empire, and later in the Ministry of War at Vienna. A deep student of sociological problems, and an authoritative writer on the subject. The Congress and its object appealed strongly to his gallant spirit, and although ill during the summer of 1904, he determined, against the advice of family and physicians, to keep his promise to be present. He came, accompanied by his son, and took part in all the proceedings, which he greatly enjoyed, and where he was accorded the distinction and deference due to his age and rank. On the return voyage his strength failed, and he died just before the ship arrived in port. The burial was on Oct. 14, in Vienna. — *Editor.*]

It seems to me necessary to introduce the discussion of my theme by explaining what I understand by sociology, what its tasks are, and what the methods are which seem to me appropriate to this science.

By sociology I understand the science of the *reciprocal relationships of human beings*; its task is to discover the fundamental tendencies of social evolution and the conditions of the general welfare of human beings.

In accordance with this conception, sociology should lead to promotion of the common weal on a level above that of naïve empiricism; viz., on that of conscious and purposeful action. Sociology should do for social weal what medicine, for example, tries to do for bodily welfare. A scientifically sanctioned practice should take the place of the prevailing quackery in treatment of the social body. In earlier times the various creeds and churches were zealous in trying to regulate social relationships. More recently this has been the function of political authorities. Because, however, neither of these agencies has in practice very often secured the common weal it came to pass that the elucidation of this question fell largely into

the hands of speculative theorists. Plato and Aristotle were sociologists whose dialectical system maintained influence down to the time of Hegel. Because this thought, however, acquired little influence over the reciprocal relationships of men, there was at last a turning of research toward social phenomena in order to derive theorems from experience in this field. As a matter of course, it was necessary that the total phenomena of human relationships should first of all be separated into special departments of research. Certain such special departments had already been for a long time the subject-matter of investigation. This is true of history considered as chronological exhibition of social evolution, with especial reference to the political and cultural struggle for existence among peoples. A further notable department of specialization is investigation of economic phenomena, introduced in its modern form by Adam Smith. Gradually specialization took possession of all the important phenomena of social life, such as religion, customs, law, civilization, etc.; and still further the real causes of these phenomena, such as place of abode, climate, race, the statistical elements of social phenomena, etc.; so that to-day we have a mass of material from such investigation which it is well-nigh impossible to survey.

Nevertheless, through these special investigations a science of the reciprocal relationships of human beings in general was merely made possible. At first they veiled the nature and the method of sociology. The very research which produced the building-materials of sociology assumed a hostile relationship toward that science. In order to understand this, we must observe that in the modes of thinking that have come into control since the eighteenth century, so far as social phenomena are concerned, there has been modification by a thought-movement more powerful than specialization itself. It has revolutionized everything that was ancient in science; it has subjected everything else to its method. I refer, of course, to the awakening and the exact development of the natural sciences. These have found all virtue in *specialization*, in the *singular*, in *investigation of the microcosm*, based upon mathematical certainties. Although it cannot be denied that the tremendous successes of the natural sciences are attributable to this method, yet it is not to be reconciled with our present realistic spirit that such one-sidedness, although it may be easily understood, should persist in ascribing all virtue to this method, and should forget that the whole of human progress has not been produced by it, but rather through the *integration of ideas*, through the *intellectual control of the microcosm*, through the formation of *general ideas*. How could Darwin have gone through his biological career if there had not been in his mind from the beginning the vital conception, the intuitive conviction, of the unity of origin of all organisms? Preceding all special labor

in astronomy and geology stands, in the form given to it by Kant and Laplace, the idea of creation. While the specializing science of to-day pushes the significance of the *fundamental ideas*, the *principles*, the *system*, into the background, they would surely have undermined the vital conditions of sociology, whose aim is to discover correlation on the largest scale, if it were possible to arrest the course of development of human understanding. From suspicion of the dialectic philosophy men had become accustomed to accuse all fundamental ideas of being merely invalid inductions. This was entirely unjust; for, as all psychological analysis teaches, while they may be erroneous, they are, however, always syntheses of individual experiences; that is, the product of induction. It must be further observed that every piece of minute scientific work, in so far as it is not stimulated by the purpose of mere invention for capitalistic use, must lend itself at last to a generalizing synthesis, if all research is not to remain purposeless. This appears in the case of all public arrangements of the state and of society.

One must, like myself, live in the atmosphere dominated by the traditions of learned Germany, in order to have an idea of the bitter struggle which the special sciences have waged against sociology. Nevertheless this struggle, in spite of outbreaks of hatred toward the founders of sociology, — as, for example, against Gumplowicz, — has already turned in their favor. The book-market is swamped with bulky works which try to assume the appearance of sociological intelligence, and the designation "sociology" is applied to the most incongruous fields of thought.

Since now in all generalization induction is an inevitable condition, and every specialization must terminate with a synthesis, the problem before us seems simply to be to provide, as a basis for the synthesis that shall control social life, an induction which is not liable to error.

From time immemorial men have sought to reach theorems of universal validity. Even specializing science has not been able to avoid this demand. We have consequently a vast literature in which specialists, from their own peculiar one-sided standpoint, have sought to arrive at a synthesis covering social evolution. Starting with historical, economic, statistical, juridical, philological, biological, anthropological, geographical, or other similar standpoints, they attempt to detect the fundamental principles of social relationships. These attempts are of course futile, because sociology cannot be derived inductively from a single one of these numerous fields of knowledge. It must be derived from them all. If one of these scientific factors is omitted, or is not taken into the reckoning at its full value, the sociological calculation is on that account as vicious as if in a mathematical formula one should omit

even the most unimportant symbol. The laws of social relationship are like those of the universal mechanism, to be discovered only from a survey of all the phenomena. All absorption in a special group of phenomena brings with it the danger of running into anti-thesis with the laws which govern the whole; this, in other words, means danger of giving a false interpretation to the special. The Ptolemaic conception of the universe remains the perpetual warning of the dangers of a too narrow point of view.

It was Comte who first recognized this truth. His positivism compares the facts of reflection, of sense-perception, and of social evolution, so that the synthesis may be an induction from an adequate series of experiences. We know that Comte's work did not succeed, because, on the one hand, he did not have the comprehensive knowledge of the objective phenomena of social life, and because, on the other hand, he had not sufficiently investigated man, the unit of these reciprocal relationships. Kant's influence was, however, by no means without effect. His positive method won the conviction of investigators more and more as the method by which it is necessary to reach a scientific comprehension of the content of human relationships. This perception came into natural correlation with the products of special investigation. On the basis of the scientifically ascertained facts, of the natural laws, and of logic, search is now made for the social laws. Interpreted by the conceptions of positive monism they merge with the laws of nature and of reasoning into a unified doctrinal structure. Sociological knowledge is thus not, as hostile scholars allege, a dialectically woven web, but a product of the same intellectual process which every special science applies when it conducts research in its peculiar territory. The difference between this specializing minute labor and sociology consists merely in the fact that the latter *does not test its material with reference to the particular, but with reference to the universal*. As in the case of every subject and object, there must go along with this testing of all phenomena with reference to their sociological content, *investigation of man with reference to his social nature*. This social psychology is implied in the positive method. It involves search on the one side for the social *ego*, and on the other side for the reaction of the life-conditions upon the *ego*. Because this social psychology teaches *what social demands this ego has*, and the investigation of the social facts teaches *how these demands may be satisfied*, we arrive at sociology as the science of reciprocal human relations. In the field of social psychology America possesses in Lester F. Ward, and in research among social facts the world possesses in Herbert Spencer, a thinker who has opened new scientific paths. The problem is simply to combine the true tendencies in sociological knowledge, and to develop them into a real synthesis.

As this introductory discussion has shown, sociology is a *philosophical discipline not on a basis of pure reasoning* merely, but rather on the basis of all the real and intellectual facts correlated by the *causality of all phenomena*. Social life can be scientifically understood only on the basis of the monistic view of the world; that is, in the light of a philosophy which *subordinates all phenomena to a unifying principle*. It is the inevitable consequence of positivism, which sets over against the *ego* as fact the facts of the external world, that it rests on the same epistemological foundation on which rest all other empirical facts. Without this *positive monism* a sociological regularity is impossible, and I assert without reserve that it is the source of all scientific knowledge whatsoever. This monism alone permits us to understand all existence without omission, in complete logical correlation, as a product of evolving regularity (*Gesetzmässigkeit*). The most important precondition for the success of sociological science is recognition of this monism, and subsumption of all social phenomena under the unity of this fundamental conception.

Although monism declares that *in the last analysis there is regularity in phenomena*, nevertheless the laws derived from this unifying principle *vary for the different main divisions of phenomena*. To what extent the formal regularity applies to the whole phenomenal world; to what extent the physical and the biological laws reappear as social laws; and to what extent there is a *peculiar sociological regularity* — to answer these questions, and to distinguish between the two spheres, is of course the vital question for sociology as science; and it is (1) the fundamental problem of sociology to demonstrate this regularity in the spirit of the comprehensive method to which we have referred. When this problem is once solved, sociology is not merely a branch of human knowledge, but along with philosophy, it is a foundation of all the *psychical sciences*.

Closely connected with this fundamental problem of sociology is (2) the world-problem of the relation of the increase of the human race to sustenance; in brief, the *question of the transformation of matter*. It is certain that the economic processes of the world are to-day in the childhood of thoughtless robber methods, in respect to which North America particularly indulges in very dangerous optimism. The questions whether *free trade* can remain permanently the solution of the world's economic problem, and what economic principles the prosperity of society will demand, both with respect to labor and to the sources of production, are not yet brought into consideration, but national economy plunges without suspicion into the service of this plundering system.

After this world-problem there follow the principal problems of sociology.

The purpose of elevating sociology to the rank of an advisory science gives rise to (3) the third problem: *Has the human will an influence upon social development?* If this question is to be answered optimistically, there open before society the most tremendous prospects; but if it is to be answered pessimistically, there would have to be acquiescence in despair for everything noble, great, good, and beautiful. It is not difficult to understand that this problem is connected with the psychological problem of the freedom of the will and of the value of intellectual freedom. The solution of the problem demands analytical insight into the whole complex of social facts.

A science which seeks to have a share in the enterprises of men necessarily turns its attention to the subject of *future developments*. In point of fact, all the exact and practical sciences do this, whether they teach that once one is one, or that  $H_2SO_4$  sprinkled upon  $KaCO_3$  volatilizes  $CO_2$ , or that at a given time there will be an eclipse of the moon, etc., etc. In either case we are dealing always with prevision of that which must necessarily occur. To-day, thanks to their obsolete attachment to the antique, many psychical sciences are still training their vision toward the rear, and they are meeting all prevision and prophecy of the inevitable with a comical contempt. From the standpoint of sociology men will learn to overcome this reactionary tendency, and to recognize as scientific no research until, as is always the case with the natural sciences, it strives after *future control of the phenomena*. This influence upon coming social development presupposes, however, the solution of the fourth problem, namely, (4) *What form will social evolution take?* This problem can be solved only on the basis of knowledge of previous social evolution. Its purpose is to gain prevision of the social necessities, in order to measure the inevitable and to learn the extent to which the interposition of the human will can have effect.

In connection with the passing of judgment upon social development, a series of principal problems will be presented. The most important of these may be named as the fifth problem in our series, viz., (5) the question of the *reciprocal relationships between individualism* (subjectivism) *and socialism* (communalism). The realization of the typically human is unquestionably a work of individualization, which has rescued man from the communalistic horde condition. *Personality* is the noble fruit of this impulse. Its excess, however, brings it about that the individual regards himself as the focus of the world. Does social evolution permit the unlimited process of individualization, or is it demanded that it shall be limited by a socialization in the common interest, and how may men succeed in bringing individualization and social-



ism — that is, individual weal and common weal — into harmony? One requires no profound insight into reciprocal human relationships to recognize that this problem is in causal relationship with the question of the political organization of society, with the total of legal development, and with positive ethics; that is, with the norms of conduct derived from the essential interests of human beings. When, however, we take into consideration the nature of man — that is, his native talents — there is at once presented (6) the tremendous *race-problem*, which may be presented in the form of the following questions:

(a) Is the origin of the human race such that it can be regarded as a unity? What social and ethical consequences follow from the answer to this question?

(b) What *value* has the race-concept for social evolution in general, and in particular in given times and places?

(c) What differences of value are to be attributed to the *pure races*, which have developed the permanent forms of racial mixtures through in-and-in breeding, and what values are to be assigned to the *mixed races* with fluctuating traits?

(d) What consequences for social development follow from the fact of *race-difference*, and of the *variety of inherited talents* (*Anlagen*), as products of biological development, of history, of locality, of environment, and of prevailing ideas?

This race-problem, over which fierce struggle is raging to-day in Europe, will not be solved from the single standpoint of ethnology, or anthropology, or geography, or biology, because the race itself is not a product of biological evolution, or of geographical conditions, or of anthropological classification. Its social significance can be made out only on the basis of all those factors with which all the special sciences are concerned, from whose subject-matter sociology attempts to organize its syntheses. This Congress is sitting in a part of the world, and in a federation of states, whose future centres about the solution of the race-problem. Sociology can regard the amalgamation of the races that are in contact merely as an ideal. The mere comparison of the periods, measured by thousands of years, required for the evolution of a race, with the brief periods that come into view in questions of social reform, reduces the belief in a healing harmonization of all the racial characteristics to an absurdity.

Connected with this race-problem is (7) the *problem of public hygiene*, which in the last analysis is the question of rooting-out pathological tendencies. The suppression of hereditary diseases and tendencies to disease — syphilis, gonorrhoea, epilepsy, alcoholism, neurasthenia, etc. — is one of the most vital issues of popular life in Europe, where people attend less to the morpho-

logical and physiological conditions of race-development than to the economic and ethical conditions. We can no longer disregard the fact that hereditary tendency to disease has a very considerable part in the misery of the masses. The traditional views of legal philosophy upon the relation of human traits to the moral and social norms are in need of radical revision. The perception that human conduct is only the consequence of the more or less healthy bodily condition of men seems entirely incongruous with our existing systems of penal law; while, on the other hand, in consequence of the increase of population and the crowding of habitable regions, with the consequent increasing complication of all legal relationships, there is need of energetic protection for society against the excesses of the socially unfit.

This whole range of thought presents (8) the eighth problem, namely: In what ratio should the political principles *freedom* and *authority* share in the work of civilization; and in what ratio the political systems *centralization* and *autonomy*? All that has been discovered in this connection up to the present time scarcely rises above the level of mere political gossip. There seems to be constantly increasing justification for the doubts which are expressed about the value of the political principles of the eighteenth and nineteenth centuries. Social evolution presses more and more toward an *organizing order*, if it is to be possible to lead the majority of men into satisfying conditions. It is certain that the individualizing freedom of the present time produces only a diminishing minority, and that it does not bring satisfaction even to these.

In closest connection with the race-question stands (9) the *problem of war and peace*. The short-sightedness of those enthusiasts is more and more evident who regard perpetual peace as possible, because they see in war merely the caprice of the mighty of this world. In fact, it is more and more evident that wars are the consequence of social development; that is, (a) of the increase of population in reaction upon the life-conditions, and (b) of racial antitheses. Profound insight into the nature of politics shows that it would be much more profitable for society if we should treat this question without attempting to damn war off-hand, but if we should try to remove the causes of war.

The solution of the two problems last mentioned will, however, be possible only when the whole realm of politics is raised from its present sphere of dilettantism, of diplomatic intrigue, or of personal interest, to a scientific discipline upon the basis of sociological intelligence. It is no longer in character that science should ignore the most human conspicuous activities, through which all the weal and woe of society is set in motion. The *theory of politics*, as the dynamics of the social forces, demonstrates the practical value

of sociology. Only by means of a system of politics which has a firm hold upon the fundamental tendencies of social development, and which recognizes the needs of society, is it possible to reach the civilization of mankind, that is, a condition in which the common weal controls.

Next to the biological and the political problem in significance stands (10) the *problem of positive ethics*. It may be expressed in the question: To what extent is the prosperity of races, nations, states, and societies dependent upon their morality? We know that the current anthropological conception credits morality with no significance in the destiny of peoples. This is because, from lack of a comprehensive sociological insight, it is not recognized that "good" and "bad" are in closest connection with the prosperity of the species.

Tributary to the solution of this question is (11) the *problem of the morals and the education of men*; which may be divided into the problem of the school, of the family, of the relation of the sexes to each other and in society. Let me merely observe in passing that the question of woman's rights is passing through a phase which an age sociologically mature will look upon as the most incomprehensible confusion of humanity.

I will further merely suggest that these problems inevitably raise (12) the *religious problem*, respecting the philosophical truth of the religious need of mankind, of the ethical and ideal value of religion in general.

Following these chief problems there arises (13) the *civic problem*. This is the question as to the political divisions of mankind and of their territories. With this problem the question as to the sociological idea of the state will be answered. In accordance therewith the practical fulfillment of all the scientific syntheses of sociology is to be found in the state as the organization of power. Among these syntheses belong also the theories as to the relations of the state and of its citizens to society, and to humanity, because the latter make use of the state in order to make progress in satisfying their developing interests.

We see therefore that sociology discovers the principle that governs all social affairs. To solve in principle all social problems is its task. Sociology can do this because it takes account of the relationships in which these problems appear in their essential connection with all existence. Sociology sets bounds to the arrogant narrowness of unlimited specialization. Sociology attempts to secure for the common weal the application of the tremendous results that have been reached by the special positive sciences.

The problems of sociology are thus also the problems of civilization, of humanity.

The totality of problems which we have spoken of as "fundamental," "general," and "principal" indicates the essential content of sociology as science. The problems increase in number in the degree in which sociology is stimulated by the tributary sciences to the solution of new problems. It will be the duty of sociology to organize the results of all scientific activities within the social realm into the sociological synthesis in order to maintain itself constantly on a level with the highest social needs and with the results of science in general. If the world is really a product of immanent regularity, then social development cannot afford to be without a science which shall bring to recognition, over and above all special knowledge, this general regularity. Just as the natural sciences made their way in struggle with the prejudices of the Middle Ages, so must sociology and its philosophical basis, positive monism, make their way through the prejudices of false science and reactionary interests. In this respect the words of Goethe's *Xenie* are, however, still in point:

Amerika, du hast es besser,  
Hast keine verfallenen Schlösser.

## THE PRESENT PROBLEMS OF SOCIAL STRUCTURE

BY FERDINAND TÖNNIES

[**Ferdinand J. Tönnies**, Privat-docent and Professor, Kiel University. b. Riep, Oldenswort Parish, Schleswig-Holstein, Germany, July 26, 1855. Ph.D. 1877; Professor, 1891. Member of International Institute of Sociology; Society of Social Politics; corresponding member of Sociological Society, London. **Author of *Community and Society*; *Hobbes's Life and Doctrines*; *The Nietzsche Cult*; *Schiller as a Citizen*; and a large number of articles and papers in German and foreign periodicals, philosophical, sociologic, economic, and general.]**

THE problems of social structure we find in a rather confused state at the present moment. In an earlier stage of sociological thinking considerable expectations were attached to the interpretation of social phenomena by means of biological analogies, or what was called the organic theory of society. These expectations may now be said to have been disappointed. The organic theory has almost universally been abandoned. Yet even its severest critics are likely to admit that there is some truth in or behind it, although they seem to be at a loss to explain properly what kind of truth it is.

By a curious coincidence, the three most notable representatives of that doctrine — the Russian, Paul von Lilienfeld, a man of high social standing; the German, Albert Schäffle, with a reputation as a political economist; and the Englishman, Herbert Spencer, whose fame needs not to be emphasized — all departed from life in the year 1903, the two latter in the month of December, all in advanced old age. To these three men sociology owes a debt of gratitude, because, after Comte, they were the first — at least in Europe — to formulate a theory of social life in large outline. From all, but especially from Schäffle and Spencer, we receive, and shall continue to receive, constant and fertile impulses or suggestions. But I feel safe in predicting that it will soon be universally acknowledged that the foundations of their theories were not laid firmly enough for permanently supporting those boldly planned structures of thought.

For a long time past I have cherished the opinion that these authors, as well as nearly all their successors and critics, are hampered by a fundamental lack of clearness as to the subject of their inquiries — a subject which they are in the habit of designating by the very indefinite name of “a society,” or, as Schäffle puts it, “*the social body.*” Confusion of ideas invariably proceeds from a defect of analytical reasoning; that is to say, of proper distinction.

I believe and assert that three distinct conceptions, the common object of which is social life in its broadest sense, are not sufficiently,

or not at all, kept apart nor even recognized as being distinct, viz., the biological, the psychological, and the sociological in what I call the exclusive sense, the subject of this third conception only being entirely new, as compared with the subjects of other sciences or departments of philosophy. It seems to me to be our fundamental task as philosophical sociologists to deduce from this last conception, and others implied in it, a system of social structure which shall contain the different notions of collective entities in their mutual dependence and connection; and I firmly trust that out of such a system will be gained a better and more profound insight into the evolution of society at large, and into its historical phases, as the life of these collective entities. It is therefore in the struggles, first between any of these groups and the individuals composing it; second, between their different forms and kinds — for instance, the struggles between church and empire; between church and cities; between church and state; between cities and other corporations; between the sovereign state and feudal communities, and consequently established orders or estates; between single states and a federal state — it is in these and similar struggles, presupposing the *existence* of those collective entities, that the growth and decay of higher civilizations exhibit themselves most markedly.

## I

When we speak of a house, a village, or a city, the idea immediately arising in our minds is that of a visible building, or of larger or smaller groups of buildings; but soon we also recollect the visible contents of these buildings, such as rooms and cellars and their furniture; or, when groups of buildings are concerned, the roads and streets between them. The words "house," "village," and "city" are, however, used in a different sense when we have in mind the particular contents of buildings which we call their inhabitants, especially their human occupants. Very often, at least in many languages, people are not only conceived of as the inhabitants of, but as identical with, the buildings. We say, for instance, "the entire house," "the whole village" — meaning a lot of people the idea of whom is closely connected with the idea of their usual dwelling-place. We think of them as being one with their common habitation. Nevertheless it is still a visible union of individuals which we have in mind. This visible union, however, changes into an invisible one, when it is conceived of as lasting through several generations. Now the house will become identified with a family or perhaps with a clan. In the same manner a village community or a township will be imagined as a collective being, which — although not in all, yet in certain important

respects — remains the same in essence, notwithstanding a shifting of matter; that is to say, an incessant elimination of waste portions — men who die — and a constant accretion of fresh elements — children born. Here the analogy with the essential characteristics of an organism is obvious. Vegetable and animal organisms likewise are only represented by such elements as are visible at any time, and the law of life consists in this, that the remaining portions always predominate over the eliminated and the reproduced ones, and that the latter by and by move and fill up the vacant spaces, while the relations of parts — *e. g.*, the coöperation of cells as tissues, or of tissues as organs — do not undergo a substantial change. Thus such an application of biological notions to the *social life* of mankind — as the organicist theories or methods set out to do — is not to be rejected on principle. We may, in fact, look upon any community of this kind — maintaining itself by receiving its parts — as being a living whole or unity. This view is the more plausible if the renewal itself is merely biological, as indeed is the case in the human family, and, as we think, to a still greater extent — because a family soon disperses itself — in certain larger groups: a tribe, a nation, or a race; although there is involved in this view the question whether there is a sameness of nature — or, as we usually say, of blood — guaranteed, as it should be, by an in-and-in breeding of parents (German, *Inzucht*). Indeed, this self-conservation of a group is the less to be expected, the smaller the group; and it is well known among breeders that it is necessary for the life of a herd not to continue too long selecting sires of the same breed, but from time to time to refresh the blood by going beyond the limits of a narrow parentage, and crossing the race by mixtures with a different stock.

At any rate, this is what I should call a purely *biological* aspect of collective human life, in so far as that conception is restricted to the mere existence of a human group, which, so to speak, is self-active in its maintenance of life.

This aspect, however, does not suffice when we consider social units of a local character, which also continue their existence, partly in the same, but partly in a different manner. With reference to them we do not think exclusively of a natural *Stoffwechsel*, as it is effected by births and deaths of the individuals composing the body, but we also consider the moving to and fro of living men, women, and children, the ratio of which, like the ratio of births and deaths, may cause an increase or a decrease of the whole mass, and *must* cause one or the other if they do not balance. In consequence of this, we also have less reason to expect a biological identity of the stock of inhabitants at different times than a lasting connection between a part of space (the place), or rather a

piece of the soil, and a certain group of men who dwell in that place and have intercourse with each other, although the place itself grows with the number of its inhabitants, and although even among these inhabitants there be, for instance, not one direct descendant of those who occupied the place, say, a hundred years ago. We may, it is true, take it to be the rule that at least a certain nucleus of direct descendants keeps alive through many generations — a rule so much more certain if it is a large place, a whole region, or even a country that we have in mind. Still we shall not hold this to be a *conditio sine qua non* for acknowledging the village or the city to be the same; it being in this respect much more relevant that the nucleus of the place, of the "settlement," has endured and has preserved itself through the ages. Now, since place and region, air and climate, have a very considerable effect upon the intelligence and sentiment of the inhabitants, and seeing that a considerable change may not justly be expected with respect to this, except when the minds as well as the external conditions of the newcomers are totally different from those of the older strata, we may consider the identity of a place, in so far as it is founded upon the social connection of men with a part of the soil, as a *psychological* identity, and call this aspect of social life a psychological aspect. There can be no doubt that this psychological aspect is in great part dependent upon the biological aspect, and is, as a rule, closely interwoven with it. Yet it needs but little reflection to recognize that both are also to a certain extent separate and independent of each other. The subject-matter of a social psychology is different from the subject-matter of a social biology, though there exist a great many points of contact between them, and though both, apart from the foundations here given to them, may be applied to animal as well as to human societies.

## II

Neither of the above-mentioned conceptions of a continuous unity or whole implies that the essential characteristic of the unity is perceived and recognized by those who belong to it, much less that it is perceived by others, by outsiders. And this is the third idea, by far the most important one for the present consideration — the idea of what I purpose to designate by the name of a *corporation*, including under it all social units whatever, in so far as they have this trait in common, that the mode of existence of the unity or whole itself is founded upon the consciousness of its existence, and consequently that it perpetuates itself by the conception of its reality being transmitted from one generation to the



next one; which will not happen unless it be done on purpose by teaching, and generally in the form of tradition. This evidently presupposes human reason and human will, marking off sharply this third genus from any kind of animal subhuman society.

We are now to give closer attention to this conception. For the most part, though not always, it is the conception of a unity different from the aggregate of members; the idea of a psychological or moral *body*, capable of willing and of acting like a single human being; the idea of a self or person. This person, of course, is an artificial or fictitious one. It represents indeed, as the former two conceptions did, a unity persisting through the change of its parts; but this unity and identity persisting in the multitude are neither biological nor directly and properly psychological, but must, in distinction from these, be considered as specifically *sociological*. That is to say, while the second is the social consciousness or social mind itself, this is the product of it, and can be understood only by looking into the human soul, and by perceiving thoughts and wills which not only have a common drift and tendency, but are creators of a common work.

The idea, however, of a body capable of willing and acting is, as said above, not always, and not necessarily, implied in the idea of a sociological unit. There is a conception preceding it, as protoplasm precedes individual bodies; namely, the general idea of a society (or a community, if this important distinction is adverted to), which is not essentially different from our second idea of a psychological unit, except in this one respect, accessory to it, that the idea of this unit be present somehow in the minds of the people who feel or know themselves as belonging to it. This conception is of far-reaching significance, being the basis of all conceptions of a social, as contrasted with a political, corporation. It therefore comprises especially those spheres of social life which are more or less independent of political organization, among which the economical activity of men is the most important, including, as it does, domestic life as well as the most remote international relations between those who are connected exclusively by the ties of commercial interest. But practically it is of little consequence whether this general idea be considered as psychological or as sociological, unless we precisely contemplate men who consciously maintain their own conception of their own social existence, in distinction from other ideas relating to it, chiefly when it is put in contrast to the idea of a political corporation, and the political corporation of highest import is concerned — the state. And it was exactly in these its shifting relations to the state that the idea of society proper — though without recognition of its subjective character — was evolved about fifty years ago by some German

theorists — notably Lorenz Stein, Rudolph Gneist, and Robert Mohl — who were more or less strongly under the sway of Hegelian philosophy, seeing that Hegel in his *Rechtsphilosophie* develops his idea of human corporate existence under the threefold heading of (1) the family, as “thesis,” (2) civil society, as “anti-thesis,” and (3) the state, as “synthesis” of the two former.

But, though I myself lay considerable stress upon this general notion of society, in juxtaposition and opposition to the state or political society, I still regard it as more indispensable to a theory of social structure to inquire into the nature and causes of what may be called, from the present point of view, genuine corporations; that is, those conceived of as being capable of willing and acting like a single individual endowed with reason and self-consciousness. The question arises how a “moral person” may be considered as possessing this power.

Evidently this is an impossibility, unless one single individual, or several together, are willing and acting *in the name of* that fictitious being. And in order justly to be taken for the volitions and acts of an individual distinct from their own individualities, those volitions and acts must be distinguishable by certain definite marks from the rest of their willing and acting, which they do in their own name; they must be differentiated formally. There must be a tacit or an open understanding, a sort of covenant or convention, that only volitions and acts so differentiated shall be considered as volitions and acts of the said moral person whom that one or those several individuals are supposed to represent. By the way, this question of marks and signs, consensual or conventional, by which a thing, physical or moral, not only is recognized as such, but by which its value (or what it is *good for*) is differentiated from its existence (or what it *is*), pervades all social life and mind, and may be called the secret of it. It is clear that certain signs may easily be fixed or invented whereby the volitions and acts of a single individual may be differentiated from the rest as being representative. But how if there are more than one, who only occasionally have one will and act together, and who cannot be supposed to agree in their feelings as soon as they are required to represent their moral person? It is well known that these must be “constituted” as an *assembly* or as a whole capable by its constitution to deliberate and, what is more, to resolve and act. It must be settled by their own or by the will of another person (1) under what conditions, and with respect to what subject-matters, their resolutions shall be considered as representing declarations of will of their own body; and (2) under what conditions, and with respect to what subject-matters, declarations of will of this body shall be valid as declarations of will of the moral person they represent.

It is therefore the *constitution* of a multitude into a unity which we propose as a fourth mode, and as a necessary consequence of the third one, unless the moral person be represented exclusively by a single man or woman as a natural person. The Many constitute themselves or are constituted as a body, which is, as far as it may be, similar to a natural person in such relations as are essential precisely for the notion of a person. Consequently, this body also is a unity, but a unity conceived *a priori* as being destined for a definite purpose, viz., the representation of a moral person — the third or sociological kind of unity. And it is different from that third notion by this very relation only, which evidently cannot be inherent in that person himself: that, in consequence of this relation, it has a visible existence apart from its own idea, while the moral person represented is nothing beyond his own idea. We may distinguish, therefore, between five modes of existence in a moral person represented by a body: (1) the ideal existence in the minds of its members; (2) the ideal existence of the body constituted, which represents the moral person, being as well in the minds of the natural persons who compose that body as in the minds of members of the corporation generally; (3) the visible existence of this body, being the assembly of natural persons, willing and acting under certain forms; (4) the intelligible existence of this assembly, being conditioned by a knowledge, on the part of those who externally or theoretically perceive it, of its constitution and its meaning; (5) the intelligible existence of the moral person or the body represented, being conditioned by a knowledge of the relation between this corporation and the body representing it, implying the structure of the former in the first, and of the latter in the second instance.

The visible existence of an assembly means that members are visible as being assembled, but the assembly as a body can be recognized only by a reflecting spectator who knows what those forms mean, who "realizes" their significance, who *thinks* the assembly. Of course, a corporation also, apart from its representation, can be perceived only mentally, by outsiders as well as by its own members, and these are different perceptions (distinguished here as ideal and intelligible existence): members perceiving it directly as a product of their own will, and therefore in a way as their property (a thing which they own); and outsiders perceiving it only indirectly, by knowing the person or body that represents it; this being an external perception only, unless it be supplemented by a knowledge of its peculiar mode of being, that is, of its constitution and of the relations which members bear to the whole, and the whole to its members.

But it is, above all, in this respect that great differences exist between different kinds of corporations. The first question is whether individuals feel and think themselves as founders or authors or at least as representative ideal authors of their own corporation. Let us take an obvious example. Suppose a man and a woman contract a marriage (we waive here all questions of church or state regulations for making the marriage tie public). They are said to found a family. Now, the children springing from this union and growing up in this family cannot justly feel and think themselves as the creators or authors of it, as long as they are dependent upon their parents. However, they partake of it more and more consciously, and some day they may take upon themselves the representation of this whole internally and externally, in place of their father and mother. They may learn to feel and to think of themselves as bearers of the personality of this ideal being, playing, so to speak, the parts of the authors and founders, whom they also may survive, and will survive in the normal course of human events; and they may continue the identity of the family beyond the death of their parents. They may maintain the continuity of this identical family, even when new families have sprung from it which may or may not regard themselves as members of the original one. The proposition that it exists still is true at least for those who will its truth, and who act upon this principle; nay, it is by their thought and will that they are creating it anew, as it was made originally by the wills of the first two persons. A different question is whether the existence of this corporation will be recognized and acknowledged by others, who may stand in relations to its members, or may simply be impartial theoretical spectators.

But, further, there is this fundamental difference in the relation of individuals to that ideal entity which they think and will, whether they be its real or merely its representative authors, viz.: (1) they may look upon the corporation, which they have created really or ideally, as upon a thing existing for its own sake, as an end in itself, although it be at the same time a means for other ends; or (2) they may conceive it clearly as a mere tool, as nothing but an instrument for their private ends, which they either naturally have in common, or which accidentally meet in a certain point.

The first case appears in a stronger light, if they consider the social entity as really existing, and especially if they consider their corporation as a living being; for a real thing, and especially a living thing, has always some properties of its own. The latter has even something like a will of its own; it cannot be conceived as being disposable, divisible, applicable, and adaptable at pleasure to any purpose, as a means to any end — this being the notion of

pure matter, as it exists only in our imagination; and therefore a thing which has merely a nominal existence would be really nothing but a mass of such imaginary matter, absolutely at one's disposal, offering no resistance, being stuff in itself, that is to say, potentially anything one may be able to make, to knead, to shape, or to construe out of it (of course, real matter may and will more or less approach to this idea). On the other hand, to think of an ideal thing as being ideal is not the same as to think of it as imaginary matter; but if one aims at a certain object, if one follows out one's designs, one is constrained by a psychological necessity to break resistances and to subject things as well as persons to one's own will; one tends to make them all alike, as "wax in one's hand," to remove or to oppress their own qualities and their own wills so as to leave, as far as possible, nothing but a dead and unqualified heap of atoms, a something of which imaginary matter is the prototype. Of course, it is only as a tendency that this dissolving and revolutionary principle is always active, but its activity is manifest everywhere in social life, especially in modern society, and characterizes a considerable portion of the relations of individuals to each other and consequently to their corporations. As long as men think and regard "society" — that is to say, their clan or their polis, their church or their commonwealth — as real and as truly existing; nay, when they even think of it as being alive, as a mystical body, a supernatural person — so long will they not feel themselves as its masters; they will not be likely to attempt using it as a mere tool, as a machine for promoting their own interests; they will look upon it rather with awe and humility than with a sense of their own interest and superiority. And, in consequence of feelings of this kind, they even forget their own authorship — which, as a rule, will indeed be an ideal one only; they will feel and think themselves, not creators, but creatures of their own corporations. This is the same process as that which shows itself in the development of men's regular behavior toward their gods, and the feeling and thinking just mentioned are always closely related to, or even essentially identical with, religious feeling and thinking. Like the gods themselves, to whom so regularly *la cité antique*, with its temples and sanctuaries, is dedicated, the city or corporation itself is supposed to be a supernatural eternal being, and consequently existing not only in a real, but in an eminent sense.

But, of course, all feelings of this kind are but to a limited extent liable to retard the progress of a consciousness of individual interests, or, as it is commonly spoken of — with a taint of moral reproach — of selfishness. As a matter of fact, it is the natural ripening of consciousness and thinking itself which makes reflection

prevail over sentiment, and which manifests itself, first and foremost, in reflection upon a man's own personal interest, in the weighing and measuring of costs and results; but, secondly, also in a similar reflection upon some common interest or business which a person, from whatever motive, selfish or not, has made his own affair; and, thirdly, in that unbiased interest in and reflection upon the nature and causes of things and events, of man's individual and social existence, which we call scientific or philosophical.

All reflection is, in the first instance, analytical. I have spoken already of the dissolving principle which lies in the pursuing of one's own personal affairs, of which the chase after profit is but the most characteristic form. But the same individualistic standpoint is the standpoint, or at least the prevailing tendency, of science also. It is *nominalism* which pervades science and opposes itself to all confused and obscure conceptions, closely connected, as it is, with a striving after distinctness and clearness and mathematical reasoning. This nominalism also penetrates into men's supposed collective realities (supernatural or not), declaring them to be void and unreal, except in so far as individual and real men have consented to make such an artificial being, to construct it, and to build it up mentally. Knowledge and criticism oppose themselves to faith and intuition, in this as in most other respects, and try to supplant them. To know how a church or a state is created means the downfall of that belief in its supernatural essence and existence which manifestly is so natural to human feeling and intellect. The spirit of science is at the same time the spirit of freedom and of individualistic self-assertion, in contradiction and in opposition to the laws and ties of custom — as well as of religion, so intimately connected and homologous with custom — which seem entirely unnatural and irrational to analytical reasoning. This reasoning always puts the questions: What is it good for? Does it conduce to the welfare of those whom it pretends to bind or to rule? Is it in consonance with right reason that men should impose upon themselves the despotism of those laws and of the beliefs sanctioning them? The classical answer has been given in a startling fashion by one whom Comte called the father of revolutionary philosophy. There is, says Thomas Hobbes, a realm of darkness and misery, founded upon superstition and false philosophy, which is the church; and there is, or there might be, a realm of light and of happiness, founded upon the knowledge of what is right and wrong; that is to say, of the laws of nature, dictated by reason and by experience, to check hostile and warlike individual impulses by a collective will and power; this realm is the true state, that is to say, the idea and model of

its purely rational structure, whether it may exist anywhere as yet or not. Hobbesianism is the most elaborate and most consistent system of the doctrine commonly known as that of "natural law" (*Naturrecht*), including, as it always did, a theory of the state. As a matter of fact, this doctrine has been abandoned almost entirely, especially in Germany, where it had been exerting a very considerable influence in the century which preceded the French Revolution, when even kings and absolutist statesmen were among its open adherents. It has been controverted and abandoned ever since the first quarter of the nineteenth century — a fact which stands in manifest connection with the great reaction and restoration in the political field following the storms of that revolution and of Bonapartist rule in Europe. There is hardly a liberal school left now which dares openly profess that much derided theory of a "social compact." This, I believe, is somewhat different in the United States. As far as my knowledge goes, this theory — that is to say, an individualistic construction of society and of the state — is still the ordinary method employed in this country for a deduction of the normal relations between state or society, on the one hand, and individuals, on the other; for, as needs no emphasizing, it is not the opinion of an original contract in the historical sense that is to be held in any way as a substantial element of the theory. And yet the obvious criticism of that pseudo-element has been the most powerful argument against the whole theory, which consequently has seldom met with an intelligent and just appreciation in these latter days. And it is in opposition to it that, apart from a revival of theological interpretations, the recent doctrine of society or state as an organism has become so popular for a time. This doctrine, of course, was an old one. Not to speak of the ancients, in the so-called Middle Ages, it had preceded the contract theory as it has supplemented it in more modern times. It was, indeed, coupled with the theological conceptions and religious ideals so universally accepted in those days, although it was not dependent upon them. The doctrine of St. Thomas and of Dante, however, includes a theory of the universal state; that is to say, of the empire, not a theory of society, of which the conception had not yet been formed, as we may safely say that a consciousness of it did not exist. This traditional organicism — applied as well to the church, the mystic body of which Christ was the supposed head — has been transferred of late to "society," after it had regained fresh authority as a political doctrine. However, the conception of a "society," as distinguished from political or religious bodies, is much more vague and indefinite. Either it is to be taken in the

first and second sense, which I have pointed out as a biological or a psychological aspect of collective life, in which case organic analogies hold, but the whole consideration is not properly sociological; or it may be taken in our third, or sociological, sense, in which case it implies much less than any corporation the idea of what may be called an organization. It is well known that a lively controversy has been aroused about the new organicist theory, as proposed by Mr. Spencer and others, chiefly among those sociologists who centre about the *Institut international* of Paris, where the late lamented M. Tarde played so prominent a part. M. Tarde has been among the foremost combatants against the vague analogies of organicism; and I fully agree with most of his arguments as set forth in the third sociological congress of 1897. I even flatter myself on having anticipated some of them in an early paper of mine upon Mr. Spencer's sociological work, which paper, however, did not become known beyond the small public of the *Philosophische Monatshefte* (1888). I have especially, and to a greater degree than M. Tarde, insisted upon the radical difference between a physiological division of labor and that division of labor which is a cardinal phenomenon of society. I said: If we justly call it a division of labor that England manufactures cotton and China produces tea, and that the two countries exchange their products, then there is not and has not been a common labor or function preceding this division and dividing itself, as in the case of an organism; no state of society being historically known where China and England were one whole, working in harmony upon the spinning-wheel and upon the tea-plant. This is far from being true; each had its own historical development, until they met in the mutual want of barter; and even this consideration implies that the countries themselves may justly be said to entertain trade and commerce with each other, though this is hardly more than a *façon de parler* with respect to a country like China. It may be objected that there is a better analogy, if we think of a primitive household, where labor is indeed one and is shifting among members of the community, while at a later stage it splits up into several families, some cultivating the soil, some becoming warriors, or priests, or artisans and tradesmen. And in the same way a village community, even an independent township like the ancient or medieval city, and a whole territory of which a city is the centre, may reasonably be conceived of as one real household, of which all single households form organic parts. They would thus be contrasted with modern society, which is more adequately conceived of as a mere aggregate of individual households, each pursuing its own interest, maybe at the cost of all the



others. This is my own objection, and this view is contained in my own theory of *Gemeinschaft* and *Gesellschaft*, meaning the dualism of that primitive economical condition, surviving in many respects down to our own days, on the one hand, and "commercial" or "capitalistic" society, of which the germs are traceable in any form of what, with an abstract term, may be called communism, on the other. It is the former sense that even modern political economy may be spoken of (as we style it in German) as "national" economy. But even if this be allowed, the organic analogy does not hold other than in a rather indefinite way. Where is the one "social body," which thus evolves its organs and members, being in its early stage like a single household or a village community, and growing to be a complex *ensemble* of manors and municipalities and great cities, some of which have their manufactures working for foreign export, some for inland consumption? Is it England that has taken a development of this kind? Or are England and Wales? Or are Scotland, and even poor conquered Ireland, to be included?

The more we should try to follow out the admirable attempt which Herbert Spencer has made in this direction, of employing the organicist view as a working hypothesis, the more we should become convinced that our real insight into the lines along which social evolution travels is more hampered than promoted by that method of biological analogies.

### III

But did I not say there was truth in the biological conception of social life? Indeed I did, and I say so again, if social life is considered externally, and if we speak of a group as a living whole, where life is understood in its genuine sense, that is to say, biologically. And from this point of view, as that famous term, "physiological division of labor," is borrowed from economical fact and theory, we may *vice versa* apply physiological terms to social life, considered externally. We may speak of organs and functions in a nation or society, or even with respect to mankind at large. We may metaphorically call the civilized nations the "brain" of humanity, and we may say that the United States has become an independent lobe of the cortex in the course of the last forty years. In the same way it was only lately, I understand, that your President spoke of railways as the arteries through which the blood of trade is circulating. The force of this metaphor will, I believe, not be impaired by the fact that several theorists point in more than a figurative sense to money, or credit, as the social fluid into

which all substances of commodities are changed, and which nourishes again the social brain and social muscles; that is to say, men and women who perform mental and physical work; in consequence of which analogy banks, and their correspondence by letters and bills and checks, would, more than railways, resemble arteries and veins. Of course, it would be small trouble to adduce a number of similar ambiguities, which make sociological inquiries of this kind appear as a matter of rhetoric and poetry, but not of science.

Is there no other, no philosophical truth at least in the comparison of a corporation to a living body? If there is, it can, according to the present view, be only in this respect, that a corporation may be thought and felt as an organic whole, upon which the members think and feel themselves dependent in such a way that they consider their own individual existence as subservient to the life of the whole. The question whether a "society" is an organism must be kept apart from the question whether there are "societies" the relations of which to their members are so qualified as to imply thoughts and feelings of that kind on the part of their members. We are well aware that social systems, which have been called by some eminent authors "ancient society," truly exhibited this characteristic trait. Why is not modern society — and, above all, the modern state — an organism in this peculiar sense?

I believe, indeed, that there is strong reason for controverting the theory in its application to these collective beings as they actually are. We live, as everybody knows, in an individualistic age, and we seek each other's society chiefly for the benefit that accrues from it; that is to say, in a comparatively small degree from motives of sentiment, and to a comparatively great extent from conscious reflection. It is this which makes us regard the state also as an instrument fit for serving our particular interests, or those we have in common with some or with all of our fellow citizens, rather than as an organism, ideally preëxistent to ourselves, living its own life, and being entitled to sacrifices of our life and property in its behalf. It is true that in extraordinary times we live up to this view, but then we do not speak so much of society and of the state as of the fatherland which puts forward its claim to what we call our patriotism. A feeling of brotherhood and fellowship, of which in ordinary times the traces are as sadly scarce among compatriots as among those who are foreigners to each other, rises in moments of public danger from the bottoms of our souls in effervescent bubbles. The feeling, to be sure, is more of the nature of an emotion than of a lasting sentiment. Our normal relations toward our present

societies and states must not be taken as being accommodated to this extraordinary standard. They are, howsoever men may boast of their patriotism, generally of a calm and calculating character. We look upon the state, represented as it is by its government, as upon a person who stands in contractual rather than in sentimental relations to ourselves. Certainly this view is more or less developed in different countries, under different circumstances, with different individuals. But it is the one that is indorsed by the most advanced and the most conscious members of modern societies, by those powerful individuals who feel themselves as masters of their own social relations. Societies and states are chiefly institutions for the peaceful acquisition and for the protection of property. It is therefore the owners of property to whom we must look when we are inquiring into the prevailing and growing conceptions of society and of the state. Now, it cannot be doubted that they do not consider either society or the state as representing that early community which has always been supposed to be the original proprietor of the soil and of all its treasures, since this would imply that their own private property had only a derivative right — derived from the right and law of public property. It is just the opposite which they think and feel: the state has a derivative right of property by their allowance and their contributions; the state is supposed to act as their mandatary. And it is this view which corresponds to the facts. A modern state — it is by no means always the youngest states that are the most characteristic types of it — has little or no power over property.

I cannot refrain from quoting here, as I have done elsewhere, a few sentences of the eminent American sociologist, Mr. Lewis Morgan, in which he sums up his reflections upon modern as contrasted with "ancient society:"<sup>1</sup> "Since the advent of civilization the outgrowth of property has been so immense, its forms so diversified, its uses so expanding, and its management so intelligent in the interests of its owners, that it has become, on the part of the people, an unmanageable power. The human mind stands bewildered in the presence of its own creation." He thinks it is true that "the time will come when human *intelligence* will rise to the mastery over property, and will be able to *define* the relations of the state to the property it protects, as well as the obligations and the limits of the rights of its owners," declaring himself unwilling, as he does, to accept "a mere property career" as the final destiny of mankind.

But this outlook into a future far distant — although it was written, I believe, before there were any of the giant trusts estab-

<sup>1</sup> *Ancient Society*, p. 552.

lished, and ere anybody in these states seemed to realize the dangers of the enormous power of combined capital — does not touch immediately the present question. It is the actual and real relation of the state to individuals which best reflects itself in the lack of power over property, as pointed out by Mr. Morgan, or in other words, in the subservient position which the governments hold, in all countries more or less, toward the wealth-possessing classes. I do not say — although maybe I think — that this ought to be different; “*je ne propose rien; j'expose.*” It is merely as a theoretical question that I touch upon this point. But I am not prepared to deny that it is also the great practical problem of social structure — to reconstruct the state upon a new and enlarged foundation; that is to say, to make it, by common and natural effort, a real and independent being, an end in itself, a common wealth (spelled in two words) administered not so much for the benefit of either a minority or a majority, or even of the whole number of its citizens, as for its own perpetual interests, which should include the interests of an indefinite number of future generations, the interests of the race. It cannot be overlooked that there are at present many tendencies at work in this direction, but I believe they are in part more apparent than real. The problem, we should confess, is an overwhelming one; and I for one do not feel at all sure that this splendid and transcendent civilization of ours will overcome its difficulties; that there will be sufficient *moral* power, even if intelligence should rise to a sufficient height, for solving in a truly rational way the “social question” as a question of social structure.

To sum up the argument, I put it in the form of a few theses or propositions:

(1) The object of sociological theory proper, in distinction from either biological or psychological, though these be never so closely connected with it, is the *corporation*, for the most part represented, as it is, by a constituted body.

(2) Religious faith makes some of the most important corporations appear as real, organic, mystic, and even supernatural beings. Philosophical criticism is right in discovering and explaining that all are creations of man, and that they have no existence except in so far as human intellect and human will are embodied in them.

(3) But nominalism is not the last word of a scientific philosophy. The existence of a corporation is fictitious indeed, but still is sometimes more than nominal. The true criterion is whether it be *conceived* and felt as a mere tool or machine, without a life of its own, or as something organic, superior to its temporary members. The true nature, however, of this conception is legible only from facts.

(4) As a matter of fact, modern society and the modern state are prevailing of a nature to correspond to an individualistic and nominalistic conception and standpoint. This is distinctly perceptible in the relation of the public power to private property.

(5) This relation, and the relation dependent upon it, may substantially change in the course of time. An organic commonwealth may spring into existence which, though not sanctioned by any religious idea, and not claiming any supernatural dignity, still, as a product of human reason and conscious will, may be considered to be real in a higher sense than those products, as long as they are conceived as mere instruments serving the interests and objects of private individuals.

## EVOLUTION OF SOCIAL STRUCTURES

BY LESTER FRANK WARD

[Lester Frank Ward, Paleontologist, United States Geological Survey. b. Joliet, Illinois, June 18, 1841. A.B. Columbian (now George Washington) University, 1869; L.B. *ibid.* 1871; A.M. *ibid.* 1872; LL.D. *ibid.* 1897. Officier d'Instruction Publique de France, 1903; United States Treasury Department, 1865-1872; Geologist, 1881; Professor of Sociology, Brown University, 1906. Member of the American Association for the Advancement of Science; Washington Academy of Sciences; American Philosophical Society; American Economic Association; American Academy of Political and Social Science; Institut International de Sociologie; American Sociological Society; and various Washington societies. Author of *Dynamic Sociology*; *The Psychic Factors of Civilization*; *Outlines of Sociology*; *Pure Sociology*; *Applied Sociology*; eight illustrated memoirs in the publications of the United States Geological Survey.]

It is not my intention to attempt any general treatment of social structures. That subject would be altogether too large for a single paper. But, aside from that, there is no need of any such treatment. Probably nine tenths of all the work done in sociology thus far is of that kind. It consists chiefly in the description of social structures or in discussions of different aspects which they present. But thus far I have met with no work dealing with the evolution of social structures. By this I mean that sociologists have been content to take up the social structures which they find actually in existence, and to consider and examine them, often going into the minutest details and exhaustively describing everything in any way relating to them as finished products; but no one has as yet attempted to explain what social structure is, or how these various products have been formed.

As a general proposition, social structures may be said to be human institutions, using both terms in the broadest sense. In all grades and kinds of society there are human institutions, and, indeed, society may be said to consist of them. If we examine any one of them, we find that it possesses a certain permanence and stability. It is not a vague, intangible thing that will vanish at a touch, but something fixed and durable. This is because it possesses a structure. A structure is something that has been constructed, and a study of social structure is the study of a process and not of a product. Our task, therefore, is not to examine the various products of social construction, but to inquire into the methods of social construction.

Our language, like our ideas, is more or less anthropomorphic. Man constructs, and the products are called structures. He takes the materials that nature provides, and with them he builds whatever he needs — houses, vehicles, boats, cities. Each of these products is a structure, but it is an artificial structure. The human

method of constructing is an artificial method. This consists in first forming in the mind an ideal of the finished product, and then arranging the materials in such wise that they will realize that product. The end is seen from the beginning. It is a final or teleological method. Nature also constructs, but the method of nature is just the opposite of that of man. There is no foresight, and the materials are added in small increments until the structure is completed. The method of nature is a differential or genetic method. All natural structures are of this class, and social structures are natural structures.

But natural structures are not so simple as might appear from this statement. They do not consist in the mere mechanical apposition of the raw materials brought into material contact. This would produce only a mass, a heap, a mixture; it would not produce a structure. A structure implies a certain orderly arrangement and harmonious adjustment of the materials, an adaptation of the parts and their subordination to the whole. How does blind nature accomplish this? It does it according to a universal principle, and it would be impossible to convey any clear conception of the process of social structure without first setting forth, at least briefly, the character of this principle.

It is not only in human society that natural or genetic structures are formed. The organic world affords perhaps the most striking example of the process, and all organisms not only consist of such structures but are themselves organic structures. Every other department of nature furnishes examples, but there is one other in which the process is so simple that it is easily grasped by the average mind. This is that of astronomy. Each one of the heavenly bodies is a natural structure formed by the raw materials and blind forces of nature, and yet the heavenly bodies are highly symmetrical and perfectly ordered structures. The solar system and all other star systems are also such structures, in which there is perfect adjustment of parts and subordination of the parts to the whole.

This last example will serve a good purpose in explaining the principle, because we are already familiar with the facts of centrifugal and centripetal forces which constitute the principle by which the systems are maintained. This is, in fact, the principle that underlies all genetic structures; but in other departments there are many other elements to be considered which complicate the process. The principle may then be stated in its most general form as *the interaction of antagonistic forces*. In astronomy these are reduced to the two classes, the centrifugal and centripetal; but in other departments there are many antagonistic forces, which need not directly oppose one another, but which modify and restrain one another in a great variety of ways. Any one of these forces considered by itself alone

is in the nature of a centrifugal force. In astronomy it is well known that if the centrifugal forces were to operate alone, the systems would be immediately destroyed. This would be equally true of any other system and of all natural structures. Any force considered in and by itself is destructive, and no single force could by any possibility construct a system. All systems and all structures are the result of the interaction of a plurality of forces checking and restraining one another. A single unopposed force can produce only motion of translation. A plurality of interacting forces holds the materials acted upon within a limited area, and while no matter or force can be destroyed, the paths are shortened and converted from straight lines into curves and circles, and the bodies impinged are made to revolve rapidly in limited circuits and vortices, and to arrange themselves into orderly systems with intense internal activities. This is the fundamental condition of all organization, and natural systems or genetic structures are organized mechanisms. If we apply it to the bodies or substances which make up the physical world, we see that the intensive internal activities which they thus acquire constitute what we call their properties, and the differences in the properties that different substances possess are simply the different activities displayed by their molecular components due to the differences in their organization. This doubtless applies to chemical elements as well as to inorganic or organic compounds, and many chemists regard even an atom as a system somewhat analogous to a solar system.

In the organic world the process of organization, due to successive recompounding of the highest organic compounds, undergoes a higher degree of organization, and protoplasm is evolved, which is capable of carrying the process on upward, and of producing the progressively higher and higher forms of life. The lowest of these forms consist of what are called unicellular organisms, which have the power of multiplication or increase of numbers, but are incapable of any higher development. They are called "protozoans," and represent the initial stage in organic development. The next step consists in the organic union of two or more, usually many, of these unicellular organisms into a multicellular organism. Such organisms are called "metazoans," and with this stage begins the most important class of organic structures, viz., tissues. All the organic forms with which any but the microscopist is familiar belong to this metazoic stage and present a great variety of tissues with which everybody is more or less familiar.

I will not go farther with these illustrations from the inorganic and organic world; but it was essential, as will soon appear, to go thus far. Social structures are identical, in these fundamental aspects, with both inorganic and organic structures. They are the products



of the interaction of antagonistic forces. They also pass from a primordial stage of great simplicity into a secondary, more complex stage, and these two stages are closely analogous to the protozoic and metazoic stages of biology. I call them the "protosocial" and "metasocial" stages, respectively.

If we set out with the simple propagating couple, we soon have the primitive family group consisting of the parents and children. The children are of both sexes, and they grow to maturity, pair off in one way or another, and produce families of the second order. These do the same, resulting in families of the third order, and so on. After a few generations the group assumes considerable size and constitutes first a horde and finally a clan. The clan at length becomes overgrown and splits up into several or many clans, separating more or less territorially, but usually adopting the rule of exogamy, and living on comparatively peaceful terms at no great distance from one another. Their mode of reproduction is exactly analogous to the process of reproduction by division in the Protozoa, and this is what I characterize as the protosocial stage in race-development.

But the multiplication of clans through continuous reproduction in a geometrical progression, coupled with the limits prescribed by the food-supply, results in the wider and wider separation of the clans, until at length certain clans or hordes will have become so far removed from the primary centre of dispersion as to lose all connection with it. At the low stage of mental development necessary to such a race of beings scarcely as much as a tradition would ultimately remain of the existence of a primordial group from which all had descended. One clan would keep budding off from another, and moving out farther and farther along lines of least resistance, until a great area of the earth's surface would at last become thus sparsely inhabited by a multitude of clans, each knowing only the few that are located nearest to it. As the dispersion takes place in all directions from the original centre, or as nearly so as the configuration of the country and the nature of the food-supply will permit, those migrating in opposite directions become, after a sufficient lapse of time, so widely separated from one another as to constitute wholly distinct peoples. They all have languages, but in time the local variations that they naturally undergo render them to all intents and purposes different languages, at least so much so that if individuals of these long-separated groups should chance to meet, they could not understand one another. It would be the same with their customs, beliefs, and religion. They would have become in all essential respects different races.

We will suppose that in the end a whole continent is thus peopled with these alien hordes and clans, which would now have become

innumerable. The process by which this is brought about is what I have called "social differentiation." But it cannot always last. A new process supervenes, and the stage of social differentiation is succeeded by a stage of social integration. The protosocial stage closes, and the metasocial stage comes on. In the protosocial stage the social structure is the simplest possible. The horde or clan is composed altogether of similar elements. The multiplication of such groups can be nothing but a repetition of similar groups, and there can be no change or variation, and therefore no progress or structural advance. Throughout the protosocial, as throughout the protozoic stage, there is no structural development, no evolution. The differentiation consists simply in the multiplication of practically identical clans. Just as organic evolution began with the metazoic stage, so social evolution began with the metasocial stage. So, too, as the metazoic stage was brought about through the union of several or many unicellular organisms into a multicellular organism, so the metasocial stage was brought about by the union of two or more simple hordes or clans into a compound group of amalgamated hordes or clans. In the organic world the result was the formation of tissues, the multiplication of organs, and the integration of the parts thus united into complete organisms. In the social world the result was the formation of what may be properly called social tissues, the multiplication of social organs, and the integration of all the elements thus combined into peoples, states, and nations. The study of social structure properly begins here; but social structure would be wholly unintelligible without a clear idea of both the principle and the materials of social structure. The principle is the interaction of antagonistic forces, and the materials are the primitive hordes and clans brought into existence by the process of social differentiation. We have now to descend from generalities and inquire into the specific character of social integration. A great area has become inhabited by innumerable human groups, but there is no organic connection between them. Each group lays claim to a certain area of territory, but they begin to encroach upon one another. Two groups thus brought into proximity may be, and usually are, utterly unknown to each other. The mutual encroachment is certain to produce hostility. War is the result, and one of the two groups is almost certain to prove the superior warrior and to conquer the other. The first step in the whole process is the conquest of one race by another. This is the beginning of the struggle of races of which we have all heard so much. Most persons regard this struggle as the greatest of all human misfortunes. But the sociologist studies the effects of race-struggle and finds in it the basis of his science. The first effect is the subjugation of one race by another. The second effect is the

establishment of a system of caste, the conquering race assuming the rôle of a superior or noble caste, and the conquered race being relegated to the position of an inferior or ignoble caste. The greater part of the conquered race is enslaved, and the institution of slavery begins here. The slaves are compelled to work, and labor in the economic sense begins here. The enslavement of the producers and the compelling them to work was the only way in which mankind could have been taught to labor, and therefore the whole industrial system of society begins here.

The conquerors parcel out the lands to the leading military chieftains, and the institution of private ownership of land has its origin at this stage. Success in war is attributed to the favor of the gods, and those who pretend to be in communication with the gods are the most favored of men. They are installed in high places and made the recipients of large emoluments. From the condition of sorcerers, soothsayers, and medicine-men they are raised to that of a powerful priesthood. Henceforth they constitute a leisure class, and this is the origin of that most important human institution. Mutual race-hatred results in perpetual uprisings, requiring constant suppression by the military power. This is costly, dangerous, and precarious, and wisdom soon dictates a form of systematic treatment for offenders. Personal regulation gradually gives way to general rules, and these ultimately take the form of laws. Government by law gradually succeeds government by arbitrary military commands. The effect of this is nothing less than the origin of the state. The state is the most important of all human institutions. There is no institution about which so much has been written, and even in our day volumes are yearly appearing vainly endeavoring to explain the origin and nature of the state. They all completely miss the mark, and flounder in a sea of vague and worthless speculation. The state is a spontaneous genetic product, resulting, like all other social structures, from the interaction of antagonistic forces, checking and restraining one another and evolving a great social structure destined to become the condition to all social progress. Under the state there are recognized both rights and duties. So long as the law is not violated there is liberty of action, and the foundations of human freedom are laid.

Another great institution takes its rise at this stage, viz., that of property. With the establishment of the state, with its recognition of rights under the law, it becomes possible, as never before, to enjoy undisturbed any object that has been rightfully acquired. Such an object then becomes property, and belongs to its owner even if not in his immediate possession. He need no longer fear that, unless it is constantly watched and forcibly defended, it

will be wrested from him by others who have no other claim than that of superior strength. The immense sociological importance of this cannot be too strongly emphasized. For a man's possessions need no longer be confined to what he can himself consume or enjoy; they may greatly exceed his wants, or consist of objects for which he has no need, but which are needed by others who have other things that he does want and for which he can exchange them. He can manufacture a single product many thousand times in excess of his needs, and exchange it for a great variety of other objects similarly produced in excess by others. We thus see that the institution of private property was the foundation at once of all trade and business and also of the division of labor. But property was not possible until the state was established, whose most important function was at the outset and still remains the protection of the citizen in his proprietary rights.

With the establishment of the state, or even before, there begins a differentiation of social tissues. The analogy with organic tissues is here particularly clear and useful in helping us to understand the process. All well-informed persons are now familiar with the fact that the tissues of all developed animals consist of an ectoderm, or outer layer, an endoderm, or inner layer, and a mesoderm, or intermediate layer, and that out of one or the other of these fundamental tissues all the organs of the body are formed. Now, the evolution of the metasocial body is exactly parallel to this. The conquering race, or superior class or caste, represents the social ectoderm; the conquered race, or inferior class or caste, represents the social endoderm. The social mesoderm is not so simple, but it is not less real. It is one of the most important consequences of race-amalgamation.

Within the social body, under the régime of law and the state, there is intense activity. Compelled by mutually restraining forces to remain in one place and not fly off on various tangents, the vigorous elements of the new complex society display a corresponding intensity in their inner life. Only a small part of the superior race can hold high places under the state, and the great majority of them are obliged to support themselves by their own efforts. Neither are all the members of the subject race held in bondage; a large percentage remain free, and must of course maintain themselves by some form of useful activity. These two classes are too nearly alike in their social standing to continue long socially and economically independent. It must be remembered that both races have descended from the same original stock, although they do not know it. There is therefore no essential difference in their general character. The superiority by which one was able to conquer the other may have been due to a variety of more

or less accidental causes. It does not render them superior in other respects. The individuals of both races will differ greatly in character and ability, and members of the subject race will often excel those of the dominant race in certain respects. They are all struggling together for subsistence, and it is inevitable that their interests will often be the same. Race-prejudice will thus gradually give way, and in the general industrial strife there is a greater and greater commingling and coöperation. There thus arises a large industrial class made up of these two elements, and this class may be appropriately called the "social mesoderm." This industrial, commercial, or business class is the real life of the society. The ruling class becomes more and more dependent upon it for the supply of the resources of the state, and gradually the members of this class acquire more or less influence and power.

As time goes on, the situation is accepted by all, and race-prejudices give way. The interaction of all classes increases, and a general process of assimilation sets in, tending toward a complete blending of all classes into a single homogeneous group. Inter-marriage among the members of the two races grows more and more frequent, until ultimately nearly or quite all the members of the society have the blood of both races in their veins. The final outcome of it all is the production of a people. The people thus evolved out of heterogeneous elements is different from either of the races producing it. It is a new creation, the social synthesis of the race-struggle, and is as homogeneous in its constitution as was either of its original components.

Only one more step in this process of evolution of social structures is possible on the simple plane on which we have been tracing it, and that is the making of a nation. The new people that have been developed now begin to acquire an attachment, not only for one another as members of the society, but also for the place of their birth and activity. They realize that they are a people and that they have a country, and there arises a love of both which crystallizes into the sentiment that we call patriotism. All are now ready to defend their country against outside powers, and all are filled with what we know as the national sentiment. In a word, out of the prolonged struggle of two primarily antagonistic and hostile races there has at last emerged a single cemented and homogeneous nation.

We thus have as the natural and necessary result of the conquest and subjugation of one primitive group by another no less than fourteen more or less distinct social structures or human institutions. These are in the order in which they are developed: (1) the system of caste; (2) the institution of slavery; (3) labor in the economic sense; (4) the industrial system; (5) landed pro-

perty; (6) the priesthood; (7) a leisure class; (8) government by law; (9) the state; (10) political liberty; (11) property; (12) a business class; (13) a people; (14) a nation.

The first two of these social structures are not now regarded as useful, but they were useful when formed, and, indeed, the essential conditions to all the subsequent ones. The priesthood and the leisure class are now no longer necessary to a high civilization, but they still exist, and under proper limitations they have an important function. All institutions undergo great modifications and some are completely transformed with time.

The case considered is that of the union of two primitive groups which occupied at the outset the same social position, and that the lowest known. It may be called a case of simple social assimilation. That there have been many such cases there is no doubt, but no such could be observed by enlightened man, for the simple reason that no such primitive groups exist, or have existed since there have been enlightened men. This may sound strange when we constantly hear of existing hordes and clans. But I make bold to affirm that none of the hordes or clans now existing are at all primitive. Nay, I go farther and maintain that all hordes and clans, all tribes, and all races are equally old. The lowest race on the earth is as old as the most enlightened nation. There is no escape from this except in the old exploded theological doctrine of special creation. The theory of polygenism is a form of that doctrine applied to human races. To admit it involves the surrender of the whole doctrine of evolution. If man has evolved from a lower prehuman stage, he emerged as man at a given time, and all human races have descended from that one truly primitive type. All human races are therefore equally old. The differences among them are not at all due to the time it has required to reach their present state, because all have had the same time in which to do this. The differences are wholly due to the different conditions under which they have been placed and in conformity with which they have developed.

There has, of course, been a great variety of influences at work in determining the direction and degree of development of the races of men, but there is one element that has had more to do with this than any other, or perhaps than all others combined; that is the element with which we have been dealing, viz., the element of social assimilation. When we realize that all human races are equally old, we can readily see that all cases of simple assimilation, such as the one sketched, must have occurred far back in the early history of man. The period of social differentiation may have been very long. It may have occupied half of the two hundred thousand years that are commonly assigned to man

on the earth. But whatever its length, that period is long past, and the period of social integration has been at least as long. All the cases of simple assimilation had run their course ages before there were any records of any kind, and human history acquaints us only with types of a far higher order.

In other words, the only cases of which we have any actual knowledge are cases of compound social assimilation. Compound assimilation results when peoples or nations that have already been formed in the manner described out of lower social elements again amalgamate on a higher plane and repeat the process. When one perfectly integrated nation conquers and subjugates another, the same steps have to be taken as in the case of simple groups. The struggle is as much more intense as it is higher in the scale of social structure. But the new structures developed through it, although they have the same names and the same general character, become, when formed, more powerful and capable of accomplishing much more. The new society is of a higher grade and a more potent factor in the world. The new state, the new people, the new nation, are on a higher plane, and a long step is taken toward civilization.

But all the nations of which history tells us anything have undergone much more still than two social assimilations. Most of them have undergone many, and represent highly complex structures. With every fresh assimilation they rise in the scale of civilization. What they acquire is greater and greater social efficiency, and the principal differences between races, peoples, and nations are differences in the degree of social efficiency. Not only are the same social structures acquired in the first assimilation greatly increased and strengthened, but a large number of other, more or less derivative, but highly socializing, structures are added. The system of law, which was at first only a sort of police regulation, becomes a great system of jurisprudence. Government, which at first had but one branch, viz., the executive, acquires a judicial and finally a legislative branch. The state becomes a vast systematized organization. Industry, which at the beginning consisted wholly of slave labor under a master, and later included the simplest forms of trade, develops into a system of economic production, exchange, transportation, and general circulation. Property, which primarily meant only oxen, spears, bows and arrows, and primitive agricultural implements, now takes varied forms, the most important being those symbols of property which go by the name of money. Under the protection of the state, wealth becomes possible to a large number who possess the thrift to acquire it, and this takes the form of capital, which is the condition to all industrial progress and national wealth.

The existence of wealth — *i. e.*, of a large number of wealthy citizens — creates another kind of leisure class, and many, freed from the trammels of toil, turn their attention to various higher pursuits. Art and literature arise, and civilizing and refining influences begin. Voluntary organizations of many kinds, all having different objects, are formed. Besides innumerable business combinations and corporations, there spring up associations for mutual aid, for intellectual improvement, for social intercourse, for amusement and pleasure, and also eventually for charitable and benevolent purposes. Educational systems are established, and the study of human history, of art and letters, and finally of nature, is undertaken. The era of science at last opens, invention and discovery are stimulated, and the conquest of nature and the mastery of the world begin.

Every one of these civilizing agencies is a social structure and all of them are the products of the one universal process. They represent the products of that intensive activity which results from the primary clash and conflict of the social forces in the fierce grapple of hostile hordes and clans, and the far fiercer battles of developed nations bent on each other's conquest and subjugation. To see all this one has only to read the history of any of the great nations of the world that are leading the civilization of to-day. Every one is familiar with the history of England, for example. No less than four typical social assimilations have taken place on English soil since the earliest recorded annals of that country began. Think of the animosities and hostilities, the bitter race-hatred, the desperate struggles, the prolonged wars, that characterize the history of England. What has become of all these warring elements? There is no country in the world where patriotism is higher than in England, and it is shared alike by Saxon and Celt, by Scot and Briton. Who now are the Normans that constituted the last conquering race? And do the Saxons, when they can be distinguished, any longer feel the chains that once manacled them? The equilibration is complete, and all class distinctions, at least those arising out of the race-question, have totally disappeared. On the other hand, consider the achievements of England. Contemplate the wonderful social efficiency of that many times amalgamated people. The sociologist cannot shut his eyes to the fact that the social efficiency is mainly due to the repeated amalgamations and to the intensity of the resultant social struggles, developing, molding, and strengthening social structures.

France or Germany would show the same general truth, and those who are equally familiar with their history will find no difficulty in paralleling every step in the process of national development in all these countries. Austria seems to present an exception,



but the only difference is that Austria is now in the midst of a new social assimilation. The equilibration is not yet complete. The Magyar and the Slav are still in the stage of resistance. It is said that, on account of the differences of language, they can never be assimilated. But in England there was the same diversity of language, and the languages of the Romans, of the Normans, of the Saxons, and of the Welsh and Scots had all to undergo a process of mutual concession, of giving and taking, and of ultimate blending, to form the new resultant language. It is not probable that just such a result will be attained in Austria, and no one is probably wise enough to foresee the end; but it seems probable that the time will come at last when all these race-elements will be fully conciliated and a great new race, people, and nation will emerge. The world regards the struggle sympathetically and unanimously echoes the sentiment: *Tu felix Austria nube.*

We know less of the great Asiatic peoples, and still less of the African; but so far as their history is known it is shown to have been one of perpetual war. This means the repeated conquest and subjugation of one race or nation by another, and a long series of social assimilations, all similar to those described. That these countries have not attained the same stage of culture as have those of Europe is due to causes too subtle and obscure to be discussed here, even if I were competent to discuss them; but one truth seems to be growing more and more clear, viz., that the difference is due much less to the native abilities of these peoples than to the external conditions to which they have been subjected. Fifty years ago Japan and China were habitually classed together, and they were regarded as inferior races incapable of any such civilization as that of the Western world. No one so classes them now, and it is all because Japan has resolutely set about adopting Western methods. Should China ever do so, the result would be the same, and it is impossible to calculate what this might be.


But it is not necessary that the two races brought into conflict be of the same degree or order of assimilation. It is equally possible that they be of very different degrees in this respect. Of course, in such cases it is easy to see which will be the conquering race. The race having the greatest social efficiency will easily subdue the other, and the process of assimilation will be somewhat different. The new racial product will differ much less from the conquering race. That race will be prepotent and will virtually absorb the inferior race. If the difference is very great, as where a highly civilized race invades the territory occupied by a race of savages, the latter seems soon to disappear almost altogether, like the North American Indians, and to exert scarcely any influence upon the superior race. It is so in Australasia and in South Africa. But

where there remains a great numerical disproportion of the native race, this latter being somewhat advanced in civilization, as in British India, other complications arise and new problems confront the student. In Mexico, and to a greater or less extent throughout Central and South America, there has been extensive blending of conquering and conquered races, giving rise to still other conditions, and correspondingly varying the character of the resultant social structures.

This is not the place to dilate upon the remote effects of this vast process of universal social integration, but I cannot leave the subject without repeating what I have said before: that if we could but peer far enough into the great future, we should see this planet of ours ultimately peopled with a single homogeneous and completely assimilated race of men — the human race — in the composition of which could be detected all the great commanding qualities of every one of its racial components. And I will also add that to the subsequent duration of this final race on the earth there are no assignable limits.

But we are considering social structure and not social integration, although these are intimately bound up together. We have seen how social structures are formed. The spontaneous products of a great cosmical law, they could not be other than thoroughly organized, firm, compact, and durable mechanisms, comparable to organic structures — tissues, organs, organisms. This is the most important lesson taught by the science of sociology. If all the world could learn it, the greater part of all political and social failures would be prevented. It would dispel at one blow all the false notions so widely current relative to the alteration, abolition, or overthrow of any human institution. As human institutions are the products of evolution, they cannot be destroyed, and the only way they can be modified is through this same process of evolution. Universal acquaintance with the causes, the laws, and the natural history of social structures, and with their consequent durability, permanence, and indestructibility, would produce a complete change in all the prevailing ideas of reform, and the superficial reformers, however well-meaning, would forthwith abandon their chimerical schemes, and set about studying the science of society with a view to the adoption of legitimate means for the direction of the course of social evolution toward the real and possible modification and perfecting of social structures. For structures are easily modified by appropriate methods. They are of themselves always undergoing changes. It is in this that social progress wholly consists. But the integrity of the structures must not be disturbed. They must remain intact and be permitted, or even caused, to change in the desired direction, and to be ultimately transformed into the

ideal human institutions that a progressive age demands. A condition of social statics may thus be converted into one of social dynamics. All social structures taken together constitute the social order. The problem is to inaugurate a condition of social progress. This cannot be done by disturbing the social order. Order is the condition to progress, and progress consists in setting up dynamic activities in the social structures themselves. A structure represents a state of equilibrium, but it is never a perfect equilibrium, and the conversion of this partial equilibrium into a moving equilibrium, provided it moves in the right direction, is social progress.



SECTION B — SOCIAL PSYCHOLOGY



## SECTION B — SOCIAL PSYCHOLOGY

---

(Hall 15, September 23, 10 a. m.)

CHAIRMAN: PROFESSOR CHARLES A. ELLWOOD, University of Missouri.

SPEAKERS: PROFESSOR WM. I. THOMAS, University of Chicago.

PROFESSOR EDWARD A. ROSS, University of Nebraska.

SECRETARY: PROFESSOR E. L. HAYES, Miami University.

---

THE Chairman of the Section of Social Psychology, was Professor Charles A. Ellwood, of the University of Missouri, who introduced the speakers of this Section with the following remarks:

“Ladies and gentlemen: Those of us who are interested in the development of this most important part of sociology may congratulate ourselves that an entire section meeting has been given to it upon the programme of this Congress. It is safe to say that if this Congress had been held ten years earlier no such recognition would have been accorded to social psychology. We may certainly congratulate ourselves, therefore, upon the progress of our science.

“I wish to call attention to the fact that this section on social psychology is placed under sociology, and not under psychology. This means of course that the officers of this Congress thought that in any working classification of the sciences social psychology must be considered as a section of sociology rather than as a section of psychology. Before introducing the speakers, I would like therefore to raise the question whether the name ‘social psychology’ is a happy one. I would much prefer the name ‘psychological sociology.’ I suppose there is not much in a name, but I feel that the term ‘social psychology’ is misleading, in that it fails even to suggest that the subject covers nearly three fourths of all that is discussed under the head of ‘general sociology.’ But I must not enter further upon this discussion, as the question raised will doubtless be dealt with adequately by the speakers of this Section.

“I have now the pleasure of introducing the first speaker, Professor W. I. Thomas, of the University of Chicago, who will speak on ‘The Province of Social Psychology.’”

## THE PROVINCE OF SOCIAL PSYCHOLOGY

BY WILLIAM I. THOMAS

[William I. Thomas, Ph.D., Associate Professor of Sociology, University of Chicago. A.B. University of Tennessee, 1884; A.M. *ibid.* 1885; Instructor in English and Modern Languages, *ibid.* 1886-87; Adjunct Professor of English and Modern Languages, *ibid.* 1887-88; Student in Berlin and Göttingen, 1888-89; Professor of English, Oberlin College, 1889-94; Fellow in Sociology, University of Chicago, 1893-94; Professor of Sociology, Oberlin College, 1894-95; Assistant in Sociology, the University of Chicago, 1894-95; Instructor in Sociology, *ibid.* 1895-96; Ph.D. *ibid.* 1896; Assistant Professor, *ibid.* 1896-1900.]

THE conception of a social mind set forth in detail by Lazarus and Steinthal in the first issue of the *Zeitschrift für Völkerpsychologie* forty-four years ago, and the conception of society as an organism elaborated in the same year by Herbert Spencer in his essay on *The Social Organism*, have given rise to much discussion as to whether there is a social mind or a social organism in any other than a figurative sense. Some of this discussion has been fantastic and futile, and there is at present apparently a general tendency to agree that the social organism is nothing more than a useful analogy, and that there is no social mind and no social psychology apart from individual mind and individual psychology. At the same time, the development of psychology and sociology during the past twenty years has made it plain that the individual mind cannot be understood apart from the social environment, and that a society cannot be understood apart from the operation of individual mind; and there has grown up, or there is growing up, a social psychology whose study is the individual mental processes in so far as they are conditioned by society, and the social processes in so far as they are conditioned by states of consciousness. From this standpoint social psychology may make either the individual or society the object of attention at a given moment. Ethnology, history, and the phenomena of collective life in general are its subject-matter when they are viewed from the psychological standpoint,—the standpoint of attention, interest, habit, cognition, emotion, will, etc.,—and the individual becomes its subject-matter when we examine the effect on his consciousness of conditions of consciousness as found in other individuals or in society at large. Otherwise stated, the province of social psychology is the examination of the interaction of individual consciousness and society, and the effect of the interaction on individual consciousness on the one hand and on society on the other. If, instead of claiming for social psychology a separate class of phenomena, we accept this view, and regard it as an exten-



sion of individual psychology to the phenomena of collective life, we have immediately a set of important problems not included in the programmes of other sciences.

Prominent among the problems which must engage the attention of the social psychologist is the genesis of states of consciousness in the social group and their modifying influence on the habits of the group. In group- as in individual-life the object of an elaborate structural organization is the control of the environment, and this is secured through the medium of attention. Through attention certain habits are set up answering to the needs of individual- and group-life. When the habit is running smoothly, or as long as it is adequate, the attention is relaxed; but when new conditions and emergencies arise, the attention and the emotions are called into play, the old habit is broken up, and a new one is formed which provides for the disturbing condition. In the reaccommodation there is a modification and an enlargement of consciousness. Since it is through crisis or shock that the attention is aroused and explores the situation with a view to reconstructing modes of activity, the crisis has an important relation to the development of the individual or of society.

A study of society on the psychological side involves, therefore, an examination of the crises or incidents in group-life which interrupt the flow of habit and give rise to changed conditions of consciousness and practice. Prominent among the crises of this nature are famine, pestilence, defeat in battle, floods, and drought, and in general sudden and catastrophic occurrences which are new or not adequately provided against; and in the process of gaining control again after the disturbance are seen invention, coöperation, sympathy, association in large numbers and on a different basis, resort to special individuals who have or claim to have special power in emergencies either as leaders or as medicine-men. Another set of incidents, regularly recurrent and anticipated indeed, but of a nature calling for recurrent attention, are birth, puberty, and death. The custom, ceremonial, and myth growing up about these incidents in group-life, and the degree to which special functionaries have become associated with them, indicate that they have had a powerful influence on the attentive processes and the mental life of the group. Shadows, dreams, swooning, intoxication, and epilepsy represent another class of phenomena arresting the attention and causing reflection and readjustment, together with the development of ideas of causation and of a special class of functionaries who act as interpreters of the phenomena. Still another set of crises arises in connection with the conflict of interest between individuals, and between the individual- and group-habits. Theft, assault, magical practice, and any and all invasion

of the rights of others are the occasion of the formulation of legal and moral practice, and of the emergence of a class of persons specially skilled in administering the practice.

The mediation of crises of this nature leads, on the one hand, to the development of morality, religion, custom, myth, invention, art, and, on the other hand, to medicine-man, priest, lawgiver, judge, physician, artist, philosopher, teacher, and investigator. It leads also to the formation of special classes and castes, to the concentration of knowledge, wealth, power, and technique in the hands of particular classes and persons, and to the use of special opportunity on the part of the few to manipulate and exploit the many. Viewed merely as incidents, both the crises and the practices growing up about them are a part of the history of institutions, but when viewed from the standpoint of attention and habit, they are subject-matter of social psychology.

It is in relation also to crisis, or the disturbance of habit, that invention, imitation, and suggestion — factors of the greatest importance in social evolution — may be studied to the best advantage. The crisis discloses the inadequacy of the habit, the invention is the mental side of the readjustment, imitation is the mode of reaction to the new condition or copy provided through invention, and suggestion is the means by which the copies are disseminated. Language is so rich a mine for the social psychologist, and so important in the study of suggestion and imitation, because it is not only a register of the consciousness of the race, but it is, more than any other medium, the means by which suggestion is operative, and by which the race-copies are handed on from generation to generation. For this reason all culture and all the history of culture may be said to be implicit in language.

Another incident of profound importance to the state of consciousness of the group is the emergence of a great personality. The man of genius is a biological freak, whose appearance cannot be anticipated or predetermined. All that we can say is that a certain number of individuals characterized by unusual artistic or inventive faculty, great courage, will, and capacity for organization, or unusual suggestibility in respect to religious and philosophical questions do occasionally appear in every group, and that they powerfully influence the life-direction and the consciousness of their groups. Moses, Mohammed, Confucius, Christ, Aristotle, Peter the Great, Newton, Darwin, Shakespeare have left ineffaceable impressions on the national life, and on the mental states of individuals as well. The fact that a school of thinkers at the present day grows up about a philosopher, or that a religious teacher may gather about him a group of fanatically faithful adherents, is a repetition of a principle of imitation which appar-

ently has been in force since the beginning of associated life, and which in the history of all groups has tended to direct the thought and activity of the multitude into fixed channels. On the principle of Columbus's egg, one leads off and the others follow. The Central Australian *oknirabata* is as influential in his smaller group as Aristotle in a larger until the advent of the white man breaks up his influence. The Chinese are to-day carrying out principles of conduct inculcated by Confucius and Mencius, no crisis of sufficient importance having intervened to break up the old habits and establish new ones. The manner in which copies for belief and practice are set by the medicine-man, the priest, the political leader, the thinker, the agitator, the artist, and, in general, by the uncommon personality, as well as the more spontaneous manifestations of suggestion and hypnotism in public opinion and mob action, are to be studied from the standpoint both of individual- and of group-consciousness.

Still another incident of importance to the consciousness of a group is contact with outsiders. The Japanese are a most instructive example of the effect of foreign copies on a people sufficiently advanced in its own thought to make intelligent use of them. From time immemorial the Arabs have penetrated Africa in connection with trade and slavery, and if it could be written, the history of their influence on the native population would be most interesting. Similarly the contact of black and white in America is a subject not at all worked out from the mental standpoint, and the American occupation of the Philippines is a condition which may be watched with equal interest. It is apparent already that a very low state of society is not prepared to accept bodily the standpoint and practice of a very high; the shock is too great, and the lower race cannot adjust. An important question in this connection is the rate at which a lower race may receive suggestion from a higher without being disorganized. Apparently the negro in America has not been able to adjust himself to white standards, while in Africa he has improved in contact with Arab influence. The Filipinos, on the other hand, are apparently able to reaccommodate after contact with the whites, and change their mental habits, but it remains an interesting question whether the Japanese are not more fit than we to put them in the way of advancement.

The psychology of social organization, taken from the standpoint of origin, is one of the most important questions with which the social psychologist has to do, and is also best approached from the standpoint of crisis. The advantage and necessity of living together in large numbers are apparent. But association in large numbers calls for inhibitions and habits not demanded in the individualistic state; and through the stress and strain of readjust-

ment and the formation of habits suitable to social life, steps are taken in the development of consciousness as well as of institutions. The maternal system of control, and the steps by which filiation through descent as a basis of association gives way to association based on common activities and interests and the occupation of a common territory; the psychology of the blood-feud, its weakness as an agent of control, the steps in its break-down, and the substitution of control based on law; blood-brotherhood and tribal marks as signs of community of interest; totemism as an agent of control; initiatory ceremonies as an attempt to educate the young in the traditions of the tribe; tabu and fetishism as police agencies; secret societies and their influence in bringing about solidarity; property and its influence on association and habit; popular assemblies among the natural races and their influence in promoting association; offense and punishment, particularly the consideration of why an act is offensive and the process by which a punishment is selected to fit the offense — these are materials furnishing a concrete approach to a psychological study of association. In the play of attention about these practices we are able to trace steps in the development of the consciousness of the race.

Ethnology and the kindred sciences have already established the fact that human nature, the external world, and the fundamental needs of life are everywhere much alike, and that there is, roughly speaking, a parallelism of development in all groups, or a tendency in every group which advances at all to take the same steps as those taken by other groups. Such phenomena as spirit-belief and accompanying ecclesiastical institutions, blood-vengeance preceding juridical institutions, a maternal system preceding patriarchal control, ecclesiastical and political despotism preceding democracy, and artistic, inventive, and mythical products of the same general ground-pattern, show a general law of uniformity in progress; and it is one of the tasks of social psychology to work out from the standpoint of habit, attention, and stimulation what conditions have contributed to make differences in the progress of different groups; whether steps in progress, if taken at all, are invariably taken in the same order by all groups; and why stimulation or opportunity is so lacking in some groups that old habits are not broken up at all, and the groups remain in consequence non-progressive. The study of parallelism in development not only throws light on social development, but the fact of a common possession of language, myth, religion, number-, time-, and space-conceptions, political and legal organization under conditions where the possibility of borrowing is precluded, indicates that the same general type of mind is a possession of all races, both

low and high, and has an important bearing on educational theory and the race-questions.

Another extension of individual psychology to the region of social phenomena lies in the comparison of the states of consciousness of different races, classes, and social epochs, with a view to determining what mental differences exist, and to what extent they are due to biological as over against social causes. This involves, of course, a comparative study of mental traits.

The study of memory, sense-perceptions, and power of attention among different races and classes will assist in determining the degree to which differences of this character are innate, on the one hand, or due to the habitual direction of the attention and consequent practice, on the other. The study of mental traits must always be made with reference to the condition of activities prevailing, and the study is consequently both sociological and psychological.

The degree to which the power of abstraction is developed in different groups is another fruitful line of interest. The prevailing opinion is that the lower races are weak in the power of abstraction, and certainly their languages are poor in abstract terms. But a people whose activities are simple cannot have a complex mental life. Abstraction is much used in a group only when deliberative as over against perceptual activities engage the attention, and where the manipulation of complex activities involves numerous steps between the stimulus and the response, and a distinction between the general and the particular. The life of the savage and of the lower classes is of an immediate kind, with little mental play between the stimulation and the act, and consequently little occasion to employ abstraction. All races do possess language, however, which involves the use of abstraction; all have systems of number, time, and space; many of them have a rich repertory of proverbs; and all show logical power. The question which social psychology has to work out is to what degree apparent lack of power of abstraction is due to lack of activities and stimulations which force the attention to employ abstract processes and give it practice in handling series. Deficiency in logical power among groups in lower stages of culture is also obviously largely dependent on the fact that the general body of knowledge and tradition, on which logical discussion depends, is deficient. So far as this view holds, it means that what have sometimes been regarded as biological differences separating social groups are not really so, and that characteristic expressions of mind are dependent on social environment.

The degree to which the power of inhibition is developed in the lower races as compared with the higher leads again to the employment of psychological methods and ethnological materials. The

control of the individual over himself and of society over him depends largely on this faculty, and it is often alleged by psychologists and students of society that the inferior position of the lower races is due in part to feeble powers of inhibition, and consequent lack of ability to sacrifice an immediate satisfaction for a greater future one. An examination of the facts, however, shows that the savage exercises definite and powerful restraints over his impulses, but that these restraints do not correspond to our own. In connection with tabu, totemism, fetish, and ceremonial among the lower races, in the hunger voluntarily submitted to in the presence of food, as well as stoicism under physical hardships and torture, we have inhibitions quite as striking as any exhibited in modern society or in history. The occasions of inhibition depend on the point of view, the traditions, the peculiar life-conditions of the society. In the lower races the conditions do not correspond with our own, but it is doubtful whether the civilized make more use of inhibition in the manipulation of society than the savage, or whether the white race possesses superior power in this respect. The point, at any rate, is to determine the effect in a given group of inhibition on activities, and the reaction of the social life on the inhibitive processes of the individual.

The influence of temperament among different races in determining the directions of attention and interest is also an important social-psychological field. There is much reason to think that temperament, as determining what classes of stimulations are effective, is quite as important as brain-capacity in fixing the characteristic lines of development followed by a group, and that there is more unlikeness on the temperamental than on the mental side between both individuals and races. From this standpoint the social psychologist studies the moods and organic appetites of the lower races — the attitude toward pain and pleasure, vanity, fear, anger, ornamentation, endurance, curiosity, apathy, sexual appetite, etc. It is not impossible, for example, that the arrested development of the Negro at the period of puberty is due to the obsession of the mind by sexual feeling at this time, rather than to the closing of the sutures of the cranium.

Similar to the question of temperament in the individuals of a group is that of the degree to which the affective processes, as compared with the cognitive, are the medium of the stimulations promoting social change. Cognition is of less importance than emotion in some activities, notably those connected with art and reproduction, and it is even true that emotion and cognition are in certain conditions incompatible. In this general region lie such questions as the effect of rhythm on social life, particularly in bringing about coöperation in hunting, war, and work; the psychology of work

and play; the bearing on social activity of ornament, dancing, painting, sculpture, poetry, music, and intoxicants; and to what extent an organic attitude of sensitiveness to the opinion of others (an attitude of mind essential to the control of the individual by society) had its origin in courtship and to what extent in the food-activities.

A comparison of the educational systems of the lower and higher stages of culture will assist the social psychologist in determining to what extent the consciousness of a group and the group-peculiarities on the mental side are organic, and to what extent they are bound up with the nature of the knowledge and tradition transmitted from one generation to another. There cannot be a high state of mind in a society where the state of knowledge is low, and if a group has not accumulated a body of scientific knowledge, through specialized attention and specialized occupation, it cannot pass knowledge on. And doubtless the low mental condition of some groups is not due to lack of native intelligence, but to lack of the proper copies for imitation. The Chinese, for example, are a race of great mental power, but they have no logic, no mathematics to speak of, no science, no history in the scientific sense, no knowledge worth the name — only precedent, and rule, and precept. It is therefore unthinkable that the Chinese individual should be well educated or intelligent in the Western sense, however assiduously he attends his school, since there is no organized body of knowledge which he can get possession of. At the same time, the member of this society may be able to master any knowledge in the possession of any group, if given access to it. In a study of this character we have therefore an opportunity to distinguish between the mental state of the individual and the state of knowledge in the group. Neither the Eastern question, nor the Negro question, nor questions of crime and social reform, nor of pedagogy, can be safely approached unless we make this distinction between the mind of the individual and the state of culture in his group.

Perhaps the most urgent of all demands on social psychology at the present moment comes from psychology and pedagogy, and is for a more definite and scientific statement on the question of epochs in social development, and the relation between stages of development in the consciousness of the individual and epochs of culture. There is an anthropological theory that there have been more or less clearly marked stages of social development, characterized by equally marked activities, and mental conditions corresponding with the types of activity prevalent in the different epochs. Psychology assumes further that there is a parallelism between the mental growth of the child and these culture-epochs — that the child passes in a recapitulatory way through phases

corresponding with the epochs in race-development. Pedagogy is actually operating on the assumption of such a parallelism. It may well be, however, that the whole assumption is a misapprehension. There is another view that the brain like the body of man was made up in the earliest times on a successful principle, and that it has not changed materially since, showing merely a capacity to manage new problems as they have arisen in the outside world, using motor, perceptual, and coördinative processes more in the earlier, and abstract processes more in the later, stages of development. If this view is correct, the brain of the child recapitulates the brain of the race only in the sense that the accumulated knowledge and standpoint of the race are so presented to him, and with such urgency and system that habits are broken up and reformed rapidly, and the mind transformed, in no biological sense, but only in the sense that the attention and the content of the mind are made correspondent with the world as it is at present. Social psychology must coöperate with psychology and anthropology in determining the principles underlying mental growth in the race and in the individual before the science of education can make any sure progress.

The view of the province of social psychology here presented has at least the merit of suggesting a field of operations not occupied by other sciences. It is not claimed that the materials used are entirely new, nor that the problems arising here may not arise in connection with other sciences also. But, after all, there is but one reality, and a new science never represented anything more than a new direction of the attention. The legitimacy of viewing the same materials from different standpoints can hardly be questioned when we consider that the human brain is studied by psychology, anthropology, physiology, anatomy, pathology, and embryology, and that experience has shown this differentiation of attention in the study of the brain to be precisely the method yielding the best results. It is, indeed, the scientific procedure corresponding with the division of labor in the industrial pursuits and in the professions; and the differentiation of a social psychology from the sciences of psychology, sociology, anthropology, ethnology, folk-lore, and history, with a class of specialists giving their attention to the extension of psychology to the region of social phenomena, will yield, we may hope, results supplementary to those secured by these sciences, and of importance to the study of life and society.



## THE PRESENT PROBLEMS OF SOCIAL PSYCHOLOGY

BY EDWARD ALSWORTH ROSS

[Edward Alsworth Ross, Ph.D., Professor of Sociology in the University of Wisconsin. b. Virden, Ill., 1866. A.B. Coe College, 1886; Graduate Student, University of Berlin, 1888-90; Ph.D. Johns Hopkins University, 1891. Professor of Economics and Social Science, University of Indiana, 1891-92; Associate Professor of Political Economy, Cornell University, 1892-93; Professor of Economic Theory and Finance, and later Professor of Sociology, Leland Stanford Junior University, 1893-1900; Lecturer in Sociology, University of Chicago, 1896 and 1905; Lecturer in Sociology, Harvard University, 1902; Professor of Sociology, University of Nebraska, 1901-06. Secretary of the American Economic Association, 1892-93; Associate of the Institut international de Sociologie. Author of *Social Control* (published 1901); *The Foundations of Sociology* (published 1905); also many articles in economic and sociological periodicals. Advisory Editor of the *American Journal of Sociology*.]

MANY of the scholars who in their sectional meetings are at this moment running over the "present problems" of their respective sciences are in the enviable position of having only to point out certain stumps, bog-holes, thickets, and neglected fringes that mar the appearance of their well-tilled fields. It is, however, my unhappy duty, in reporting upon the problems besetting the pioneers of social psychology, to make what amounts to a resurvey of the territory allotted to my science. So much of it is unsubdued wilderness, so little is plowed field, that a review of the problems yet to be solved requires me to run afresh the boundary-lines, to drive the corner stakes, to cruise the inclosed area, and to declare the whole domain, with the exception of certain promising clearings which I shall take care to point out, open to entry and settlement.

Human psychology may from one point of view be divided into general and special, the former dealing with that which is common to all minds, the latter with the *differentiae* which mark off one category of minds from another. General psychology may in turn be divided into individual and inter-individual, the former concerned with mind as acted upon by things and experiences, the latter with mind as acted upon by other minds. The latter, embracing as it does every possible mode of association of human beings, belongs to social psychology. Special psychology likewise falls naturally into two sections, the one determining the mental traits of anthropic varieties, such as races, sexes, ages, temperaments, and types; the other, of societal varieties, such as nationalities, classes, culture grades, etc. While there are some who would make social psychology coextensive with inter-individual psychology and confine it to studying the action of mind on mind, I believe it ought to include the differential psychology

of people reared in different civilizations, social formations, or family types, molded by unlike environments, occupations, and civil conditions. It should inquire, not only how one person is affected by another, but also how he is affected by variations in work, reward, mode of life, or tradition. If these national and class types are ignored by social psychology, I should like to know what branch of science will attend to them.

Inter-individual psychology has to deal with two sets of problems — those connected with personal relationships and those connected with social groupings. The former call for a description of all the types of influence that one person can exert upon another, and an exposition of the content of each of the chief relations in which two human beings can stand to one another. What precisely takes place when one person impresses or imitates, dominates or obeys, teaches or believes, fascinates or antagonizes another? In view of the importance the suggestion theory attaches to the hero, the apostle, and the prophet as initiators of historic movements, these inquiries may mean much for social science. Again, what is implied in such relations as friendship, dependence, discipleship, clientage, pupilage, vassalage, agency, etc.?

The field of personal interactions and relations has been explored, and it cannot be said to offer us at the moment any serious problems. It would, in fact, not be difficult to glean from the great imaginative writings, diaries, and autobiographies of the world an anthology of selections that would set forth with all the eloquence of genius the possible spiritual attitudes that persons may assume with respect to one another.

What we lack, however, is a clear notion of how such simple inter-individual processes give rise to such massive and diffused products as languages, myths, customs, proverbs, and folk-lore. These were certainly not conceived and imposed by some superman, nor are they the outcome of organized, associated effort. To wave them aside as "collective products" is to dodge the question. The building, diffusion, and transmission of languages, myths, and the like appear to depend, not on mass-action of any kind, but on innumerable molecular occurrences too petty to challenge general attention. Tarde's resolution of these processes into the repetition and in-and-in weaving of two elementary phenomena, the novel combination of ideas in the individual mind — invention — and the action of mind on mind — suggestion-imitation — is the only plausible explanation that has ever been offered, and it doubtless leads a long way toward the solution of the problem.

No chapters in sociology will be so attractive as those which treat of human groupings. It took men a long time to discover the

atmosphere, because everything else is seen through that medium. So it took a long time to discover the existence of subjective environments, because the social life of man was seen through the refracting prejudices inspired by some one of these environments. If at last the thinker is coming to appreciate the lordly rôle of social groupings, it is because the fuller accounts of man in space — ethnology — and in time — history — afford so broad a basis for comparison that he can now lift himself above the narrow horizon of his date and place.

The union of men concerns us here, not because they flourish through their coöperation, but because their natures are correspondingly modified. The principles of organization, indeed, interest the social morphologist, but so long as associates remain quite self-centred, and cold-bloodedly look upon their society as a mere piece of mechanism helpful in the gaining of their private ends, there is nothing about their union to challenge the social psychologist. The fact is, however, that society reacts upon, transforms, even socializes its members. Properties appear which the elements in the beginning did not possess. It can be established, for instance, that the intellectual and moral traits of any group-unit depend not only upon the original characters of the units, but also upon two other things — upon their mode of combination — a morphological fact — and their manner of interaction — a psychological fact. The true community at once enlarges and imprisons minds. The individual ceases to look upon his fellow coöperators as tools, his union with them as means to an end. A consciousness of his group seizes upon him, and, whether we regard this striking obsession as a monstrous soul-parasite or as a noble graft upon an inferior stock, there is no question that we are in the presence of a super-individual phenomenon. The coincident ideas men have of their group become a spiritual structure, the group-individuality, which trenches upon, even overshadows and well-nigh supplants, their personal individuality.

The problem of social groupings is distinct from that of personal relations. Although it is inter-individual action that extends through a population a plane of agreement, such as a common speech, religion, or culture, — a plane which, to be sure, often serves as a convenient platform on which to rear some fabric of collective life, — it does not follow that a group-unit is built up out of nothing but personal ties, that the bond between fellow members must be some one of the relations that may be established between two individuals. In that case a society, however complex and stable, would be resolvable into couples, each exemplifying some type of reciprocal influence that can be observed between man and man. No doubt there is much social tissue where people are webbed

together by spiritual threads stretching from person to person. In the higher social formations, however, people do not cohere altogether in this simple way. In the personal relationship the poles of thought are myself and my idea of the other person. But in the relation of compatriots, or fellow sectaries, or co-conspirators there comes first the thought of the ideal, leader, dynasty, territory, possession, organ, or symbol that serves as keystone locking the social arch, and then the thought of the fellow member in the same attitude to it that I am. Recognition of this identity of relation establishes between us a bond of sympathy. The vitality and strength of an active permanent group consists, then, not so much in direct attachments among the members as in the attachment of all to something which serves to mark off that body of persons from the rest of the world.

The subjective aspect of human groupings has of late years been taken in hand by what is known as collective psychology, and some really beautiful studies have been made of the crowd, the party, the sect, the public, and the criminal band. They have already done us the great service of showing that there is more than one species of human association, and thereby refuting the pointless antithesis of "individual, society; society, individual," the tiresome iteration of which well-nigh discredited our young science. These studies have, however, been random shots and show no co-ordinating idea. Too often the investigator imagines the particular grouping he analyzes is the pattern of all association. The first duty, then, is to put an end to this attempt to unlock all doors with one key, by classifying social groupings into *genera* and *species*. Once they are thrown into classes and subclasses according to their psychic characteristics, we shall know just how much ground there is to cover. The next task is so to test and graduate them as to reveal the principal degrees of socialization intervening between the absolute individual and the completest group ego. The octave of stages of collective individuality seems to be something like this:

- (1) Those of a certain category, finding a greater mental agreement with one another than with other persons, seek out, associate with, and aid one another. Here a diffused sociality exists, but no group ego.

- (2) They become conscious of their spiritual resemblances, and so begin to think of themselves as a group apart.

- (3) In case their mental community extends to certain common purposes, they spontaneously coördinate their like efforts for the realization of these purposes. Such coöperation implies a higher degree of sympathy and comprehension.

- (4) They spontaneously coördinate unlike efforts for the realiza-

tion of their common purposes. Such division of labor favors a still higher degree of understanding and mutual confidence.

(5) Directive organs are created to secure coördination of efforts. The concrete embodiment of collective aims in one man, or set of men, objectifies the group, and assists the members to a clearer consciousness of their unity.

(6) The sympathy among the *socii* is such that they restrain the members of the community from aggression upon one another. Out of these spontaneous activities develop, first, juristic rules, and, later, organs of control to enforce these rules.

(7) Organs are instituted to promote a completer socialization of the members of the group. By means of festivals, public worship, authoritative doctrines, education, and the like, it is sought to realize in all, not merely specific sentiments, but a certain ideal of life.

Whatever the intermediate shadings, these seem to be the primary colors in the moral spectrum that leads from personal ego to collective ego, from atomism to a corporate consciousness that makes men feel they exist solely for their tribe, state, church, or order; and willing not only to *die*, but, what is more, to *live* for it. Now, after the social psychologist has determined the noteworthy levels in the emergence of a group-individuality, and has set forth their distinguishing characteristics, the yet more difficult task presents itself of ascertaining *the causes and conditions* of each of these phases of group-evolution. Some of these factors will be morphological, pertaining to the constitution and form of the group. For example, are the persons in the group few or many, alike or dissimilar, equal or graded, assembled or dispersed, assembled by chance or by appointment? Do the members know or meet with one another? Are their relations direct or chiefly indirect? Is their association casual or intentional, open or close, temporary or permanent, public or secret, for general ends or for a specific end? How do executive centres arise? Are they simple or compound? Are the powers-holders movable or irremovable, absolute or responsible, chosen for a term or for life, limited or unlimited in their powers?

The make-up of the group is nevertheless not the only thing that determines what stage of unity it shall reach. How definite are its guiding ideas or ideals? How important are the purposes the group undertakes to realize? Is there any other way of realizing them than by collective action? What sacrifices are required? How much energy is lost through friction? To what extent does organization chafe the organized? How far is socialization resisted by influences that fortify personal individuality? How far is it qualified by a dominant society? Is it limited by rival groupings, dividing

the allegiance of its members? How complete is the assimilation possible among them? How does time contribute to the triumph of the corporate self? Upon these and upon other factors, of which we have as yet not even an inkling, depends the degree of socialization. How thick is the darkness that shrouds this process we realize, as we stand amazed before the manifestations by the Japanese of a national consciousness of an unprecedented intensity. The systematic reliance upon voluntary immolation is something new in warfare, and no doubt ere long the envious Occidental statesmen and war-lords will be inciting social psychologists to discover the conditions in Japanese national life that generate a spirit of self-sacrifice so unexampled.

Let no one interpose at this point that the search for specific factors, that is to say, the quest for causal laws, is vain because the human will is not law-abiding. It is precisely in the mass-functions of conscious individuals that regularities declare themselves and may be formulated. In dealing with the behavior of numbers, the psychologist is not restricted to the humble duties of classification and description, but may with full right aspire to the noble office of discovering causes.

The discriminating of levels in the emergence of a group-individuality will reveal all possible encroachments of the collective self upon the personal self, all the possible proportions between corporate feeling and private interest. But can this series of levels be run through by any one group? If so, we could virtually plot the life-curve of a group from birth to death, foretell its development from stage to stage until, after it passed its zenith, it is absorbed, or breaks up into other groups, or gradually disintegrates and allows the erstwhile submerged personal individualities to reappear. The idea is attractive, but illusory. There are probably a number of lines along which groups evolve. For example, a body of eccentric co-religionists, hated and persecuted, may grow more and more intimate, fanatical, and exclusive, until they become "a peculiar people," keeping to themselves and sinking their entire lives in the life of the sect. Active groups, on the other hand, move in the direction of *organization*. Those who coöperate on behalf of some vital common interest may differentiate organ after organ, to serve as bearers of the common will and centres of co-ordination. Again, the community may move along the line of *control*, more and more subjecting private opinion and conduct to general opinion, and secreting morality and law as binding material. If my surmise be correct, we are called upon to trace these diverging lines of group-development, and to discriminate the forces at work in each of these evolutions.

Lest I be reproached for bounding the field of collective psych-

ology rather than pointing out the particular problems it ought to attack, let me state some of the concrete questions that are puzzling me to-day.

Which architect is the chief builder of group-units, Resemblance between the units or Community of Interest? Does awareness of resemblance inspire sympathies which dispose men to unite their efforts in the joint assertion of common interests which were there all the time, but for which they would not consent to coöperate? Or, does some grave posture of affairs, which establishes among men a community of interest, compel them to coöperate; and does their gratitude to one another for these services of mutual aid inspire sympathies which perpetuate the union after the occasion for it has passed away? In the one case men cleave to their kind and shun opposites; in the other case they seek helpers and shun competitors. The one emphasizes *ideas*, the other *material interests*, as source of the sentiments which unite or divide men. It may be that the latter hypothesis holds for political association, while the former holds for cultural association. Moreover, it may be that one type prevails in the impulsive stage of human development, while the other type tends to prevail in the rational stage.

Granting that awareness of resemblances and differences determines the attitudes of persons toward one another, what is the relative importance of the various elements in which people may resemble or differ? As regards physique, the thorough mix-up of cephalic races suggests that head-form is insignificant. Color, on the other hand, is an outstanding trait, and color-contrast is almost always a hindrance to social feeling and a bar to intermarriage. In ancient India, as in our South, color seems to have been the foundation of caste. The shock which a human being experiences on beholding a face of an unfamiliar hue is accentuated as soon as color-contrast becomes indelibly associated with mental, moral, and social differences. Each race, moreover, works out its ideal of personal beauty on the basis of its distinctive traits, and the individuals of another race are apt to strike it as ugly and repulsive.

Some light on the problem is got by noting what points of difference are emphasized when men are coining insulting epithets to hurl at their enemies. With the ruder man personal appearance and habits count for much. One thinks of his foes as "niggers," "greasers," "roundheads," "fuzzy-wuzzies," "red-necks," "pale-faces," "red-haired devils," "brown monkeys," "redskins," "uncircumcised," "dagoes," "frog-eaters," "rat-eaters," etc. Somewhat higher is the type that thinks of his enemy as a "parley-voo," "goddam," "mick," "heathen," "infidel," "heretic," or

“papist.” Difference in speech is a serious bar to sympathy, for at first another’s speech always sounds to us like the gibberish of a chattering ape. The higher type of man is struck by cultural differences only, and detests those who are “savage,” “barbarous,” or “benighted.”

It would seem that the higher the plane of culture, the more men are affected by agreement or difference in mental content. Among the contents of the mind, religious beliefs are more attended to than general ideas, and the ideals of life than religious beliefs. The discovery of agreement in feeling is more socializing than intellectual agreement. The common enthusiasm for a symbol, or a common love for a chief or dynasty, is of marked socializing value. Unlike persons or groups draw together in fellowship if they are embraced in the same envy or hatred by a third party. Realizing that outsiders think of them as a group tends to form persons into a group. The perception of a common purpose gradually inspires sympathy, and thus are socialized those who are physically different, but who nevertheless have a community of interest.

Still, it is not entirely clear under what conditions those who have a vital common interest to promote will feel and act together. We now understand fairly well the circumstances that favor or oppose the rise of a group-individuality in local communities, provinces, sections, and nations. But the emergence of an individuality in interpenetrating socio-economic classes will not be clear until certain neglected factors are brought into consideration. How is the attitude of a man toward the rest of his class affected by the fact that socio-economic classes are in a hierarchy, and individuals are constantly escaping from one class into a higher? Does not the secret hope of rising prompt many a man to identify himself in imagination with the class he hopes to belong to rather than the class he actually belongs to? Are not the conflicts that, in view of their clear oppositions of interest, one would expect to break out between commoners and nobles, between peasants and bourgeoisie, between workingmen and employers, frequently averted because the natural leaders and molders of opinion among the workingmen hope to become capitalists, the peasants expect to see their sons in the professions, the rich commoners trust to work themselves or their families into the peerage? If this surmise be correct, the decomposition of the national society into hostile classes need not ensue when the decline of national antagonism leaves in high relief the acute differentiation of the population in respect to possessions and economic interests. It may be that, besides the breaking-up of population into a social spectrum, there is needed the further condition that the ascent



from the red toward the violet end of this social spectrum shall be too difficult and rare to tempt the élite of a lower grade to renounce its present class-interest in favor of a higher class it hopes at last to enter.

With the growth of the social mind in extent and comprehension one cannot help wondering what will be the fate of personal individuality. Will there be more room for spontaneity and choice, or is the individual doomed to shrivel as social aggregates enlarge and the mass of transmitted culture becomes huger and more integrated? As that cockle-shell, the individual soul, leaving the tranquil pool of tribal life, passes first into the sheltered lake of some city community, then into the perilous sea of national life, and at last emerges upon the immense ocean of humanity's life, does it enjoy an ever-widening scope for free movement and self-direction, or does it, too frail to navigate the vaster expanses, become more and more the sport of irresistible waves and currents?

On the one hand it may be urged that, as one rises clear of bodily wants and promptings, one's self-determination contracts, one's life is more and more molded by conceptual rather than impulsive factors; that is to say, by ideas, ideals, beliefs, principles, and the like. The growing preponderance of such factors subjects a man more to his social environment, for these are just the things that are easiest taken on by imitation or stamped in by education. You say the stock of possessions to choose from grows with each generation. True, but nevertheless the incompatible ideas and ideals become fewer, because one of the incompatibles exterminates the other. Consider, moreover, how the diversity in the cultural elements offered one becomes less owing to the march of adaptation. Spelling becomes definite; idiomatic flexible speech falls under the tyranny of grammar and of style. The dictionary expands, but the number of synonyms declines as meanings become more shaded and precise. A religious ferment emancipates souls, but out of it dogmas soon crystallize and close in on the mind. In time unrelated dogmas are compared and sifted, and the complementary ones are erected into an imposing theology, like that of St. Thomas or Calvin, which from foundation to turret-stone offers the believer no option. So from the discussions of jurists emerge general principles which transform a mass of incongruous, even contradictory, customs and statutes into a system of jurisprudence from which inharmonious elements have been expelled and which utterly dominates the ordinary intellect. Likewise unified generalizations about the external world, each trailing off into the unknown with many inviting paths of suggestion, are integrated and the gaps filled in until there exists a body of articulated propositions called a science; and the generalizations of the

various sciences find a still higher synthesis in systems of philosophy.

On the other hand, there is certainly a progressive diversification and enrichment of culture which offers one a greater number of options and permits him to indulge his individual fancy. The great variety of sects seems harbinger of the day when there will be as many creeds as there are believers. Science, of course, being a verified transcript of reality, can be but one; but just as a widening circle of light enlarges the ring of darkness, a growth of the known gives fresh opportunities to speculate about the unknown. The widening scope for the play of individuality is seen in the coexistence in our Occidental culture of a greater number of types of music, styles of painting or architecture, forms of literature, theories of life and conduct. Since these appeal to the needs of diverse temperaments, it is unlikely that the spirit of unification will bring about the triumph of one over the rest or their co-adaptation into one form. The Protestant will not absorb the Catholic, nor the Methodist the Presbyterian. Italian and German opera, lyric and dramatic poetry, realistic fiction and romance, Stoicism and Epicureanism, marriage as sacrament and marriage as contract, the "woman" ideal and the "lady" ideal, will persist side by side because they meet the needs of different people. Just as a developed society partly compensates for the cramping of specialism by offering the individual a greater variety of vocations to select from, so a developed culture affords multifarious opportunities from which each can choose what is congenial to his nature.

The question posed is, to be sure, part of a larger question, namely, What are the influences and conditions that socialize or individualize? St. Simon thinks the life of humanity alternates between "organic" epochs and "critical" epochs. It may be there is no such rhythm in history, but there are certainly upbuilding forces and down-tearing forces, which shift their balance from time to time. It is our business to discover which processes are emancipating and which are limiting; to ascertain what institutions and types of education conduce to self-determination, and how far this is compatible with social unity; to inquire whether it is well to standardize ideas, beliefs, and tastes, or, on the contrary, to encourage variety, nonconformity, even eccentricity, for the sake of having a culture that will provide for every sort of mind its natural aliment.

Leaving now the inter-individual — that is to say, the strictly "social" — division of our science, we come to the special psychology of nationalities and classes, in so far as they are of societal rather than of natural origin.

One of our first tasks is to settle whether national characteristics should be dealt with by social psychology or handed over to ethnology. This depends on whether differences in national traits are due primarily to race-endowment or to situation and history. It is certain that "blood" is not a solvent of every problem in national psychology, and that "race" is no longer a juggler's hat from which you can draw explanations for all manner of moral contrasts and peculiarities. Nowadays no one charges to inborn differences the characteristic contrasts between Englishmen and Russians, between Jews and Christians, between Javanese and Japanese. The marvelous transformation, to-day of Japan, to-morrow perhaps of China and Siam and the Philippines, makes one doubt if even the impassive Oriental is held fast in the net of race. Perhaps the soul-markings of Anglo-Saxons or Slavs or Orientals are of societal origin, due to the capitalization of centuries of experience in unlike situations, and to the injection and saturation of individual minds with these transmitted products by means of social circumpressure. When the Apache youth returned from Hampton, the Hindoo back from Eton, or the Chinaman home from Yale, reverts to ancestral ways, everybody cries "Race!" But why ignore the force of early impressions? If we had caught them as sucklings instead of as adolescents, perhaps there would be no reversion. Why should we expect a few years of schooling to bleach those who have been steeped since their 'teens in a special environment and culture?

The broad moral contrasts between German, Turk, and Gipsy must be due to race or to environment, physical and social. Now, how much weight ought we to assign to the race-factor? For my own part, I doubt if ideas ever get into the blood, or feelings and dispositions that depend on particular ideas. The Chinaman is not born a conservative, the Turk a fatalist, the Hindoo a pessimist, the Semite a monotheist. Notions and beliefs do not become fixed race-characters, nor do the emotions and conduct connected with them become congenital. Yet, considering how differently the peoples have been winnowed and selected by their respective environments, occupations, and histories, I see no reason why there should not arise between them differences in motor and emotional response to stimulus.

Even in the same stock, nay, even in the same family, we find congenital differences in the strength of the sex-appetite, in the taste for liquor, in the craving for excitement, in *Wanderlust*, in jealousy, in self-control, in capacity for regular labor, in the spirit of enterprise, in the power to postpone gratification — differences which defy eradication by example or instruction. If such diversities declare themselves within a people, why not between peoples? Will not a destructive environment select the sensual, a bountiful

environment the temperate, a niggardly environment the laborious. a capricious environment the forelooking? Will not the restless survive under nomadism, the bold under militancy, the supple under slavery, the calculating in an era of commerce, the thrifty in an epoch of capitalism? Since intellectual gains are indefinitely communicable, men do not survive according to their predisposition to have or not have a certain advantageous idea or belief. But modes of response to stimulus are not so generalized by imitation. Men change their thoughts but not their elementary reactions, and, since according to these reactions they survive or perish, it is possible for motor and emotional differences to arise between peoples one in blood but unlike in social history.

Let the social psychologist account for the cultural differences between peoples and for the moral differences that hinge on some cultural element. Only the simple undecomposable reactions involving no conceptual element, would fall to the race-psychologist. Of course, it is not easy to tell which characteristics are elementary. Once we thought the laziness of the anemic Georgia Cracker came from a wrong ideal of life. Now we charge it to the hook-worm and administer thymol instead of the proverbs of Poor Richard. The Negro is not simply a black Anglo-Saxon deficient in schooling, but a being who in strength of appetites and in power to control them differs considerably from the white man. Many of the alleged differences between Chinese and Occidentals will be wiped out when East and West come to share in a common civilization. But it will be found perhaps that the Occidental's love of excitement, speculation, sport, and fighting flows from his greater restlessness, due to a thousand years less of schooling in industrialism than the Chinese have had. Again, those who imagine that by imparting to Hindoos or Cinghalese our theology, the missionary endows them with our virtues and capacities, certainly fail to appreciate how much these depend on certain elementary motor reactions.

Passing now from the *differentiae* of peoples to the broad psychic differences that appear within a given population, we first set aside as foreign to our purpose the problems that engross the sex-psychologists, the child-study people, the alienists, and the criminalists. The mental varieties they deal with are at bottom anthropic, and their studies are prolongations of individual psychology. In every people, however, there are classes marked by divergent modes of thought and feeling. These class-types of mind are of societal origin, and the delineation and explanation of them belong, I think, to social psychology. Every social population is distributed into a series of unlike subjective environments, their nature depending

largely upon the constitution of the society. Each of these special horizons tends to form men into a class and create a mental type. Hence arise two problems: first, to determine the characteristics proper to each class, recognizing, of course, that in fact these are often blurred and confused by modifying influences coming from other classes; second, to show how these characteristics are generated by the manner of life imposed on that class by its position in the social system. The married and the unmarried lead quite dissimilar lives, and no doubt some day we shall know the nature and causes of the psychic differences between the conjugal and the celibate. Already the disciples of Le Play, after distinguishing the communal family, the individualistic family, and the stem-family, have sought to differentiate the moral types that tend to arise within these several domestic groups. The contrasts of rural and urban types must ever be drawn afresh, for the city and country of our day are not city and country as Aristophanes and Molière knew them.

Occupation is perhaps the chief mold of classes. The familiar distinction of hunting, pastoral, agricultural, and industrial stages of social evolution does not become significant until it is recognized that each of these is not only a mode of production, but also a *life*. The business-man and the farmer differ in their mental processes and a full setting-forth of this contrast would throw much light on revolutions in parties and policies. One of the greatest "finds" in recent sociology resulted from carefully comparing the leisure-class mind with the mind of the productive classes, and the traits developed by industrial employments with those called forth by pecuniary employments. Another nugget turned up by comparing the mentality that prevails in plastic social formations, such as rising cities, colonies, and frontier communities, with that of men in old and crystallized societies. The psychology of the pauper, the prostitute, and the criminal, belonging partly to anthropology, partly to sociology, have afforded a scientific basis for charity and penology.

The systematic survey of class-types ought to be extremely helpful to general sociology. How can we definitively appraise slavery until we know what manner of man the master tends to become, what manner of man the slave? How can we estimate militancy without understanding the mental type created by the addiction to warlike pursuits? Ecclesiasticism and sacerdotalism cannot be judged as to their influence on society until we know the soul of the priest. The genesis of political liberalism is an enigma unless we comprehend the type of mind that forms in cities. Take a problem that now agitates the minds of sociologists — that of class-strife. What arrays class against class? "Interference of interests," says the Marxian; "classes hate and fight each other

because they are interested in incompatible social systems." But it is worth pondering if the strifes of classes are not often aggravated by the fact that the combatants differ in mental type and do not understand each other. The successful conciliation of labor disputes suggests that the feud between capital and labor is partly owing to divergent modes of thought and feeling that grow up among employers on the one hand and workingmen on the other.

In this epoch of democracy and deliquescence, society by no means falls apart into neat segments, as it did two centuries ago. Caste has had its day, and the compartment society, with thick bulkheads of privilege, prejudice, non-intercourse, and non-intermarriage separating the classes, is well-nigh extinct. To-day the imprint each manner of life tends to leave on those who lead it is continually effaced by such assimilating influences as church, school, press, party, voluntary association, and public opinion. But that imprint must be deciphered if we are to gauge the significance of class ascendencies in backward or bygone societies. We need to know how and why a society dominated by the sacerdotal class — Judea or medieval Rome — differs from Sparta ruled by the warrior class, Venice dominated by the commercial class, Florence dominated by the artisan class, or the Transvaal dominated by the rural class.

## SHORT PAPER

PROFESSOR EDWARD CARY HAYES, of Miami University, read a paper before the Section on the study of human experiences and activities as natural phenomena, classifying the phenomenal world into two hemispheres, the physical and the psychic, with a brief discussion of their relations and methods.

## BIBLIOGRAPHY: DEPARTMENT OF SOCIOLOGY

*(Prepared by the courtesy of Professor Frank W. Blackmar)*

- BARTH, Der Philosophie der Geschichte als Sociologie.
- COOLEY, C. H., Human Nature and the Social Order, New York, 1902.
- COMTE, AUGUSTE, Cours de philosophie positive, 6 vols. 1830-1842.
- DE GREEF, GUILLAUME, Introduction à la sociologie.  
Première partie, Eléments, Bruxelles et Paris, 1886.  
Deuxième partie, Fonctions et Organes, Bruxelles et Paris, 1889.  
Le transformisme social, Paris, 1895.  
Les lois sociologiques, 2d edition, Paris, 1896.
- DE ROBERTY, EUGÈNE, La sociologie: essai de philosophie sociologique, Paris, 1880, 1886.
- DURKHEIM, EMILE, De la division du travail social, Paris, 1893.  
Les règles de la méthode sociologique, Paris, 1895, 1901.
- ESPINAS, ALFRED, Sociétés animales, Paris, 1878.
- FOUILLÉE, ALFRED, La science sociale contemporaine, Paris, 1885.  
Le mouvement positiviste et la conception sociologique du monde, Paris, 1896.
- GIDDINGS, FRANKLIN II., The Principles of Sociology, New York, 1896.  
Inductive Sociology, New York, 1901.
- GUMPCOWICZ, LUDWIG, Der Rassenkampf, Innsbruck, 1883.  
Grundriss der Sociologie, Vienna, 1885.
- LE BON, GUSTAVE, Psychologie des foules, Paris, 1885 (translated, The Crowd).  
Les lois psychologiques de l'évolution des peuples, Paris, 1894.
- LETOURNEAU, CHARLES, La sociologie d'après l'ethnographie, Paris, 1880, 1892  
(translated, Sociology: based upon Ethnography), London, 1893.
- LESTRADE, COMBES DE, Eléments de sociologie, Paris, 1889.
- LILIENFELD, PAUL VON, Zur Vertheidigung der Organische Methode in der Sociologie, Berlin, 1898.  
Gedanken über die Socialwissenschaft der Zukunft, 2 Bde., Mitau, 1873-1875.
- MACKENZIE, J. S., An Introduction to Social Philosophy, Glasgow, 1890.
- NOVICOW, JACQUES, Les luttes entre sociétés humaines, Paris, 1893.
- PATTEN, SIMON N., The Theory of Social Forces, New York, 1899.
- RATZENHOFER, GUSTAV, Wesen und Zweck der Politik als Theil der Sociologie und Grundlage der Socialwissenschaft, Leipzig, 1893.  
Die sociologische Erkenntniss, Leipzig, 1898.
- ROSS, ED. A., Social Control, New York, 1901.
- SALES Y FERRE, MANUEL, Tratado de sociologia, Madrid, 1894.
- SCHAFFLE, ALBERT E. F., Bau und Leben des socialen Körpers, 4 Bde., Tübingen, 1875-1878, and 2 Bde. 1881.
- SIMMEL, G., Ueber sociale Differenzierung, Leipzig, 1890.
- SPENCER, HERBERT, The Study of Sociology, London and New York, 1873.  
Descriptive Sociology, 7 vols. London and New York, 1874-1881.  
Principles of Sociology, 3 vols. London and New York, 1876-1896.
- STUECKENBERG, J. H. W., Sociology the Science of Society, New York, 1903.



- TARDE, GABRIEL, *Les lois de l'imitation*, Paris, 1890-1895.  
*Les lois sociales*, Paris, 1898 (translated, *Social Laws*), New York, 1899.
- TOENNIES, FERDINAND, *Gemeinschaft und Gesellschaft, Abhandlung des Communismus und des Socialismus als Empirischer Culturformen*, Leipzig, 1887.
- VACARRO, MICHELAGNOLO, *Le Basi del Diretto e dello Stato*, 1893.
- VANNI, ICILIO, *Prime linee di un programma critico di sociologia*, Perugia, 1888.
- VEBLEN, THORSTEIN, *The Theory of the Leisure Class*, 1899.
- WARD, LESTER F., *Dynamic Sociology*, 2 vols. New York, 1883.  
*Psychic Factors of Civilization*, Boston, 1893.
- ✓ *Pure Sociology*, vol. I, New York, 1903.
- WORMS, RÉNÉ, *Organisme et société*, Paris, 1896.

BOOKS OF REFERENCE FOR THE SECTION OF SOCIAL  
CULTURE

*(Prepared by the courtesy of Professor Ferdinand Tönnies)*

ANNALES de l'Institut international de Sociologie.

BOUSLÉ, Les Dies Egalitaires.

FUSTEL DE COULANGES, La Cité antique.

HEGEL, Grundlinien des Philosophie des Rechts.

HOBBS, De Cive.

Leviathan.

MOISSAN, Ancient Society.

NOVICOW, Conscience et volonté sociales.

PLATO, Republic.

STEIN, Der Begriff der Gesellschaft und die sociale Geschichte des frazof Revo-  
lution.

TOENNIES, Herbert Spencer socialischer werke.

WARD, Outlines of Sociology.

WORMS, Philosophie des sciences sociales.

SPECIAL WORKS OF REFERENCE FOR THE SECTION  
OF SOCIAL PSYCHOLOGY

*(Prepared by the courtesy of Professor Edward A. Ross)*

- BAGEHOT, W., *Physics and Politics*, London and New York, 1873.
- BALDWIN, J. M., *Social and Ethical Interpretations in Mental Development*, New York and London, 1897.
- BAUER, A., *Les Classes sociales*, Paris, 1902.
- COOLEY, C. H., *Human Nature and the Social Order*, New York, 1902.
- GUYAU, J. M., *L'Art au point de vue sociologique*, Paris, 1899.
- HEARN, L., *Japan: An Interpolation*, New York, 1905.
- KISTIAKOWSKI, T., *Gesellschaft und Einzelwesen*, Berlin, 1899.
- LE BON, G., *Psychologie des Foules*, Paris, 1895 (translation, *The Crowd*), New York, 1896.
- ROSS, E. A., *Social Control*, New York, 1901.  
*The Foundations of Sociology*, New York, 1905.
- SIDIS, B., *The Psychology of Suggestion*, New York, 1905.
- SIGHELE, S., *La foule criminelle*, Paris, 1893.  
*La psychologie des sectes*, Paris, 1897.
- SIMMEL, G., *Ueber Sociale Differenzierung*, Berlin, 1890.
- TARDE, G., *Les lois d'imitation*, Paris, 1895 (translation, *The Laws of Imitation*), New York, 1903.  
*La logique sociale*, Paris, 1895.  
*L'Opposition universelle*, Paris, 1897.  
*Les lois sociales*, 1898 (translation, *Social Laws*), New York, 1899.  
*Etudes de psychologie sociale*, Paris.  
*L'Opinion et la foule*, Paris, 1901.
- TOENNIES, F., *Gemeinschaft und Gesellschaft*, Leipzig, 1887.
- VEBLEN, T., *The Theory of the Leisure Class*, New York, 1889.

SPECIAL WORKS OF REFERENCE FOR THE SECTION  
OF SOCIAL SCIENCE

*(Prepared by the courtesy of Professor Lester F. Ward)*

- GUMFLOWICZ, LUDWIG, *Race und Staat, Eine Untersuchung über das Gesetz der Staatenbildung*, Wien, 1875.  
*Philosophisches Staatsrecht*, Wien, 1876.  
*Der Rassenkampf*, Innsbruck, 1883.  
*Die Sociologische Staatsidee*, Graz, 1892, Zweite vermehrte Auflage, Innsbruck, 1902.  
*Allgemeines Staatsrecht*, Innsbruck, 1897.  
*Geschichte der Staatstheorien*, Innsbruck, 1905.
- RATZENHOFER, GUSTAV, *Wesen und Zweck der Politik, als Theil der Sociologie und Grundlage der Staatswissenschaften*, 3 vols. Leipzig, 1893.  
*Die Sociologische Erkenntnis, Positive Philosophie des Socialen Lebens*, Leipzig, 1898.
- SIMONS, SARAH E., *Social Assimilation*, *American Journal of Sociology*, vol. vi, May, 1901, pp. 790-822; vol. vii, July, 1901, pp. 53-79; September, 1901, pp. 234-248; November, 1901, pp. 386-404; January, 1902, pp. 539-556.
- VACCARO, MICHELAGNOLO, *Les Bases Sociologiques du Droit et de l'Etat*, Paris, 1897 (translated from Italian: *Le Basi del Diritto e dello Stato*), Roma, 1893.

## CONTENTS OF THE SERIES

Volume I. History of the Congress; The Scientific Plan of the Congress; Introductory Address; Department of Philosophy (6 sections); Department of Mathematics (3 sections).

Volume II. Department of Political and Economic History (6 sections); Department of History of Law (3 sections); Department of History of Religion (5 sections).

Volume III. Department of History of Language (8 sections); Department of History of Literature (7 sections); Department of History of Art (3 sections).

Volume IV. Department of Physics (3 sections); Department of Chemistry (4 sections); Department of Astronomy (2 sections); Department of Sciences of the Earth (8 sections).

Volume V. Department of Biology (11 sections); Department of Anthropology (3 sections); Department of Psychology (4 sections); Department of Sociology (2 sections).

Volume VI. Department of Medicine (12 sections); Department of Technology (6 sections).

Volume VII. Department of Economics (6 sections); Department of Politics (5 sections); Department of Jurisprudence (3 sections); Department of Social Science (6 sections).

Volume VIII. Department of Education (5 sections); Department of Religion (6 sections).

**The Riverside Press**

PRINTED BY H. O. HOUGHTON & CO.

CAMBRIDGE, MASS.

U. S. A.



